

083.8:524.3

5911-2.



9679

TAYLOR'S
GENERAL CATALOGUE OF STARS

FOR THE EQUINOX 1835·0

FROM OBSERVATIONS

MADE AT THE

MADRAS OBSERVATORY

DURING THE YEARS

1831 to 1842.

REVISED AND EDITED BY

A. M. W. DOWNING, M.A., D.Sc., F.R.S.,
SUPERINTENDENT OF THE NAUTICAL ALMANAC.

EDINBURGH:

PRINTED BY NEILL & COMPANY, LTD., BELLEVUE.

1901.

MADRAS
GENERAL CATALOGUE OF STARS
FOR
1835·0.

INTRODUCTION.

This Catalogue contains the results of observations of Stars made at the Madras Observatory during the years 1831 to 1842 inclusive, under the direction of the late Thomas Glanville Taylor. The Catalogue places represent the mean Right Ascensions and Declinations of the Stars at the mean epoch of observation, reduced without proper motion to the Equinox of 1835·0.

The Right Ascensions.

The Transit Instrument is described in detail in Vol. I. of the Madras Observations. Here it is sufficient to state that the focal length of the telescope is 61 inches, and the clear aperture $3\frac{3}{4}$ inches, and that a power of 150 was employed. The transits were observed over five fixed vertical wires. Much trouble was caused in the early years of Taylor's term of office by the unequal wear of the pivots; and corrections on this account, of a more or less problematical character, have been applied to the observations (Vol. II., page 8). At the end of 1833, however, the pivots were fitted with collars of steel, and since that time no further evidence of wear was detected.

The Error of Level was determined by a spirit-level, and it has not appeared necessary to revise the Level Errors as adopted in the original reductions.

The revision of a Catalogue of 11,000 Stars is a work of such magnitude that it was necessary to exercise the utmost vigilance in order to keep the expenses within reasonable limits; otherwise there would have been a danger of the work being left in an unfinished state. Hence the necessity of utilising, as far as possible, the existing material.

The Error of Collimation was determined from the observation of the (known) angular distance between the North and South Meridian Marks. From the beginning of 1840 onwards, owing to the obliteration of the South Mark, and the dilapidated state of the Micrometer-screw, the practice was adopted of inverting the instrument on the North Mark, and adjusting it so that the error of Collimation should be zero. The observations made during the last three years are comparatively very few, and it did not appear necessary to revise the determinations of Collimation error (except in some isolated cases), although during the years referred to they were made in this unsatisfactory way.

The Error of Azimuth was determined from observations of the Meridian Marks, the positions of which were assumed from observations of close polar stars, mainly of Polaris, above and below the pole. The determination of Azimuth Error presents certain difficulties in a low latitude such as that of Madras, a circumstance which must give rise to some uncertainty in the concluded Right Ascensions of stars of high declination. After some consideration, I decided to follow Taylor's methods, as the observations did not lend themselves to a revision of these, and Taylor appears to have exercised the greatest care and vigilance in all matters relating to the adjustment of the instruments. But I have been careful to attend to such details as the changes in the positions of the Marks, referred to in Vol. II., page cxxxii, and the error in the assumed position of the North Mark, referred to in Vol. VII., page (xiii). Attention to these and similar points has occasionally (especially during periods when Taylor was absent from the Observatory) necessitated the application of comparatively large corrections to the Azimuth Errors originally adopted. That some further correction for Azimuth Error of the Transit is required appears probable from the comparison with Newcomb's Catalogue of Fundamental Stars given below. But I preferred to leave the results as they were rather than to apply a correction of an *a posteriori* character.

The Concluded Right Ascensions of Polaris, observed above and below the pole, and reduced to 1835·0, are as follows:—

	h	m	s.	
Polaris,	1	0	49·07	(89 observations).
Polaris S.P.,	1	0	49·71	(100 observations).

The Transit Clock used in the observations was one by Shelton, with a common dead-beat escapement and gridiron pendulum. It had, apparently, no maintaining power, and the effect of the periodical winding of the clock on its going often gave rise to considerable difficulty in determining the rate.

The Clock Errors were determined from the adopted positions of Standard Stars taken from Auwers' Fundamental Catalogue (*Publication der Astron. Gesellschaft*, XIV. and XVII.), excluding stars north of $+70^\circ$ Dec. The stars used for determination of clock error were not usually kept for place on any day on which the observations did not extend over six hours at least, or on which there were fewer than six Clock Stars observed by the same observer. On account of the somewhat unsatisfactory character of the Collimation and Azimuth determinations during 1840-42, alluded to above, no observations of Clock Stars, and no observations of close Polar Stars (except λ Ursæ Minoris) made during these years have been included in the Catalogue.

The probable error of a single determination of Right Ascension, estimated by the discordance of each day's result from the annual mean, for several stars near the zenith, and therefore not far from the equator, is

$$\pm 0.081.$$

The Declinations.

The Mural Circle is described in detail in Vol. I. of the Madras Observations. The Circle is 48 inches in diameter, and is provided with a telescope of 49 inches focal length, with object-glass of $3\frac{3}{4}$ inches aperture. A power of 120 was employed throughout. The circle is divided to every $5'$, and was read by four microscope-micrometers. In the observations of stars a fixed horizontal wire in the eye-piece was used.

No observations of Runs of the microscope-micrometers appear to have been recorded, except during the years 1840-42. Taylor, however, remarks that the microscopes were kept in adjustment so that the Runs—which were examined once a week—should be of small amount, and no correction for Runs was applied in the original reduction of the observations. It did not appear advisable to make a change in this respect towards the end of the period over which the observations extend, and accordingly I have not introduced a correction for Runs into the revised reduction of the Circle observations made during 1840-42.

The Division Errors applied to each circle observation are taken from the Table in the Madras Observations, Vol. V., pages ccxvii, ccxviii. It should be noted that Taylor was at first unaware of the magnitude of the division errors of the Madras Circle, which were assumed to be negligible, and it was not until late in 1839 that a complete investigation was undertaken. The observations made up to that time were then corrected by assuming that the adopted Index Errors would be affected by a constant error corresponding to the mean of the errors of every division of the circle, and then applying to each circle-reading the difference between this mean and its proper division error. The difference of the results derived in this way from the revised results is often considerable.

The Refractions used in the original reductions were those of Atkinson, published in Vol. II. of the *Memoirs* of the Royal Astronomical Society. To these I have applied systematic corrections taken from an extension of the Table in the Madras Observations, Vol. V., pages 2, 3, to reduce them to the refractions of Bessel's *Tabulæ Regiomontanæ*. For a few very low stars the refractions have been computed directly from the *Tabulæ*.

The Index Errors were determined from the adopted positions of Standard Stars taken from Auwers' Fundamental Catalogue (*Publication der Astron. Gesellschaft*, XIV.), between declinations $+55^\circ$ and -10° , the positions being corrected by the quantities given on page 12 of *Publication XIV.*, which reduce the places of the Fundamental Catalogue, sensibly, to those of Auwers' Mean System (*Ast. Nach.*, No. 1536). The attempt to determine an independent system of declinations by means of the "Reflecting Collimator" was abandoned for the reasons given in *Monthly Notices* of the Royal Astronomical Society, Vol. LVII., page 409.

Taylor appears to have made only two determinations of flexure during the period 1831-1842. One, made in 1835, gave a negative flexure of $0''.19$; the other, made in 1836, gave a positive flexure of $0''.56$. It has not been possible, therefore, to apply any correction for flexure to the observations.

The Concluded Declinations of Polaris, observed above and below the pole, reduced to 1835.0, are as follows:—

			°	'	"
Polaris,	+88	25	47.44	(13 observations).	
Polaris S. P.,	+88	25	44.88	(11 observations).	

The probable error of a single determination of Declination, estimated by the discordance of each day's result from the annual mean, for several stars near the zenith, is

$$\pm 0.60.$$

At a zenith distance of 65° this probable error is increased to

"

± 0.87 .

The observed Right Ascensions and Declinations of Standard Stars were reduced to mean places for the beginning of the year of observation by the help of the Pulkowa "Tabulæ quantitatum Besselianarum pro annis 1750-1864." For other stars the appropriate corrections applicable to Taylor's Star Corrections to reduce them to Star Corrections deduced from the Struve-Peters' Constants were taken from specially constructed Tables.

The mean Right Ascensions and Declinations for the beginning of each year of observation were reduced to the Equinox of 1835.0 by the application of the precessions printed in the Catalogue; the Secular Variations of the precessions being allowed for whenever sensible.

Explanation of the Separate Columns of the Catalogue.

"No." is the rotation number.

"Taylor's No." is the number attached to the star in the original Catalogue. This series of numbers tends to differ from that in the first column mainly because Taylor affixed numbers to several stars that he did not observe. Also, in some cases, different numbers were assigned to objects that the revision has shown to be really the same star.

"Star's Name." In those cases where the name of the Constellation, with letter or number, is given, the adopted nomenclature is that of the British Association Catalogue of Stars, except in four instances (Nos. 915, 1077, 5266, and 9448), for which the nomenclature of Auwers' Bradley is preferred. Other stars are designated by the number in Auwers' Bradley, in Lacaille's Catalogue of 9766 Stars, by the hour and number in Piazzi's Catalogue, by the number in Brisbane's Paramatta Catalogue, in Gould's Catalogo General, in Stone's Cape Catalogue for 1880.0, in the B.D. Zones, in the C.P.D. Zones, in B.A.C., or, in cases where the star cannot be identified, in Taylor's original Catalogue.

"Magnitude." The value set down is the mean between the estimations made with the Transit, and with the Circle. The value 2.3 (*exempli gratia*) implies that in brightness the star is between the second and third magnitudes. The estimations appear to be very rough, and no reliance should be placed on them as affording evidence of variability.

"Mean R.A., 1835.0." These results refer to the mean epoch of observation and Equinox of 1835.0.

"Mean Date." The mean epoch of observation in R.A. expressed in years from 1800.

"No. of Obs." The number of Observations in Right Ascension.

"Annual Precession, 1835·0." The corrections to Taylor's precessions in R.A., as printed in the original Catalogue, to reduce them to precessions corresponding to the Struve-Peters' Constants, were computed from the expression

$$+0\cdot0007+0\cdot000025 \times \text{Taylor's Precession.}$$

For stars of higher declination than 80° the precessions were computed directly from the expression

$$3\cdot0715+1\cdot3372 \sin \alpha \tan \delta.$$

"Mean Dec., 1835·0." These results refer to the mean epoch of observation and the Equinox of 1835·0.

"Mean Date." The mean epoch of observation in Declination expressed in years from 1800.

"No. of Obs." The number of Observations in Declination.

"Annual Precession, 1835·0." The corrections to Taylor's precessions in Declination to reduce them to precessions corresponding to the Struve-Peters' Constants, are given by the expression

$$+0\cdot0005 \cos \alpha.$$

This quantity was considered negligible, and, except in cases where the R.A. of the star was sufficiently altered by the revision to necessitate a re-computation of the precession, or where there was reason to think that the original value was erroneous, Taylor's precession was adopted unaltered. In the exceptional cases referred to, the precessions were computed directly from the expression

$$20\cdot0577 \cos \alpha.$$

"Bradley." The reference gives the number of the Star in Auwers' Bradley.

"Lacaille." The reference gives the number of the Star in Lacaille's Catalogue of 9766 Stars.

"Piazzi." The reference gives the number of the Star for the current hour of R.A. in Piazzi's Catalogue.

Every effort has been made to detect mistakes of arithmetic in the original reductions—of which a large number have been found—and to guard against their introduction into the revised results. But a somewhat extensive experience of numerical work has convinced me that it is idle to expect complete immunity from error in a mass of computations such as it has been necessary to undertake, and I can only hope that no very serious errors have escaped detection.

My examination of the Madras Observations, made under his direction, has led me to form a very high opinion of Taylor, and of the work which he accomplished in the face of enormous difficulties. That his work may now be rendered more useful to astronomers is the reward for which I hope in the publication of this revised edition.

The great mass of the computations has been undertaken by Mr Jackman and Mr Sprigge, Assistants in this Office. By far the larger share has fallen to Mr Sprigge, who has also undertaken the preparation of the copy for press, and the reading of the proof-sheets, a part of the work on which he has bestowed great care and attention. My acknowledgments are due to the authorities of the India Office for the loan of the books of original reductions, which had been deposited, for safe keeping, in the Record Room of the Greenwich Observatory. The expenses of the calculations involved in the preparation of the work have been met by a succession of grants made to me by the Government Grant Committee of the Royal Society. The cost of printing has been defrayed partly by a grant from the India Office, and partly by a grant from the Publication Fund of the Royal Society. My acknowledgments are due to the various bodies concerned for the assistance thus rendered.

A. M. W. DOWNING.

NAUTICAL ALMANAC OFFICE,
GRAY'S INN, LONDON,
13th April 1901.

CORRECTIONS TO REDUCE THE REVISED MADRAS CATALOGUE TO NEWCOMB'S
FUNDAMENTAL CATALOGUE.

Limits of Dec.	$\Delta\alpha$	$\Delta\delta$	Number of Stars.		Limits of R.A.	$\Delta\alpha$	$\Delta\delta$	Number of Stars.
^o ^o	^s	["]			^h ^h	^s	["]	
+75 to +65	+172	+0'44	62		0-1	-075	+0'54	43
65 „ 55	+069	+0'69	63		1-2	-020	-0'12	48
55 „ 45	+004	+0'91	62		2-3	-050	+0'30	47
45 „ 35	+025	+0'78	100		3-4	-074	+0'44	42
35 „ 25	-011	+0'58	101		4-5	-073	+0'16	44
25 „ 15	-037	0'00	110		5-6	-043	+0'41	53
15 „ + 5	-064	-0'05	117		6-7	-031	+0'38	43
+ 5 „ - 5	-064	-0'14	109		7-8	-028	+0'58	44
- 5 „ 15	-066	-0'07	91		8-9	-036	+0'55	39
15 „ 25	-106	+0'34	86		9-10	-037	+1'01	42
25 „ 35	-122	+0'42	52		10-11	-036	+0'67	42
35 „ 45	-107	+1'07	54		11-12	-050	+0'65	35
45 „ 55	-099	+2'22	40		12-13	-061	+1'12	44
55 „ 65	-177	+1'88	41		13-14	-028	+0'63	41
-65 „ -75	-199	+1'31	17		14-15	-026	+1'24	48
					15-16	-038	+0'55	45
					16-17	-028	+0'52	46
					17-18	-059	+0'59	55
					18-19	-011	+0'23	46
					19-20	-039	+0'08	54
					20-21	-039	+0'08	58
					21-22	+002	+0'70	54
					22-23	-043	+0'18	44
					23-24	-034	+0'19	48

REDUCTION TABLE.

Dec.	$\Delta\alpha$	$\Delta\delta$		R.A.	$\Delta\alpha$	$\delta\Delta$
^o	^s	["]		^h	^s	["]
+65	+121	+0'57		0	-015	-0'13
55	+037	+0'80		1	-008	-0'18
45	+015	+0'85		2	+005	-0'40
35	+007	+0'68		3	-022	-0'12
25	-024	+0'29		4	-034	-0'19
15	-051	-0'02		5	-018	-0'21
+ 5	-064	-0'10		6	+003	-0'10
- 5	-065	-0'11		7	+010	-0'01
15	-086	+0'14		8	+008	+0'07
25	-114	+0'38		9	+004	+0'29
35	-115	+0'75		10	+003	+0'35
45	-103	+1'65		11	-003	+0'17
55	-138	+2'05		12	-016	+0'39
-65	-188	+1'60		13	-005	+0'39
				14	+013	+0'44
				15	+008	+0'40
				16	+007	+0'05
				17	-004	+0'07
				18	+005	-0'08
				19	+015	-0'33
				20	+001	-0'41
				21	+021	-0'10
				22	+019	-0'05
				23	+002	-0'30
				24	-015	-0'13

MADRAS
GENERAL CATALOGUE OF STARS
FOR
1835·0

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ iii }

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1	1	Piazzi XXIII. 282.....	7	h m s 0. 0. 16.13	32.68	6	+ 3.071	— 3. 8. 27.85	33.97	4	+20.058	282
2	2	11 Cassiopeiasβ	2.3	0. 0. 25.15	34.87	6	+ 3.075	+ 58. 14. 22.34	32.26	9	+20.058	3216	...	283
3	3	87 Pegasi	6	0. 0. 32.40	32.93	5	+ 3.073	+ 17. 17. 40.92	33.80	4	+20.058	3218	...	284
4	4	Lacaille 9740	7	0. 0. 41.51	38.82	3	+ 3.068	— 54. 55. 18.59	38.82	3	+20.058	...	9740	...
5	5	Lacaille 9741	6	0. 0. 55.91	33.29	7	+ 3.069	— 28. 54. 23.95	33.88	5	+20.058	...	9741	285
6	6	Phoenixis	4	0. 1. 1.08	31.77	6	+ 3.065	— 46. 39. 28.58	31.84	5	+20.058	...	9742	...
7	7	Piazzi XXIII. 286.....	7	0. 1. 28.29	33.84	5	+ 3.071	— 3. 28. 38.67	33.92	5	+20.057	286
8	8	34 Piscium	6	0. 1. 33.81	33.90	6	+ 3.073	+ 10. 13. 36.70	33.94	5	+20.057	3219	...	287
9	9	Lacaille 9748	7.8	0. 1. 35.43	38.76	3	+ 3.062	— 45. 35. 9.89	38.76	3	+20.057	...	9748	...
10	10	22 Andromedæ.....	5	0. 1. 46.24	31.84	4	+ 3.082	+ 45. 9. 14.94	31.92	5	+20.057	3220	...	288
11	11	Piazzi 0. 1	6.7	0. 1. 52.20	36.08	10	+ 3.070	— 6. 9. 57.76	36.51	14	+20.057	1
12	12	Piazzi 0. 2	7.8	0. 1. 56.75	36.99	6	+ 3.077	+ 27. 44. 4.51	37.03	4	+20.057	2
13	13	Piazzi 0. 3	9	0. 1. 57.24	37.03	4	+ 3.069	— 12. 42. 14.89	36.36	4	+20.057	3
14	14	Piazzi 0. 4	Var.	0. 2. 42.92	37.05	4	+ 3.070	— 4. 14. 21.97	37.13	3	+20.056	4
15	15	6 Ceti	6	0. 2. 52.02	33.88	6	+ 3.067	— 16. 22. 24.50	32.12	5	+20.056	3222	...	5
16	16	Lacaille 9758	5.6	0. 3. 11.28	31.91	6	+ 3.061	— 28. 43. 8.29	33.35	6	+20.056	...	9758	6
17	17	Sculptoris.....θ	6	0. 3. 20.23	37.82	6	+ 3.057	— 36. 3. 25.54	37.80	7	+20.056	...	9760	7
18	18	Piazzi 0. 8	7.8	0. 3. 30.58	37.07	4	+ 3.082	+ 27. 41. 32.42	37.34	4	+20.056	8
19	19	Lacaille 9761	7	0. 3. 37.41	38.77	3	+ 3.052	— 43. 5. 18.05	38.77	2	+20.055	...	9761	...
20	20	Lacaille 9763	7.8	0. 3. 50.21	38.80	3	+ 3.033	— 59. 26. 13.02	38.83	3	+20.055	...	9763	...
21	21	88 Pegasi	2.3	0. 4. 44.89	33.07	42	+ 3.079	+ 14. 15. 58.09	32.77	63	+20.054	1	...	9
22	22	Piazzi 0. 10.....	8	0. 4. 46.34	37.15	3	+ 3.069	— 6. 9. 34.16	37.37	4	+20.054	10
23	23	Lacaille 6.....	8	0. 4. 53.91	37.31	4	+ 3.049	— 38. 44. 27.00	37.19	3	+20.053	...	6	11
24	24	23 Andromedæ.....	6.7	0. 4. 57.99	38.04	8	+ 3.096	+ 40. 7. 25.50	37.26	10	+20.053	2	...	12
25	25	Lacaille 10	7	0. 5. 29.72	38.76	3	+ 3.034	— 49. 36. 5.03	38.76	3	+20.052	...	10	...
26	26	Lacaille 11	8	0. 5. 39.26	40.35	6	+ 3.019	— 57. 55. 12.02	40.56	7	+20.051	...	11	...
27	27	Piazzi 0. 13	8	0. 5. 57.72	36.83	4	+ 3.101	+ 40. 6. 47.90	36.92	2	+20.051	13
28	28	89 Pegasi	6	0. 6. 4.60	32.45	5	+ 3.084	+ 19. 17. 20.52	31.92	5	+20.051	3	...	14
29	29	7 Ceti	5.6	0. 6. 15.47	32.81	5	+ 3.058	— 19. 50. 51.41	32.52	6	+20.051	4	...	15
30	30	35 Piscium	6	0. 6. 29.44	32.83	5	+ 3.077	+ 7. 54. 15.78	33.87	7	+20.050	5	...	16
31	31	Piazzi 0. 17	8.9	0. 6. 29.67	37.42	3	+ 3.077	+ 7. 54. 4.29	37.29	2	+20.050	17
32	32	Piazzi 0. 18	7.8	0. 6. 33.52	37.20	3	+ 3.094	+ 30. 37. 4.87	37.15	3	+20.050	18
33	33	Lacaille 18	7.8	0. 6. 37.81	37.25	6	+ 3.044	— 35. 49. 18.47	36.65	7	+20.049	...	18	20
34	34	Piazzi 0. 19	7.8	0. 6. 38.04	37.38	4	+ 3.091	+ 26. 21. 58.56	37.53	3	+20.049	19
35	35	Piazzi 0. 21	7.8	0. 6. 51.17	37.20	3	+ 3.067	— 7. 3. 12.04	37.57	3	+20.049	21
36	36	Piazzi 0. 22	7.8	0. 7. 36.42	37.49	3	+ 3.077	+ 7. 11. 56.48	37.54	3	+20.047	22
37	37	Lacaille 22	7	0. 7. 47.70	37.46	3	+ 3.043	— 32. 21. 46.11	37.21	3	+20.046	...	22	23
38	38	36 Piscium	6.7	0. 8. 5.84	32.83	5	+ 3.078	+ 7. 19. 24.66	32.29	5	+20.045	7	...	24
39	39	Piazzi 0. 25	7	0. 8. 8.67	37.51	3	+ 3.156	+ 60. 36. 57.39	37.24	3	+20.045	25
40	40	Piazzi 0. 26	7.8	0. 8. 12.20	37.21	3	+ 3.072	+ 0. 55. 55.82	37.18	3	+20.045	26

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
41	41	37 Piscium	7	h m s 0. 8. 15'77	35'80	2	+ 3'083	+ 12. 59. 58'70	35'10	4	+20'045	8	...	27
42	42	Lacaille 27	7	0. 8. 23'59	38'75	2	+ 3'039	- 33. 36. 10'85	38'76	2	+20'044	...	27	...
43	43	24 Andromedæ	5	0. 8. 29'51	31'75	6	+ 3'110	+ 37. 45. 53'89	32'50	13	+20'044	9	...	28
44	44	Piazzi 0. 29	8.9	0. 8. 42'51	37'22	3	+ 3'060	- 12. 57. 28'36	37'06	4	+20'043	29
45	45	38 Piscium	7	0. 8. 54'87	35'79	2	+ 3'079	+ 7. 57. 19'67	34'82	3	+20'042	10	...	30
46	46	Piazzi 0. 31	7	0. 9. 10'04	37'23	3	+ 3'052	- 19. 58. 6'55	37'09	4	+20'042	31
47	47	39 Piscium	7.8	0. 9. 16'97	35'81	3	+ 3'086	+ 15. 24. 53'63	35'10	4	+20'041	11	...	32
48	48	Piazzi 0. 33	6.7	0. 9. 19'75	31'88	6	+ 3'072	+ 0. 46. 22'71	31'95	5	+20'041	33
49	49	Piazzi 0. 34	7.8	0. 9. 22'04	37'36	2	+ 3'069	- 2. 46. 48'87	37'14	4	+20'041	34
50	50	25 Andromedæ	6	0. 9. 43'74	35'81	3	+ 3'113	+ 35. 52. 11'24	35'08	4	+20'040	12	...	35
51	51	Piazzi 0. 36	7.8	0. 9. 51'73	37'22	3	+ 3'069	- 2. 55. 55'95	37'19	3	+20'040	36
52	53	Lacaille 34	7	0. 10. 1'89	38'75	3	+ 3'027	- 37. 25. 33'59	38'75	3	+20'039	...	34	...
53	52	26 Andromedæ	7	0. 10. 1'93	36'22	5	+ 3'126	+ 42. 52. 25'37	35'03	4	+20'039	13	...	37
54	54	Piazzi 0. 38	7.8	0. 10. 2'08	36'90	2	+ 3'106	+ 30. 36. 0'50	37'21	3	+20'039	38
55	55	Piazzi 0. 39	8	0. 10. 23'59	37'23	3	+ 3'059	- 11. 51. 55'67	37'34	2	+20'038	39
56	56	Lacaille 38	6	0. 10. 28'31	37'98	3	+ 3'012	- 44. 9. 10'93	37'98	2	+20'037	...	38	40
57	57	Piazzi 0. 41	8	0. 10. 48'23	37'19	3	+ 3'102	+ 25. 32. 14'94	37'56	3	+20'036	41
58	58	8 Oeti	4	0. 11. 1'30	33'85	11	+ 3'061	- 9. 44. 21'78	32'08	11	+20'035	14	...	42
59	59	40 Piscium	6	0. 11. 25'30	32'57	7	+ 3'089	+ 15. 20. 5'79	31'92	5	+20'033	15	...	43
60	60	Toucani	5	0. 11. 25'85	36'06	13	+ 2'923	- 65. 50. 42'81	35'23	16	+20'033	...	40	...
61	61	Piazzi 0. 44	7.8	0. 11. 46'89	37'16	3	+ 3'049	- 13. 58. 44'32	37'08	4	+20'031	44
62	62	41 Piscium	5.6	0. 12. 6'89	32'99	15	+ 3'081	+ 7. 16. 24'76	32'05	7	+20'030	16	...	45
63	63	27 Andromedæ	6	0. 12. 26'94	35'64	3	+ 3'126	+ 37. 3. 13'31	35'07	4	+20'028	17	...	46
64	64	Lacaille 50	7.8	0. 12. 41'23	38'77	3	+ 3'009	- 40. 9. 17'18	38'76	3	+20'027	...	50	...
65	65	Piazzi 0. 47	7.8	0. 12. 55'00	37'14	3	+ 3'129	+ 37. 16. 16'68	37'08	4	+20'025	47
66	66	Lacaille 52	7.8	0. 12. 59'88	37'33	4	+ 3'015	- 36. 42. 48'28	36'89	3	+20'025	...	52	48
67	67	Sculptoria	6	0. 13. 13'50	32'85	6	+ 3'027	- 29. 53. 39'22	32'80	5	+20'024	...	54	50
68	68	Piazzi 0. 49	8	0. 13. 14'22	37'19	3	+ 3'048	- 17. 7. 25'50	36'89	3	+20'024	49
69	69	Lacaille 55	8	0. 13. 31'63	37'48	3	+ 3'037	- 23. 55. 9'29	37'20	3	+20'022	...	55	51
70	70	Piazzi 0. 52	8	0. 13. 53'58	37'62	4	+ 3'219	+ 61. 19. 32'09	37'47	3	+20'020	52
71	71	42 Piscium	6	0. 13. 53'90	35'78	3	+ 3'090	+ 12. 33. 56'01	35'03	4	+20'020	19	...	53
72	72	Piazzi 0. 54	9	0. 14. 18'57	37'50	3	+ 3'225	+ 61. 23. 56'69	37'96	1	+20'018	54
73	73	9 Oeti	6	0. 14. 24'55	31'92	6	+ 3'052	- 13. 7. 41'09	32'30	5	+20'018	20	...	55
74	74	Piazzi 0. 56	7	0. 14. 41'98	37'39	4	+ 3'046	- 16. 51. 36'04	37'31	4	+20'017	56
75	75	Lacaille 65	7	0. 14. 56'79	37'96	6	+ 3'017	- 31. 57. 5'52	37'95	7	+20'015	...	65	57
76	76	12 Cassiopeia	6	0. 15. 44'57	35'79	1	+ 3'237	+ 60. 54. 55'36	35'08	4	+20'011	21	...	58
77	77	Piazzi 0. 59	7.8	0. 16. 0'97	37'12	4	+ 3'126	+ 30. 27. 28'39	37'09	4	+20'009	59
78	78	Piazzi 0. 60	6.7	0. 16. 4'08	32'88	9	+ 3'064	- 3. 7. 55'66	32'08	6	+20'009	60
79	79	43 Piscium	6	0. 16. 6'21	35'76	3	+ 3'094	+ 13. 24. 0'80	35'09	4	+20'009	22	...	61
80	80	Piazzi 0. 62	8	0. 16. 27'35	37'06	4	+ 3'050	- 12. 37. 30'27	37'35	4	+20'006	62

No.	Taylor's No.	Star's Name.	Magnitude.	Mean-R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
81	81	Piazzi 0. 63	8	h m s 0. 16. 32.92	37.34	4	+ 3.042	- 16. 56. 36.37	37.64	4	+20.006	63
82	82	Lacaille 75	7	0. 16. 33.90	38.76	3	+ 2.948	- 51. 56. 50.76	38.76	3	+20.006	...	75	...
83	84	44 Piscium	6	0. 16. 57.12	31.89	5	+ 3.073	+ 1. 1. 32.04	32.89	5	+20.003	25	...	64
84	85	45 Piscium	6	0. 17. 12.06	32.85	6	+ 3.083	+ 6. 46. 40.81	32.88	5	+20.002	26	...	65
85	86	Piazzi 0. 67	7.8	0. 17. 29.01	37.12	3	+ 3.055	- 9. 15. 57.10	37.09	4	+19.999	67
86	87	Bradley 27	7	0. 17. 29.43	37.16	3	+ 3.107	+ 19. 13. 54.61	37.09	4	+19.999	27	...	66
87	88	Phoenix	5	0. 18. 4.44	31.76	5	+ 2.968	- 44. 35. 46.77	32.30	11	+19.996	...	89	68
88	89	Phoenix	2	0. 18. 6.81	32.59	20	+ 2.972	- 43. 12. 8.93	31.91	13	+19.996	...	87	69
89	90	10 Ceti	6	0. 18. 9.97	33.31	9	+ 3.070	- 0. 57. 49.36	31.92	5	+19.995	29	...	70
90	91	Piazzi 0. 71	7.8	0. 18. 26.49	37.14	4	+ 3.120	+ 24. 7. 43.99	37.12	4	+19.993	71
91	92	Piazzi 0. 72	7	0. 18. 40.54	37.46	3	+ 3.060	- 5. 55. 1.83	37.18	3	+19.991	72
92	93	Piazzi 0. 73	7.8	0. 18. 52.59	37.40	4	+ 3.075	+ 1. 54. 0.17	37.32	4	+19.990	73
93	94	Piazzi 0. 74	6	0. 19. 23.05	35.65	3	+ 3.179	+ 43. 28. 51.45	35.06	4	+19.986	74
94	95	46 Piscium	7	0. 19. 23.81	35.79	3	+ 3.110	+ 18. 36. 2.28	35.04	4	+19.986	31	...	75
95	96	47 Piscium	6	0. 19. 27.56	33.33	6	+ 3.106	+ 16. 58. 42.78	32.17	11	+19.986	32	...	76
96	97	Piazzi 0. 78	7.8	0. 19. 38.01	37.17	3	+ 3.046	- 12. 34. 19.16	37.18	3	+19.984	78
97	98	48 Piscium	6	0. 19. 39.25	31.93	6	+ 3.103	+ 15. 31. 54.64	32.89	5	+19.984	33	...	77
98	99	Lacaille 94	5.6	0. 19. 44.27	37.07	7	+ 2.994	- 33. 55. 7.99	36.66	7	+19.984	...	94	79
99	100	Piazzi 0. 80	7	0. 20. 12.40	37.17	3	+ 3.151	+ 35. 59. 10.03	37.11	4	+19.981	80
100	101	Lacaille 99	6	0. 20. 17.71	39.17	9	+ 2.970	- 40. 49. 37.46	38.06	10	+19.980	...	99	81
101	102	Brisbane 47	7.8	0. 20. 19.51	40.11	4	+ 2.922	- 51. 32. 25.09	40.92	7	+19.980
102	103	Lacaille 101	6.7	0. 20. 43.31	39.86	6	+ 2.920	- 51. 26. 47.61	39.44	5	+19.976	...	101	...
103	104	Piazzi 0. 82	8	0. 20. 48.65	37.31	4	+ 3.045	- 12. 30. 43.57	37.05	4	+19.976	82
104	105	Piazzi 0. 83	7	0. 21. 3.67	37.35	4	+ 3.062	- 4. 22. 59.59	37.60	4	+19.974	83
105	106	Brisbane 51	7.8	0. 21. 8.26	40.46	7	+ 2.917	- 51. 31. 8.55	40.10	4	+19.973
106	107	Lacaille 104	7	0. 21. 17.46	38.24	5	+ 2.962	- 41. 34. 42.24	37.85	6	+19.972	...	104	84
107	108	Piazzi 0. 85	7.8	0. 21. 23.58	37.15	3	+ 3.089	+ 7. 53. 34.80	37.61	4	+19.971	85
108	109	28 Andromeda	6	0. 21. 25.98	32.33	5	+ 3.140	+ 28. 50. 28.69	32.96	5	+19.970	35	...	86
109	110	11 Ceti	7.8	0. 21. 27.64	35.85	3	+ 3.067	- 2. 1. 39.60	34.85	4	+19.970	36	...	87
110	111	Piazzi 0. 88	6	0. 21. 30.21	32.89	6	+ 3.036	- 15. 46. 32.13	33.46	5	+19.970	88
111	112	12 Ceti	6	0. 21. 37.31	33.20	7	+ 3.061	- 4. 52. 12.36	33.80	4	+19.969	38	...	89
112	113	Brisbane 53	8.9	0. 21. 52.44	38.82	3	+ 2.959	- 41. 22. 31.17	40.66	6	+19.967
113	114	13 Cassiopeia	6.7	0. 21. 59.34	39.28	6	+ 3.354	+ 65. 36. 25.24	39.96	8	+19.966	37	...	90
114	115	Lacaille 106	6	0. 22. 7.67	32.83	6	+ 3.012	- 24. 42. 4.04	33.49	5	+19.965	...	106	91
115	116	49 Piscium	7	0. 22. 13.45	35.85	2	+ 3.107	+ 15. 7. 32.02	35.29	4	+19.964	39	...	92
116	117	Piazzi 0. 93	7	0. 22. 21.64	37.24	3	+ 3.193	+ 43. 2. 2.95	37.93	2	+19.963	93
117	119	Lacaille 108	7	0. 22. 23.28	38.79	3	+ 2.960	- 40. 25. 41.42	38.79	3	+19.963	...	108	...
118	118	Lacaille 109	7	0. 22. 23.34	37.12	4	+ 2.955	- 41. 51. 12.15	37.24	3	+19.963	...	109	94
119	120	Lacaille 110	7	0. 22. 26.18	38.83	3	+ 2.920	- 49. 7. 26.60	38.83	3	+19.962	...	110	...
120	121	Piazzi 0. 96	8	0. 22. 38.16	37.46	3	+ 3.046	- 10. 59. 48.17	36.88	3	+19.960	96

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
121	122	14 Cassiopeiaλ	5	h m s 0. 22. 42.48	34.65	11	+ 3.252	+ 53. 36. 37.07	34.25	13	+19.960	40	...	95
122	123	Bradley 41	7	0. 23. 1.97	37.19	3	+ 3.108	+ 15. 6. 36.96	36.86	3	+19.957	41	...	97
123	124	Piazzi 0. 98.....	7.8	0. 23. 20.95	37.33	2	+ 3.081	+ 3. 56. 6.52	37.46	3	+19.953	98
124	125	Phoenixisλ	5	0. 23. 26.43	35.16	9	+ 2.910	- 49. 43. 1.24	34.80	14	+19.953	...	115	...
125	126	15 Cassiopeiaκ	4	0. 23. 40.89	34.91	6	+ 3.331	+ 62. 1. 11.80	32.75	12	+19.951	43	...	99
126	127	Piazzi 0. 100.....	7.8	0. 23. 46.39	37.36	2	+ 3.023	- 19. 7. 59.07	37.18	3	+19.950	100
127	128	51 Piscium	6.7	0. 23. 53.45	32.80	5	+ 3.086	+ 6. 2. 37.48	31.94	4	+19.949	44	...	101
128	129	Toucaniβ ¹	4	0. 23. 56.90	34.97	4	+ 2.788	- 63. 52. 7.40	37.91	1	+19.948	...	119	...
129	130	52 Piscium	6	0. 23. 57.27	33.37	6	+ 3.121	+ 19. 23. 5.10	33.49	5	+19.948	45	...	102
130	131	Toucaniβ ²	4	0. 23. 57.74	36.89	7	+ 2.787	- 63. 52. 33.31	35.78	8	+19.948	...	120	...
131	132	Piazzi 0. 103.....	7	0. 24. 7.67	39.88	4	+ 3.143	+ 27. 22. 4.72	40.60	5	+19.947	103
132	133	Piazzi 0. 104.....	8	0. 24. 18.99	37.40	2	+ 3.313	+ 59. 38. 13.37	37.95	1	+19.945	104
133	134	Piazzi 0. 106.....	7.8	0. 24. 46.97	37.34	2	+ 3.059	- 4. 45. 34.21	37.24	3	+19.941	106
134	135	16 Cassiopeiaλ	5.6	0. 24. 52.59	35.84	3	+ 3.394	+ 65. 50. 20.78	35.04	4	+19.940	46	...	105
135	136	Piazzi 0. 107.....	8	0. 25. 2.90	34.84	2	+ 3.068	- 1. 31. 8.36	37.56	3	+19.937	107
136	137	Lacaille 123	5	0. 25. 10.69	34.99	7	+ 2.772	- 63. 56. 28.84	32.38	8	+19.937	...	123	...
137	138	Piazzi 0. 108.....	8	0. 25. 11.02	37.19	4	+ 3.082	+ 4. 2. 11.40	37.25	2	+19.937	108
138	139	Lacaille 125	5.6	0. 25. 30.95	37.30	6	+ 2.984	- 30. 28. 3.80	36.67	7	+19.934	...	125	109
139	141	Piazzi 0. 110.....	7	0. 25. 38.00	32.92	5	+ 3.096	+ 9. 23. 42.19	33.44	5	+19.932	110
140	140	Lacaille 127	7	0. 25. 38.08	37.92	9	+ 2.964	- 35. 53. 24.72	37.94	11	+19.932	...	127	111
141	142	Lacaille 130	7	0. 25. 44.92	38.82	3	+ 2.848	- 56. 14. 24.99	38.82	3	+19.931	...	130	...
142	143	Piazzi 0. 112.....	8	0. 26. 1.13	36.93	2	+ 3.344	+ 60. 57. 14.93	37.37	2	+19.929	112
143	144	Piazzi 0. 113.....	7	0. 26. 4.60	32.94	5	+ 3.057	- 5. 27. 28.77	33.20	6	+19.928	113
144	145	Lacaille 133	7	0. 26. 18.64	38.82	3	+ 2.926	- 43. 20. 35.98	38.82	3	+19.926	...	133	...
145	146	Piazzi 0. 114.....	7	0. 26. 20.58	36.87	4	+ 3.277	+ 53. 17. 33.29	37.20	3	+19.926	114
146	147	Piazzi 0. 115.....	6.7	0. 26. 22.76	32.83	5	+ 3.106	+ 12. 27. 47.76	32.56	8	+19.926	115
147	148	Lacaille 137	6	0. 26. 35.88	38.81	3	+ 2.864	- 53. 17. 8.96	38.81	3	+19.923	...	137	...
148	149	Lacaille 136	8	0. 26. 36.13	38.83	3	+ 2.947	- 38. 54. 27.50	38.83	3	+19.923	...	136	...
149	150	Piazzi 0. 116.....	8	0. 26. 43.90	37.16	3	+ 3.142	+ 24. 11. 43.00	37.20	3	+19.921	116
150	151	13 Oeti	6	0. 26. 45.54	32.96	7	+ 3.059	- 4. 30. 8.19	33.65	6	+19.921	50	...	117
151	152	Piazzi 0. 119.....	8	0. 26. 56.71	37.07	4	+ 3.102	+ 10. 56. 8.85	37.29	2	+19.920	119
152	153	Bradley 49	5.6	0. 26. 59.75	35.79	1	+ 3.282	+ 53. 15. 29.51	35.10	4	+19.919	49	...	118
153	154	14 Oeti	6.7	0. 27. 4.80	32.71	6	+ 3.068	- 1. 24. 45.56	32.92	5	+19.918	51	...	120
154	155	Piazzi 0. 121.....	8	0. 27. 29.49	36.33	4	+ 3.140	+ 23. 6. 54.76	36.85	2	+19.914	121
155	156	Piazzi 0. 122.....	6.7	0. 27. 37.45	35.83	3	+ 3.151	+ 26. 20. 43.31	35.08	4	+19.913	122
156	157	Lacaille 143	7	0. 27. 48.25	38.83	3	+ 2.886	- 48. 54. 22.94	38.80	2	+19.910	...	143	...
157	158	17 Cassiopeiaζ	4	0. 27. 49.07	31.79	2	+ 3.286	+ 52. 59. 15.11	32.54	15	+19.910	52	...	123
158	159	Piazzi 0. 124.....	5.6	0. 27. 49.72	35.56	2	+ 3.226	+ 43. 34. 37.95	35.15	4	+19.910	124
159	160	Lacaille 144	6.7	0. 27. 50.25	38.81	3	+ 2.828	- 55. 43. 48.12	38.81	3	+19.910	...	144	...
160	161	29 Andromedaπ	4.5	0. 28. 5.24	31.83	4	+ 3.177	+ 32. 48. 35.11	33.15	11	+19.907	53	...	125

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
161	162	53 Piscium	5	h m s 0. 28. 12.20	33.41	8	+ 3.113	+ 14. 19. 24.22	33.42	8	+19.906	54	...	126
162	163	Piazzi 0. 127	7	0. 28. 26.92	36.67	5	+ 3.142	+ 23. 6. 23.01	35.52	5	+19.903	127
163	164	Piazzi 0. 129	8	0. 28. 32.26	38.50	3	+ 3.059	- 4. 18. 35.97	37.25	3	+19.902	129
164	165	Piazzi 0. 128	7	0. 28. 32.34	37.17	3	+ 3.186	+ 34. 29. 25.21	37.22	3	+19.902	128
165	166	Lacaille 147	6	0. 28. 52.09	36.61	13	+ 2.991	- 25. 40. 33.48	36.05	9	+19.899	...	147	130
166	167	Piazzi 0. 131	7	0. 29. 1.08	35.96	9	+ 3.078	+ 2. 13. 44.25	36.21	7	+19.897	131
167	168	Piazzi 0. 132	9	0. 29. 33.34	37.33	4	+ 3.051	- 6. 54. 23.88	37.14	4	+19.891	132
168	169	Lacaille 152	7.8	0. 29. 36.19	38.77	3	+ 2.823	- 55. 18. 9.75	40.36	6	+19.890	...	152	...
169	170	15 Ceti	7	0. 29. 38.63	32.92	7	+ 3.067	- 1. 24. 41.91	32.93	5	+19.890	55	...	133
170	171	30 Andromedæ	4	0. 29. 51.28	31.88	1	+ 3.166	+ 28. 24. 53.97	32.24	8	+19.888	56	...	134
171	172	Piazzi 0. 135	7	0. 30. 26.52	37.98	3	+ 3.093	+ 7. 0. 29.61	37.98	3	+19.880	135
172	174	31 Andromedæ	3	0. 30. 31.20	31.89	1	+ 3.174	+ 29. 57. 24.34	34.05	18	+19.880	57	...	136
173	175	Piazzi 0. 137	7.8	0. 30. 36.50	38.91	6	+ 3.076	+ 2. 12. 44.03	38.64	4	+19.879	137
174	176	54 Piscium	6.7	0. 30. 47.34	39.27	5	+ 3.138	+ 20. 21. 32.31	39.09	10	+19.877	58	...	138
175	177	Piazzi 0. 140	7.8	0. 31. 5.46	37.22	3	+ 3.105	+ 10. 37. 28.99	37.21	3	+19.873	140
176	178	18 Cassiopeiæ	3	0. 31. 11.19	32.94	29	+ 3.338	+ 55. 37. 51.32	32.73	49	+19.872	59	...	139
177	179	55 Piscium	6	0. 31. 15.30	32.81	5	+ 3.140	+ 20. 31. 56.08	31.92	5	+19.871	60	...	141
178	180	Piazzi 0. 142	7	0. 31. 24.46	37.32	2	+ 3.033	- 12. 3. 12.35	37.48	3	+19.870	142
179	181	Lacaille 166	7	0. 31. 59.53	38.78	3	+ 2.881	- 45. 42. 17.49	38.78	3	+19.862	...	166	...
180	182	Piazzi 0. 144	7	0. 32. 11.87	35.80	2	+ 3.013	- 17. 25. 21.15	35.12	4	+19.860	144
181	183	32 Andromedæ	6	0. 32. 12.15	35.79	3	+ 3.221	+ 38. 33. 5.25	35.07	4	+19.860	61	...	143
182	184	Piazzi 0. 146	6.7	0. 32. 18.81	31.96	5	+ 3.054	- 5. 15. 30.58	32.13	5	+19.858	146
183	185	Piazzi 0. 145	7.8	0. 32. 18.99	37.16	3	+ 3.140	+ 20. 6. 49.99	37.54	3	+19.858	145
184	186	Piazzi 0. 148	5.6	0. 32. 51.93	37.32	4	+ 3.155	+ 23. 43. 23.55	35.15	4	+19.852	148
185	187	19 Cassiopeiæ	5.6	0. 32. 53.86	35.84	3	+ 3.296	+ 49. 36. 20.44	35.09	4	+19.852	62	...	147
186	188	Piazzi 0. 149	8	0. 32. 57.64	37.16	3	+ 3.112	+ 12. 3. 23.58	37.51	3	+19.851	149
187	189	Lacaille 174	7.8	0. 32. 58.88	40.03	5	+ 2.902	- 41. 26. 17.01	40.35	6	+19.850	...	174	...
188	190	Piazzi 0. 150	7.8	0. 33. 1.50	37.14	4	+ 3.139	+ 19. 13. 59.78	37.19	3	+19.850	150
189	191	Piazzi 0. 151	8	0. 33. 16.26	36.84	2	+ 2.997	- 21. 12. 23.16	37.18	3	+19.847	151
190	192	Phœnicis	5	0. 33. 30.99	34.79	9	+ 2.863	- 46. 59. 30.50	35.21	8	+19.844	...	177	...
191	193	Piazzi 0. 152	6	0. 33. 54.74	32.64	5	+ 3.027	- 12. 42. 34.24	32.12	5	+19.839	152
192	194	Lacaille 178	7.8	0. 34. 4.87	38.01	6	+ 2.880	- 44. 1. 51.86	38.00	6	+19.837	...	178	153
193	195	20 Cassiopeiæ	5	0. 34. 22.14	31.83	6	+ 3.279	+ 46. 7. 12.80	32.27	9	+19.833	67	...	154
194	196	Piazzi 0. 155	6	0. 34. 27.73	33.55	7	+ 2.994	- 21. 5. 57.49	32.88	4	+19.832	155
195	197	Piazzi 0. 157	7	0. 34. 37.28	35.82	2	+ 3.055	- 4. 45. 44.34	35.16	4	+19.831	157
196	198	Sculptoris	6.7	0. 34. 46.11	37.62	5	+ 2.905	- 39. 22. 8.67	36.60	8	+19.829	...	183	158
197	199	21 Cassiopeiæ	5	0. 34. 52.60	38.83	7	+ 3.782	+ 74. 5. 1.16	38.35	7	+19.827	66	...	156
198	200	16 Ceti	2.3	0. 35. 18.30	33.36	19	+ 3.001	- 18. 53. 36.53	32.38	10	+19.821	70	...	159
199	201	Piazzi 0. 161	7	0. 35. 31.75	37.13	3	+ 3.024	- 12. 54. 26.49	36.82	4	+19.817	161
200	202	22 Cassiopeiæ	5.6	0. 35. 33.54	35.68	3	+ 3.296	+ 47. 22. 47.63	35.12	4	+19.817	69	...	160

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley	Lacaille	Piazzi
201	203	17 Ceti ϕ^1	5	h m s 0. 35. 52.09	31.91	5	+ 3.029	— 11. 30. 33.06	32.26	6	+19.812	71	...	163
202	204	Phoenixis γ	5	0. 35. 55.02	31.95	6	+ 2.733	— 58. 22. 7.61	31.95	5	+19.811	...	190	...
203	205	Piazzi 0. 162	5.6	0. 35. 55.84	35.90	2	+ 3.362	+ 54. 19. 0.73	35.07	4	+19.811	162
204	206	Sculptoris λ^2	6	0. 36. 13.25	37.59	5	+ 2.899	— 39. 19. 55.60	36.85	7	+19.808	...	192	164
205	207	Lacaille 193	6	0. 36. 34.54	32.84	5	+ 2.981	— 22. 54. 53.08	32.33	5	+19.803	...	193	166
206	208	Piazzi 0. 167	7.8	0. 36. 41.44	37.13	3	+ 3.069	— 0. 38. 54.93	37.15	4	+19.801	167
207	209	Piazzi 0. 169	7.8	0. 36. 41.64	36.88	2	+ 3.022	— 13. 2. 53.08	36.92	2	+19.801	169
208	210	Briabane 95	7.8	0. 36. 45.97	38.59	4	+ 2.869	— 43. 30. 13.48	38.79	3	+19.800
209	211	Piazzi 0. 168	7.8	0. 36. 51.70	37.18	3	+ 3.371	+ 54. 24. 7.92	36.90	1	+19.798	168
210	212	23 Cassiopeie	6	0. 36. 52.77	40.02	5	+ 3.816	+ 73. 56. 39.76	37.91	8	+19.798	72	...	165
211	213	Piazzi 0. 171	6	0. 37. 0.46	32.90	5	+ 3.051	— 5. 32. 6.51	32.82	5	+19.797	171
212	214	Piazzi 0. 170	7.8	0. 37. 0.63	37.18	3	+ 3.173	+ 25. 16. 9.58	36.91	3	+19.797	170
213	215	Lacaille 200	6.7	0. 37. 8.42	38.02	6	+ 2.866	— 43. 34. 35.42	38.15	7	+19.795	...	200	173
214	216	18 Ceti γ	6	0. 37. 11.61	32.94	7	+ 3.019	— 13. 46. 30.62	32.91	4	+19.794	73	...	172
215	217	Lacaille 201	6	0. 37. 23.72	38.81	3	+ 2.766	— 54. 37. 10.33	38.78	3	+19.791	...	201	...
216	218	Piazzi 0. 174	7	0. 37. 26.76	37.51	3	+ 3.004	— 17. 19. 40.57	37.53	3	+19.790	174
217	219	Piazzi 0. 175	8	0. 37. 34.03	37.14	4	+ 3.198	+ 30. 2. 31.48	37.57	3	+19.789	175
218	220	Piazzi 0. 176	7.8	0. 37. 36.98	37.36	2	+ 3.200	+ 30. 2. 57.50	37.59	3	+19.788	176
219	221	Lacaille 202	8	0. 37. 38.76	38.81	3	+ 2.813	— 49. 44. 26.18	38.79	3	+19.787	...	202	...
220	222	57 Piscium	6.7	0. 37. 55.36	32.95	5	+ 3.129	+ 14. 34. 29.58	32.95	4	+19.784	75	...	178
221	223	Lacaille 207	7	0. 38. 0.59	38.84	3	+ 2.822	— 48. 27. 34.13	38.83	3	+19.783	...	207	...
222	224	58 Piscium	6	0. 38. 25.59	32.82	5	+ 3.115	+ 11. 4. 21.85	33.79	5	+19.777	76	...	179
223	225	59 Piscium	6	0. 38. 31.26	32.81	5	+ 3.147	+ 18. 40. 31.81	33.45	5	+19.776	77	...	180
224	226	34 Andromedæ ζ	4	0. 38. 36.39	31.82	2	+ 3.168	+ 23. 22. 6.24	32.45	13	+19.774	78	...	182
225	227	Piazzi 0. 181	7	0. 38. 41.07	35.80	3	+ 3.344	+ 50. 32. 31.93	35.07	4	+19.773	181
226	228	60 Piscium	6	0. 38. 52.07	32.88	4	+ 3.095	+ 5. 50. 21.23	31.93	4	+19.770	80	...	183
227	229	Piazzi 0. 184	8	0. 38. 56.88	37.41	4	+ 3.179	+ 25. 23. 18.48	37.14	4	+19.769	184
228	230	24 Cassiopeie γ	4	0. 39. 9.45	32.46	3	+ 3.421	+ 56. 56. 17.42	31.83	5	+19.767	79	...	185
229	231	61 Piscium	6	0. 39. 10.53	35.82	3	+ 3.155	+ 20. 1. 20.36	35.16	4	+19.766	81	...	186
230	232	Lacaille 214	9.10	0. 39. 13.51	39.83	4	+ 2.771	— 52. 54. 27.04	39.86	6	+19.766	...	214	...
231	233	Piazzi 0. 188	7.8	0. 39. 30.77	37.19	3	+ 3.044	— 6. 53. 37.03	37.13	3	+19.762	188
232	234	25 Cassiopeie ν	5	0. 39. 31.35	35.82	3	+ 3.346	+ 50. 3. 57.98	35.09	4	+19.762	83	...	187
233	235	Piazzi 0. 189	6	0. 39. 44.16	35.90	8	+ 3.089	+ 4. 25. 49.67	37.08	15	+19.758	189
234	236	62 Piscium	6	0. 39. 44.23	33.56	7	+ 3.097	+ 6. 23. 51.12	33.88	5	+19.758	84	...	190
235	237	Piazzi 0. 191	8	0. 40. 7.37	37.23	3	+ 3.145	+ 17. 24. 46.23	37.17	4	+19.752	191
236	238	63 Piscium δ	5	0. 40. 7.82	32.53	6	+ 3.099	+ 6. 41. 9.08	32.41	10	+19.752	85	...	192
237	239	64 Piscium	5.6	0. 40. 19.24	32.84	5	+ 3.139	+ 16. 2. 55.28	32.90	5	+19.749	86	...	193
238	240	35 Andromedæ ν	4	0. 40. 44.25	32.71	10	+ 3.271	+ 40. 10. 42.12	32.31	10	+19.743	87	...	194
239	241	Piazzi 0. 197	9	0. 41. 1.77	37.21	3	+ 3.101	+ 7. 3. 13.40	37.15	3	+19.739	197
240	242	65 Piscium δ	6	0. 41. 2.41	31.97	6	+ 3.192	+ 26. 48. 35.18	31.97	5	+19.739	88	...	195

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
241	243	Piazzi 0. 196	6.7	h m s 0. 41. 7.29	35.83	3	+ 3.303	+ 44. 6. 5.54	35.18	4	+19.738	196
242	244	Piazzi 0. 198 ..	6	0. 41. 8.39	37.23	3	+ 3.010	- 14. 27. 26.71	37.23	3	+19.738	198
243	245	Lacaille 226	7	0. 41. 16.94	38.77	3	+ 2.809	- 47. 36. 0.76	38.77	3	+19.734	...	226	...
244	246	Piazzi 0. 200	8	0. 41. 24.00	37.15	4	+ 3.035	- 8. 45. 1.27	37.13	4	+19.733	200
245	247	Piazzi 0. 199	7	0. 41. 33.08	35.87	3	+ 3.365	+ 50. 36. 26.34	35.13	4	+19.731	199
246	248	Bradley 65	6.7	0. 41. 46.58	35.89	2	+10.511	+ 88. 8. 1.31	38.93	9	+19.726	65	...	177
247	249	19 Ceti	6	0. 41. 52.02	32.85	7	+ 3.022	- 11. 32. 3.12	32.84	5	+19.725	89	...	201
248	250	Piazzi 0. 202 ..	8	0. 41. 58.13	37.18	3	+ 3.142	+ 16. 5. 30.53	37.40	4	+19.723	202
249	251	Piazzi 0. 203	6.7	0. 42. 11.41	35.87	3	+ 3.370	+ 50. 40. 19.27	35.16	3	+19.720	203
250	252	Lacaille 231	7.8	0. 42. 19.28	38.23	5	+ 2.832	- 44. 17. 45.15	38.44	5	+19.719	...	231	205
251	253	Piazzi 0. 204	8	0. 42. 22.34	37.13	3	+ 3.102	+ 7. 8. 51.69	37.14	4	+19.718	204
252	254	Piazzi 0. 206	7.8	0. 42. 31.82	37.19	4	+ 3.098	+ 5. 59. 57.81	37.41	4	+19.715	206
253	255	Bradley 91	6.7	0. 42. 49.09	35.87	2	+ 3.082	+ 2. 29. 21.03	35.07	4	+19.711	91	...	207
254	256	Piazzi 0. 208	7.8	0. 42. 57.11	37.26	3	+ 3.124	+ 11. 53. 10.86	37.15	3	+19.708	208
255	257	Piazzi 0. 210	7	0. 43. 1.16	35.74	3	+ 3.026	- 10. 18. 18.03	35.16	4	+19.707	210
256	258	Phoeniceis	6	0. 43. 9.81	38.77	3	+ 2.753	- 51. 53. 19.30	38.77	3	+19.705	...	233	...
257	259	Bradley 90	5	0. 43. 16.80	35.87	2	+ 3.510	+ 60. 13. 2.65	35.07	4	+19.703	90	...	209
258	260	Lacaille 236	7.8	0. 44. 9.29	35.91	3	+ 2.819	- 44. 36. 29.42	35.05	4	+19.688	...	236	212
259	261	Piazzi 0. 211	6.7	0. 44. 18.70	35.92	2	+ 3.398	+ 51. 47. 32.50	35.29	5	+19.685	211
260	262	20 Ceti	5	0. 44. 34.87	32.62	20	+ 3.062	- 2. 2. 29.39	32.38	10	+19.681	93	...	213
261	263	Piazzi 0. 214	8	0. 44. 45.55	37.12	4	+ 3.157	+ 18. 11. 48.57	37.09	4	+19.677	214
262	264	Piazzi 0. 215	8.9	0. 44. 48.85	37.19	3	+ 3.154	+ 17. 29. 46.66	37.11	4	+19.676	215
263	265	Piazzi 0. 216	8.9	0. 44. 50.30	37.23	3	+ 3.086	+ 3. 11. 24.10	36.95	3	+19.676	216
264	266	26 Cassiopeia	5.6	0. 45. 15.29	35.89	3	+ 3.493	+ 58. 4. 39.02	35.11	4	+19.669	94	...	217
265	267	Piazzi 0. 218	8.9	0. 45. 26.64	37.23	3	+ 3.094	+ 4. 54. 41.55	37.13	4	+19.666	218
266	268	Piazzi 0. 219	8	0. 45. 26.86	36.87	2	+ 2.999	- 14. 49. 5.40	37.20	3	+19.666	219
267	269	66 Piscium	6	0. 45. 51.89	32.81	6	+ 3.159	+ 18. 17. 32.97	31.92	5	+19.658	96	...	221
268	270	21 Ceti	6.7	0. 45. 58.18	39.09	5	+ 3.026	- 9. 38. 8.87	38.10	8	+19.656	98	...	222
269	271	Lacaille 245	8	0. 46. 7.85	40.19	6	+ 2.896	- 33. 13. 53.88	40.19	6	+19.654	...	245	...
270	272	36 Andromeda	6	0. 46. 8.86	32.05	8	+ 3.184	+ 22. 44. 0.13	31.97	5	+19.654	97	...	223
271	273	Piazzi 0. 224	8	0. 46. 19.94	37.18	3	+ 3.183	+ 22. 31. 4.32	37.38	2	+19.651	224
272	274	Piazzi 0. 227	7	0. 46. 46.79	35.86	3	+ 3.100	+ 5. 57. 27.89	35.07	4	+19.643	227
273	275	27 Cassiopeia	3	0. 46. 48.39	32.63	14	+ 3.538	+ 59. 49. 16.48	32.87	24	+19.642	99	...	225
274	276	28 Cassiopeia	5	0. 46. 53.55	35.83	2	+ 3.511	+ 58. 17. 17.17	35.12	4	+19.640	226
275	277	67 Piscium	6	0. 47. 7.04	32.39	4	+ 3.207	+ 26. 18. 47.75	32.83	4	+19.636	100	...	228
276	278	Piazzi 0. 229	7	0. 47. 13.35	35.84	3	+ 3.258	+ 34. 20. 1.63	35.15	4	+19.634	229
277	279	Piazzi 0. 230	6	0. 47. 22.39	32.82	5	+ 3.032	- 8. 14. 26.46	32.92	4	+19.632	230
278	281	Piazzi 0. 231	7	0. 47. 30.33	32.85	5	+ 3.135	+ 13. 3. 24.20	32.98	5	+19.630	231
279	280	2 Ursae Minoris	5	0. 47. 30.53	36.66	9	+ 6.466	+ 185. 22. 3.33	34.73	8	+19.630	92	...	220
280	282	37 Andromeda	4	0. 47. 36.91	32.88	6	+ 3.284	+ 37. 36. 9.90	33.40	20	+19.627	101	...	232

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
281	283	22 Ceti..... ϕ^8	6	h m s 0. 47. 45.25	33.09	7	+ 3.012	— 12. 9. 42.52	32.86	5	+19.625	103	...	235
282	284	Piazzi 0. 233	7.8	0. 47. 49.68	37.35	4	+ 3.418	+ 51. 20. 42.06	36.77	1	+19.624	233
283	285	Piazzi 0. 236	8	0. 47. 52.65	37.15	4	+ 3.204	+ 25. 26. 40.72	37.21	3	+19.622	236
284	286	Piazzi 0. 237	7.8	0. 48. 24.38	37.21	3	+ 3.421	+ 51. 14. 34.65	37.22	3	+19.612	237
285	287	38 Andromedæ..... γ	5	0. 48. 24.83	32.68	8	+ 3.188	+ 22. 31. 31.17	32.33	10	+19.612	104	...	238
286	288	Lacaille 259	7	0. 48. 33.78	38.76	3	+ 2.684	— 54. 5. 3.52	38.77	3	+19.610	...	259	...
287	289	Piazzi 0. 239	7.8	0. 48. 42.48	37.31	2	+ 3.178	+ 20. 35. 34.47	37.23	3	+19.607	239
288	290	Piazzi 0. 240	8.9	0. 48. 46.44	37.22	3	+ 3.075	+ 0. 28. 10.45	37.38	2	+19.606	240
289	291	68 Piscium..... γ	6	0. 48. 55.45	32.92	4	+ 3.223	+ 28. 5. 54.82	31.93	4	+19.603	105	...	241
290	292	Piazzi 0. 242	7	0. 49. 13.04	37.00	1	+ 3.257	+ 33. 3. 36.81	38.00	1	+19.598	242
291	294	Piazzi 0. 244	8	0. 49. 15.60	37.23	3	+ 3.128	+ 11. 8. 50.51	37.96	2	+19.597	244
292	293	Piazzi 0. 243	6.7	0. 49. 15.68	32.87	5	+ 3.136	+ 12. 48. 10.15	32.94	5	+19.597	243
293	295	Piazzi 0. 245	8	0. 49. 32.38	37.08	4	+ 3.179	+ 20. 30. 39.55	37.19	4	+19.590	245
294	296	Piazzi 0. 246	7	0. 49. 46.50	35.79	4	+ 3.102	+ 5. 57. 4.92	35.09	4	+19.587	246
295	297	Piazzi 0. 247	8	0. 49. 50.52	37.16	4	+ 3.129	+ 11. 14. 5.47	37.35	2	+19.585	247
296	298	Bradley 95	6	0. 50. 11.79	38.96	4	+ 7.519	+ 86. 15. 42.31	38.67	12	+19.578	95	...	234
297	299	23 Ceti..... ϕ^4	6	0. 50. 28.30	32.57	7	+ 3.008	— 12. 16. 19.35	32.97	5	+19.573	106	...	249
298	300	Sculptoris..... α	5	0. 50. 39.01	31.80	6	+ 2.901	— 30. 15. 1.75	32.28	11	+19.570	...	266	250
299	301	Piazzi 0. 248	8.9	0. 50. 41.33	37.40	3	+ 3.531	+ 57. 28. 20.41	37.41	2	+19.569	248
300	302	Piazzi 0. 251	8	0. 50. 56.55	39.06	6	+ 3.071	— 0. 6. 30.41	39.03	6	+19.564	251
301	303	Bradley 107	6.7	0. 51. 16.93	35.20	8	+ 3.101	+ 5. 35. 29.18	35.60	8	+19.558	107	...	252
302	304	Piazzi 0. 253	7	0. 51. 40.61	37.44	2	+ 3.182	+ 20. 21. 28.13	36.92	2	+19.550	253
303	305	Piazzi 0. 254	7.8	0. 51. 56.51	35.86	2	+ 3.367	+ 44. 33. 43.09	35.06	4	+19.545	254
304	306	Piazzi 0. 255	8	0. 52. 36.82	37.20	3	+ 3.127	+ 10. 17. 27.05	36.89	3	+19.532	255
305	307	Piazzi 0. 256	8	0. 52. 38.06	37.25	3	+ 3.110	+ 7. 8. 39.15	37.58	3	+19.531	256
306	308	Piazzi 0. 257	8	0. 52. 43.78	37.46	2	+ 3.131	+ 11. 1. 17.00	37.94	3	+19.529	257
307	309	Piazzi 0. 258	6.7	0. 52. 49.75	35.84	3	+ 3.210	+ 24. 24. 8.93	35.11	4	+19.527	258
308	310	Lacaille 279	7.8	0. 53. 19.49	38.80	3	+ 2.582	— 57. 49. 14.37	38.80	3	+19.517	...	279	...
309	311	70 Piscium..... γ	7.8	0. 53. 32.44	36.38	2	+ 3.110	+ 7. 2. 58.99	35.09	4	+19.513	110	...	260
310	312	39 Andromedæ.....	5.6	0. 53. 39.48	35.81	2	+ 3.336	+ 40. 27. 22.54	35.06	4	+19.511	108	...	259
311	313	69 Piscium..... σ^1	6	0. 53. 47.74	35.69	3	+ 3.258	+ 30. 54. 59.17	35.08	4	+19.508	111	...	261
312	314	Lacaille 280	7	0. 53. 52.06	38.80	3	+ 2.818	— 39. 6. 2.77	38.80	3	+19.507	...	280	...
313	315	Piazzi 0. 262	7	0. 53. 55.26	32.70	5	+ 3.115	+ 7. 55. 56.93	31.95	5	+19.506	262
314	316	71 Piscium..... ϵ	4	0. 54. 23.25	34.55	17	+ 3.110	+ 7. 0. 0.10	33.38	29	+19.496	113	...	264
315	317	Sculptoris..... σ	6	0. 54. 33.42	37.35	6	+ 2.871	— 32. 26. 30.12	36.63	8	+19.492	...	282	265
316	318	25 Ceti..... ω	6	0. 54. 42.02	32.82	6	+ 3.039	— 5. 43. 14.36	32.48	5	+19.489	115	...	266
317	319	Phoenix..... ω	6.7	0. 55. 2.49	40.37	6	+ 2.565	— 57. 53. 32.15	40.59	7	+19.482	...	288	...
318	320	Piazzi 0. 267	6.7	0. 55. 10.22	35.89	3	+ 3.453	+ 50. 7. 19.50	35.42	2	+19.480	267
319	321	Piazzi 0. 269	8	0. 55. 13.85	37.06	4	+ 3.104	+ 5. 52. 38.25	37.09	4	+19.478	269
320	322	Piazzi 0. 271	8.9	0. 55. 15.32	36.84	3	+ 3.106	+ 6. 9. 48.60	37.11	4	+19.478	271

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
321	323	26 Ceti	6.7	0. 55. 19.99	32.83	6	+ 3.074	+ 0. 28. 48.75	32.81	5	+19.476	116	...	270
322	324	Lacaille 287	6.7	0. 55. 24.92	38.85	3	+ 2.884	- 30. 24. 47.80	38.85	3	+19.474	...	287	...
323	325	Piazzi 0. 268	6.7	0. 55. 41.31	35.90	2	+ 3.957	+ 70. 2. 44.67	35.19	4	+19.469	268
324	326	Gould 976	7.8	0. 56. 5.19	40.09	5	+ 2.747	- 45. 7. 47.03	40.39	6	+19.460
325	327	73 Piscium	6.7	0. 56. 20.19	32.85	5	+ 3.099	+ 4. 46. 12.70	32.98	8	+19.455	120	...	273
326	328	72 Piscium	6	0. 56. 23.44	33.36	7	+ 3.153	+ 14. 3. 25.90	32.96	5	+19.454	119	...	274
327	329	Piazzi 0. 272	7	0. 56. 36.03	37.22	3	+ 3.710	+ 62. 53. 14.23	37.88	2	+19.450	272
328	330	74 Piscium	5.6	0. 56. 51.12	33.64	3	+ 3.195	+ 20. 35. 16.05	31.94	5	+19.444	121	...	275
329	331	Bradley 122	6.7	0. 56. 51.40	36.25	3	+ 3.195	+ 20. 34. 47.17	37.39	2	+19.443	122	...	276
330	332	76 Piscium	7	0. 57. 7.91	35.69	3	+ 3.272	+ 31. 17. 48.32	34.97	1	+19.438	123	...	278
331	333	77 Piscium	7	0. 57. 17.37	36.55	3	+ 3.095	+ 4. 1. 41.17	35.20	4	+19.436	124	...	280
332	334	Bradley 125	8	0. 57. 19.64	37.22	3	+ 3.095	+ 4. 1. 46.20	37.21	3	+19.435	125	...	281
333	336	27 Ceti	6	0. 57. 21.20	33.34	7	+ 3.009	- 10. 51. 49.26	33.85	9	+19.434	126	...	284
334	335	30 Cassiopeie	6	0. 57. 21.33	36.86	4	+ 3.529	+ 54. 6. 24.36	37.68	9	+19.434	118	...	277
335	337	Piazzi 0. 279	7	0. 57. 23.27	38.42	6	+ 3.506	+ 52. 36. 47.52	34.95	3	+19.433	279
336	338	Piazzi 0. 282	8	0. 57. 24.48	37.25	3	+ 3.204	+ 21. 39. 54.99	37.44	4	+19.433	282
337	339	Piazzi 0. 285	6.7	0. 57. 38.00	35.79	2	+ 3.450	+ 48. 40. 14.12	35.09	4	+19.428	285
338	340	28 Ceti	6	0. 57. 48.63	33.13	11	+ 3.009	- 10. 43. 30.22	33.91	9	+19.423	128	...	286
339	341	75 Piscium	6.7	0. 57. 53.45	32.81	5	+ 3.143	+ 12. 4. 10.56	33.00	5	+19.421	127	...	287
340	342	Piazzi 0. 288	8.9	0. 58. 10.47	41.28	4	+ 3.009	- 10. 39. 5.20	42.78	4	+19.415	288
341	343	Bradley 117	6.7	0. 58. 18.10	35.96	3	+ 4.770	+ 78. 47. 32.57	35.18	4	+19.412	117	...	283
342	344	Piazzi 0. 289	7.8	0. 58. 18.63	40.39	6	+ 3.190	+ 19. 16. 0.84	38.79	5	+19.412	289
343	345	41 Andromedæ	5.6	0. 58. 34.33	35.86	3	+ 3.388	+ 43. 3. 38.49	35.09	4	+19.407	129	...	290
344	346	Lacaille 305	7	0. 58. 42.43	38.80	3	+ 2.821	- 36. 32. 37.82	38.80	2	+19.403	...	305	...
345	347	Phœnicis	3.4	0. 58. 42.65	33.87	9	+ 2.701	- 47. 36. 16.16	31.93	10	+19.403	...	308	...
346	348	78 Piscium	7	0. 58. 54.86	35.93	2	+ 3.277	+ 31. 7. 44.17	35.20	4	+19.399	131	...	291
347	349	79 Piscium	6	0. 59. 6.96	36.62	8	+ 3.195	+ 19. 51. 35.77	32.83	4	+19.395	132	...	292
348	350	Piazzi 0. 294	6.7	0. 59. 16.00	35.93	2	+ 3.254	+ 27. 59. 17.64	35.01	3	+19.391	294
349	351	30 Ceti	6	0. 59. 28.53	34.62	4	+ 3.007	- 10. 40. 10.79	35.22	4	+19.387	135	...	296
350	352	29 Ceti	7	0. 59. 29.61	38.88	4	+ 3.079	+ 1. 7. 41.75	37.24	7	+19.387	133	...	295
351	353	31 Cassiopeie	6.7	0. 59. 35.52	35.96	3	+ 3.919	+ 67. 53. 52.50	35.19	4	+19.384	130	...	293
352	354	Piazzi 0. 297	8	0. 59. 44.84	37.14	3	+ 3.127	+ 9. 1. 29.55	37.13	3	+19.381	297
353	355	80 Piscium	5	0. 59. 52.78	35.16	9	+ 3.101	+ 4. 46. 30.55	32.59	8	+19.379	136	...	299
354	356	42 Andromedæ	5	0. 59. 57.38	33.92	2	+ 3.435	+ 46. 21. 34.75	31.85	5	+19.375	134	...	298
355	357	Lacaille 311	7.8	0. 59. 57.52	38.81	3	+ 2.754	- 42. 37. 37.55	38.82	3	+19.375	...	311	...
356	358	Phœnicis	7	1. 0. 14.82	40.40	7	+ 2.755	- 42. 22. 15.06	39.34	9	+19.370	...	312	303
357	359	31 Ceti	3.4	1. 0. 17.48	33.93	2	+ 3.004	- 11. 3. 30.31	31.93	5	+19.369	141	...	300
358	360	Piazzi 0. 302	8	1. 0. 29.40	37.68	4	+ 3.213	+ 22. 1. 30.08	37.24	3	+19.365	302
359	361	43 Andromedæ	2	1. 0. 30.96	33.94	3	+ 3.314	+ 34. 44. 38.03	32.12	7	+19.364	140	...	301
360	362	Piazzi 0. 304	7.8	1. 0. 31.96	37.45	3	+ 3.211	+ 22. 41. 44.32	36.85	2	+19.363	304

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.
361	363	1 Ursæ Minorisa	2.3	h m s I. 0. 49.41	33.03	189	+ 15.857	+ 88. 25. 46.26	32.00	24	+ 19.357	102	...
362	365	44 Andromedæc	6.7	I. 0. 58.41	37.14	3	+ 3.380	+ 41. 12. 7.39	35.19	4	+ 19.353	143	...
363	366	81 Pisciumψ ⁸	6	I. 1. 0.73	33.94	3	+ 3.192	+ 18. 46. 35.73	33.84	6	+ 19.352	144	...
364	364	32 Cassiopeiæδ	5	I. 1. 0.87	34.01	3	+ 3.797	+ 64. 8. 21.48	34.49	4	+ 19.352	139	...
365	367	33 Cassiopeiæθ	4.5	I. 1. 5.64	33.96	3	+ 3.561	+ 54. 16. 11.60	32.14	5	+ 19.350	142	...
366	368	Piazzi 0. 310a	6.7	I. 1. 23.41	35.85	2	+ 3.234	+ 24. 34. 55.22	35.10	4	+ 19.344
367	369	Phœnicisζ	5	I. 1. 26.24	38.06	6	+ 2.545	- 56. 7. 46.72	35.93	8	+ 19.343	...	318
368	370	Piazzi 0. 311c	6	I. 1. 27.09	33.97	1	+ 3.166	+ 14. 47. 37.42	32.93	5	+ 19.343
369	371	45 Andromedæδ	6	I. 1. 55.44	34.02	2	+ 3.339	+ 36. 50. 38.16	34.68	4	+ 19.330	145	...
370	372	32 Cetiδ	6	I. 1. 55.44	38.12	5	+ 3.010	- 9. 47. 7.69	36.42	11	+ 19.330	147	...
371	373	Piazzi 0. 312c	8	I. 2. 0.44	37.61	3	+ 3.809	+ 64. 7. 48.69	37.55	3	+ 19.329
372	374	82 Pisciumg	7	I. 2. 2.03	35.84	3	+ 3.283	+ 30. 32. 40.78	35.18	4	+ 19.328	146	...
373	375	33 Cetiδ	6	I. 2. 4.56	33.58	3	+ 3.081	+ 1. 33. 56.25	32.81	6	+ 19.327	148	...
374	376	Bradley 137c	7	I. 2. 13.58	35.96	3	+ 4.922	+ 79. 1. 48.20	34.95	4	+ 19.324	137	...
375	377	Piazzi I. 4c	7.8	I. 2. 16.00	37.17	3	+ 3.127	+ 8. 40. 19.93	37.52	3	+ 19.323
376	378	Lacaille 321c	7.8	I. 2. 29.56	40.09	5	+ 2.507	- 57. 28. 32.39	40.40	6	+ 19.317	...	321
377	379	83 Pisciumτ	6	I. 2. 35.62	33.92	2	+ 3.274	+ 29. 12. 40.82	32.90	5	+ 19.315	149	...
378	380	84 Pisciumχ	5	I. 2. 35.77	33.89	3	+ 3.204	+ 20. 9. 17.37	31.71	6	+ 19.315	150	...
379	381	Piazzi I. 7c	8	I. 2. 47.41	37.48	3	+ 3.217	+ 21. 50. 36.45	37.28	5	+ 19.310
380	382	Piazzi I. 8c	7	I. 2. 50.71	33.88	3	+ 3.132	+ 9. 24. 44.87	32.96	4	+ 19.309
381	383	Piazzi I. 9c	7.8	I. 3. 2.69	35.92	3	+ 3.428	+ 44. 27. 27.51	34.66	4	+ 19.304
382	384	34 Cetiδ	6.7	I. 3. 20.24	34.56	8	+ 3.052	- 3. 7. 44.36	33.61	9	+ 19.297	152	...
383	385	Lacaille 323c	7	I. 3. 22.94	38.91	3	+ 2.475	- 58. 34. 12.18	38.91	3	+ 19.296	...	323
384	386	Lacaille 325c	7.8	I. 3. 28.83	38.86	4	+ 2.493	- 57. 44. 25.85	38.87	3	+ 19.293	...	325
385	387	Bradley 153c	7	I. 3. 55.43	37.24	3	+ 3.278	+ 29. 11. 13.40	36.94	3..	+ 19.283	153	...
386	388	35 Cetiδ	6.7	I. 4. 3.54	32.47	5	+ 3.082	+ 1. 35. 54.98	32.91	4	+ 19.280	154	...
387	389	Bradley 151c	7	I. 4. 28.27	35.91	2	+ 4.142	+ 70. 52. 4.96	34.99	6	+ 19.270	151	..
388	390	36 Cetiδ	7	I. 4. 29.68	35.80	3	+ 3.022	- 7. 39. 36.07	35.17	4	+ 19.269	156	...
389	391	Lacaille 326c	7	I. 4. 35.02	40.85	7	+ 2.842	- 31. 40. 37.54	41.10	9	+ 19.267	...	326
390	392	85 Pisciumφ	6	I. 4. 48.28	32.83	5	+ 3.236	+ 23. 42. 29.15	33.21	5	+ 19.262	157	...
391	393	Lacaille 327c	7.8	I. 5. 6.76	38.98	8	+ 2.799	- 36. 4. 57.87	39.42	8	+ 19.254	...	327
392	394	86 Pisciumζ	6	I. 5. 7.26	33.50	6	+ 3.116	+ 6. 42. 2.49	34.03	7	+ 19.254	158	...
393	395	Bradley 159c	7.8	I. 5. 8.53	36.93	3	+ 3.116	+ 6. 42. 13.26	36.91	2	+ 19.253	159	...
394	396	Lacaille 328c	6	I. 5. 9.15	37.38	6	+ 2.771	- 38. 43. 57.02	36.25	7	+ 19.253	...	328
395	397	87 Pisciumδ	6.7	I. 5. 22.48	32.89	4	+ 3.175	+ 15. 15. 30.17	33.79	5	+ 19.248	161	...
396	398	Piazzi I. 21c	8	I. 5. 35.24	36.36	3	+ 3.196	+ 18. 15. 4.05	37.22	3	+ 19.242
397	399	Piazzi I. 22c	8	I. 6. 3.94	40.63	5	+ 3.013	- 8. 47. 56.39	40.69	8	+ 19.230
398	400	37 Cetiδ	6	I. 6. 5.52	37.20	9	+ 3.013	- 8. 48. 40.37	36.52	11.	+ 19.230	164	...
399	401	88 Pisciumδ	6.7	I. 6. 8.01	32.63	7	+ 3.113	+ 6. 7. 13.30	33.50	..6	+ 19.229	162	...
400	402	38 Cetiδ	6	I. 6. 24.11	31.86	7	+ 3.060	- 1. 51. 33.30	33.52	..5..	+ 19.222	165	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
401	403	Piazzi I. 26	7.8	h m s 1. 6. 42.88	34.49	4	+ 3.487	+ 47. 12. 27.89	34.46	4	+19.214	26
402	404	Piazzi I. 28	7.8	1. 6. 58.72	37.20	3	+ 3.113	+ 6. 4. 51.83	37.55	3	+19.207	28
403	405	Piazzi I. 29	6.7	1. 7. 8.07	35.84	2	+ 3.316	+ 32. 14. 30.47	35.11	4	+19.204	29
404	406	Piazzi I. 27	7	1. 7. 12.58	36.89	2	+ 3.662	+ 56. 45. 31.97	37.61	3	+19.201	27
405	407	Phœnicis	6	1. 7. 44.10	39.90	6	+ 2.663	- 46. 24. 52.64	39.90	6	+19.189	...	337	...
406	408	Piazzi I. 30	7.8	1. 7. 56.76	34.01	3	+ 3.216	+ 20. 10. 53.39	35.15	4	+19.183	30
407	409	39 Ceti	6	1. 8. 13.93	32.81	5	+ 3.049	- 3. 22. 13.90	32.13	5	+19.176	167	...	32
408	410	Lacaille 339	9	1. 8. 27.26	40.37	6	+ 2.796	- 35. 1. 18.73	40.37	6	+19.171	...	339	...
409	411	Piazzi I. 31	7	1. 8. 28.59	35.87	2	+ 3.487	+ 46. 32. 51.28	35.15	4	+19.170	31
410	412	40 Ceti	6	1. 8. 32.43	32.93	5	+ 3.050	- 3. 8. 44.58	32.82	5	+19.168	168	...	33
411	413	Piazzi I. 34	8	1. 8. 47.60	36.87	2	+ 3.098	+ 3. 47. 34.61	37.08	4	+19.161	34
412	414	89 Piscium	6	1. 9. 17.82	33.23	6	+ 3.091	+ 2. 44. 38.91	32.10	5	+19.148	171	...	36
413	415	41 Ceti	7	1. 9. 25.12	35.79	2	+ 3.012	- 8. 31. 55.71	35.16	4	+19.146	172	...	38
414	416	Piazzi I. 35	7.8	1. 9. 32.59	36.89	3	+ 3.695	+ 57. 20. 15.11	37.31	2	+19.142	35
415	417	34 Cassiopeie	5.6	1. 9. 45.45	35.60	6	+ 3.698	+ 57. 21. 42.16	35.23	7	+19.137	169	...	37
416	418	Lacaille 352	7.8	1. 9. 49.38	38.82	3	+ 2.758	- 38. 8. 30.16	38.82	3	+19.135	...	352	...
417	419	Piazzi I. 39	8	1. 10. 7.89	39.64	4	+ 3.890	+ 63. 48. 14.89	38.64	4	+19.126	39
418	420	35 Cassiopeie	6.7	1. 10. 8.97	38.14	7	+ 3.890	+ 63. 47. 24.18	38.11	8	+19.126	170	...	40
419	421	Piazzi I. 42	7.8	1. 10. 20.35	36.93	5	+ 3.099	+ 3. 46. 59.96	37.14	4	+19.121	42
420	422	Piazzi I. 43	8	1. 10. 22.20	37.15	3	+ 3.119	+ 6. 33. 34.83	37.20	4	+19.120	43
421	423	90 Piscium	5.6	1. 10. 24.80	31.92	3	+ 3.273	+ 26. 23. 38.91	32.87	5	+19.119	173	...	41
422	424	Piazzi I. 44	7.8	1. 10. 52.27	35.55	2	+ 3.089	+ 2. 25. 15.01	35.08	4	+19.108	44
423	425	Piazzi I. 45	8	1. 10. 57.51	37.08	4	+ 3.119	+ 6. 37. 17.28	37.64	4	+19.105	45
424	426	Piazzi I. 46	7.8	1. 11. 10.74	37.16	3	+ 3.110	+ 5. 17. 32.67	37.43	4	+19.099	46
425	427	42 Ceti	6	1. 11. 22.65	32.68	6	+ 3.062	- 1. 22. 39.12	32.85	5	+19.093	175	...	47
426	428	Lacaille 358	6	1. 11. 25.39	39.01	1	+ 2.672	- 44. 12. 12.06	39.01	1	+19.092	...	358	...
427	429	91 Piscium	6	1. 12. 0.96	32.86	5	+ 3.290	+ 27. 52. 25.12	32.22	4	+19.077	176	...	48
428	430	Piazzi I. 49	8	1. 12. 10.75	37.23	3	+ 3.507	+ 46. 24. 53.19	37.41	4	+19.072	49
429	431	Piazzi I. 50	6.7	1. 12. 37.22	34.94	6	+ 3.457	+ 42. 43. 3.86	34.46	4	+19.060	50
430	432	46 Andromedæ	5	1. 12. 39.48	32.16	7	+ 3.484	+ 44. 39. 41.10	31.73	10	+19.059	177	...	51
431	433	Piazzi I. 52	6.7	1. 13. 46.04	35.89	3	+ 4.242	+ 70. 6. 58.44	35.11	4	+19.030	52
432	434	Piazzi I. 54	7.8	1. 13. 50.11	36.94	4	+ 3.105	+ 4. 23. 12.58	36.90	4	+19.027	54
433	435	Piazzi I. 57	7	1. 14. 7.60	32.82	5	+ 3.078	+ 0. 51. 46.77	31.95	5	+19.018	57
434	436	43 Ceti	6.7	1. 14. 8.85	32.97	5	+ 3.062	- 1. 18. 52.80	32.81	5	+19.018	181	...	58
435	437	Piazzi I. 59	6.7	1. 14. 11.30	35.89	3	+ 3.101	+ 3. 52. 23.82	35.10	4	+19.017	59
436	438	47 Andromedæ	6	1. 14. 15.79	34.49	4	+ 3.391	+ 36. 51. 3.72	34.46	4	+19.014	179	...	55
437	439	Piazzi I. 56	6.7	1. 14. 17.49	35.88	3	+ 3.353	+ 33. 22. 31.30	35.18	4	+19.013	56
438	440	Piazzi I. 60	7	1. 14. 19.94	35.79	2	+ 3.121	+ 6. 32. 34.66	35.29	5	+19.012	60
439	441	36 Cassiopeie	4.5	1. 14. 22.50	32.09	5	+ 4.090	+ 67. 15. 55.02	32.06	9	+19.010	178	...	53
440	442	Lacaille 373	7	1. 14. 38.89	38.82	3	+ 2.739	- 37. 55. 1.33	38.82	3	+19.003	...	373	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Mean Dec., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
441	443	Piazzi I. 61.....	7·8	h m s 1. 14. 42·43	36·91	4	+ 3·462	+ 42. 16. 41·09	36·97	4	+19·001	61
442	444	92 Piscium.....	7·8	1. 14. 59·49	35·92	3	+ 3·203	+ 16. 57. 20·23	35·17	4	+18·994	182	...	63
443	445	37 Cassiopeie.....	3	1. 15. 5·32	37·26	12	+ 3·798	+ 59. 22. 28·65	34·17	14	+18·992	180	...	62
444	446	Lacaille 378.....	7·8	1. 15. 7·64	37·86	7	+ 2·649	- 44. 28. 9·89	37·91	7	+18·990	...	378	65
445	447	Lacaille 376.....	7	1. 15. 11·88	38·89	3	+ 2·742	- 37. 27. 37·06	38·90	3	+18·988	...	376	...
446	448	Piazzi I. 64.....	7·8	1. 15. 16·36	37·14	3	+ 3·106	+ 4. 26. 48·60	37·08	4	+18·986	64
447	449	Lacaille 381.....	7	1. 15. 43·03	35·85	3	+ 2·868	- 25. 12. 59·97	35·16	4	+18·974	...	381	68
448	450	44 Ceti.....	6	1. 15. 44·86	32·94	6	+ 3·004	- 8. 52. 3·24	32·65	4	+18·974	183	...	66
449	451	45 Ceti.....	3	1. 15. 46·83	34·52	6	+ 3·003	- 9. 2. 12·34	32·25	7	+18·972	184	...	67
450	452	Lacaille 384.....	6·7	1. 15. 50·14	38·85	3	+ 2·803	- 31. 48. 27·79	38·85	3	+18·971	...	384	...
451	453	Lacaille 388.....	7	1. 16. 20·68	38·89	3	+ 2·681	- 41. 48. 57·83	38·88	3	+18·956	...	388	...
452	454	Lacaille 386.....	7	1. 16. 31·42	38·92	3	+ 2·791	- 32. 40. 19·30	38·91	3	+18·955	...	386	...
453	455	Piazzi I. 69.....	6	1. 16. 38·13	34·40	4	+ 3·476	+ 42. 35. 56·88	34·47	4	+18·948	69
454	456	Piazzi I. 70.....	7	1. 16. 46·74	38·92	4	+ 3·365	+ 33. 43. 19·18	38·39	6	+18·943	70
455	457	93 Piscium.....	5·6	1. 17. 22·42	32·87	6	+ 3·219	+ 18. 18. 39·34	32·85	7	+18·931	185	...	72
456	458	Lacaille 392.....	5	1. 17. 22·42	33·15	9	+ 2·668	- 42. 21. 11·90	33·29	10	+18·931	...	392	76
457	459	Bradley 187.....	7·8	1. 17. 28·55	35·86	3	+ 3·226	+ 19. 12. 43·71	35·14	4	+18·923	187	...	73
458	460	46 Ceti.....	5	1. 17. 30·56	31·91	6	+ 2·949	- 15. 27. 35·43	32·23	8	+18·922	190	...	75
459	461	Lacaille 395.....	6·7	1. 17. 31·50	38·06	6	+ 2·622	- 45. 23. 22·93	38·22	6	+18·921	...	395	78
460	462	Piazzi I. 71.....	8	1. 17. 33·08	37·19	3	+ 3·619	+ 50. 56. 56·46	37·15	4	+18·921	71
461	463	94 Piscium.....	6·7	1. 17. 47·74	33·02	5	+ 3·220	+ 18. 22. 58·05	32·96	5	+18·914	189	...	77
462	464	48 Andromedæ.....	5·6	1. 17. 49·10	39·36	6	+ 3·510	+ 44. 33. 7·45	38·04	7	+18·914	186	...	74
463	465	Bradley 191.....	6·7	1. 18. 1·10	32·95	5	+ 3·062	- 1. 15. 29·02	32·38	5	+18·908	191
464	466	Piazzi I. 79.....	6·7	1. 18. 27·79	35·94	3	+ 3·343	+ 31. 6. 39·79	34·87	4	+18·894	79
465	467	47 Ceti.....	6	1. 18. 43·27	32·82	5	+ 2·960	- 13. 55. 0·02	33·02	5	+18·886	192	...	82
466	468	Piazzi I. 81.....	6·7	1. 18. 55·24	34·91	4	+ 3·626	+ 50. 49. 37·20	34·89	4	+18·881	81
467	469	38 Cassiopeie.....	6·7	1. 19. 4·24	38·30	5	+ 4·275	+ 69. 24. 43·36	38·08	7	+18·877	188	...	80
468	470	95 Piscium.....	7	1. 19. 6·21	32·97	5	+ 3·108	+ 4. 30. 1·77	33·80	5	+18·876	194	...	83
469	471	Piazzi I. 84.....	7	1. 19. 32·57	33·64	5	+ 3·204	+ 16. 13. 22·70	32·92	5	+18·862	84
470	472	Piazzi I. 85.....	7	1. 19. 44·40	34·90	7	+ 3·129	+ 7. 6. 13·28	34·40	6	+18·857	85
471	473	Piazzi I. 87.....	8	1. 19. 49·00	37·21	3	+ 3·129	+ 7. 6. 4·45	37·60	3	+18·854	87
472	474	49 Andromedæ.....	5·6	1. 20. 14·46	34·46	4	+ 3·550	+ 46. 9. 10·48	34·26	4	+18·842	196	...	89
473	475	Piazzi I. 90.....	7	1. 20. 18·88	36·92	4	+ 3·280	+ 24. 25. 6·92	37·33	5	+18·839	90
474	476	96 Piscium.....	6·7	1. 20. 26·84	33·95	5	+ 3·124	+ 6. 26. 23·19	32·81	5	+18·836	197	...	91
475	477	Bradley 193.....	7·8	1. 20. 26·96	36·95	4	+ 4·281	+ 69. 9. 58·22	36·97	4	+18·836	193	...	86
476	478	Brisbane 208.....	7·8	1. 20. 32·31	39·63	4	+ 2·391	- 55. 56. 17·69	41·20	9	+18·833
477	479	Piazzi I. 88.....	7	1. 20. 33·21	35·81	3	+ 4·186	+ 67. 33. 27·64	35·19	4	+18·833	88
478	480	97 Piscium.....	6·7	1. 20. 59·38	32·94	6	+ 3·218	+ 17. 30. 2·66	31·96	5	+18·819	198	...	92
479	481	Piazzi I. 93.....	8	1. 21. 10·04	36·69	4	+ 3·354	+ 31. 19. 57·70	36·89	3	+18·814	93
480	482	Phœnicis.....	3	1. 21. 11·65	33·87	9	+ 2·621	- 44. 9. 55·05	31·18	6	+18·813	...	419	94

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Mean Dec., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
481	483	98 Piscium	5	1. 21. 32.87	32.83	13	+ 3.115	+ 5. 17. 27.25	34.49	15	+18.803	199	...	95
482	484	48 Ceti	6	1. 21. 41.31	32.85	5	+ 2.879	- 22. 29. 6.03	33.06	5	+18.798	200	423	96
483	485	Bradley 201	6	1. 21. 54.97	34.74	8	+ 2.839	- 26. 28. 24.67	32.70	4	+18.790	201	425	...
484	486	Piazzi I. 97	7.8	1. 22. 5.39	35.82	4	+ 3.327	+ 28. 33. 46.99	35.08	4	+18.786	97
485	487	Lacaille 427	6.7	1. 22. 36.40	35.08	8	+ 2.831	- 27. 3. 44.39	35.20	8	+18.770	...	427	99
486	488	99 Piscium	4	1. 22. 39.94	34.06	13	+ 3.194	+ 14. 29. 35.05	33.55	23	+18.768	203	...	98
487	489	Piazzi I. 101	7	1. 23. 0.15	35.91	3	+ 3.156	+ 10. 2. 9.78	34.92	3	+18.757	101
488	490	39 Cassiopeia	5.6	1. 23. 12.16	34.51	4	+ 3.843	+ 58. 22. 54.22	34.91	4	+18.751	202	...	100
489	491	Lacaille 433	7	1. 23. 50.38	38.90	2	+ 2.787	- 30. 50. 20.27	38.90	2	+18.731	...	433	...
490	492	Piazzi I. 102	6.7	1. 24. 0.63	35.94	2	+ 4.685	+ 73. 27. 12.29	34.47	4	+18.726	102
491	493	Lacaille 437	7	1. 24. 5.49	38.90	2	+ 2.782	- 31. 7. 56.14	38.91	2	+18.723	...	437	...
492	494	Lacaille 436	7	1. 24. 17.91	35.80	3	+ 2.853	- 24. 29. 46.90	35.14	3	+18.717	...	436	103
493	495	Phoenix	4	1. 24. 22.43	36.29	15	+ 2.500	- 49. 55. 57.10	35.90	17	+18.714	...	440	...
494	496	Lacaille 445	7.8	1. 24. 29.84	38.85	3	+ 2.482	- 50. 45. 11.45	38.85	3	+18.710	...	445	...
495	497	Lacaille 442	6.7	1. 24. 38.36	38.90	3	+ 2.564	- 46. 25. 40.69	38.90	3	+18.706	...	442	...
496	498	Piazzi I. 107	7	1. 24. 39.82	32.95	6	+ 3.134	+ 7. 21. 36.07	32.10	6	+18.704	107
497	499	Piazzi I. 104	7.8	1. 24. 46.58	37.32	4	+ 3.428	+ 36. 23. 16.69	36.95	4	+18.700	104
498	500	Piazzi I. 108	6.7	1. 24. 50.15	34.50	4	+ 2.988	- 9. 51. 56.52	34.27	4	+18.699	108
499	501	40 Cassiopeia	6	1. 25. 28.73	35.94	3	+ 4.589	+ 72. 11. 45.33	35.17	4	+18.678	206	...	106
500	502	Lacaille 447	5	1. 25. 33.01	37.38	6	+ 2.695	- 37. 42. 53.33	36.61	7	+18.676	...	447	109
501	503	Bradley 205	7	1. 25. 49.41	35.81	3	+ 5.212	+ 77. 7. 34.18	34.26	4	+18.667	205	...	105
502	504	Lacaille 450	7	1. 25. 50.43	38.85	3	+ 2.477	- 50. 34. 28.20	38.85	3	+18.667	...	450	...
503	505	Piazzi I. 110	6	1. 25. 54.22	32.92	4	+ 3.227	+ 17. 36. 57.10	31.97	5	+18.665	110
504	506	100 Piscium	7	1. 26. 6.10	34.49	8	+ 3.174	+ 11. 42. 40.10	32.82	5	+18.659	208	...	111
505	507	Piazzi I. 112	7.8	1. 26. 7.47	37.59	3	+ 3.174	+ 11. 42. 42.37	37.48	8	+18.658	112
506	508	Piazzi I. 114	7.8	1. 26. 13.95	36.92	4	+ 3.136	+ 7. 25. 37.60	36.96	4	+18.655	114
507	510	Bradley 207	6.7	1. 26. 24.08	34.51	4	+ 3.616	+ 47. 52. 36.32	34.28	4	+18.649	207	...	113
508	511	49 Ceti	5.6	1. 26. 34.47	32.86	5	+ 2.926	- 16. 31. 27.82	32.88	5	+18.644	210	...	117
509	512	Piazzi I. 115	8	1. 26. 44.43	36.91	4	+ 3.610	+ 47. 28. 10.09	36.96	4	+18.638	115
510	513	101 Piscium	6	1. 26. 57.86	32.83	5	+ 3.194	+ 13. 48. 55.38	32.95	5	+18.631	211	...	118
511	514	Piazzi I. 120	6	1. 26. 59.70	32.97	6	+ 3.220	+ 16. 35. 11.35	33.00	5	+18.630	120
512	515	Piazzi I. 116	7	1. 27. 3.16	35.85	3	+ 3.985	+ 61. 30. 23.27	35.14	4	+18.628	116
513	516	50 Andromeda	5	1. 27. 8.54	31.85	7	+ 3.497	+ 40. 34. 37.69	31.86	5	+18.625	209	...	119
514	517	Piazzi I. 122	7	1. 27. 17.86	35.80	3	+ 2.946	- 14. 13. 40.95	34.90	4	+18.621	122
515	518	Lacaille 457	7	1. 27. 18.93	38.85	3	+ 2.752	- 32. 44. 16.62	38.85	3	+18.620	...	457	...
516	519	Lacaille 460	7	1. 27. 20.40	40.86	6	+ 2.547	- 46. 32. 34.06	41.02	7	+18.619	...	460	...
517	520	Piazzi I. 123	6.7	1. 27. 25.36	32.81	5	+ 3.131	+ 6. 47. 54.13	33.03	5	+18.617	123
518	521	Piazzi I. 121	7	1. 27. 38.70	36.94	4	+ 3.618	+ 47. 34. 3.08	37.17	4	+18.609	121
519	522	51 Andromeda	3.4	1. 27. 54.23	32.61	7	+ 3.624	+ 47. 47. 20.23	31.97	8	+18.601	212	...	124
520	523	50 Ceti	6	1. 27. 56.25	33.03	6	+ 2.926	- 16. 14. 48.02	32.97	5	+18.600	213	...	125

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A. 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.
521	524	Lacaille 464	7	h m s 1. 27. 59.90	40.45	6	+ 2.275	- 57. 50. 56.38	40.69	8	+18.598	...	46
522	526	102 Piscium	6	1. 28. 21.91	33.72	12	+ 3.172	+ 11. 17. 41.90	34.62	9	+18.586	214	..
523	527	Lacaille 462	6	1. 28. 30.96	39.46	9	+ 2.772	- 30. 45. 15.62	37.77	9	+18.581	...	46
524	528	Bradley 217	7.8	1. 28. 54.78	36.94	2	+ 3.172	+ 11. 14. 3.56	37.59	5	+18.568	217	..
525	525	Lacaille 468	7	1. 29. 3.88	38.93	3	+ 2.238	- 58. 59. 1.86	38.92	3	+18.563	...	46
526	529	Piazzi I. 131	6	1. 29. 23.19	32.95	5	+ 2.980	- 10. 15. 4.99	32.84	5	+18.553
527	530	Piazzi I. 134	8.9	1. 29. 24.79	37.21	3	+ 2.826	- 25. 51. 34.69	37.15	4	+18.552
528	531	52 Andromedæ	7	1. 29. 29.17	35.21	3	+ 3.556	+ 43. 32. 36.83	34.26	4	+18.548	218	..
529	532	Piazzi I. 130	6.7	1. 29. 46.60	35.92	3	+ 3.750	+ 53. 1. 38.88	35.15	4	+18.539
530	533	Lacaille 473	7	1. 30. 3.08	38.96	3	+ 2.469	- 49. 38. 55.93	38.96	3	+18.530	...	4
531	534	43 Cassiopeia	6	1. 30. 13.66	35.94	2	+ 4.292	+ 67. 12. 19.05	35.17	4	+18.525	216	..
532	535	Lacaille 472	7	1. 30. 14.80	38.90	3	+ 2.657	- 38. 58. 44.34	38.90	3	+18.524	...	4
533	536	42 Cassiopeia	6	1. 30. 16.21	38.15	9	+ 4.466	+ 69. 47. 4.62	37.07	7	+18.523	215	..
534	537	103 Piscium	7.8	1. 30. 22.52	37.11	4	+ 3.217	+ 15. 47. 8.04	37.66	4	+18.520	219	..
535	538	104 Piscium	6.7	1. 30. 25.51	33.19	5	+ 3.195	+ 13. 26. 45.61	32.98	5	+18.517	220	..
536	539	Lacaille 479	6.7	1. 30. 41.86	38.93	2	+ 2.210	- 59. 6. 53.23	38.93	2	+18.509	...	4
537	540	105 Piscium	6	1. 30. 47.45	33.45	9	+ 3.216	+ 15. 33. 56.72	32.82	5	+18.506	223	..
538	541	53 Andromedæ	5.6	1. 30. 52.13	34.45	4	+ 3.501	+ 39. 44. 18.18	34.28	4	+18.504	221	..
539	542	Lacaille 475	6.7	1. 31. 5.40	36.33	4	+ 2.821	- 25. 51. 48.18	35.16	4	+18.495	...	4
540	543	...Lacaille 476	6.7	1. 31. 7.46	36.65	7	+ 2.677	- 37. 21. 52.07	36.62	7	+18.494	...	4
541	544	Lacaille 478	7.8	1. 31. 9.38	40.86	6	+ 2.518	- 46. 55. 34.35	41.14	8	+18.493	...	4
542	545	..Lacaille 481	7	1. 31. 28.58	38.86	3	+ 2.571	- 43. 46. 5.80	38.86	3	+18.483	...	4
543	546	Piazzi I. 139	7	1. 31. 32.23	37.32	7	+ 3.962	+ 59. 42. 38.38	36.92	2	+18.481
544	547	Eridani	1	1. 31. 33.58	32.56	13	+ 2.237	- 58. 4. 38.69	32.04	17	+18.480	...	4
545	548	Piazzi I. 142	5	1. 31. 46.45	37.91	5	+ 3.538	+ 41. 46. 55.30	37.09	6	+18.473
546	549	Piazzi I. 144	7	1. 31. 54.22	32.84	5	+ 3.145	+ 7. 55. 16.53	31.98	3	+18.467
547	550	Piazzi I. 145	7.8	1. 32. 7.17	36.95	4	+ 3.315	+ 24. 54. 34.80	37.28	3	+18.460
548	551	44 Cassiopeia	6	1. 32. 13.89	37.11	6	+ 3.969	+ 59. 42. 56.27	35.41	7	+18.457	224	..
549	552	Lacaille 489	7	1. 32. 24.63	38.92	3	+ 2.342	- 54. 16. 37.95	38.92	3	+18.450
550	553	Lacaille 485	8	1. 32. 24.65	37.25	2	+ 2.657	- 38. 18. 40.96	37.30	3	+18.450
551	554	Piazzi I. 149	8	1. 32. 44.44	37.24	3	+ 3.148	+ 8. 14. 4.93	36.92	4	+18.440
552	555	1 Trianguli	7	1. 32. 48.70	35.96	3	+ 3.360	+ 28. 40. 7.95	35.09	4	+18.438
553	556	Piazzi I. 146	8.9	1. 32. 49.26	37.35	2	+ 3.970	+ 59. 36. 5.07	37.21	3	+18.435
554	557	106 Piscium	5	1. 32. 51.19	33.39	17	+ 3.115	+ 4. 38. 59.64	33.59	21	+18.434	228	..
555	558	Lacaille 493	7.8	1. 32. 56.92	40.16	5	+ 2.252	- 57. 16. 3.44	40.45	6	+18.431
556	559	Piazzi I. 153	7.8	1. 33. 20.04	37.32	2	+ 2.852	- 22. 33. 22.76	37.79	2	+18.418
557	560	54 Andromedæ	5	1. 33. 21.66	31.86	5	+ 3.700	+ 49. 51. 13.08	31.85	5	+18.417	227	..
558	561	Piazzi I. 152	8	1. 33. 30.73	37.27	3	+ 3.700	+ 49. 46. 42.20	36.93	2	+18.411
559	562	Lacaille 495	6	1. 33. 32.75	40.15	5	+ 2.254	- 57. 2. 3.43	41.05	7	+18.409
560	563	107 Piscium	5.6	1. 33. 33.35	32.59	8	+ 3.260	+ 19. 27. 51.19	32.11	5	+18.409	229	..

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835°0.	Mean Dec., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835°0.	Bradley.	Lacaille.	Piazzi.
561	564	Lacaille 496	7·8	h m s 1. 34. 12·75	38·85	3	+ 2·640	— 38. 58. 19·92	36·23	7	+18·387	...	496	156
562	565	Lacaille 500	6	1. 34. 41·63	37·36	6	+ 2·721	— 33. 9. 41·65	36·62	7	+18·370	...	500	157
563	566	Lacaille 501	6	1. 34. 46·47	38·92	3	+ 2·657	— 37. 40. 2·36	36·27	7	+18·367	...	501	158
564	568	Lacaille 502	7	1. 35. 6·07	38·95	3	+ 2·410	— 50. 52. 25·74	38·95	3	+18·356	...	502	...
565	569	Piazzi I. 160	7	1. 35. 36·50	34·78	5	+ 3·019	— 5. 35. 49·16	34·26	4	+18·338	160
566	570	Piazzi I. 161	8·9	1. 35. 53·21	36·94	3	+ 3·255	+ 19. 1. 29·81	37·13	5	+18·328	161
567	571	Piazzi I. 159	6·7	1. 35. 54·02	35·79	2	+ 4·140	+ 63. 2. 2·15	34·88	4	+18·328	159
568	572	109 Piscium	6·7	1. 35. 55·96	32·94	6	+ 3·262	+ 19. 15. 21·44	32·31	5	+18·326	231	...	162
569	573	Eridani	6·7	1. 36. 7·86	38·84	3	+ 2·307	— 54. 34. 17·48	38·84	3	+18·320	...	506	...
570	574	Piazzi I. 155	7·8	1. 36. 10·43	39·40	5	+ 6·565	+ 81. 8. 13·22	40·56	8	+18·318	155
571	575	52 Ceti	3·4	1. 36. 24·63	33·07	6	+ 2·907	— 16. 48. 32·10	32·31	10	+18·310	233	...	163
572	576	110 Piscium	5	1. 36. 41·31	34·16	14	+ 3·152	+ 8. 19. 27·77	33·54	28	+18·300	232	...	164
573	577	Piazzi I. 166	6·7	1. 37. 42·48	34·92	4	+ 3·633	+ 45. 24. 14·33	34·27	4	+18·263	166
574	578	Piazzi I. 167	6	1. 37. 42·76	32·83	5	+ 3·008	— 6. 33. 41·53	32·84	6	+18·263	167
575	579	Sculptoris	5	1. 37. 55·18	31·87	7	+ 2·804	— 25. 52. 46·20	32·16	7	+18·254	...	511	168
576	580	Lacaille 514	8	1. 38. 9·62	38·85	4	+ 2·365	— 51. 51. 6·72	38·86	3	+18·247	...	514	...
577	581	Piazzi I. 169	7·8	1. 38. 24·52	36·94	4	+ 3·170	+ 10. 0. 59·64	36·91	4	+18·238	169
578	582	Bradley 230	7	1. 38. 34·43	38·78	10	+ 5·561	+ 77. 22. 36·46	39·16	9	+18·232	230	...	165
579	583	Piazzi I. 170	6	1. 38. 56·15	35·75	3	+ 3·496	+ 37. 7. 38·44	34·88	4	+18·218	170
580	584	4 Arietis	6·7	1. 39. 14·72	32·87	5	+ 3·234	+ 16. 7. 51·10	32·32	5	+18·207	235	...	172
581	585	Piazzi I. 171	7	1. 39. 15·84	38·62	7	+ 3·421	+ 31. 51. 2·32	38·87	6	+18·206	171
582	586	Bradley 236	8	1. 39. 25·40	37·36	4	+ 3·235	+ 16. 11. 39·93	36·96	4	+18·200	236	...	174
583	587	Lacaille 520	6·7	1. 39. 37·82	38·88	3	+ 2·360	— 51. 38. 36·72	38·88	3	+18·193	...	520	...
584	588	Piazzi I. 173	8	1. 39. 45·64	37·15	4	+ 3·859	+ 54. 23. 37·14	36·95	4	+18·189	173
585	589	Eridani	6	1. 39. 49·00	38·89	3	+ 2·286	— 54. 21. 10·16	38·89	3	+18·186	...	523	...
586	590	Piazzi I. 175	6·7	1. 39. 53·53	34·50	4	+ 3·100	+ 2. 51. 34·42	34·26	4	+18·183	175
587	591	Lacaille 524	6·7	1. 40. 17·22	38·86	3	+ 2·551	— 42. 35. 17·69	38·86	3	+18·169	...	524	...
588	592	Piazzi I. 176	6	1. 40. 25·89	35·87	3	+ 3·775	+ 51. 6. 58·81	34·90	4	+18·163	176
589	593	Lacaille 526	7	1. 40. 35·56	37·33	6	+ 2·628	— 37. 59. 10·24	36·62	7	+18·158	...	526	178
590	594	Lacaille 527	8	1. 40. 58·37	36·95	4	+ 2·780	— 27. 4. 42·30	36·92	4	+18·143	...	527	180
591	595	1 Arietis	6	1. 41. 2·53	32·84	5	+ 3·296	+ 21. 27. 9·61	32·65	5	+18·141	179
592	596	1 Persei	6·7	1. 41. 11·90	34·01	3	+ 3·868	+ 54. 19. 35·69	34·27	4	+18·134	237	...	177
593	597	Lacaille 530	6·7	1. 41. 15·51	40·10	5	+ 2·551	— 42. 19. 35·93	40·41	6	+18·132	...	530	...
594	598	Piazzi I. 182	7	1. 41. 17·29	37·39	7	+ 2·955	— 11. 31. 21·66	36·98	4	+18·132	182
595	599	53 Ceti	5	1. 41. 29·16	34·64	13	+ 2·955	— 11. 30. 18·94	31·87	10	+18·124	242	...	183
596	600	2 Persei	6·7	1. 41. 42·22	34·79	5	+ 3·756	+ 49. 58. 24·68	34·28	4	+18·115	238	...	181
597	601	54 Ceti	6	1. 42. 7·48	32·79	8	+ 3·176	+ 10. 13. 23·46	31·97	5	+18·100	243	...	185
598	602	45 Cassiopeiæ	3·4	1. 42. 36·18	32·03	6	+ 4·201	+ 62. 51. 11·33	32·23	11	+18·079	239	...	184
599	603	Lacaille 536	6·7	1. 42. 41·46	39·17	11	+ 2·599	— 39. 14. 14·81	38·84	13	+18·077	...	536	188
600	604	Piazzi I. 189	9	1. 43. 5·59	36·96	2	+ 3·106	+ 3. 18. 33·30	36·96	4	+18·062	189

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
601	605	Piazzi I. 187	7	h m s 1. 43. 6.99	35.85	3	+ 3.732	+ 48. 37. 28.16	35.00	4	+18.062	187
602	606	Piazzi I. 191	8	1. 43. 17.43	36.98	4	+ 3.175	+ 9. 59. 31.45	37.15	4	+18.056	191
603	607	46 Cassiopeia	6.7	1. 43. 17.67	35.84	3	+ 4.504	+ 67. 52. 10.25	34.88	4	+18.056	241	...	186
604	608	55 Ceti	3	1. 43. 19.15	32.96	2	+ 2.957	- 11. 9. 10.45	32.49	10	+18.055	247	...	192
605	609	55 Andromeda	6.7	1. 43. 25.24	34.04	3	+ 3.560	+ 39. 54. 41.52	34.88	4	+18.050	244	...	190
606	610	2 Trianguli	3.4	1. 43. 41.71	32.90	10	+ 3.393	+ 28. 46. 18.39	32.66	13	+18.039	245	...	193
607	611	Lacaille 542	6.7	1. 43. 42.83	38.01	3	+ 2.408	- 48. 38. 21.94	38.01	3	+18.039	...	542	...
608	612	Lacaille 544	8	1. 43. 58.78	38.24	4	+ 2.226	- 55. 17. 2.08	38.30	3	+18.029	...	544	...
609	613	Lacaille 543	7	1. 44. 23.99	35.85	2	+ 2.567	- 40. 39. 14.75	34.24	4	+18.012	...	543	198
610	615	5 Arietis	4.5	1. 44. 29.30	37.68	1	+ 3.269	+ 18. 28. 53.46	32.60	6	+18.009	248	...	197
611	614	5 Arietis	6	1. 44. 29.33	32.60	6	+ 3.269	+ 18. 29. 2.88	33.40	11	+18.009	249	...	196
612	616	Lacaille 547	6.7	1. 44. 30.21	38.04	2	+ 2.344	- 51. 1. 30.58	38.03	2	+18.008	...	547	...
613	618	Piazzi I. 194	6.7	1. 44. 52.53	35.89	3	+ 4.929	+ 72. 20. 34.08	35.21	4	+17.994	194
614	617	Lacaille 552	7.8	1. 44. 53.18	38.02	3	+ 2.225	- 55. 5. 51.11	38.02	2	+17.994	...	552	...
615	619	111 Piscium	5.6	1. 45. 1.19	32.95	3	+ 3.096	+ 2. 22. 13.33	32.32	5	+17.988	251	...	201
616	620	Piazzi I. 199	7	1. 45. 10.83	35.94	3	+ 3.801	+ 50. 52. 30.09	35.15	4	+17.983	199
617	621	Piazzi I. 200	6.7	1. 45. 13.95	35.80	1	+ 3.508	+ 36. 18. 49.02	35.96	3	+17.981	200
618	622	Brisbane 269	8	1. 45. 23.84	38.85	5	+ 2.425	- 47. 27. 29.83	38.84	5	+17.973
619	623	Piazzi I. 195	7.8	1. 45. 26.87	39.66	8	+ 5.310	+ 75. 8. 37.80	40.26	11	+17.972	195
620	624	6 Arietis	3	1. 45. 32.34	33.17	22	+ 3.288	+ 19. 59. 53.87	32.74	22	+17.969	252	...	202
621	625	Bradley 253	6	1. 46. 10.37	35.78	2	+ 3.514	+ 36. 27. 52.46	34.55	8	+17.944	253	...	203
622	626	Lacaille 555	6.7	1. 46. 16.86	35.81	2	+ 2.580	- 39. 24. 40.38	35.17	4	+17.940	...	555	206
623	627	56 Andromeda	6	1. 46. 22.66	34.46	8	+ 3.514	+ 36. 26. 18.06	34.03	3	+17.935	255	...	204
624	628	7 Arietis	6	1. 46. 39.82	32.97	5	+ 3.324	+ 22. 45. 54.58	32.53	6	+17.924	257	...	205
625	629	Lacaille 559	5.6	1. 47. 1.79	38.72	6	+ 2.424	- 47. 6. 48.58	38.72	6	+17.910	...	559	...
626	630	Piazzi I. 209	7	1. 47. 22.50	32.91	6	+ 3.083	+ 1. 1. 42.24	32.87	5	+17.897	209
627	631	Brisbane 273	8.9	1. 47. 22.55	38.01	3	+ 2.239	- 54. 3. 51.27	38.01	2	+17.897
628	632	Phoeniceis	5	1. 47. 31.25	31.86	6	+ 2.502	- 43. 18. 31.82	32.13	9	+17.891	...	565	212
629	633	Piazzi I. 207	7.8	1. 47. 41.67	36.87	4	+ 3.705	+ 46. 17. 9.54	36.90	4	+17.884	207
630	634	3 Persæ	6.7	1. 48. 6.50	35.87	3	+ 3.757	+ 48. 23. 36.80	34.88	4	+17.868	261	...	211
631	635	8 Arietis	6	1. 48. 20.97	33.30	10	+ 3.258	+ 17. 0. 31.42	33.79	8	+17.859	262	...	214
632	636	Piazzi I. 213	6.7	1. 48. 22.40	35.90	3	+ 3.382	+ 26. 59. 51.21	35.85	2	+17.858	213
633	637	48 Cassiopeia	5	1. 48. 32.11	33.07	7	+ 4.755	+ 70. 6. 6.25	33.23	8	+17.851	258	...	210
634	638	9 Arietis	5.6	1. 48. 45.10	33.10	6	+ 3.329	+ 22. 47. 16.46	33.17	9	+17.841	263	...	216
635	639	47 Cassiopeia	6	1. 48. 51.88	39.03	7	+ 5.615	+ 76. 28. 54.47	39.56	10	+17.838	254	...	208
636	640	56 Ceti	6	1. 48. 56.46	33.67	9	+ 2.808	- 23. 20. 8.66	33.57	9	+17.835	267	568	218
637	641	50 Cassiopeia	4.5	1. 49. 30.04	33.74	5	+ 4.923	+ 71. 37. 2.98	32.91	10	+17.812	260	...	215
638	642	Eridani	4	1. 49. 32.07	35.64	12	+ 2.272	- 52. 25. 56.69	35.52	13	+17.811	...	575	...
639	643	49 Cassiopeia	6	1. 49. 59.83	37.42	4	+ 5.427	+ 75. 18. 56.87	35.20	4	+17.792	259	...	217
640	644	Piazzi I. 222	6	1. 50. 27.13	33.05	5	+ 3.301	+ 20. 15. 13.23	32.66	4	+17.774	222

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
641	645	Piazzi I. 223	7	h m s 1. 50. 36'64	33'85	5	+ 3'198	+ 11. 29. 28'58	33'04	5	+17'768	223
642	646	Lacaille 585	Var.	1. 50. 37'49	38'04	2	+ 2'378	- 48. 11. 38'54	38'30	3	+17'767	...	585	...
643	647	52 Cassiopeia	6	1. 50. 40'10	35'89	2	+ 4'351	+ 64. 6. 0'46	35'12	4	+17'766	265	...	219
644	648	Lacaille 588	6'7	1. 50. 42'38	38'02	3	+ 2'260	- 52. 35. 8'86	38'02	3	+17'764	...	588	...
645	649	Hydri	4'5	1. 50. 45'87	32'27	5	+ 1'498	- 68. 27. 36'03	33'62	6	+17'762	...	594	...
646	650	53 Cassiopeia	6'7	1. 50. 52'35	36'47	4	+ 4'324	+ 63. 35. 18'14	35'29	5	+17'756	266	...	221
647	651	51 Cassiopeia	7	1. 51. 10'24	35'98	2	+ 5'216	+ 73. 47. 7'71	34'28	4	+17'743	264	...	220
648	652	Piazzi I. 225	7	1. 51. 20'36	32'95	6	+ 3'129	+ 5. 13. 54'73	33'88	6	+17'738	225
649	653	4 Persei	5	1. 51. 21'74	34'42	4	+ 3'921	+ 53. 41. 9'04	34'29	4	+17'737	269	...	224
650	654	Piazzi I. 227	8	1. 51. 33'54	36'92	5	+ 3'139	+ 6. 6. 54'93	36'91	4	+17'728	227
651	655	Lacaille 591	7	1. 51. 34'05	35'74	2	+ 2'509	- 41. 58. 30'93	34'97	4	+17'728	...	591	229
652	656	112 Piscium	6	1. 51. 34'62	32'99	5	+ 3'097	+ 2. 18. 17'03	32'83	5	+17'727	271	...	226
653	657	Piazzi I. 228	8	1. 51. 47'51	36'92	4	+ 3'111	+ 3. 35. 8'72	36'91	4	+17'718	228
654	658	57 Ceti	6	1. 52. 0'70	32'88	4	+ 2'823	- 21. 37. 42'19	32'55	5	+17'710	272	...	231
655	659	59 Ceti	4'5	1. 52. 13'83	32'49	7	+ 2'819	- 21. 52. 49'32	33'68	14	+17'702	273	...	232
656	660	Lacaille 597	7	1. 52. 33'71	38'23	4	+ 2'514	- 41. 31. 47'92	38'01	3	+17'687	...	597	...
657	661	Lacaille 599	6	1. 52. 50'38	34'48	4	+ 2'486	- 42. 49. 45'57	34'60	5	+17'675	...	599	235
658	662	Piazzi I. 230	8	1. 52. 50'58	36'91	2	+ 4'345	+ 63. 35. 15'69	36'94	4	+17'675	230
659	663	Piazzi I. 234	7'8	1. 53. 10'12	36'93	3	+ 3'150	+ 7. 3. 57'45	36'91	4	+17'663	234
660	664	3 Trianguli	6	1. 53. 21'08	35'94	2	+ 3'476	+ 32. 29. 5'79	35'09	4	+17'654	275	...	233
661	665	113 Piscium	5	1. 53. 31'03	33'47	10	+ 3'094	+ 1. 57. 49'32	33'48	16	+17'648	277	...	238
662	666	Hydri	3	1. 53. 34'22	34'28	6	+ 1'857	- 62. 22. 29'61	33'89	6	+17'646	...	605	...
663	667	57 Andromedae	3'4	1. 53. 48'06	34'27	6	+ 3'636	+ 41. 32. 2'10	33'08	7	+17'635	276	...	236
664	668	Piazzi I. 237	7'8	1. 53. 48'88	37'00	2	+ 3'636	+ 41. 32. 6'11	36'96	2	+17'635	237
665	669	Lacaille 602	5'6	1. 53. 52'68	35'90	3	+ 2'692	- 30. 47. 50'06	34'92	4	+17'632	...	602	241
666	670	B.D.—17°. 371	7	1. 54. 2'59	40'33	7	+ 2'872	- 17. 22. 6'55	40'91	8	+17'626
667	671	Piazzi I. 240	7	1. 54. 10'11	33'90	6	+ 3'187	+ 10. 13. 10'01	32'87	5	+17'622	240
668	672	10 Arietis	6'7	1. 54. 18'53	35'50	6	+ 3'372	+ 25. 8. 11'47	34'29	4	+17'616	278	...	242
669	673	Piazzi I. 243	6	1. 54. 40'48	32'99	5	+ 3'274	+ 17. 27. 24'87	33'28	6	+17'600	243
670	674	60 Ceti	6	1. 54. 44'27	33'01	5	+ 3'065	- 0. 40. 12'81	33'02	5	+17'597	280	...	244
671	675	Bradley 279	7'8	1. 55. 1'29	36'97	4	+ 3'373	+ 25. 7. 25'28	36'99	3	+17'585	279	...	245
672	676	54 Cassiopeia	6'7	1. 55. 2'32	39'39	6	+ 4'916	+ 70. 46. 16'82	37'96	7	+17'585	274	...	239
673	677	Phoenicis	5	1. 55. 5'25	34'29	8	+ 2'417	- 45. 30. 36'80	36'10	7	+17'583	...	610	248
674	678	Piazzi I. 246	8	1. 55. 8'04	36'98	2	+ 3'014	- 5. 7. 39'10	36'98	4	+17'581	246
675	679	61 Ceti	6'7	1. 55. 21'79	35'82	3	+ 3'059	- 1. 8. 4'48	34'97	4	+17'571	281	...	247
676	680	Piazzi I. 249	7	1. 56. 9'33	34'51	4	+ 3'151	+ 6. 56. 28'59	34'27	4	+17'538	249
677	681	Lacaille 618	5'6	1. 57. 5'59	35'90	4	+ 2'693	- 30. 5. 28'54	34'95	4	+17'497	...	618	251
678	682	12 Arietis	6	1. 57. 21'01	32'65	5	+ 3'335	+ 21. 51. 30'35	32'84	5	+17'487	285	...	250
679	683	Bradley 284	6	1. 57. 22'54	32'94	5	+ 3'378	+ 25. 2. 21'06	32'31	5	+17'486	284
680	684	11 Arietis	6'7	1. 57. 29'03	34'02	3	+ 3'377	+ 24. 54. 50'99	34'29	4	+17'480	286	...	252

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
681	685	13 Arietis	3	h m s 1. 57. 53.25	33.31	44	+ 3.347	+ 22. 40. 43.14	32.98	112	+17.463	287	...	253
682	686	58 Andromedæ	6	1. 58. 33.51	38.65	4	+ 3.571	+ 37. 4. 19.03	38.06	9	+17.434	288	...	254
683	687	Piazzi I. 257	7	1. 58. 43.27	35.91	3	+ 3.277	+ 17. 14. 23.85	34.91	4	+17.427	257
684	688	Lacaille 629	8	1. 58. 53.63	38.24	4	+ 2.269	- 50. 28. 31.38	38.32	4	+17.421	...	629	...
685	689	Piazzi I. 258	8	1. 58. 53.74	37.06	5	+ 3.166	+ 8. 3. 22.26	36.89	4	+17.420	258
686	690	Piazzi I. 255	8.9	1. 59. 1.74	37.09	5	+ 3.970	+ 53. 32. 39.50	36.96	4	+17.413	255
687	691	Piazzi I. 256	7	1. 59. 6.12	34.65	3	+ 3.956	+ 53. 3. 32.67	34.27	4	+17.411	256
688	692	Lacaille 635	7	1. 59. 8.13	38.01	3	+ 1.961	- 59. 8. 16.43	38.01	3	+17.410	...	635	...
689	693	Piazzi I. 261	8	1. 59. 35.48	37.00	8	+ 3.166	+ 8. 3. 47.23	36.90	5	+17.389	261
690	694	4 Trianguli	4	1. 59. 44.89	32.22	8	+ 3.525	+ 34. 12. 10.45	32.29	11	+17.381	290	...	260
691	695	14 Arietis	5.6	2. 0. 2.92	33.38	8	+ 3.386	+ 25. 9. 18.78	35.14	9	+17.369	291	...	262
692	696	5 Persei	7	2. 0. 3.13	34.53	4	+ 4.097	+ 56. 51. 43.06	34.28	4	+17.369	289	...	259
693	697	Lacaille 640	7	2. 0. 45.96	39.01	3	+ 2.080	- 55. 52. 21.24	39.01	3	+17.337	...	640	...
694	698	62 Ceti	8	2. 0. 48.73	36.91	4	+ 3.035	- 3. 6. 56.18	36.91	4	+17.336	295	...	265
695	699	59 Andromedæ	6.7	2. 0. 54.01	35.93	2	+ 3.602	+ 38. 15. 24.29	34.89	4	+17.331	293	...	263
696	700	Piazzi I. 266	6.7	2. 1. 4.76	33.33	7	+ 3.113	+ 3. 26. 52.61	33.90	10	+17.323	266
697	701	Lacaille 641	7	2. 1. 22.79	35.81	2	+ 2.449	- 42. 39. 57.09	34.49	4	+17.310	...	641	270
698	702	15 Arietis	6	2. 1. 29.61	33.23	6	+ 3.301	+ 18. 43. 6.14	33.01	5	+17.305	296	...	267
699	703	55 Cassiopeæ	6.7	2. 1. 37.57	35.00	6	+ 4.574	+ 65. 44. 42.78	34.30	4	+17.299	292	...	264
700	704	5 Trianguli	7	2. 1. 47.69	34.03	3	+ 3.475	+ 30. 44. 41.16	34.27	4	+17.292	297	...	268
701	705	16 Arietis	7.8	2. 1. 47.77	35.90	1	+ 3.466	+ 30. 12. 11.68	35.02	3	+17.292	298	...	269
702	706	Piazzi II. 1	8	2. 2. 8.50	36.97	2	+ 3.327	+ 20. 35. 44.77	36.25	4	+17.276	1
703	707	Lacaille 650	8	2. 2. 11.30	38.95	3	+ 1.806	- 61. 46. 29.49	38.92	4	+17.275	...	650	...
704	708	Piazzi II. 2	6.7	2. 2. 33.50	35.96	2	+ 3.953	+ 52. 16. 44.96	35.14	4	+17.260	2
705	709	Lacaille 647	6.7	2. 2. 33.87	35.95	2	+ 2.407	- 44. 17. 53.47	35.18	4	+17.259	...	647	7
706	710	64 Ceti	6.7	2. 2. 39.03	32.95	5	+ 3.165	+ 7. 47. 38.11	32.13	5	+17.254	302	...	6
707	711	6 Persei	6.7	2. 2. 40.40	38.33	6	+ 3.894	+ 50. 17. 40.43	38.13	8	+17.254	299	...	3
708	712	6 Trianguli	5.6	2. 2. 49.11	33.63	8	+ 3.459	+ 29. 31. 33.81	34.31	11	+17.247	301	...	5
709	713	60 Andromedæ	5.6	2. 2. 54.45	36.94	4	+ 3.719	+ 43. 27. 9.09	35.16	4	+17.243	300	...	4
710	714	Lacaille 653	7	2. 3. 2.34	35.18	2	+ 2.463	- 41. 38. 54.48	35.19	4	+17.237	...	653	10
711	715	63 Ceti	6	2. 3. 13.62	32.97	6	+ 3.041	- 2. 36. 16.81	32.87	4	+17.228	304	...	9
712	716	Piazzi II. 8	6.7	2. 3. 18.66	34.01	3	+ 3.368	+ 23. 23. 19.76	34.77	4	+17.225	8
713	717	Lacaille 659	6	2. 3. 29.57	35.95	2	+ 2.395	- 44. 35. 50.66	35.22	4	+17.217	...	659	14
714	718	17 Arietis	6	2. 3. 34.66	32.32	5	+ 3.328	+ 20. 25. 54.07	33.05	5	+17.213	303	...	11
715	719	Lacaille 662	7	2. 3. 44.67	38.92	3	+ 2.176	- 52. 30. 54.95	38.92	3	+17.205	...	662	...
716	720	Piazzi II. 12	8	2. 3. 45.36	36.96	4	+ 3.309	+ 19. 2. 34.41	36.26	4	+17.205	12
717	721	Lacaille 661	6	2. 3. 47.20	40.33	6	+ 2.203	- 51. 38. 6.30	41.12	7	+17.203	...	661	...
718	722	19 Arietis	7	2. 4. 4.09	32.48	14	+ 3.250	+ 14. 30. 10.76	32.81	5	+17.191	305	...	15
719	723	Piazzi II. 13	7	2. 4. 12.43	35.75	4	+ 3.838	+ 48. 0. 23.96	35.00	4	+17.186	13
720	724	65 Ceti	5	2. 4. 15.89	32.53	20	+ 3.170	+ 8. 4. 9.59	31.61	10	+17.182	306	...	16

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
721	725	Piazzi II. 17	Var.	h m s 2. 4. 21.63	37.38	4	+ 3.034	— 3. 10. 16.58	36.52	4	+17.178	17
722	726	66 Oeti	6.7	2. 4. 22.24	35.02	2	+ 3.034	— 3. 10. 6.22	34.27	4	+17.178	308	...	18
723	727	Piazzi II. 19	8	2. 4. 27.74	37.26	3	+ 3.115	+ 3. 30. 31.84	36.75	4	+17.173	19
724	728	Bradley 309	7	2. 4. 43.33	35.96	2	+ 3.308	+ 18. 50. 15.69	35.25	4	+17.161	309	...	20
725	729	Piazzi II. 23	7	2. 4. 51.89	35.66	3	+ 3.123	+ 4. 14. 19.18	34.50	4	+17.154	23
726	730	Brisbane 313	7.8	2. 4. 54.17	38.25	4	+ 2.319	— 47. 21. 51.69	38.33	4	+17.153
727	731	Piazzi II. 21	7.8	2. 5. 18.42	36.97	4	+ 4.113	+ 56. 15. 23.63	37.95	2	+17.136	21
728	732	Piazzi II. 26	7	2. 5. 22.35	37.57	3	+ 3.026	— 3. 48. 24.70	37.53	3	+17.132	26
729	734	Piazzi II. 22	7.8	2. 5. 23.37	36.98	5	+ 4.115	+ 56. 16. 57.55	36.99	6	+17.131	22
730	733	Lacaille 673	8.9	2. 5. 23.40	38.01	3	+ 1.770	— 61. 52. 38.51	38.02	3	+17.131	...	673	...
731	735	Fornacia	μ 6	2. 5. 38.54	36.90	2	+ 2.645	— 31. 30. 2.33	34.53	4	+17.120	...	666	28
732	736	Piazzi II. 25	8	2. 5. 50.39	37.45	2	+ 3.850	+ 48. 6. 21.86	37.51	4	+17.111	25
733	737	Piazzi II. 24	8.9	2. 5. 58.01	36.98	4	+ 4.158	+ 57. 14. 59.81	36.01	2	+17.105	24
734	738	Brisbane 316	7.8	2. 6. 1.73	38.32	3	+ 2.307	— 47. 35. 24.27	38.32	3	+17.101
735	739	Piazzi II. 31	7.8	2. 6. 7.76	37.56	3	+ 3.081	+ 0. 54. 13.30	37.64	4	+17.097	31
736	740	7 Trianguli	6	2. 6. 12.00	34.03	3	+ 3.519	+ 32. 35. 15.36	34.54	4	+17.094	312	...	30
737	741	20 Arietis	6.7	2. 6. 20.22	36.81	2	+ 3.399	+ 25. 0. 47.40	35.09	4	+17.088	314	...	32
738	742	21 Arietis	7	2. 6. 22.01	34.04	3	+ 3.388	+ 24. 16. 29.19	35.00	3	+17.086	315	...	33
739	743	8 Persei	6	2. 6. 22.84	35.97	1	+ 4.156	+ 57. 7. 44.90	35.02	3	+17.085	310	...	27
740	744	7 Persei	χ 6	2. 6. 31.91	35.98	2	+ 4.142	+ 56. 44. 47.01	35.65	7	+17.078	311	...	29
741	745	Brisbane 317	10	2. 6. 37.43	38.90	3	+ 2.021	— 56. 15. 0.24	40.75	3	+17.075
742	746	8 Trianguli	δ 5.6	2. 7. 0.76	38.97	4	+ 3.537	+ 33. 27. 52.73	37.41	6	+17.056	317	...	34
743	747	9 Trianguli	γ 5.6	2. 7. 31.82	35.85	2	+ 3.533	+ 33. 4. 47.50	35.16	4	+17.032	318	...	37
744	748	Bradley 316	7	2. 7. 32.76	38.98	3	+ 4.133	+ 56. 22. 3.82	40.20	5	+17.031	316	...	35
745	749	Piazzi II. 36	7.8	2. 7. 41.57	40.96	3	+ 4.137	+ 56. 24. 4.83	37.71	1	+17.025	36
746	750	Lacaille 682	6.7	2. 7. 51.27	35.85	2	+ 2.436	— 41. 56. 17.37	35.17	4	+17.017	...	682	42
747	751	Piazzi II. 38	8	2. 7. 51.83	37.19	4	+ 3.448	+ 27. 58.	+17.016	38
748	752	Piazzi II. 39	8	2. 7. 52.12	37.29	3	+ 3.448	+ 27. 58. 43.76	36.56	7	+17.016	39
749	753	Piazzi II. 40	7.8	2. 7. 57.29	37.61	3	+ 3.090	+ 1. 28. 5.88	36.35	3	+17.012	40
750	754	Lacaille 685	8	2. 8. 16.32	38.95	3	+ 1.931	— 58. 7. 5.29	38.95	3	+16.999	...	685	...
751	755	Piazzi II. 44	8	2. 8. 30.02	37.41	2	+ 3.026	— 3. 40. 26.63	36.86	2	+16.987	44
752	756	Piazzi II. 41	8.9	2. 8. 39.31	35.94	3	+ 3.869	+ 48. 11. 11.33	37.99	1	+16.980	41
753	757	62 Andromede	ε 6.7	2. 8. 40.24	35.33	3	+ 3.825	+ 46. 36. 50.95	34.98	4	+16.979	319	...	43
754	758	Piazzi II. 45	9	2. 8. 40.88	37.57	3	+ 3.129	+ 4. 35. 29.19	37.69	4	+16.978	45
755	759	Piazzi II. 46	7	2. 8. 43.21	35.90	1	+ 3.086	+ 1. 5. 31.87	35.11	4	+16.977	46
756	760	Lacaille 684	7.8	2. 8. 44.10	36.68	4	+ 2.434	— 41. 50. 27.62	36.97	3	+16.976	...	684	50
757	761	Piazzi II. 48	7.8	2. 8. 45.20	36.92	2	+ 2.980	— 7. 20. 48.29	37.44	2	+16.975	48
758	762	67 Oeti	6	2. 8. 45.60	32.82	5	+ 2.982	— 7. 11. 9.36	31.93	5	+16.974	321	...	47
759	763	22 Arietis	θ 6	2. 8. 57.70	33.09	6	+ 3.319	+ 19. 8. 1.66	32.27	6	+16.965	320	...	49
760	764	10 Trianguli	5.6	2. 9. 24.38	34.05	2	+ 3.450	+ 27. 52. 35.95	34.27	4	+16.943	322	...	51

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
761	765	Piazzi II. 52	6	h m s 2. 9. 27.62	36.08	8	+ 3.084	+ 0. 58. 24.33	35.87	8	+16.941	52
762	766	Brisbane 322	7.8	2. 9. 28.51	38.66	3	+ 2.167	- 51. 39. 18.03	38.65	3	+16.941
763	767	23 Arietis	7	2. 9. 59.15	34.04	3	+ 3.318	+ 18. 55. 42.31	34.61	5	+16.917	327	...	54
764	768	63 Andromedæ	6	2. 10. 5.38	36.91	2	+ 3.910	+ 49. 23. 22.65	34.85	3	+16.912	324	...	53
765	769	Lacaille 688	6.7	2. 10. 20.42	38.03	3	+ 2.534	- 36. 45. 7.08	38.02	3	+16.900	...	688	...
766	770	Eridani	4	2. 10. 36.98	33.93	13	+ 2.139	- 52. 16. 42.96	33.72	14	+16.888	...	693	...
767	771	9 Persei	5	2. 10. 54.67	32.29	9	+ 4.107	+ 55. 5. 5.45	31.96	10	+16.873	326	...	55
768	772	68 Ceti	Var.	2. 11. 1.21	36.36	14	+ 3.025	- 3. 43. 50.04	40.63	7	+16.868	329	...	56
769	773	Piazzi II. 57	11	2. 11. 8.97	37.00	1	+ 3.025	- 3. 43. 45.78	39.13	8	+16.863	57
770	774	Piazzi II. 58	6.7	2. 11. 23.33	35.13	3	+ 3.007	- 5. 6. 31.44	34.92	4	+16.850	58
771	775	Lacaille 695	6	2. 11. 35.03	37.61	9	+ 2.706	- 26. 43. 45.06	37.52	9	+16.842	...	695	59
772	776	Piazzi II. 61	6.7	2. 12. 35.90	34.51	4	+ 3.700	+ 40. 38. 36.89	34.29	4	+16.794	61
773	777	Piazzi II. 62	7.8	2. 12. 38.56	36.69	4	+ 3.702	+ 40. 43. 20.72	36.49	4	+16.792	62
774	778	Brisbane 333	8	2. 12. 39.02	40.33	5	+ 2.464	- 39. 44. 21.55	40.38	7	+16.792
775	779	Piazzi II. 63	8	2. 12. 48.73	36.45	4	+ 3.161	+ 6. 59. 35.18	36.27	4	+16.783	63
776	780	Lacaille 703	6.7	2. 12. 49.90	38.95	2	+ 2.398	- 42. 36. 40.49	38.95	2	+16.782	...	703	...
777	781	Piazzi II. 67	9.10	2. 13. 17.78	36.35	3	+ 3.025	- 3. 43. 8.00	36.95	3	+16.760	67
778	782	Piazzi II. 66	8.9	2. 13. 18.02	36.63	3	+ 3.058	- 1. 6. 30.79	36.51	4	+16.760	66
779	783	Piazzi II. 68	7.8	2. 13. 20.62	36.94	4	+ 3.075	+ 0. 12. 35.46	36.91	4	+16.757	68
780	784	64 Andromedæ	6	2. 13. 29.62	35.86	3	+ 3.926	+ 49. 15. 10.89	34.31	4	+16.750	331	...	64
781	785	69 Ceti	6	2. 13. 29.90	32.86	5	+ 3.067	- 0. 21. 41.68	31.93	5	+16.750	333	...	69
782	786	10 Persei	6.7	2. 13. 40.04	34.04	3	+ 4.158	+ 55. 51. 20.40	34.26	4	+16.742	330	...	65
783	787	70 Ceti	6	2. 13. 48.55	32.71	6	+ 3.051	- 1. 38. 22.71	31.95	5	+16.736	335	...	70
784	788	Lacaille 707	8	2. 13. 55.52	40.92	8	+ 2.339	- 44. 49. 6.87	40.91	8	+16.729	...	707	...
785	789	Brisbane 336	8.9	2. 14. 26.81	39.48	4	+ 1.937	- 56. 52. 36.36	40.70	4	+16.705
786	790	Piazzi II. 60	7	2. 14. 29.90	35.94	2	+ 7.697	+ 80. 54. 16.70	34.95	4	+16.702	60
787	791	Lacaille 717	6	2. 14. 34.61	38.34	3	+ 1.944	- 56. 42. 17.87	38.34	3	+16.698	...	717	...
788	792	65 Andromedæ	5.6	2. 14. 39.64	35.88	3	+ 3.941	+ 49. 31. 36.21	34.90	4	+16.694	334	...	71
789	793	Brisbane 339	8	2. 14. 56.33	39.49	8	+ 1.935	- 56. 51. 24.42	40.04	7	+16.681
790	794	Fornacis	6	2. 14. 59.70	35.22	12	+ 2.733	- 24. 34. 9.04	35.02	13	+16.678	...	712	73
791	795	Lacaille 722	7	2. 15. 10.40	38.93	3	+ 1.903	- 57. 32. 30.64	38.93	3	+16.670	...	722	...
792	796	Bradley 332	4.5	2. 15. 34.65	32.77	11	+ 4.799	+ 66. 39. 15.31	31.94	13	+16.651	332	...	72
793	797	Piazzi II. 75	6.7	2. 15. 42.07	32.58	6	+ 3.190	+ 8. 57. 49.01	32.84	5	+16.645	75
794	798	Lacaille 721	7	2. 15. 43.24	35.43	4	+ 2.352	- 43. 57. 27.37	34.90	4	+16.644	...	721	77
795	799	Piazzi II. 74	7.8	2. 15. 52.66	36.92	4	+ 3.488	+ 29. 7. 51.76	36.50	4	+16.635	74
796	800	Brisbane 342	7.8	2. 15. 53.39	38.04	2	+ 2.441	- 40. 10. 5.24	38.04	2	+16.635
797	801	24 Arietis	6	2. 15. 59.03	33.97	7	+ 3.202	+ 9. 51. 35.07	32.93	4	+16.630	338	...	76
798	802	Lacaille 718	6.7	2. 16. 1.86	38.01	3	+ 2.679	- 27. 44. 47.07	38.01	3	+16.627	...	718	...
799	803	Lacaille 720	7.8	2. 16. 2.28	38.90	3	+ 2.629	- 30. 37. 6.14	38.87	3	+16.627	...	720	...
800	804	Lacaille 723	6.7	2. 16. 18.49	38.97	2	+ 2.479	- 38. 19. 41.49	38.97	3	+16.613	...	723	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
801	805	71 Ceti	6	h m s 2. 16. 38.49	32.97	5	+ 3.026	— 3. 31. 49.89	31.93	6	+16.597	339	...	80
802	806	Piazzi II. 81	8.9	2. 16. 40.59	36.97	4	+ 3.070	— 0. 6. 44.00	36.27	4	+16.595	81
803	807	Piazzi II. 78	8	2. 16. 47.70	36.97	4	+ 4.027	+ 51. 48. 8.77	36.54	4	+16.589	78
804	808	66 Andromedæ	6.7	2. 16. 50.06	34.51	4	+ 3.963	+ 49. 49. 35.57	34.81	6	+16.587	337	...	79
805	809	Piazzi II. 82	7.8	2. 16. 51.78	36.95	3	+ 3.201	+ 9. 45. 23.43	36.84	4	+16.586	82
806	810	Lacaille 729	7	2. 17. 6.69	38.92	3	+ 2.113	— 51. 50. 52.89	38.92	3	+16.575	...	729	...
807	811	Piazzi II. 83	7	2. 17. 20.02	36.66	3	+ 3.204	+ 9. 54. 3.57	37.13	4	+16.563	83
808	812	11 Trianguli	7	2. 17. 41.89	35.66	3	+ 3.527	+ 31. 3. 20.76	34.31	4	+16.545	340	...	84
809	813	Lacaille 731	6.7	2. 17. 55.21	35.94	3	+ 2.400	— 41. 35. 45.01	34.92	4	+16.534	...	731	90
810	814	Bradley 341	6	2. 17. 55.35	32.93	6	+ 3.203	+ 9. 49. 7.50	32.17	5	+16.534	341	...	85
811	815	Brisbane 347	9	2. 17. 56.98	40.29	6	+ 1.893	— 57. 17. 51.12	40.16	5	+16.533
812	816	72 Ceti	5	2. 17. 59.02	31.85	6	+ 2.897	— 13. 2. 17.90	32.01	10	+16.532	343	...	87
813	817	Brisbane 348	9	2. 18. 9.90	39.77	5	+ 1.891	— 57. 17. 59.45	38.90	2	+16.523
814	818	Lacaille 739	8	2. 18. 13.73	40.96	6	+ 1.878	— 57. 33. 56.32	41.22	8	+16.520	...	739	...
815	819	Lacaille 735	7.8	2. 18. 23.03	38.96	3	+ 2.366	— 42. 54. 34.65	38.96	3	+16.512	...	735	...
816	820	12 Trianguli	6	2. 18. 30.76	36.63	15	+ 3.492	+ 28. 55. 42.01	38.33	9	+16.506	342	...	88
817	821	Piazzi II. 89	8	2. 18. 31.85	36.72	4	+ 3.495	+ 29. 7. 44.34	36.51	4	+16.505	89
818	822	25 Arietis	7	2. 18. 37.11	34.51	4	+ 3.199	+ 9. 27. 44.73	34.28	4	+16.500	345	...	91
819	823	Hydri	4	2. 18. 50.07	32.22	6	+ 1.045	— 69. 24. 48.20	31.05	5	+16.489	...	747	...
820	824	Piazzi II. 92	10	2. 19. 5.23	37.99	3	+ 3.494	+ 28. 56. 37.98	37.25	7	+16.477	92
821	825	Piazzi II. 86	7	2. 19. 8.41	38.32	12	+ 5.233	+ 70. 33. 35.60	38.74	9	+16.474	86
822	826	13 Trianguli	6	2. 19. 8.96	35.93	3	+ 3.498	+ 29. 11. 5.57	34.94	4	+16.474	346	...	93
823	827	73 Ceti	5	2. 19. 23.77	33.81	17	+ 3.175	+ 7. 43. 0.17	33.47	23	+16.461	347	...	94
824	828	Piazzi II. 95	7	2. 19. 29.21	34.03	3	+ 3.088	+ 1. 13. 3.24	34.26	4	+16.457	95
825	829	Horologii	5.6	2. 20. 17.46	38.25	4	+ 1.683	— 61. 3. 5.48	38.25	4	+16.417	...	752	...
826	830	Eridani	4.5	2. 20. 56.26	35.16	19	+ 2.202	— 48. 26. 48.91	34.35	16	+16.384	...	753	...
827	831	Lacaille 749	6	2. 21. 2.78	35.30	3	+ 2.540	— 34. 33. 14.74	34.27	4	+16.379	...	749	99
828	832	Piazzi II. 96	6.7	2. 21. 3.86	32.85	5	+ 3.424	+ 24. 30. 0.01	32.82	5	+16.378	96
829	833	26 Arietis	6.7	2. 21. 24.14	32.96	5	+ 3.340	+ 19. 7. 7.59	31.93	5	+16.361	349	...	98
830	834	Lacaille 754	6.7	2. 21. 26.27	38.04	3	+ 2.487	— 37. 5. 0.32	38.04	3	+16.360	...	754	...
831	835	Lacaille 751	6	2. 21. 29.10	38.36	3	+ 2.591	— 31. 50. 36.16	38.33	3	+16.357	...	751	...
832	836	27 Arietis	6	2. 21. 46.01	33.03	6	+ 3.309	+ 16. 58. 11.96	31.97	5	+16.341	351	...	101
833	837	14 Trianguli	5.6	2. 22. 2.97	35.96	2	+ 3.625	+ 35. 24. 38.56	34.29	4	+16.328	350	...	102
834	838	Piazzi II. 100	7	2. 22. 3.14	35.95	3	+ 4.051	+ 51. 34. 28.37	34.90	4	+16.328	100
835	839	Piazzi II. 103	8	2. 22. 8.74	36.22	4	+ 3.595	+ 33. 56. 36.86	36.24	4	+16.323	103
836	840	Lacaille 759	8	2. 22. 18.87	38.05	2	+ 2.392	— 41. 10. 28.00	38.05	2	+16.314	...	759	...
837	841	Lacaille 757	7	2. 22. 23.39	35.95	3	+ 2.735	— 23. 25. 18.29	34.92	4	+16.311	...	757	104
838	842	Bradley 348	5.6	2. 22. 30.73	35.88	3	+ 5.482	+ 72. 5. 22.39	34.31	4	+16.302	348	...	97
839	843	Lacaille 761	6	2. 22. 48.69	35.84	3	+ 2.693	— 25. 55. 29.74	34.95	4	+16.290	...	761	106
840	844	Piazzi II. 105	6.7	2. 22. 56.26	34.51	4	+ 3.595	+ 33. 48. 32.43	36.04	8	+16.282	105

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
841	845	Lacaille 763	6	h m s 2. 23. 1'55	32'77	5	+ 2'739	— 23. 16. 51'46	32'50	5	+16'277	...	763	107
842	846	Piazzi II. 108	6'7	2. 23. 13'65	38'73	6	+ 2'850	— 15. 52. 17'15	36'34	6	+16'267	108
843	847	75 Ceti	5'6	2. 23. 46'00	36'86	9	+ 3'048	— 1. 46. 2'85	37'79	11	+16'239	354	...	110
844	848	29 Arietis	6'7	2. 23. 52'65	36'91	9	+ 3'272	+ 14. 18. 0'86	35'91	8	+16'232	352	...	109
845	849	76 Ceti	5	2. 24. 16'19	33'09	14	+ 2'847	— 15. 58. 20'40	32'32	14	+16'215	356	...	113
846	850	Piazzi II. 111	9	2. 24. 17'43	36'39	5	+ 3'158	+ 6. 13. 27'72	36'29	3	+16'214	111
847	851	Bradley 355	6'7	2. 24. 23'97	33'46	11	+ 3'330	+ 18. 8. 53'62	32'92	5	+16'208	355	...	112
848	852	Lacaille 776	6	2. 25. 26'99	38'02	3	+ 2'471	— 37. 9. 34'6	38'03	3	+16'155	...	776	...
849	853	Piazzi II. 115	7	2. 25. 30'66	34'51	4	+ 4'060	+ 51. 14. 7'16	34'28	4	+16'150	115
850	854	15 Trianguli	6	2. 25. 47'15	38'11	7	+ 3'657	+ 33. 57. 45'44	37'98	7	+16'135	357	...	116
851	855	Piazzi II. 117	8	2. 25. 50'89	36'81	6	+ 3'608	+ 33. 59. 56'91	37'40	5	+16'131	117
852	856	Lacaille 785	7	2. 26. 8'36	38'22	4	+ 2'230	— 46. 36. 5'28	38'22	4	+16'119	...	785	...
853	857	Lacaille 781	6'7	2. 26. 14'13	34'52	4	+ 2'506	— 35. 22. 44'79	34'27	4	+16'113	...	781	120
854	858	Piazzi II. 118	6'7	2. 26. 20'57	32'85	5	+ 3'166	+ 6. 44. 57'30	32'94	5	+16'107	118
855	859	77 Ceti	6	2. 26. 34'64	32'82	5	+ 2'952	— 8. 35. 1'57	31'97	5	+16'096	359	...	121
856	860	Lacaille 783	6	2. 26. 37'38	32'94	5	+ 2'630	— 28. 57. 37'87	31'93	5	+16'093	...	783	122
857	862	Piazzi II. 119	8	2. 27. 2'69	36'48	4	+ 4'018	+ 49. 46. 9'35	36'49	4	+16'070	119
858	861	Piazzi II. 123	6'7	2. 27. 2'77	36'23	13	+ 3'157	+ 6. 5. 42'55	36'23	11	+16'070	123
859	863	79 Ceti	6'7	2. 27. 4'05	35'93	3	+ 3'012	— 4. 16. 0'85	35'18	5	+16'069	363	...	124
860	864	78 Ceti	4'5	2. 27. 13'43	32'85	19	+ 3'140	+ 4. 52. 9'18	32'12	11	+16'061	362	...	125
861	865	Piazzi II. 127	8'9	2. 27. 15'65	36'66	3	+ 3'013	— 4. 11. 1'28	36'50	4	+16'060	127
862	866	30 Arietis	6	2. 27. 27'61	35'99	9	+ 3'428	+ 23. 55. 29'46	35'17	13	+16'048	360	...	126
863	867	Bradley 361	6'7	2. 27. 30'52	35'12	8	+ 3'428	+ 23. 55. 29'02	39'35	5	+16'046	361	...	128
864	868	31 Arietis	6	2. 27. 38'68	32'77	8	+ 3'238	+ 11. 43. 42'23	33'43	5	+16'039	364	...	129
865	869	Brisbane 369	8	2. 27. 48'82	38'32	3	+ 2'144	— 49. 7. 3'24	38'33	3	+16'030
866	870	Piazzi II. 130	6'7	2. 27. 51'22	33'73	11	+ 3'171	+ 7. 0. 26'59	34'92	9	+16'027	130
867	871	80 Ceti	6	2. 27. 53'08	33'05	4	+ 2'951	— 8. 33. 10'90	33'93	6	+16'025	365	...	131
868	872	Lacaille 799	6'7	2. 28. 17'80	38'33	3	+ 2'048	— 51. 49. 9'92	38'34	3	+16'006	...	799	...
869	873	Brisbane 371	7	2. 28. 30'51	38'05	3	+ 2'429	— 38. 31. 48'95	38'05	3	+15'992
870	874	Piazzi II. 134	8	2. 28. 50'03	36'48	4	+ 3'237	+ 11. 32. 54'10	36'26	4	+15'975	134
871	875	Piazzi II. 132	7'8	2. 28. 55'33	34'53	4	+ 4'111	+ 52. 5. 14'11	34'26	4	+15'970	132
872	876	Lacaille 798	6	2. 29. 2'32	34'54	4	+ 2'590	— 30. 46. 1'77	34'29	4	+15'964	...	798	137
873	877	Piazzi II. 133	7'8	2. 29. 14'23	36'71	4	+ 4'000	+ 48. 50. 37'42	36'53	4	+15'954	133
874	878	Piazzi II. 135	7'8	2. 29. 15'20	39'20	6	+ 3'171	+ 6. 58. 35'93	38'39	2	+15'953	135
875	879	81 Ceti	5'6	2. 29. 23'39	32'94	4	+ 3'014	— 4. 6. 51'60	32'95	5	+15'946	368	...	138
876	880	32 Arietis	5'6	2. 29. 27'69	33'74	5	+ 3'387	+ 21. 14. 35'75	32'82	5	+15'942	367	...	136
877	881	Lacaille 812	7	2. 29. 31'53	38'32	3	+ 1'457	— 63. 18. 46'80	38'32	3	+15'938	...	812	...
878	882	Piazzi II. 139	7	2. 30. 2'06	35'94	3	+ 3'111	+ 2. 43. 29'44	34'96	4	+15'911	139
879	883	Lacaille 805	6	2. 30. 7'53	35'90	3	+ 2'496	— 35. 17. 10'33	34'94	4	+15'907	...	805	141
880	884	Piazzi II. 140	7	2. 30. 11'14	35'94	3	+ 3'214	+ 9. 55. 22'25	34'29	4	+15'903	140

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
881	885	Brisbane 375	8	h m s 2. 30. 50'59	38'88	3	+ 2'349	— 41. 27. 49'08	38'88	3	+15'869
882	886	82 Ceti	4	2. 31. 1'92	33'29	13	+ 3'067	— 0. 23. 13'81	31'80	9	+15'858	372	...	144
883	887	33 Arietis	6	2. 31. 3'61	34'58	5	+ 3'478	+ 26. 20. 51'34	35'82	8	+15'858	370	...	143
884	888	Lacaille 811	6'7	2. 31. 11'66	34'51	4	+ 2'581	— 30. 54. 28'48	34'28	4	+15'850	...	811	147
885	889	11 Persei	7	2. 31. 17'30	34'52	4	+ 4'217	+ 54. 23. 45'36	34'27	4	+15'845	369	...	142
886	890	Piazzi II. 145	9	2. 31. 19'46	36'58	5	+ 2'891	— 12. 27. 51'18	36'48	4	+15'843	145
887	891	Piazzi II. 148	7	2. 31. 34'22	35'08	10	+ 3'150	+ 5. 23. 51'81	32'35	5	+15'831	148
888	892	83 Ceti	4'5	2. 31. 35'26	32'41	11	+ 2'889	— 12. 34. 33'72	33'43	13	+15'828	375	...	149
889	893	Lacaille 815	6	2. 31. 46'17	38'26	4	+ 2'413	— 38. 42. 16'13	38'26	4	+15'818	...	815	...
890	894	12 Persei	5'6	2. 31. 51'50	34'08	3	+ 3'750	+ 39. 29. 27'64	34'32	4	+15'814	371	...	146
891	895	Horologii	6'7	2. 31. 58'11	40'42	7	+ 1'969	— 53. 15. 35'66	40'88	10	+15'808	...	821	...
892	896	Lacaille 822	7	2. 32. 22'25	38'01	3	+ 2'234	— 45. 26. 59'46	38'01	2	+15'788	...	822	...
893	897	Brisbane 380	7'8	2. 32. 23'21	38'01	3	+ 2'235	— 45. 25. 21'93	38'01	3	+15'787
894	898	Piazzi II. 151	7'8	2. 32. 26'91	37'21	4	+ 3'150	+ 5. 21. 36'09	36'50	4	+15'782	151
895	899	84 Ceti	6	2. 32. 47'22	33'56	5	+ 3'052	— 1. 24. 5'13	32'95	5	+15'764	378	...	152
896	900	13 Persei	4	2. 32. 58'16	32'55	4	+ 4'008	+ 48. 31. 29'63	32'69	9	+15'754	374	...	150
897	901	Lacaille 823	7	2. 32. 59'60	38'25	4	+ 2'568	— 31. 20. 36'98	38'04	3	+15'753	...	823	...
898	902	34 Arietis	6	2. 33. 4'76	34'90	8	+ 3'362	+ 19. 18. 17'21	33'02	5	+15'749	377	...	153
899	903	Bradley 379	7	2. 33. 8'32	33'96	5	+ 3'216	+ 9. 50. 10'06	33'05	5	+15'745	379	...	155
900	904	14 Persei	7	2. 33. 22'10	34'53	4	+ 3'862	+ 43. 35. 24'38	34'31	4	+15'733	376	...	154
901	905	Lacaille 825	7	2. 33. 30'13	38'35	3	+ 2'550	— 32. 10. 42'96	38'49	4	+15'725	...	825	...
902	906	Lacaille 827	5	2. 33. 30'51	32'37	5	+ 2'281	— 43. 36. 10'09	31'91	5	+15'725	...	827	158
903	907	Bradley 381	6	2. 33. 36'54	37'13	6	+ 3'219	+ 10. 2. 1'04	35'75	10	+15'721	381	...	156
904	908	35 Arietis	4	2. 33. 47'28	32'82	4	+ 3'496	+ 26. 59. 59'86	32'05	9	+15'710	380	...	157
905	909	Eridani	4'5	2. 34. 9'67	32'91	5	+ 2'359	— 40. 33. 54'43	31'94	4	+15'690	...	831	159
906	910	86 Ceti	3	2. 34. 45'50	34'46	8	+ 3'109	+ 2. 32. 12'24	33'90	19	+15'657	383	...	161
907	911	Piazzi II. 160	8	2. 34. 50'36	36'36	3	+ 3'531	+ 28. 45. 30'76	36'39	5	+15'652	160
908	912	36 Arietis	7	2. 35. 7'43	33'90	3	+ 3'329	+ 17. 3. 40'57	32'92	5	+15'637	384	...	162
909	913	Piazzi II. 163	9	2. 35. 17'12	36'51	4	+ 3'103	+ 2. 6. 47'13	36'92	2	+15'628	163
910	914	37 Arietis	6'7	2. 35. 28'13	33'98	3	+ 3'291	+ 14. 36. 33'22	33'08	5	+15'618	385	...	164
911	915	Horologii	5'6	2. 35. 31'92	38'24	4	+ 1'861	— 55. 15. 31'66	38'24	4	+15'615	...	847	...
912	916	Lacaille 841	7	2. 35. 32'33	34'47	4	+ 2'390	— 39. 5. 27'53	34'26	4	+15'614	...	841	168
913	917	Piazzi II. 165	8'9	2. 35. 52'88	36'75	5	+ 3'145	+ 4. 57. 18'95	36'26	4	+15'595	165
914	918	38 Arietis	5'6	2. 35. 58'85	33'25	8	+ 3'247	+ 11. 44. 49'60	32'40	5	+15'589	386	...	166
915	919	87 Ceti	4	2. 36. 1'93	33'12	13	+ 3'211	+ 9. 24. 46'41	33'01	23	+15'586	387	...	167
916	920	Lacaille 842	7	2. 36. 3'04	38'04	3	+ 2'551	— 31. 46. 23'30	38'04	3	+15'585	...	842	...
917	921	Lacaille 848	5'6	2. 36. 12'02	38'50	4	+ 2'161	— 47. 13. 36'12	38'50	4	+15'577	...	848	...
918	922	89 Ceti	4	2. 36. 16'32	32'49	8	+ 2'853	— 14. 33. 40'79	31'65	10	+15'574	388	...	170
919	923	Piazzi II. 169	8'9	2. 36. 37'81	36'50	4	+ 4'109	+ 50. 51. 14'28	36'50	4	+15'554	169
920	924	Piazzi II. 171	7	2. 36. 42'35	36'96	3	+ 3'131	+ 4. 0. 45'37	36'04	2	+15'550	171

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
921	925	Lacaille 862	7.8	2. 36. 43.46	38.88	3	+ 1.771	- 57. 0. 11.92	38.88	3	+15.549	...	862	...
922	926	Lacaille 850	6.7	2. 36. 54.89	38.35	3	+ 2.656	- 26. 12. 2.41	38.35	3	+15.537	...	850	...
923	927	Lacaille 852	7	2. 36. 55.75	35.91	3	+ 2.331	- 41. 13. 56.43	34.31	4	+15.537	...	852	173
924	928	Lacaille 859	6.7	2. 36. 57.13	38.92	3	+ 2.008	- 51. 30. 53.88	38.92	3	+15.536	...	859	...
925	929	Hydri	5	2. 37. 5.10	34.59	14	+ 0.870	- 68. 58. 35.70	35.16	9	+15.529	...	871	...
926	930	1 Eridani	5.6	2. 37. 24.36	33.01	5	+ 2.776	- 19. 16. 30.46	32.88	5	+15.512	390	...	175
927	931	Lacaille 855	6.7	2. 37. 25.41	37.98	8	+ 2.517	- 33. 13. 31.19	38.97	11	+15.511	...	855	176
928	932	Piazzi II. 174	7.8	2. 37. 33.97	36.65	3	+ 3.145	+ 4. 53. 44.85	36.94	4	+15.593	174
929	933	Piazzi II. 172	9	2. 37. 37.92	36.86	2	+ 4.031	+ 48. 29. 17.59	37.10	4	+15.498	172
930	934	Piazzi II. 177	7.8	2. 37. 55.50	36.74	4	+ 3.246	+ 11. 33. 50.11	37.01	3	+15.482	177
931	935	39 Arietis	4	2. 38. 6.09	33.32	7	+ 3.535	+ 28. 33. 23.98	34.29	16	+15.472	389	...	178
932	936	15 Persei	5	2. 38. 42.77	33.41	4	+ 4.300	+ 55. 12. 16.10	31.89	6	+15.437	179
933	937	Lacaille 874	6.7	2. 38. 53.46	38.33	3	+ 1.927	- 53. 16. 12.87	38.04	3	+15.428	...	874	...
934	938	Brisbane 402	7	2. 38. 53.79	38.33	3	+ 2.555	- 31. 10. 38.12	38.33	3	+15.428
935	939	Piazzi II. 180	8	2. 39. 0.71	36.45	4	+ 4.151	+ 51. 35. 33.57	36.36	3	+15.421	180
936	940	Brisbane 404	7	2. 39. 5.76	38.02	3	+ 2.383	- 38. 52. 3.40	38.02	3	+15.416
937	941	Bradley 391	6.7	2. 39. 11.26	33.19	7	+ 3.462	+ 24. 29. 41.09	32.95	5	+15.410	391	...	181
938	942	40 Arietis	6	2. 39. 17.94	33.06	7	+ 3.344	+ 17. 35. 32.22	33.00	5	+15.405	393	...	182
939	943	Lacaille 875	6.7	2. 39. 20.80	38.05	2	+ 2.258	- 43. 31. 59.29	38.34	3	+15.403	...	875	...
940	944	Lacaille 876	7	2. 39. 21.63	38.01	3	+ 2.154	- 46. 59. 5.21	38.01	3	+15.402	...	876	...
941	945	42 Arietis	5	2. 40. 5.83	32.66	6	+ 3.331	+ 16. 46. 24.42	32.00	10	+15.360	397	...	185
942	946	16 Persei	4.5	2. 40. 11.61	32.73	6	+ 3.735	+ 37. 38. 1.48	32.41	6	+15.355	394	...	183
943	947	41 Arietis	3	2. 40. 17.35	32.55	5	+ 3.503	+ 26. 34. 31.80	33.40	10	+15.350	395	...	186
944	948	Piazzi II. 187	8.9	2. 40. 21.97	36.74	5	+ 2.399	- 38. 2. 26.05	36.23	4	+15.346	187
945	949	Piazzi II. 184	8.9	2. 40. 27.92	36.52	4	+ 4.156	+ 51. 30. 49.27	36.58	5	+15.340	184
946	950	Lacaille 879	7	2. 40. 52.11	34.49	4	+ 2.439	- 36. 14. 31.67	34.26	4	+15.316	...	879	189
947	951	17 Persei	7	2. 41. 22.18	36.90	7	+ 3.664	+ 34. 22. 31.83	36.77	7	+15.289	398	...	188
948	952	Fornacis	5	2. 42. 2.79	33.71	11	+ 2.390	- 38. 5. 38.76	33.60	9	+15.249	...	887	194
949	953	Fornacis	5	2. 42. 11.41	36.38	10	+ 2.505	- 33. 6. 8.64	35.70	9	+15.242	...	888	195
950	954	43 Arietis	6	2. 42. 23.73	35.07	7	+ 3.295	+ 14. 23. 51.95	35.20	9	+15.230	400	...	192
951	955	Piazzi II. 196	9	2. 42. 24.03	36.43	4	+ 2.505	- 33. 4. 4.68	36.49	4	+15.230	196
952	957	Lacaille 891	8.9	2. 42. 27.04	36.46	4	+ 2.539	- 31. 30. 9.36	36.19	5	+15.227	...	891	197
953	959	Fornacis	6	2. 42. 32.57	33.04	5	+ 2.662	- 25. 14. 29.49	31.93	5	+15.223	...	890	198
954	958	18 Persei	5	2. 42. 36.33	32.13	5	+ 4.190	+ 52. 4. 51.54	33.61	27	+15.217	399	...	190
955	960	Lacaille 892	6	2. 42. 45.45	35.92	3	+ 2.596	- 28. 37. 49.34	34.52	4	+15.209	...	892	200
956	961	Piazzi II. 193	7	2. 42. 54.90	34.50	4	+ 4.130	+ 50. 29. 10.09	34.27	4	+15.200	193
957	962	Brisbane 418	7.8	2. 43. 0.29	38.01	3	+ 2.135	- 47. 2. 11.55	38.01	3	+15.195
958	963	Hydri	5	2. 43. 1.54	33.01	5	+ 0.878	- 68. 18. 43.84	31.03	5	+15.194	...	907	...
959	964	20 Persei	6.7	2. 43. 19.16	34.52	4	+ 3.747	+ 37. 39. 34.92	34.28	4	+15.177	401	...	199
960	965	Piazzi II. 201	7	2. 43. 27.76	34.53	4	+ 3.597	+ 30. 57. 49.48	34.29	4	+15.168	201

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
961	966	2 Eridani	4.5	2. 43. 33.48	32.70	9	+ 2.723	- 21. 41. 18.05	31.54	10	+15.164	404	...	202
962	967	Lacaille 897	6	2. 43. 34.63	35.93	3	+ 2.423	- 36. 31. 50.48	34.92	4	+15.162	...	897	204
963	968	Lacaille 899	6.7	2. 44. 0.14	34.79	5	+ 2.426	- 36. 21. 29.87	34.27	4	+15.138	...	899	205
964	969	Piazzi II. 203	7	2. 44. 1.29	32.74	5	+ 3.320	+ 15. 48. 18.61	31.95	5	+15.137	203
965	970	Lacaille 902	6.7	2. 44. 24.75	35.31	3	+ 2.318	- 40. 36. 58.57	34.30	4	+15.114	...	902	207
966	971	Bradley 392	7	2. 44. 31.52	35.88	3	+ 7.497	+ 78. 45. 19.74	34.31	4	+15.108	392	...	191
967	972	Lacaille 903	7	2. 44. 57.13	36.22	4	+ 2.532	- 31. 30. 3.86	35.24	3	+15.083	...	903	208
968	973	Piazzi II. 206	6.7	2. 45. 19.30	35.95	3	+ 4.146	+ 50. 35. 16.17	34.31	4	+15.062	206
969	974	Piazzi II. 209	9	2. 45. 23.82	36.45	4	+ 2.924	- 9. 31. 36.65	36.46	5	+15.057	209
970	975	44 Arietis	7.8	2. 45. 41.09	34.51	4	+ 3.343	+ 17. 3. 35.03	34.27	4	+15.041	405	...	210
971	976	Lacaille 912	6.7	2. 46. 28.70	38.02	4	+ 2.271	- 42. 4. 11.68	38.03	4	+14.994	...	912	...
972	977	45 Arietis	6	2. 46. 32.97	33.57	7	+ 3.355	+ 17. 39. 30.03	33.22	9	+14.990	406	...	212
973	978	Lacaille 919	6.7	2. 46. 33.47	38.05	3	+ 1.658	- 57. 52. 25.74	38.05	3	+14.990	...	919	...
974	979	Piazzi II. 211	7	2. 46. 48.28	36.47	4	+ 4.652	+ 60. 37. 16.89	36.48	6	+14.975	211
975	980	Lacaille 915	6.7	2. 47. 6.55	36.44	4	+ 2.348	- 39. 6. 56.24	34.31	4	+14.958	...	915	216
976	981	46 Arietis	6	2. 47. 8.06	33.46	8	+ 3.350	+ 17. 21. 36.66	34.52	18	+14.956	408	...	213
977	982	21 Persei	6	2. 47. 17.53	34.54	4	+ 3.613	+ 31. 15. 51.92	34.28	4	+14.947	407	...	214
978	983	Bradley 410	6.7	2. 47. 24.85	32.86	6	+ 3.193	+ 7. 42. 49.02	31.95	5	+14.940	410	...	215
979	984	Lacaille 923	7	2. 48. 3.31	38.30	3	+ 2.464	- 34. 11. 58.31	38.23	4	+14.903	...	923	...
980	985	22 Persei	6	2. 48. 14.13	34.05	3	+ 3.798	+ 38. 59. 47.81	34.29	4	+14.892	411	...	217
981	986	3 Eridani	3	2. 48. 22.23	32.76	9	+ 2.921	- 9. 33. 31.45	31.56	10	+14.884	413	...	219
982	987	47 Arietis	6	2. 48. 39.45	33.05	5	+ 3.398	+ 20. 0. 7.25	32.96	5	+14.868	412	...	218
983	988	24 Persei	6.7	2. 48. 51.62	34.51	4	+ 3.690	+ 34. 30. 59.15	34.26	4	+14.856	221
984	989	Piazzi II. 220	6	2. 49. 9.24	36.11	6	+ 4.210	+ 51. 41. 21.26	34.57	4	+14.838	220
985	990	Piazzi II. 222	8.9	2. 49. 10.29	36.02	1	+ 4.211	+ 51. 41. 21.52	36.57	5	+14.837	222
986	991	Lacaille 931	6	2. 49. 26.01	38.02	3	+ 2.334	- 39. 19. 16.68	38.02	3	+14.822	...	931	...
987	992	Bradley 414	7	2. 49. 26.57	32.99	6	+ 3.417	+ 20. 57. 8.32	32.93	4	+14.821	414
988	993	Piazzi II. 223	7.8	2. 49. 46.19	36.56	5	+ 3.764	+ 37. 28. 8.39	36.46	4	+14.802	223
989	994	48 Arietis	5	2. 49. 47.55	32.32	17	+ 3.413	+ 20. 40. 30.39	31.58	10	+14.801	415	...	224
990	995	Lacaille 932	7	2. 49. 59.10	38.04	3	+ 2.638	- 25. 38. 5.93	38.04	3	+14.789	...	932	...
991	996	4 Eridani	5.6	2. 50. 3.72	33.64	6	+ 2.660	- 24. 31. 42.22	32.96	5	+14.784	418	933	225
992	997	Lacaille 936	6.7	2. 50. 10.68	38.26	4	+ 2.414	- 36. 2. 45.82	38.25	4	+14.778	...	936	...
993	998	Lacaille 935	7	2. 50. 14.02	34.53	4	+ 2.539	- 30. 31. 21.53	34.31	4	+14.774	...	935	226
994	999	Lacaille 939	7	2. 50. 18.32	38.02	3	+ 2.391	- 36. 57. 52.99	38.02	3	+14.770	...	939	...
995	1000	Lacaille 942	7	2. 50. 38.90	38.02	3	+ 2.387	- 37. 6. 0.71	38.02	3	+14.760	...	942	...
996	1001	6 Eridani	5.6	2. 50. 45.69	33.89	4	+ 2.663	- 24. 16. 29.08	31.94	5	+14.744	421	940	229
997	1002	91 Ceti	5.6	2. 50. 52.98	33.93	3	+ 3.204	+ 8. 14. 41.48	32.62	5	+14.736	419	...	228
998	1003	Bradley 416	7.8	2. 50. 57.90	36.60	3	+ 3.718	+ 35. 27. 25.75	36.49	4	+14.731	416	...	227
999	1004	Lacaille 945	6	2. 51. 6.69	35.88	3	+ 2.340	- 38. 51. 25.43	34.83	5	+14.723	...	945	232
1000	1005	50 Arietis	6.7	2. 51. 15.80	34.79	5	+ 3.356	+ 17. 20. 42.30	34.28	4	+14.714	420	...	230

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1001	1006	5 Eridani	6	2. 51. 21.85	33.95	3	+ 3.022	- 3. 7. 34.78	33.05	5	+14.708	423	...	231
1002	1008	Brisbane 445	7.8	2. 51. 33.13	38.90	3	+ 2.462	- 33. 48. 58.97	38.89	3	+14.696
1003	1009	Eridani	4.5	2. 52. 0.62	33.78	7	+ 2.280	- 40. 58. 9.68	31.25	5	+14.670	...	950	238
1004	1010	Piazzi II. 239	6	2. 52. 1.51	36.63	3	+ 2.280	- 40. 58. 8.24	36.50	4	+14.669	239
1005	1011	Lacaille 946	6.7	2. 52. 5.30	38.34	3	+ 2.555	- 29. 34. 2.74	38.34	3	+14.665	...	946	...
1006	1012	Lacaille 949	7	2. 52. 7.13	38.06	3	+ 2.342	- 38. 39. 20.34	38.06	3	+14.663	...	949	...
1007	1013	49 Arietis	6	2. 52. 11.74	33.97	3	+ 3.513	+ 25. 48. 13.71	35.89	8	+14.659	424	...	233
1008	1014	Lacaille 947	6	2. 52. 20.36	33.98	3	+ 2.628	- 25. 56. 20.87	33.06	5	+14.650	...	947	241
1009	1015	7 Eridani	7	2. 52. 32.45	35.85	3	+ 3.015	- 3. 32. 15.29	34.55	4	+14.638	426	...	240
1010	1016	51 Arietis	7	2. 52. 40.18	33.99	2	+ 3.577	+ 25. 57. 38.48	33.92	6	+14.630	425	...	235
1011	1018	Lacaille 960	7.8	2. 52. 50.13	38.25	4	+ 1.731	- 55. 40. 43.70	38.24	4	+14.620	...	960	...
1012	1017	Lacaille 953	7.8	2. 52. 50.38	36.48	4	+ 2.474	- 33. 10. 5.22	36.50	4	+14.620	...	953	243
1013	1019	23 Persei	4	2. 52. 53.58	32.11	5	+ 4.280	+ 52. 51. 12.61	31.56	10	+14.617	422	...	234
1014	1020	8 Eridani	5.6	2. 53. 3.65	32.86	6	+ 2.938	- 8. 19. 3.55	33.65	14	+14.607	427	...	242
1015	1021	Piazzi II. 236	5	2. 53. 11.65	32.95	5	+ 4.434	+ 56. 3. 2.45	31.03	5	+14.599	236
1016	1022	92 Ceti	2.3	2. 53. 39.73	34.13	36	+ 3.127	+ 3. 26. 16.94	33.46	65	+14.571	428	...	244
1017	1023	93 Ceti	6	2. 53. 44.54	34.52	4	+ 3.131	+ 3. 41. 50.38	34.30	4	+14.566	430	...	245
1018	1024	Lacaille 965	7	2. 54. 0.62	38.01	3	+ 2.228	- 42. 31. 56.33	38.01	3	+14.550	...	965	...
1019	1025	Bradley 417	5.6	2. 54. 13.68	34.68	3	+ 6.234	+ 73. 45. 25.01	34.27	4	+14.536	417	...	237
1020	1026	Lacaille 964	6.7	2. 54. 17.99	38.05	3	+ 2.456	- 33. 46. 1.91	38.05	3	+14.532	...	964	...
1021	1027	Lacaille 963	6	2. 54. 30.85	33.07	4	+ 2.566	- 28. 43. 37.90	33.75	6	+14.520	...	963	248
1022	1028	9 Eridani	5	2. 54. 36.74	32.84	11	+ 2.937	- 8. 20. 18.98	32.15	6	+14.513	432	...	247
1023	1029	25 Persei	4	2. 54. 37.63	32.01	5	+ 3.798	+ 38. 11. 39.48	31.87	4	+14.512	429	...	246
1024	1030	Lacaille 971	7	2. 54. 41.73	39.01	3	+ 1.775	- 54. 34. 2.70	39.02	3	+14.508	...	971	...
1025	1031	Brisbane 459	8	2. 54. 54.65	38.93	3	+ 2.240	- 42. 0. 25.89	38.93	3	+14.495
1026	1032	11 Eridani	4	2. 55. 7.31	32.85	7	+ 2.655	- 24. 16. 32.02	32.59	5	+14.482	434	968	249
1027	1033	Taylor 1033	6	2. 55.	+ 2.667	- 23. 37. 42.26	33.94	2	+14.476
1028	1034	52 Arietis	6.7	2. 55. 47.04	33.00	4	+ 3.497	+ 24. 36. 29.14	32.92	5	+14.441	433	...	250
1029	1035	Piazzi II. 251	7	2. 56. 6.60	34.52	4	+ 3.092	+ 1. 12. 54.19	34.63	5	+14.422	251
1030	1036	10 Eridani	5	2. 56. 10.57	32.97	5	+ 2.937	- 8. 15. 3.52	31.49	3	+14.418	435	...	252
1031	1037	Lacaille 973	7.8	2. 56. 12.50	38.06	3	+ 1.431	- 60. 28. 30.36	38.06	3	+14.416	...	973	...
1032	1038	Brisbane 463	8	2. 56. 19.01	38.91	3	+ 2.031	- 48. 12. 44.14	38.91	3	+14.408
1033	1039	Persei	4	2. 57. 12.13	34.71	9	+ 4.146	+ 48. 58. 34.92	31.58	10	+14.356	253
1034	1040	26 Persei	2.3	2. 57. 27.66	32.76	9	+ 3.865	+ 40. 18. 49.97	32.20	23	+14.339	436	...	254
1035	1041	Brisbane 468	8	2. 57. 46.25	38.02	3	+ 2.291	- 39. 49. 8.07	38.02	3	+14.320
1036	1042	Lacaille 976	7	2. 58. 0.32	35.86	3	+ 2.149	- 44. 32. 47.03	34.31	4	+14.306	...	976	258
1037	1043	53 Arietis	6	2. 58. 9.70	33.06	5	+ 3.363	+ 17. 14. 15.67	36.26	7	+14.298	439	...	257
1038	1044	27 Persei	5	2. 58. 23.95	31.99	10	+ 3.986	+ 44. 13. 34.92	32.11	8	+14.282	438	...	256
1039	1045	Lacaille 980	8	2. 58. 40.89	39.34	9	+ 1.866	- 52. 3. 33.17	39.34	9	+14.265	...	980	...
1040	1046	54 Arietis	6.7	2. 59. 0.71	33.02	5	+ 3.381	+ 18. 9. 22.44	33.04	5	+14.244	440	...	259

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Mean Dec., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Bradley.	Lacaille.	Piazzi.
1041	1047	Lacaille 985	7	^{h m s} 2. 59. 12.88	38°05	1	^s + 1'340	^{° ' "} - 61. 26. 43.15	38°05	2	["] +14'232	...	985	...
1042	1048	Lacaille 982	8	2. 59. 23.60	38°04	5	+ 1'866	- 51. 58. 11.62	38°04	5	+14'221	...	982	...
1043	1049	Lacaille 979	7	2. 59. 27.61	38°06	1	+ 2'335	- 37. 58. 55.53	38°06	1	+14'217	...	979	...
1044	1050	Bradley 431	7	2. 59. 39.54	34°06	3	+ 7'199	+ 77. 6. 58.25	34°26	4	+14'204	431	...	255
1045	1051	55 Arietis	7.8	2. 59. 42.14	34°01	3	+ 3'584	+ 28. 26. 30.70	34°26	4	+14'201	441	...	260
1046	1052	Lacaille 989	5.6	2. 59. 44.22	38°06	2	+ 1'411	- 60. 22. 49.42	38°06	2	+14'199	...	989	...
1047	1053	Lacaille 981	7	2. 59. 45.58	38°04	3	+ 2'513	- 30. 37. 35.86	38°04	3	+14'198	...	981	...
1048	1054	Piazzi II. 262	7	2. 59. 49.13	34°47	4	+ 3'202	+ 7. 49. 48.50	34°32	4	+14'194	262
1049	1055	Piazzi II. 261	7	2. 59. 53.23	33°50	6	+ 3'418	+ 20. 7. 30.51	32°70	6	+14'190	261
1050	1056	Piazzi II. 263	8	2. 59. 58.77	36°58	5	+ 3'277	+ 12. 13. 21.12	36°24	4	+14'185	263
1051	1057	Brisbane 477 ..	7.8	3. 0. 7.39	38°05	2	+ 1'331	- 61. 29. 11.34	38°05	2	+14'176
1052	1058	Piazzi II. 264	6.7	3. 0. 12.36	34°49	4	+ 3'393	+ 18. 44. 43.73	34°27	4	+14'171	264
1053	1059	Piazzi II. 266	8.9	3. 0. 25.23	36°44	4	+ 3'355	+ 16. 37. 40.16	36°49	4	+14'157	266
1054	1060	Brisbane 478	7	3. 0. 29.52	39°67	6	+ 1'314	- 61. 41. 27.95	39°67	6	+14'153
1055	1061	28 Persei	5.6	3. 0. 39.74	34°44	5	+ 3'839	+ 38. 58. 44.06	34°32	4	+14'143	443	...	265
1056	1062	Bradley 444	6.7	3. 0. 40.23	36°81	13	+ 3'540	+ 26. 15. 34.95	36°38	9	+14'142	444
1057	1063	Lacaille 984	6	3. 0. 48.06	32°95	4	+ 2'558	- 28. 28. 4.54	31°94	4	+14'133	...	984	267
1058	1064	Brisbane 480	7.8	3. 1. 45.59	38°54	5	+ 2'275	- 39. 55. 57.43	38°56	5	+14'075
1059	1065	Piazzi II. 268	7.8	3. 1. 56.64	36°32	3	+ 4'112	+ 47. 29. 1.66	36°65	3	+14'063	268
1060	1066	Piazzi II. 269	7.8	3. 1. 58.55	36°47	4	+ 4'115	+ 47. 33. 0.36	36°50	4	+14'060	269
1061	1067	Hydri	5	3. 1. 58.90	32°95	5	+ 0'038	- 72. 32. 46.38	33°01	1	+14'060	...	1001	...
1062	1068	Lacaille 993	6.7	3. 2. 10.93	38°61	5	+ 2'377	- 36. 3. 44.40	38°60	5	+14'049	...	993	...
1063	1069	57 Arietis	4	3. 2. 12.42	34°27	26	+ 3'403	+ 19. 5. 49.63	33°54	30	+14'047	446	...	2
1064	1070	Piazzi III. 4	6.7	3. 2. 19.02	33°95	6	+ 3'282	+ 12. 25. 2.51	33°27	10	+14'041	4
1065	1071	56 Arietis	6	3. 2. 25.48	33°39	8	+ 3'551	+ 26. 37. 45.65	35°38	12	+14'033	447	...	3
1066	1072	Brisbane 484	8	3. 2. 29.07	38°98	3	+ 2'213	- 41. 58. 22.46	38°97	3	+14'029
1067	1073	Brisbane 485	7.8	3. 2. 45.28	38°98	3	+ 2'477	- 31. 53. 12.46	38°98	3	+14'013
1068	1074	Bradley 445	7.8	3. 3. 9.99	36°49	4	+ 5'130	+ 65. 2. 16.83	36°52	4	+13'987	445	...	1
1069	1075	Piazzi III. 6	6.7	3. 3. 41.61	34°49	4	+ 3'173	+ 6. 2. 4.93	34°27	4	+13'954	6
1070	1076	Brisbane 488	7	3. 4. 1.39	38°93	8	+ 1'942	- 49. 35. 39.61	38°88	6	+13'933
1071	1077	Piazzi III. 5	7	3. 4. 1.45	35°09	3	+ 3'934	+ 41. 52. 50.49	34°32	4	+13'933	5
1072	1078	Gould 3433	9	3. 4. 2.61	38°04	1	+ 1'942	- 49. 38. 53.64	38°04	1	+13'932
1073	1079	94 Ceti	5.6	3. 4. 21.57	32°88	6	+ 3'041	- 1. 49. 6.30	32°10	6	+13'912	450	...	8
1074	1080	Lacaille 999	7	3. 4. 28.36	38°03	3	+ 2'272	- 39. 40. 49.57	38°02	3	+13'904	...	999	...
1075	1081	Brisbane 491	7	3. 4. 35.56	38°36	3	+ 1'275	- 61. 46. 58.82	38°34	3	+13'897
1076	1082	Piazzi III. 10	6.7	3. 4. 53.15	36°56	5	+ 2'520	- 29. 47. 8.56	36°47	4	+13'878	10
1077	1083	12 Eridani	3.4	3. 5. 3.77	32°31	9	+ 2'522	- 29. 38. 32.01	31°51	9	+13'868	454	1000	13
1078	1084	Lacaille 1006	7.8	3. 5. 5.93	39°30	12	+ 1'946	- 49. 21. 38.34	39°76	15	+13'865	...	1006	...
1079	1085	Lacaille 1012	8	3. 5. 17.50	39°76	7	+ 1'633	- 56. 6. 54.70	40°25	5	+13'853	...	1012	...
1080	1086	Piazzi III. 9	8.9	3. 5. 18.85	36°55	5	+ 3'629	+ 29. 56. 12.38	36°47	4	+13'852	9

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Data, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Data, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^s	[°] ' "			"			
1081	1087	58 Arietis	5	3. 5. 25'86	32'80	23	+ 3'432	+ 20. 25. 39'40	32'27	19	+13'845	451	...	11
1082	1088	Bradley 448	6'7	3. 5. 33'13	34'08	3	+ 5'151	+ 65. 2. 24'67	35'07	6	+13'837	448	...	7
1083	1089	Lacaille 1005	7	3. 5. 37'14	38'02	5	+ 2'270	- 39. 38. 48'05	38'02	5	+13'832	...	1005	...
1084	1090	Piazzi III. 12	7	3. 5. 42'64	34'48	4	+ 3'727	+ 34. 4. 19'72	34'28	4	+13'827	12
1085	1091	Lacaille 1002	7	3. 5. 49'67	38'39	3	+ 2'472	- 31. 45. 9'23	38'39	3	+13'819	...	1002	...
1086	1092	Lacaille 1023	6'7	3. 6. 32'60	38'58	5	+ 1'490	- 58. 26. 6'64	38'71	4	+13'774	...	1023	...
1087	1093	Lacaille 1014	6'7	3. 6. 33'34	34'45	4	+ 2'351	- 36. 33. 56'03	34'37	3	+13'773	...	1014	17
1088	1094	Lacaille 1016	6'7	3. 6. 38'24	36'89	7	+ 2'098	- 45. 2. 30'08	36'76	7	+13'767	...	1016	19
1089	1095	30 Persei	6'7	3. 6. 42'87	34'53	4	+ 3'993	+ 43. 24. 44'16	34'54	4	+13'762	453	...	14
1090	1096	Lacaille 1015	6'7	3. 6. 45'06	36'62	7	+ 2'501	- 30. 25. 27'05	36'04	7	+13'760	..	1015	18
1091	1097	Lacaille 1017	7'8	3. 6. 53'97	38'95	3	+ 2'024	- 47. 6. 36'23	38'95	3	+13'750	...	1017	...
1092	1098	29 Persei	7	3. 6. 55'06	34'66	3	+ 4'217	+ 49. 36. 37'48	34'29	4	+13'749	452	...	15
1093	1099	Brisbane 506	9	3. 6. 55'77	40'80	7	+ 1'162	- 62. 58. 39'61	40'82	9	+13'748
1094	1100	Lacaille 1019	7	3. 7. 14'08	38'96	3	+ 2'194	- 42. 0. 0'78	38'96	3	+13'729	...	1019	...
1095	1101	31 Persei	6'7	3. 7. 25'23	34'54	4	+ 4'214	+ 49. 29. 6'20	34'32	4	+13'717	455	...	16
1096	1102	Bradley 456	7'8	3. 7. 30'82	35'38	3	+ 2'911	- 9. 23. 9'54	34'54	4	+13'712	456	...	20
1097	1103	Lacaille 1018	7	3. 7. 36'52	39'01	4	+ 2'269	- 39. 25. 35'43	39'01	4	+13'706	...	1018	...
1098	1104	13 Eridani	4	3. 7. 49'44	32'46	15	+ 2'910	- 9. 26. 14'61	31'55	10	+13'692	457	...	22
1099	1105	Piazzi III. 21	8'9	3. 7. 54'38	36'70	4	+ 3'370	+ 16. 57. 38'54	36'58	5	+13'686	21
1100	1106	Lacaille 1021	6	3. 7. 54'54	35'96	2	+ 2'580	- 26. 42. 58'03	34'97	4	+13'686	...	1021	24
1101	1107	Lacaille 1020	7	3. 8. 10'84	34'51	4	+ 2'356	- 36. 10. 30'08	34'28	4	+13'669	...	1020	25
1102	1108	Lacaille 1040	6'7	3. 8. 23'14	39'06	3	+ 1'508	- 57. 56. 29'51	39'05	3	+13'655	...	1040	...
1103	1109	Piazzi III. 23	6	3. 8. 25'92	34'32	4	+ 3'723	+ 33. 36. 45'97	34'27	4	+13'652	23
1104	1110	14 Eridani	6	3. 8. 36'42	34'87	8	+ 2'903	- 9. 46. 10'78	31'93	5	+13'642	26
1105	1111	Brisbane 512	8	3. 8. 53'51	39'08	3	+ 2'416	- 33. 47. 19'83	39'08	3	+13'624
1106	1112	Brisbane 513	7	3. 9. 11'74	38'05	2	+ 2'259	- 39. 36. 57'15	38'05	2	+13'604
1107	1113	Lacaille 1038	8	3. 9. 15'07	38'56	5	+ 2'192	- 41. 50. 44'21	38'56	5	+13'600	...	1038	...
1108	1114	Lacaille 1034	7	3. 9. 23'58	38'36	3	+ 2'471	- 31. 26. 26'21	38'36	3	+13'591	...	1034	...
1109	1115	Lacaille 1042	6'7	3. 9. 31'61	38'01	3	+ 2'043	- 46. 17. 7'12	38'01	3	+13'583	...	1042	...
1110	1116	Brisbane 517	7'8	3. 9. 46'71	39'49	7	+ 2'124	- 43. 53. 57'40	39'49	7	+13'567
1111	1117	95 Ceti	5'6	3. 9. 56'35	32'87	5	+ 3'046	- 1. 32. 10'56	31'95	5	+13'556	461	...	31
1112	1118	Lacaille 1045	7'8	3. 10. 4'75	35'80	4	+ 2'348	- 36. 18. 7'75	34'54	4	+13'548	...	1045	35
1113	1119	59 Arietis	6'7	3. 10. 5'59	33'04	5	+ 3'563	+ 26. 28. 7'91	32'60	6	+13'547	460	...	29
1114	1120	Piazzi III. 28	6'7	3. 10. 12'46	35'11	7	+ 4'186	+ 48. 28. 14'88	34'25	5	+13'539	28
1115	1121	Piazzi III. 32	5'6	3. 10. 22'47	32'94	5	+ 3'607	+ 28. 26. 39'67	36'44	9	+13'528	32
1116	1122	Piazzi III. 33	7'8	3. 10. 24'44	36'44	4	+ 3'402	+ 18. 28. 17'27	36'49	6	+13'526	33
1117	1123	32 Persei	6'7	3. 10. 25'13	36'59	7	+ 3'984	+ 42. 43. 37'46	34'33	4	+13'525	458	...	30
1118	1124	Piazzi III. 27	6	3. 10. 26'09	36'64	6	+ 5'095	+ 63. 59. 11'80	34'32	4	+13'524	27
1119	1125	60 Arietis	7	3. 10. 39'73	34'42	5	+ 3'534	+ 25. 3. 45'78	34'29	4	+13'509	462	...	34
1120	1126	96 Ceti	6	3. 10. 42'94	33'06	6	+ 3'120	+ 2. 45. 36'21	33'04	5	+13'507	463	...	36

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xxx}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1121	1127	Lacaille 1053	8	h m s 3. 10. 44.05	38.02	3	+ 2.185	— 41. 52. 50.30	38.02	3	+13.505	...	1053	...
1122	1128	15 Eridani	5.6	3. 11. 4.54	33.08	5	+ 2.649	— 23. 7. 8.35	33.05	5	+13.483	466	1051	39
1123	1129	Lacaille 1057	7.8	3. 11. 8.51	38.34	3	+ 1.347	— 60. 7. 36.08	38.36	3	+13.479	...	1057	...
1124	1130	Piazzi III. 38	6	3. 11. 23.13	34.55	4	+ 3.431	+ 19. 54. 28.46	34.96	4	+13.462	38
1125	1131	Piazzi III. 37	7.8	3. 11. 34.00	38.88	8	+ 4.198	+ 48. 36. 57.13	38.35	9.	+13.451	37
1126	1132	61 Arietis	6	3. 11. 42.69	33.10	3	+ 3.444	+ 20. 32. 47.98	33.07	5	+13.442	465	...	40
1127	1133	Lacaille 1056	7.8	3. 11. 56.53	39.45	9	+ 2.268	— 38. 59. 5.44	39.44	9	+13.426	...	1056	...
1128	1134	Lacaille 1058	6	3. 12. 4.30	38.09	3	+ 1.953	— 48. 21. 38.09	38.09	3	+13.418	...	1058	...
1129	1135	16 Eridani	3.4	3. 12. 10.78	32.31	8	+ 2.663	— 22. 21. 44.84	31.56	10	+13.411	469	...	43
1130	1136	Brisbane 524	7.8	3. 12. 12.35	38.04	3	+ 2.356	— 35. 46. 18.77	38.04	3	+13.410
1131	1137	62 Arietis	6	3. 12. 18.34	33.95	5	+ 3.579	+ 27. 0. 31.80	33.09	5	+13.402	467	...	42
1132	1138	Brisbane 527	7.8	3. 12. 21.43	38.48	4	+ 2.269	— 38. 54. 29.37	38.48	4	+13.399
1133	1139	Lacaille 1055	6.7	3. 12. 23.72	38.35	3	+ 2.614	— 24. 43. 30.73	38.46	3	+13.397	...	1055	...
1134	1140	97 Oeti	6	3. 12. 29.51	33.96	4	+ 3.126	+ 3. 4. 34.73	31.94	5	+13.391	468	...	44
1135	1141	33 Persei	2.3	3. 12. 34.76	32.73	12	+ 4.229	+ 49. 16. 0.46	33.16	90	+13.385	464	...	41
1136	1142	Lacaille 1059	6	3. 12. 48.86	38.04	3	+ 2.358	— 35. 36. 20.34	38.04	3	+13.370	...	1059	...
1137	1143	63 Arietis	7	3. 13. 16.36	33.98	5	+ 3.438	+ 20. 8. 47.66	33.01	5	+13.339	470	...	45
1138	1144	Lacaille 1060	4	3. 13. 20.16	33.74	15	+ 2.118	— 43. 42. 19.13	34.41	15	+13.335	...	1060	47
1139	1145	Brisbane 533	7.8	3. 13. 38.93	40.11	7	+ 2.134	— 43. 10. 25.26	40.11	7	+13.315
1140	1146	Lacaille 1063	7	3. 13. 40.99	38.49	4	+ 2.565	— 26. 53. 35.53	38.49	4	+13.313	...	1063	...
1141	1147	Lacaille 1064	6.7	3. 13. 42.85	38.37	3	+ 2.558	— 27. 12. 25.77	38.37	3	+13.311	...	1064	...
1142	1148	Piazzi III. 46	8	3. 13. 48.99	36.46	4	+ 3.444	+ 20. 22. 32.44	36.48	4	+13.304	46
1143	1149	Lacaille 1067	5.6	3. 14. 11.41	38.05	2	+ 2.616	— 24. 13. 53.37	38.05	2	+13.279	...	1067	...
1144	1150	64 Arietis	5.6	3. 14. 34.75	35.25	7	+ 3.522	+ 24. 8. 2.30	36.48	9	+13.254	472	...	49
1145	1151	65 Arietis	6	3. 14. 56.05	32.93	15	+ 3.442	+ 20. 12. 43.72	32.70	12	+13.231	474	...	50
1146	1152	Piazzi III. 48	7.8	3. 15. 1.95	34.38	3	+ 4.792	+ 59. 41.	+13.224	48
1147	1153	Lacaille 1071	5.6	3. 15. 11.00	38.02	3	+ 2.577	— 26. 10. 55.68	38.02	3	+13.213	...	1071	...
1148	1154	Piazzi III. 51	4	3. 15. 46.28	31.91	6	+ 4.774	+ 59. 21. 25.95	31.98	10	+13.174	51
1149	1155	Piazzi III. 52	8	3. 15. 53.94	36.58	5	+ 4.233	+ 49. 0. 59.15	36.52	2	+13.167	52
1150	1156	1 Tauri	4.5	3. 15. 56.58	34.13	14	+ 3.222	+ 8. 26. 34.99	32.54	11	+13.163	477	...	55
1151	1157	Lacaille 1080	7	3. 16. 13.60	38.03	3	+ 1.936	— 48. 22. 13.06	38.03	3	+13.145	...	1080	...
1152	1158	Bradley 476	8.9	3. 16. 21.45	36.92	1	+ 4.214	+ 48. 28. 43.66	36.91	1	+13.136	476	...	53
1153	1159	Brisbane 541	7.8	3. 16. 30.49	38.07	2	+ 2.252	— 39. 3. 5.69	38.07	2	+13.126
1154	1160	Piazzi III. 54	4.5	3. 16. 47.84	32.04	6	+ 4.711	+ 58. 17. 55.21	31.57	10	+13.107	54
1155	1161	Lacaille 1084	7.8	3. 16. 58.85	38.72	4	+ 2.164	— 41. 50. 48.34	38.57	5	+13.095	...	1084	...
1156	1162	Piazzi III. 56	6.7	3. 17. 4.68	34.33	4	+ 4.249	+ 49. 16. 4.87	34.32	4	+13.089	56
1157	1163	Lacaille 1081	6	3. 17. 7.41	38.04	3	+ 2.406	— 33. 17. 48.00	38.04	3	+13.085	...	1081	...
1158	1164	Piazzi III. 57	6.7	3. 17. 27.97	34.37	3	+ 4.514	+ 54. 52. 24.86	34.28	4	+13.063	57
1159	1165	34 Persei	5.6	3. 17. 36.12	34.34	4	+ 4.237	+ 48. 55. 48.92	34.31	4	+13.053	478	...	59
1160	1166	Piazzi III. 60	7	3. 17. 38.72	33.02	5	+ 3.405	+ 18. 10. 24.27	33.00	5	+13.051	60

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1161	1167	Piazzi III. 58.....	8.9	h m s 3. 17. 40.26	36.55	5	+ 4.512	+ 54. 47. 48.23	36.49	4	+13.049	58
1162	1168	Piazzi III. 62.....	7	3. 18. 0.13	34.30	4	+ 3.738	+ 33. 13. 45.32	34.28	4	+13.027	62
1163	1169	Lacaille 1091	7	3. 18. 10.25	38.03	4	+ 2.162	- 41. 49. 2.48	38.02	4	+13.016	...	1091	...
1164	1170	2 Tauri	4	3. 18. 14.15	33.32	19	+ 3.236	+ 9. 9. 7.45	32.66	15	+13.012	481	...	63
1165	1171	Piazzi III. 61.....	8.9	3. 18. 14.85	36.90	1	+ 4.179	+ 47. 24. 2.53	36.34	3	+13.010	61
1166	1172	Lacaille 1089	7	3. 18. 23.05	38.05	3	+ 2.474	- 30. 25. 41.75	38.05	3	+13.001	...	1089	...
1167	1173	66 Arietis.....	6.7	3. 18. 48.74	33.05	5	+ 3.489	+ 22. 13. 46.06	31.94	5	+12.972	482	...	65
1168	1174	35 Persei	5	3. 18. 59.01	35.77	9	+ 4.183	+ 47. 25. 7.91	31.54	8	+12.961	479	...	64
1169	1175	Lacaille 1099	8	3. 19. 22.51	38.93	3	+ 2.247	- 38. 53. 48.36	38.93	3	+12.934	...	1099	...
1170	1176	Lacaille 1096	6	3. 19. 25.15	38.38	3	+ 2.531	- 27. 54. 6.96	38.38	3	+12.932	...	1096	...
1171	1177	Fornacis	6.7	3. 19. 33.41	36.66	6	+ 2.315	- 36. 30. 11.42	36.16	7	+12.922	...	1101	69
1172	1178	Piazzi III. 67.....	7.8	3. 19. 35.82	34.31	4	+ 3.267	+ 10. 48. 49.80	34.27	4	+12.919	67
1173	1179	Lacaille 1103	7	3. 19. 36.72	38.95	2	+ 2.314	- 36. 32. 26.39	38.95	2	+12.918	...	1103	...
1174	1180	Lacaille 1106	6.7	3. 19. 42.72	38.96	2	+ 1.779	- 51. 38. 51.30	38.95	2	+12.912	...	1106	...
1175	1181	Piazzi III. 66.....	8	3. 19. 57.07	36.29	7	+ 4.181	+ 47. 17. 27.85	34.33	8	+12.896	66
1176	1182	Lacaille 1107	7	3. 20. 17.98	34.56	4	+ 2.142	- 42. 13. 9.95	34.30	4	+12.873	...	1107	73
1177	1183	Piazzi III. 70.....	7	3. 20. 24.39	37.96	10	+ 3.370	+ 16. 11. 16.88	37.53	8	+12.865	70
1178	1184	Piazzi III. 72.....	6.7	3. 20. 28.08	37.24	9	+ 3.120	+ 2. 40. 21.52	36.40	6	+12.862	72
1179	1185	Bradley 483	7	3. 20. 31.00	37.10	5	+ 4.190	+ 47. 27. 12.27	35.84	7	+12.859	483	...	68
1180	1186	Brisbane 553	8	3. 20. 34.24	38.36	5	+ 2.175	- 41. 9. 1.09	38.44	5	+12.856
1181	1187	36 Persei.....	5.6	3. 21. 2.23	34.54	4	+ 4.118	+ 45. 29. 24.91	34.29	4	+12.825	484	...	71
1182	1188	Lacaille 1108	7	3. 21. 9.99	35.09	3	+ 2.318	- 36. 15. 30.91	34.07	1	+12.816	...	1108	76
1183	1189	4 Tauri	6	3. 21. 23.99	32.94	5	+ 3.268	+ 10. 45. 52.31	32.34	5	+12.800	485	...	75
1184	1190	Piazzi III. 74.....	8	3. 21. 41.82	36.71	4	+ 4.192	+ 47. 23. 3.00	36.39	5	+12.779	74
1185	1191	5 Tauri	5.6	3. 21. 46.44	34.37	13	+ 3.298	+ 12. 21. 57.16	33.36	8	+12.774	486	...	77
1186	1192	.. Fornacis.....	7	3. 21. 49.62	34.53	4	+ 2.311	- 36. 25. 42.61	34.34	7	+12.770	...	1111	79
1187	1193	Lacaille 1117	7	3. 22. 3.21	37.93	12	+ 2.660	- 44. 25. 59.17	37.76	8	+12.756	...	1117	81
1188	1194	Piazzi III. 78.....	9	3. 22. 18.19	36.31	3	+ 3.512	+ 23. 4. 43.43	36.32	3	+12.739	78
1189	1195	Lacaille 1115	6.7	3. 22. 23.29	38.01	3	+ 2.369	- 34. 13. 42.04	38.01	3	+12.733	...	1115	...
1190	1196	17 Eridani	4.5	3. 22. 26.21	32.42	18	+ 2.970	- 5. 38. 45.21	31.63	10	+12.730	487	...	80
1191	1197	Piazzi III. 82.....	8	3. 23. 39.90	34.28	4	+ 3.369	+ 16. 2. 17.00	34.26	4	+12.646	82
1192	1198	6 Tauri	6.7	3. 23. 40.88	33.06	6	+ 3.232	+ 8. 48. 35.92	31.98	5	+12.645	489	...	83
1193	1199	Lacaille 1125	5	3. 24. 21.07	32.05	9	+ 2.138	- 41. 55. 49.93	31.51	7	+12.600	...	1125	88
1194	1200	7 Tauri	6	3. 24. 41.12	32.98	6	+ 3.534	+ 23. 54. 17.30	31.93	5	+12.577	491	...	86
1195	1201	Brisbane 562	8	3. 24. 43.60	38.02	3	+ 2.178	- 40. 40. 48.85	38.02	3	+12.573
1196	1202	Piazzi III. 87.....	6.7	3. 24. 45.04	34.50	4	+ 3.396	+ 17. 17. 10.02	34.29	4	+12.572	87
1197	1203	Bradley 490	7	3. 24. 45.18	34.07	3	+ 3.709	+ 31. 27. 32.20	34.32	4	+12.572	490	...	85
1198	1204	37 Persei	5	3. 24. 47.96	32.32	13	+ 4.215	+ 47. 38. 11.90	31.59	10	+12.568	488	...	84
1199	1205	Lacaille 1127 ...	7.8	3. 24. 54.25	38.01	3	+ 2.366	- 34. 6. 45.12	38.01	3	+12.562	...	1127	...
1200	1206	18 Eridani.....	4	3. 25. 9.73	33.76	18	+ 2.883	- 10. 1. 16.80	31.66	11	+12.544	493	...	89

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1201	1207	Lacaille 1130	6.7	h m s 3. 25. 19.86	38.03	3	s + 1.915	o ' " - 47. 56. 31.26	38.03	3	" +12.533	...	1130	...
1202	1208	Piazzi III. 90	9	3. 25. 52.42	36.47	4	+ 3.419	+ 18. 20. 52.59	36.77	6	+12.496	90
1203	1209	19 Eridani	4	3. 26. 30.24	32.26	15	+ 2.645	- 22. 11. 27.28	31.76	8	+12.453	495	...	95
1204	1210	Piazzi III. 92	9	3. 26. 48.58	36.47	4	+ 3.371	+ 15. 55. 32.32	36.50	4	+12.430	92
1205	1211	Piazzi III. 93	8	3. 26. 53.06	36.58	5	+ 3.444	+ 19. 30. 57.67	36.24	4	+12.426	93
1206	1212	Piazzi III. 91	8	3. 26. 55.18	36.72	4	+ 3.692	+ 30. 34. 23.13	36.63	3	+12.425	91
1207	1213	9 Tauri	6	3. 27. 16.71	32.96	5	+ 3.511	+ 22. 39. 33.80	31.93	6	+12.398	494
1208	1214	Piazzi III. 96	7	3. 27. 17.51	35.18	7	+ 3.693	+ 30. 34. 2.68	35.02	6	+12.398	96
1209	1215	Lacaille 1144	6	3. 27. 40.35	38.05	3	+ 1.775	- 50. 56. 30.03	38.04	3	+12.372	...	1144	...
1210	1216	Brisbane 568	8	3. 27. 40.98	39.42	10	+ 2.232	- 38. 35. 29.34	39.42	10	+12.371
1211	1217	Piazzi III. 94	6	3. 27. 54.08	34.34	4	+ 5.110	+ 62. 40. 23.27	34.31	4	+12.356	94
1212	1218	Lacaille 1138	6	3. 27. 56.84	38.05	3	+ 2.403	- 32. 25. 49.76	38.05	3	+12.352	...	1138	...
1213	1219	Bradley 496	7	3. 28. 19.58	34.99	4	+ 3.073	+ 0. 2. 38.16	34.28	4	+12.327	496	...	98
1214	1220	10 Tauri	5	3. 28. 27.65	32.04	11	+ 3.070	- 0. 7. 34.60	31.46	13	+12.318	497	...	100
1215	1221	Piazzi III. 99	7	3. 28. 32.79	34.56	4	+ 3.352	+ 14. 52. 57.84	34.33	4	+12.311	99
1216	1222	20 Eridani	6	3. 28. 46.65	35.97	9	+ 2.728	- 18. 1. 4.25	38.64	10	+12.296	498	...	101
1217	1223	Piazzi III. 97	6	3. 29. 10.47	35.09	3	+ 4.863	+ 59. 25. 43.87	34.32	4	+12.269	97
1218	1224	Piazzi III. 103	7	3. 30. 6.27	32.80	5	+ 3.376	+ 15. 59. 38.70	32.76	5	+12.204	103
1219	1225	Lacaille 1154	7	3. 30. 13.18	34.51	4	+ 2.037	- 44. 16. 1.50	34.30	4	+12.196	...	1154	108
1220	1226	Lacaille 1153	6	3. 30. 23.78	38.02	4	+ 2.347	- 34. 19. 45.33	38.20	4	+12.183	...	1153	...
1221	1227	Lacaille 1152	6.7	3. 30. 25.13	38.03	3	+ 2.449	- 30. 22. 35.42	38.03	3	+12.182	...	1152	...
1222	1228	Piazzi III. 104	7	3. 30. 25.42	35.11	3	+ 3.873	+ 37. 2. 25.59	34.34	4	+12.182	104
1223	1229	Piazzi III. 102	6.7	3. 30. 29.32	34.01	3	+ 5.536	+ 66. 40. 25.16	34.29	4	+12.177	102
1224	1230	Lacaille 1155	6.7	3. 30. 49.31	38.07	3	+ 2.275	- 36. 50. 22.92	38.07	3	+12.153	...	1155	...
1225	1231	Brisbane 577	8	3. 30. 51.93	38.56	7	+ 2.344	- 34. 24. 23.80	38.46	4	+12.150
1226	1232	21 Eridani	6	3. 30. 52.72	33.32	6	+ 2.957	- 6. 9. 36.72	32.97	5	+12.149	502	...	109
1227	1233	11 Tauri	6	3. 30. 55.89	33.67	9	+ 3.563	+ 24. 47. 23.32	35.39	12	+12.146	500	...	107
1228	1234	Lacaille 1161	5	3. 31. 10.50	33.00	10	+ 2.152	- 40. 49. 12.06	32.35	14	+12.130	...	1161	113
1229	1235	39 Persei	3.4	3. 31. 12.57	32.01	9	+ 4.224	+ 47. 15. 9.30	33.12	28	+12.128	499	...	106
1230	1236	12 Tauri	6	3. 31. 15.98	34.21	5	+ 3.119	+ 2. 30. 54.90	33.04	5	+12.123	503	...	110
1231	1237	Piazzi III. 105	6.7	3. 31. 40.56	34.04	3	+ 5.149	+ 62. 48. 52.16	34.30	4	+12.094	105
1232	1239	Lacaille 1163	6	3. 31. 56.02	33.57	6	+ 2.493	- 28. 29. 10.95	33.03	5	+12.075	...	1163	114
1233	1238	40 Persei	6	3. 31. 56.11	34.52	4	+ 3.777	+ 33. 25. 45.24	34.27	4	+12.075	501	...	112
1234	1240	Piazzi III. 117	9	3. 32. 13.26	36.92	2	+ 2.490	- 28. 33. 41.68	36.49	4	+12.056	117
1235	1241	22 Eridani	5.6	3. 32. 28.54	33.10	5	+ 2.964	- 5. 44. 55.35	33.03	5	+12.038	505	...	116
1236	1242	Piazzi III. 115	8	3. 32. 34.63	36.57	5	+ 3.510	+ 22. 15. 17.77	36.26	4	+12.031	115
1237	1243	Brisbane 581	9	3. 32. 37.82	40.29	3	+ 2.337	- 34. 30. 26.14	40.29	3	+12.026
1238	1244	13 Tauri	6.7	3. 32. 48.70	32.73	5	+ 3.445	+ 19. 9. 57.52	32.72	4	+12.014	504	...	118
1239	1245	Camelopardi	6	3. 33. 3.06	35.12	2	+ 6.152	+ 70. 48. 45.69	34.33	4	+11.998	111
1240	1246	Piazzi III. 120	8	3. 33. 16.34	36.48	4	+ 3.395	+ 16. 45. 30.05	36.50	4	+11.983	120

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
1241	1247	Piazzi III. 119.....	8	3. 33. 43.95	36.27	4	+ 4.229	+ 47. 8. 0.31	36.38	3	+11.949	119
1242	1248	Lacaille 1181.....	7	3. 33. 51.75	34.34	4	+ 2.142	- 40. 53. 25.48	34.32	4	+11.941	...	1181	126
1243	1249	38 Persei..... ^o	4	3. 33. 59.39	32.08	6	+ 3.738	+ 31. 45. 32.65	31.57	10	+11.932	123
1244	1250	41 Persei..... ^v	4.5	3. 34. 0.65	34.00	9	+ 4.041	+ 42. 3. 1.50	32.74	14	+11.931	506	...	122
1245	1251	Piazzi III. 124.....	8	3. 34. 3.35	36.51	4	+ 3.467	+ 20. 11. 14.51	36.50	4	+11.928	124
1246	1252	14 Tauri.....	7	3. 34. 15.56	33.12	3	+ 3.445	+ 19. 8. 15.34	33.06	6	+11.914	507	...	125
1247	1253	Brisbane 584.....	7	3. 34. 22.09	39.18	8	+ 2.389	- 32. 24. 12.75	39.47	7	+11.904
1248	1254	Piazzi III. 121.....	5.6	3. 34. 29.27	34.07	3	+ 5.381	+ 65. 0. 22.14	34.28	4	+11.897	121
1249	1255	Piazzi III. 128.....	7	3. 34. 52.92	34.49	4	+ 3.473	+ 20. 24. 4.73	34.28	4	+11.868	128
1250	1256	Lacaille 1197.....	7.8	3. 34. 53.41	38.94	2	+ 1.181	- 60. 19. 2.63	38.94	2	+11.868	...	1197	...
1251	1257	16 Tauri.....	5.6	3. 35. 0.51	33.55	6	+ 3.547	+ 23. 45. 51.85	33.10	3	+11.860	508	...	129
1252	1258	17 Tauri.....	4.5	3. 35. 5.45	33.04	10	+ 3.543	+ 23. 35. 18.83	32.27	11	+11.854	509	...	130
1253	1259	Piazzi III. 127.....	9	3. 35. 6.07	36.73	4	+ 4.232	+ 47. 4. 48.39	36.50	4	+11.853	127
1254	1260	Lacaille 1190.....	7	3. 35. 19.01	35.38	3	+ 2.124	- 41. 18. 4.06	34.95	4	+11.838	...	1190	140
1255	1261	Lacaille 1195.....	6.7	3. 35. 19.23	38.06	3	+ 1.616	- 53. 26. 49.99	38.01	3	+11.838	...	1195	...
1256	1262	18 Tauri.....	7	3. 35. 19.90	35.90	7	+ 3.560	+ 24. 18. 55.15	35.72	10	+11.837	510	...	131
1257	1263	23 Eridani..... ^δ	3.4	3. 35. 20.96	34.30	6	+ 2.875	- 10. 19. 38.52	31.61	10	+11.836	515	...	134
1258	1264	19 Tauri.....	5	3. 35. 24.11	31.97	7	+ 3.552	+ 23. 56. 34.65	32.22	9	+11.832	511	...	132
1259	1265	Piazzi III. 133.....	8	3. 35. 39.53	36.99	2	+ 3.523	+ 22. 40. 57.32	36.58	3	+11.814	133
1260	1266	Piazzi III. 138.....	6	3. 35. 41.31	33.95	5	+ 2.862	- 11. 0. 47.30	33.06	5	+11.812	138
1261	1267	Lacaille 1191.....	5	3. 35. 41.42	36.06	14	+ 2.384	- 32. 28. 10.03	34.03	17	+11.812	...	1191	142
1262	1268	Piazzi III. 135.....	8	3. 35. 49.79	36.70	3	+ 3.549	+ 23. 48. 46.29	36.68	3	+11.801	135
1263	1269	20 Tauri.....	5	3. 36. 1.16	32.78	4	+ 3.550	+ 23. 50. 44.60	32.80	5	+11.789	512	...	136
1264	1270	Piazzi III. 139.....	7	3. 36. 5.00	35.02	6	+ 3.523	+ 22. 37. 31.32	34.29	4	+11.784	139
1265	1271	21 Tauri.....	6.7	3. 36. 5.67	36.71	6	+ 3.554	+ 24. 1. 58.03	34.80	12	+11.783	513	...	137
1266	1272	24 Eridani.....	6.7	3. 36. 7.96	34.53	4	+ 3.040	- 1. 41. 19.64	34.31	4	+11.781	517	...	143
1267	1273	22 Tauri.....	6.7	3. 36. 13.99	35.47	7	+ 3.554	+ 24. 0. 25.00	37.90	2	+11.774	514	...	141
1268	1274	25 Eridani.....	6.7	3. 36. 30.58	38.18	9	+ 3.057	- 0. 49. 16.18	37.58	7	+11.755	518	...	145
1269	1275	23 Tauri.....	5	3. 36. 32.69	33.65	6	+ 3.542	+ 23. 25. 42.40	33.31	7	+11.751	516	...	144
1270	1276	Eridani..... ^u	5	3. 36. 43.28	33.04	5	+ 2.230	- 37. 50. 17.39	32.07	5	+11.738	...	1198	149
1271	1277	Lacaille 1208.....	7	3. 36. 52.27	38.02	3	+ 1.930	- 46. 29. 14.63	38.02	2	+11.728	...	1208	...
1272	1278	29 Tauri..... ^u	6	3. 36. 54.93	33.05	5	+ 3.177	+ 5. 31. 41.39	33.07	5	+11.725	519	...	146
1273	1279	Piazzi III. 147.....	7	3. 37. 10.39	34.05	2	+ 3.555	+ 24. 0. 7.40	36.75	5	+11.708	147
1274	1280	24 Tauri.....	7	3. 37. 33.31	38.50	10	+ 3.547	+ 23. 35. 58.14	40.45	5	+11.679	520	...	150
1275	1281	Piazzi III. 151.....	7	3. 37. 41.13	35.72	6	+ 3.551	+ 23. 46. 19.56	33.98	4	+11.670	151
1276	1282	25 Tauri..... ^η	3	3. 37. 41.34	34.42	7	+ 3.547	+ 23. 35. 19.83	33.39	16	+11.670	521	...	152
1277	1283	Piazzi III. 148.....	7.8	3. 38. 14.26	36.55	4	+ 4.947	+ 59. 49. 32.48	37.04	2	+11.632	148
1278	1284	Lacaille 1214.....	6	3. 38. 16.15	38.03	3	+ 2.119	- 41. 10. 46.85	38.03	3	+11.630	...	1214	...
1279	1285	26 Eridani..... ^π	5	3. 38. 20.90	32.07	6	+ 2.828	- 12. 37. 26.26	31.45	5	+11.624	526	...	154
1280	1286	Bradley 522.....	7	3. 38. 35.43	33.95	5	+ 3.533	+ 22. 54. 27.95	33.93	5	+11.606	522

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1281	1287	Bradley 523	7	h m s 3. 38. 41'19	38'16	7	+ 3'554	+ 23. 49. 56'55	37'61	6	+11'599	523	...	153
1282	1288	Lacaille 1217	7	3. 38. 47'01	38'04	3	+ 2'177	- 39. 20. 33'67	38'05	3	+11'592	...	1217	...
1283	1289	42 Persei	6	3. 39. 8'18	35'09	3	+ 3'772	+ 32. 34. 43'09	34'32	4	+11'568	524	...	155
1284	1290	26 Tauri	7	3. 39. 9'46	35'88	13	+ 3'544	+ 23. 20. 47'33	34'57	6	+11'566	525	...	156
1285	1291	30 Tauri	6	3. 39. 14'01	32'63	6	+ 3'277	+ 10. 37. 47'26	32'61	5	+11'560	529	...	159
1286	1292	Brisbane 596	7.8	3. 39. 16'15	38'49	4	+ 2'363	- 32. 59. 59'86	39'25	4	+11'558
1287	1293	27 Tauri	5	3. 39. 21'77	33'05	8	+ 3'548	+ 23. 32. 34'10	31'70	9	+11'551	527	...	157
1288	1294	28 Tauri	5.6	3. 39. 22'93	33'11	4	+ 3'550	+ 23. 37. 34'78	32'95	5	+11'550	528	...	158
1289	1295	Piazzi III. 161	7	3. 39. 25'09	37'59	9	+ 3'545	+ 23. 22. 33'25	38'59	4	+11'547	161
1290	1296	Piazzi III. 162	8	3. 39. 32'79	39'41	8	+ 3'248	+ 9. 7. 54'81	38'98	9	+11'537	162
1291	1297	Lacaille 1224	6	3. 39. 44'16	35'39	7	+ 2'444	- 29. 51. 20'25	33'09	5	+11'524	...	1224	169
1292	1298	27 Eridani	5.6	3. 39. 45'17	32'53	12	+ 2'591	- 23. 44. 28'90	32'16	8	+11'523	530	...	168
1293	1299	Lacaille 1230	6.7	3. 39. 47'59	39'63	8	+ 1'831	- 48. 34. 39'05	38'52	6	+11'520	...	1230	...
1294	1300	Lacaille 1225	7	3. 39. 51'32	39'02	6	+ 2'182	- 39. 6. 3'31	39'46	7	+11'515	...	1225	...
1295	1301	Piazzi III. 163	7.8	3. 39. 56'82	36'31	3	+ 3'541	+ 23. 12. 10'83	36'34	3	+11'508	163
1296	1302	Brisbane 605	6.7	3. 40. 5'90	40'02	5	+ 1'507	- 55. 0. 12'00	40'48	7	+11'499
1297	1303	Piazzi III. 164	7	3. 40. 7'32	37'30	6	+ 3'556	+ 23. 50. 28'24	42'94	2	+11'497	164
1298	1304	Lacaille 1232	6	3. 40. 8'74	38'09	3	+ 1'860	- 47. 52. 40'15	38'08	3	+11'495	...	1232	...
1299	1305	Piazzi III. 165	7	3. 40. 10'76	36'49	6	+ 3'545	+ 23. 20. 29'02	34'96	3	+11'492	165
1300	1306	Piazzi III. 166	7	3. 40. 13'79	32'98	5	+ 3'509	+ 21. 44. 8'98	33'11	5	+11'488	166
1301	1307	Lacaille 1237	6	3. 40. 22'21	38'05	3	+ 1'517	- 54. 47. 47'04	38'05	3	+11'479	...	1237	...
1302	1308	Piazzi III. 170	6.7	3. 40. 24'83	33'06	5	+ 3'585	+ 25. 4. 29'43	36'36	9	+11'475	170
1303	1309	Taylor 1309	3. 40.	+ 1'820	- 48. 45. 51'75	42'97	3	+11'472
1304	1310	28 Eridani	5	3. 40. 34'26	34'81	8	+ 2'575	- 24. 23. 26'46	31'01	5	+11'464	532	1226	173
1305	1311	Piazzi III. 171	7.8	3. 40. 37'94	39'38	6	+ 3'560	+ 23. 59. 17'05	39'51	10	+11'460	171
1306	1312	Lacaille 1229	7	3. 40. 39'55	37'74	9	+ 2'439	- 29. 58. 48'44	37'14	7	+11'457	...	1229	174
1307	1313	Piazzi III. 167	8	3. 40. 45'65	36'57	5	+ 4'406	+ 50. 32. 49'99	36'38	5	+11'450	167
1308	1314	Piazzi III. 172	7	3. 41. 4'21	34'07	3	+ 3'549	+ 23. 27. 23'38	34'34	4	+11'428	172
1309	1315	Lacaille 1234	6	3. 41. 16'03	34'05	3	+ 2'420	- 30. 40. 8'48	34'32	4	+11'414	...	1234	176
1310	1316	Piazzi III. 175	8	3. 41. 32'93	36'43	7	+ 3'577	+ 24. 39. 28'56	36'46	4	+11'394	175
1311	1317	Lacaille 1238	7	3. 41. 37'41	38'61	7	+ 2'254	- 36. 37. 4'35	39'56	4	+11'389	...	1238	180
1312	1318	Lacaille 1253	4	3. 42. 9'31	32'06	5	+ 0'671	- 65. 19. 37'78	32'06	5	+11'350	...	1253	...
1313	1319	Piazzi III. 181	8	3. 42. 10'77	36'50	4	+ 2'964	- 5. 34. 54'89	36'67	3	+11'348	181
1314	1320	Piazzi III. 179	7.8	3. 42. 20'31	36'51	4	+ 3'579	+ 24. 40. 5'43	36'53	4	+11'337	179
1315	1321	Piazzi III. 182	5	3. 42. 30'70	36'32	15	+ 2'206	- 38. 7. 47'88	36'28	14	+11'324	182
1316	1322	Lacaille 1244	6	3. 42. 30'74	41'26	5	+ 2'206	- 38. 7. 42'23	41'99	3	+11'324	...	1244	183
1317	1323	Piazzi III. 160	6	3. 42. 49'22	35'71	6	+ 9'485	+ 80. 13. 35'49	35'41	8	+11'302	160
1318	1324	Piazzi III. 177	5.6	3. 42. 55'72	36'41	6	+ 5'203	+ 62. 34. 45'40	34'75	4	+11'294	177
1319	1325	Piazzi III. 178	5.6	3. 43. 7'04	34'08	3	+ 5'036	+ 60. 36. 57'66	34'27	4	+11'280	178
1320	1326	31 Tauri	6	3. 43. 12'92	32'96	5	+ 3'189	+ 6. 2. 0'51	32'92	5	+11'273	535	...	184

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1321	1327	Eridani ^v ₃	5	h m s 3. 43. 16'77	32'46	6	+ 2'248	— 36. 42. 14'49	31'59	10	+11'268	...	1248	189
1322	1328	Piazzi III. 187	7	3. 43. 44'52	33'46	9	+ 3'407	+ 16. 49. 46'09	34'52	13	+11'235	187
1323	1329	Brisbane 613	7'8	3. 43. 45'27	39'65	6	+ 2'336	— 33. 37. 3'68	39'19	5	+11'234
1324	1330	44 Persei ^ε ₃	3'4	3. 43. 46'57	32'90	20	+ 3'748	+ 31. 23. 12'90	32'33	19	+11'233	534	...	185
1325	1331	Piazzi III. 186	6	3. 44. 6'87	34'30	4	+ 4'277	+ 47. 22. 45'33	34'26	4	+11'208	186
1326	1332	Lacaille 1255	7	3. 44. 14'75	38'24	4	+ 2'029	— 43. 13. 52'66	38'31	3	+11'198	...	1255	...
1327	1333	29 Eridani	7	3. 44. 20'83	34'60	4	+ 2'964	— 5. 33. 15'46	34'67	5	+11'191	537	...	190
1328	1334	43 Persei ^A	Var.	3. 44. 22'28	34'05	3	+ 4'405	+ 50. 12. 32'97	34'28	4	+11'189	533	...	188
1329	1335	30 Eridani	6	3. 44. 33'05	33'02	5	+ 2'958	— 5. 51. 33'74	32'96	5	+11'174	538	...	191
1330	1336	Lacaille 1256	7'8	3. 44. 48'19	34'28	4	+ 2'157	— 39. 29. 6'71	34'29	4	+11'157	...	1256	193
1331	1337	Piazzi III. 192.....	9	3. 45. 12'68	36'46	4	+ 3'409	+ 16. 51. 1'13	36'05	2	+11'129	192
1332	1338	Piazzi III. 194.....	6'7	3. 45. 51'81	34'33	4	+ 3'840	+ 34. 35. 29'74	34'33	4	+11'080	194
1333	1339	32 Eridani	5	3. 46. 0'71	32'09	6	+ 3'005	— 3. 26. 52'84	31'71	11	+11'069	540	...	195
1334	1340	Lacaille 1272	7	3. 46. 39'35	38'04	3	+ 1'888	— 46. 39. 36'03	38'04	3	+11'022	...	1272	...
1335	1341	33 Eridani ^v ₈	5'6	3. 46. 41'69	33'04	5	+ 2'549	— 25. 6. 17'36	32'94	5	+11'019	543	1270	198
1336	1342	45 Persei ^ε ₃	3'4	3. 46. 48'10	32'74	13	+ 3'994	+ 39. 31. 32'27	33'42	31	+11'011	539	...	196
1337	1343	Piazzi III. 200.....	8'9	3. 46. 59'51	36'32	3	+ 2'965	— 5. 28. 2'94	36'38	5	+10'998	200
1338	1344	32 Tauri	6	3. 47. 7'94	33'06	5	+ 3'524	+ 21. 59. 46'87	32'98	5	+10'988	197
1339	1345	33 Tauri	6'7	3. 47. 17'68	32'94	5	+ 3'540	+ 22. 41. 24'57	33'03	5	+10'977	541	...	199
1340	1346	Eridani ^v ₈	5	3. 47. 21'73	32'01	11	+ 2'282	— 35. 13. 27'30	31'55	10	+10'971	...	1275	202
1341	1347	Lacaille 1273	6'7	3. 47. 28'80	38'06	3	+ 2'472	— 28. 9. 47'49	38'05	3	+10'962	...	1273	...
1342	1348	Lacaille 1282	6'7	3. 47. 44'70	38'07	3	+ 2'073	— 41. 43. 3'12	38'06	3	+10'943	...	1282	...
1343	1349	Piazzi III. 203.....	6'7	3. 48. 15'47	34'31	4	+ 3'181	+ 5. 33. 28'81	34'28	4	+10'906	203
1344	1350	46 Persei ^ε ₃	5	3. 48. 16'71	31'98	8	+ 3'867	+ 35. 18. 34'60	31'85	10	+10'904	542	...	201
1345	1351	Lacaille 1287	6	3. 48. 26'99	38'05	3	+ 1'851	— 47. 22. 57'92	38'06	3	+10'892	...	1287	...
1346	1352	Lacaille 1286	6'7	3. 48. 36'46	34'32	4	+ 2'101	— 40. 50. 44'96	34'28	4	+10'879	...	1286	206
1347	1353	Bradley 544.....	6'7	3. 48. 46'64	34'34	4	+ 2'790	— 14. 4. 57'65	34'33	4	+10'867	544	...	205
1348	1354	Piazzi III. 204.....	8	3. 49. 6'77	36'95	1	+ 4'001	+ 39. 32. 8'84	36'50	4	+10'843	204
1349	1355	Lacaille 1293	6'7	3. 49. 20'35	34'33	4	+ 2'152	— 39. 14. 42'58	34'43	5	+10'827	...	1293	209
1350	1356	Lacaille 1297	6	3. 49. 29'30	38'01	3	+ 1'869	— 46. 54. 12'21	38'01	3	+10'816	...	1297	...
1351	1357	Hydri ^γ ₃	3	3. 49. 53'87	32'96	5	— 1'064	— 74. 44. 39'83	36'08	4	+10'785	...	1322	...
1352	1358	Piazzi III. 207.....	8	3. 50. 11'06	36'48	4	+ 4'006	+ 39. 37. 22'80	36'58	5	+10'765	207
1353	1359	Lacaille 1304.....	6	3. 50. 14'43	38'02	3	+ 1'565	— 53. 10. 27'43	38'02	3	+10'761	...	1304	...
1354	1360	34 Eridani ^γ ₃	2'3	3. 50. 20'10	33'99	29	+ 2'791	— 13. 58. 58'22	31'94	17	+10'754	546	...	210
1355	1361	Lacaille 1299.....	7	3. 50. 35'34	34'76	3	+ 2'143	— 39. 26. 40'16	34'34	4	+10'734	...	1299	216
1356	1362	Piazzi III. 208.....	6	3. 50. 45'08	35'10	3	+ 4'929	+ 58. 41. 16'91	34'32	4	+10'722	208
1357	1363	Piazzi III. 211.....	8'9	3. 51. 1'69	36'47	2	+ 3'482	+ 19. 54. 40'40	36'06	2	+10'702	211
1358	1364	Piazzi III. 212.....	8'9	3. 51. 4'49	36'39	5	+ 3'483	+ 19. 56. 26'63	36'34	6	+10'699	212
1359	1365	Brisbane 631.....	7	3. 51. 9'39	38'39	5	+ 1'804	— 48. 14. 57'90	38'38	5	+10'693
1360	1366	Bradley 545.....	7	3. 51. 9'62	37'42	8	+ 3'546	+ 22. 43. 48'52	37'32	8	+10'693	545	...	213

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
1361	1367	Piazzi III. 214	6.7	3. 51. 11.88	34.48	4	+ 3.414	+ 16. 49. 29.15	34.30	4	+10.690	214
1362	1368	Piazzi III. 215	6.7	3. 51. 18.95	32.76	5	+ 3.433	+ 17. 43. 21.02	34.83	14	+10.680	215
1363	1369	Bradley 547	7	3. 51. 30.94	32.98	5	+ 3.478	+ 19. 43. 50.13	32.96	5	+10.666	547	...	217
1364	1370	35 Tauri	4	3. 51. 32.84	33.62	20	+ 3.313	+ 12. 1. 5.83	33.15	30	+10.663	548	...	218
1365	1371	Piazzi III. 219	8.9	3. 52. 31.87	36.49	4	+ 3.530	+ 21. 57. 21.57	36.01	3	+10.591	219
1366	1372	Piazzi III. 220	7	3. 52. 46.72	34.50	4	+ 3.263	+ 9. 31. 46.04	34.36	3	+10.574	220
1367	1373	36 Eridani	5	3. 52. 53.72	31.99	5	+ 2.554	- 24. 29. 20.42	32.03	9	+10.562	551	1312	221
1368	1374	35 Eridani	5	3. 53. 10.83	32.64	7	+ 3.032	- 2. 1. 4.46	31.57	10	+10.542	550	...	222
1369	1375	Lacaille 1318	6.7	3. 53. 32.21	38.06	2	+ 1.711	- 50. 5. 5.34	38.06	3	+10.516	...	1318	...
1370	1376	Piazzi III. 225	8.9	3. 53. 55.95	36.66	3	+ 3.030	- 2. 5. 51.63	36.59	5	+10.486	225
1371	1377	Lacaille 1320	9	3. 53. 56.93	36.50	4	+ 1.956	- 44. 23. 18.11	36.51	4	+10.484	...	1320	230
1372	1378	Lacaille 1316	6.7	3. 54. 5.82	36.03	7	+ 2.388	- 30. 57. 34.68	35.91	7	+10.473	...	1316	229
1373	1379	Piazzi III. 226	6.7	3. 54. 9.66	34.52	4	+ 3.058	- 0. 43. 19.82	34.32	4	+10.468	226
1374	1380	Piazzi III. 223	7	3. 54. 11.61	35.11	4	+ 4.273	+ 46. 28. 8.36	34.32	4	+10.467	223
1375	1381	47 Persei	5.6	3. 54. 19.06	34.32	4	+ 4.427	+ 49. 53. 43.28	34.27	4	+10.457	549	...	224
1376	1382	Brisbane 636	9	3. 54. 19.25	38.10	3	+ 1.299	- 57. 14. 25.34	38.10	3	+10.457
1377	1383	38 Tauri	5	3. 54. 23.22	32.03	3	+ 3.182	+ 5. 31. 33.38	31.61	10	+10.452	553	...	228
1378	1384	36 Tauri	6.7	3. 54. 30.32	33.64	9	+ 3.572	+ 23. 38. 42.16	33.55	9	+10.443	552	...	227
1379	1385	Brisbane 637	8	3. 54. 32.18	38.39	5	+ 2.134	- 39. 24. 37.01	38.39	5	+10.440
1380	1386	Piazzi III. 231	8	3. 54. 42.85	36.51	4	+ 3.124	+ 2. 36. 52.21	36.29	4	+10.427	231
1381	1387	Piazzi III. 233	8	3. 54. 44.63	36.29	4	+ 3.126	+ 2. 43. 29.64	36.51	4	+10.424	233
1382	1388	Brisbane 638	9	3. 54. 52.78	39.26	9	+ 1.289	- 57. 21. 7.90	39.26	9	+10.414
1383	1389	37 Tauri	5	3. 54. 57.10	32.41	22	+ 3.525	+ 21. 37. 29.69	32.31	17	+10.409	554	...	232
1384	1390	40 Tauri	6	3. 55. 0.21	34.33	4	+ 3.171	+ 4. 58. 27.58	34.34	4	+10.406	555	...	235
1385	1391	Piazzi III. 234	7	3. 55. 1.17	35.60	7	+ 3.227	+ 7. 44. 5.76	34.29	4	+10.405	234
1386	1392	Lacaille 1330	6	3. 55. 11.94	38.04	3	+ 1.272	- 57. 34. 21.57	38.04	3	+10.391	...	1330	...
1387	1393	Piazzi III. 238	6.7	3. 55. 32.68	34.30	4	+ 3.119	+ 2. 22. 23.40	34.29	4	+10.365	238
1388	1394	39 Tauri	6.7	3. 55. 34.84	33.54	7	+ 3.524	+ 21. 33. 27.09	32.11	6	+10.362	556	...	236
1389	1395	Piazzi III. 237	8.9	3. 55. 36.45	36.37	3	+ 3.525	+ 21. 36. 10.56	36.56	4	+10.361	237
1390	1396	Lacaille 1324	8.9	3. 55. 40.24	36.53	4	+ 2.437	- 28. 59. 32.21	36.70	5	+10.356	...	1324	241
1391	1397	Brisbane 640	7.8	3. 55. 48.86	38.08	2	+ 1.930	- 44. 54. 46.81	38.08	2	+10.345
1392	1398	Lacaille 1335	6.7	3. 55. 59.29	38.11	3	+ 1.310	- 56. 56. 34.98	38.11	3	+10.332	...	1335	...
1393	1399	Reticuli	5	3. 56. 9.48	34.74	8	+ 0.928	- 61. 52. 4.82	34.03	17	+10.320	...	1338	...
1394	1400	41 Tauri	6	3. 56. 29.97	34.80	8	+ 3.660	+ 27. 8. 53.46	32.41	9	+10.294	558	...	243
1395	1401	Piazzi III. 239	9	3. 56. 31.99	36.08	2	+ 4.428	+ 49. 45. 1.43	36.07	1	+10.292	239
1396	1402	Piazzi III. 242	7.8	3. 56. 35.82	36.49	4	+ 3.957	+ 37. 37. 56.32	36.55	4	+10.286	242
1397	1403	Piazzi III. 244	7.8	3. 56. 37.75	38.17	9	+ 3.659	+ 27. 4. 8.21	38.48	5	+10.284	244
1398	1404	Brisbane 643	7	3. 56. 39.83	38.57	5	+ 2.147	- 38. 50. 50.15	38.57	5	+10.281
1399	1405	48 Persei	5	3. 56. 42.73	32.46	4	+ 4.315	+ 47. 15. 51.05	31.55	10	+10.277	557	...	240
1400	1406	42 Tauri	5.6	3. 56. 49.29	33.04	5	+ 3.697	+ 28. 32. 53.20	32.97	5	+10.270	559	...	245

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
1401	1407	Brisbane 644.....	7.8	3. 56. 53'28	38'05	3	+ 1'444	- 54. 47. 17'12	38'05	3	+10'265
1402	1408	Lacaille 1342.....	7	3. 57. 1'38	38'05	3	+ 1'440	- 54. 51. 20'95	38'05	3	+10'255	...	1342	...
1403	1409	Piazzi III. 246.....	9	3. 57. 5'07	40'06	3	+ 3'659	+ 27. 3. 39'44	37'79	8	+10'250	246
1404	1410	Brisbane 646.....	7.8	3. 57. 5'84	38'05	3	+ 1'439	- 54. 52. 9'26	38'05	3	+10'248
1405	1411	49 Persei.....	6.7	3. 57. 22'30	34'33	4	+ 3'948	+ 37. 17. 11'57	34'31	4	+10'228	560	...	247
1406	1412	Brisbane 647.....	7	3. 57. 23'01	38'06	2	+ 1'653	- 50. 58. 13'21	38'05	2	+10'227
1407	1413	Brisbane 648.....	7	3. 57. 30'04	38'08	2	+ 1'931	- 44. 45. 27'72	38'08	2	+10'218
1408	1414	50 Persei.....	6	3. 57. 38'01	34'30	4	+ 3'958	+ 37. 36. 1'54	34'27	4	+10'209	561	...	248
1409	1415	Brisbane 650.....	7	3. 57. 41'34	38'25	5	+ 1'927	- 44. 50. 49'08	38'30	4	+10'205
1410	1416	Brisbane 652.....	7	3. 58. 29'91	38'25	4	+ 1'911	- 45. 11. 21'95	38'25	4	+10'143
1411	1417	Reticuli.....	5	3. 58. 31'96	34'56	19	+ 0'845	- 62. 37. 16'56	34'06	14	+10'140	...	1357	...
1412	1418	Piazzi III. 249.....	6	3. 58. 33'11	33'28	7	+ 3'422	+ 16. 53. 32'09	36'45	9	+10'139	249
1413	1419	Reticuli.....	6.7	3. 58. 39'30	38'90	3	+ 0'942	- 61. 32. 34'03	38'95	3	+10'131	...	1355	...
1414	1420	Lacaille 1344.....	6	3. 58. 49'74	33'24	7	+ 2'456	- 28. 6. 30'17	33'03	5	+10'118	...	1344	251
1415	1421	Piazzi III. 250.....	8.9	3. 59. 23'32	36'31	3	+ 3'422	+ 16. 50. 52'40	36'49	4	+10'076	250
1416	1422	Brisbane 655.....	7.8	3. 59. 32'43	38'25	4	+ 1'911	- 45. 7. 13'70	38'02	3	+10'064
1417	1423	43 Tauri.....	6	3. 59. 33'78	33'01	5	+ 3'474	+ 19. 9. 59'57	33'05	5	+10'062	562	...	252
1418	1424	Piazzi III. 253.....	6.7	3. 59. 41'68	34'33	4	+ 3'269	+ 9. 39. 23'37	34'27	5	+10'052	253
1419	1425	Lacaille 1364.....	7.8	3. 59. 46'66	39'23	9	+ 0'912	- 61. 49. 1'83	39'25	9	+10'046	...	1364	...
1420	1426	Piazzi III. 254.....	6.7	3. 59. 49'37	33'35	6	+ 3'338	+ 12. 57. 18'08	32'22	4	+10'043	254
1421	1427	Piazzi III. 255.....	6.7	4. 0. 24'58	34'48	4	+ 3'829	+ 33. 8. 51'01	34'26	4	+ 9'998	255
1422	1428	Piazzi III. 258.....	7	4. 0. 37'77	34'33	4	+ 3'200	+ 6. 17. 9'85	34'32	4	+ 9'981	258
1423	1429	44 Tauri.....	6.7	4. 0. 47'62	33'09	6	+ 3'639	+ 26. 2. 35'41	31'95	5	+ 9'969	563	...	256
1424	1430	Brisbane 657.....	8	4. 0. 59'91	38'47	6	+ 1'996	- 42. 48. 44'89	38'47	5	+ 9'953
1425	1431	Brisbane 658.....	8	4. 1. 7'58	38'09	3	+ 1'108	- 59. 24. 22'75	38'09	3	+ 9'944
1426	1432	Piazzi III. 257.....	8.9	4. 1. 24'62	36'48	4	+ 4'677	+ 54. 5. 31'23	36'24	4	+ 9'922	257
1427	1433	Piazzi III. 259.....	8	4. 1. 33'75	36'49	4	+ 4'460	+ 50. 2. 45'39	36'51	4	+ 9'910	259
1428	1434	Piazzi III. 262.....	7	4. 1. 34'90	34'50	4	+ 2'990	- 4. 0. 47'87	34'28	4	+ 9'909	262
1429	1435	Piazzi III. 261.....	7	4. 1. 39'30	34'48	4	+ 3'410	+ 16. 12. 34'98	34'31	4	+ 9'903	261
1430	1436	Piazzi IV. 2.....	9'10	4. 1. 57'24	36'47	4	+ 2'622	- 21. 8. 37'24	36'51	4	+ 9'881	2
1431	1437	Lacaille 1369.....	6.7	4. 1. 59'48	38'09	3	+ 1'973	- 43. 21. 38'19	38'09	3	+ 9'878	...	1369	...
1432	1438	Lacaille 1371.....	6.7	4. 2. 12'61	38'42	5	+ 1'681	- 50. 4. 24'17	38'43	5	+ 9'860	...	1371	...
1433	1439	37 Eridani.....	5.6	4. 2. 19'98	33'59	10	+ 2'921	- 7. 21. 38'66	32'77	15	+ 9'852	567	...	3
1434	1440	Piazzi III. 260.....	6.7	4. 2. 23'75	34'78	5	+ 5'212	+ 61. 25. 30'29	34'27	4	+ 9'847	260
1435	1441	45 Tauri.....	6	4. 2. 33'82	32'95	5	+ 3'176	+ 5. 5. 14'86	32'96	5	+ 9'834	566	...	4
1436	1442	Piazzi IV. 5.....	8	4. 2. 35'45	36'51	4	+ 3'110	+ 1. 53. 1'66	36'52	4	+ 9'833	5
1437	1443	Brisbane 662.....	7	4. 2. 46'09	38'08	4	+ 1'973	- 43. 17. 43'80	38'08	4	+ 9'819
1438	1444	51 Persei.....	4.5	4. 2. 48'49	32'38	16	+ 4'366	+ 47. 58. 53'08	32'27	17	+ 9'817	564	...	1
1439	1445	Piazzi IV. 6.....	7	4. 3. 4'94	32'99	6	+ 3'543	+ 21. 58. 57'46	32'74	5	+ 9'795	6
1440	1446	Lacaille 1378.....	8	4. 3. 20'17	38'07	3	+ 1'024	- 60. 19. 11'51	38'08	3	+ 9'776	...	1378	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1441	1447	Lacaille 1376	6	h m s 4. 3. 28'04	38'04	3	+ 1'850	— 46. 18. 16'67	38'04	3	+ 9'766	...	1376	...
1442	1448	52 Persei ^f	5	4. 3. 40'80	35'09	3	+ 4'054	+ 40. 3. 26'12	34'34	4	+ 9'748	565	...	8
1443	1449	Piazzi IV. 9	8'9	4. 3. 42'35	36'31	3	+ 3'294	+ 10. 44. 35'72	36'49	4	+ 9'745	9
1444	1450	38 Eridani ^{o1}	4'5	4. 3. 48'91	33'42	23	+ 2'923	— 7. 16. 23'93	31'54	10	+ 9'738	568	...	11
1445	1451	Piazzi IV. 7	6'7	4. 3. 52'62	34'52	4	+ 4'634	+ 53. 11. 17'89	34'29	4	+ 9'733	7
1446	1452	Brisbane 665	7'8	4. 4. 32'67	38'40	5	+ 2'004	— 42. 21. 33'00	38'40	5	+ 9'682
1447	1453	Piazzi IV. 12	7	4. 4. 32'96	35'11	3	+ 3'274	+ 9. 47. 9'16	34'35	4	+ 9'682	12
1448	1454	Bradley 569	Var.	4. 4. 34'48	34'54	4	+ 3'246	+ 8. 27. 50'41	34'05	3	+ 9'679	569	...	13
1449	1456	Lacaille 1377	6'7	4. 4. 38'06	38'09	3	+ 2'230	— 35. 42. 17'99	38'09	3	+ 9'676	...	1377	...
1450	1455	Piazzi IV. 15	9'10	4. 4. 38'15	36'08	2	+ 2'923	— 7. 15. 41'07	36'54	4	+ 9'676	15
1451	1457	46 Tauri	6	4. 4. 40'45	33'05	5	+ 3'222	+ 7. 17. 17'93	33'01	5	+ 9'672	570	...	14
1452	1458	Brisbane 667	7	4. 4. 50'64	38'39	5	+ 2'054	— 40. 58. 6'98	38'41	5	+ 9'659
1453	1459	Piazzi IV. 16	8	4. 4. 56'60	36'67	3	+ 3'291	+ 10. 36. 3'93	36'54	4	+ 9'652	16
1454	1460	47 Tauri	5'6	4. 4. 58'50	33'02	5	+ 3'254	+ 8. 50. 20'07	32'97	5	+ 9'649	571	...	17
1455	1461	Piazzi IV. 10	6	4. 5. 13'10	34'05	3	+ 5'557	+ 64. 43. 38'10	34'26	4	+ 9'631	10
1456	1462	Horologii ^δ	6	4. 5. 17'35	35'25	5	+ 2'000	— 42. 25. 40'59	35'05	5	+ 9'627	...	1382	20
1457	1463	Piazzi IV. 19	6'7	4. 5. 35'69	34'09	3	+ 3'270	+ 9. 35. 18'94	34'33	4	+ 9'601	19
1458	1464	Persei ^{b1}	5	4. 5. 51'84	32'04	9	+ 4'466	+ 49. 52. 51'16	31'58	10	+ 9'581	18
1459	1465	48 Tauri	6	4. 6. 24'76	32'76	6	+ 3'387	+ 14. 58. 53'27	35'87	8	+ 9'540	572	...	21
1460	1466	39 Eridani ^A	5	4. 6. 33'08	32'92	5	+ 2'850	— 10. 40. 16'15	31'55	10	+ 9'528	574	...	26
1461	1467	49 Tauri ^μ	5	4. 6. 34'92	31'88	4	+ 3'247	+ 8. 28. 22'78	31'95	9	+ 9'525	573	...	23
1462	1468	Piazzi IV. 24	8	4. 6. 39'38	36'61	3	+ 3'191	+ 5. 47. 0'36	36'25	4	+ 9'520	24
1463	1469	Piazzi IV. 25	7	4. 6. 42'31	35'01	4	+ 3'191	+ 5. 46. 18'01	34'28	4	+ 9'517	25
1464	1470	Lacaille 1390	7	4. 7. 16'98	35'10	3	+ 1'902	— 44. 47. 37'43	34'34	4	+ 9'472	...	1390	30
1465	1471	Piazzi IV. 28	9	4. 7. 26'82	36'47	4	+ 3'212	+ 6. 44. 39'50	36'59	5	+ 9'460	28
1466	1472	Piazzi IV. 22	6'7	4. 7. 29'47	35'40	3	+ 5'143	+ 60. 20. 0'08	34'32	4	+ 9'456	22
1467	1473	Lacaille 1388	7	4. 7. 30'90	38'02	2	+ 2'376	— 30. 32. 4'43	38'01	3	+ 9'455	...	1388	...
1468	1474	50 Tauri ^{ω2}	5'6	4. 7. 36'20	32'96	5	+ 3'505	+ 20. 9. 56'15	32'04	10	+ 9'447	575	...	27
1469	1475	40 Eridani ^{o2}	5	4. 7. 41'22	32'10	6	+ 2'908	— 7. 54. 39'57	31'59	10	+ 9'441	578	...	29
1470	1476	Lacaille 1394	6	4. 7. 56'62	38'02	3	+ 2'054	— 40. 46. 49'58	38'02	3	+ 9'421	...	1394	...
1471	1477	Brisbane 673	6'7	4. 7. 59'45	38'04	3	+ 2'168	— 37. 27. 3'39	38'04	3	+ 9'417
1472	1478	Horologii ^α	5	4. 8. 32'41	32'00	11	+ 1'981	— 42. 42. 17'04	31'60	10	+ 9'375	...	1398	34
1473	1479	51 Tauri	7	4. 8. 37'97	33'00	5	+ 3'530	+ 21. 10. 5'32	31'97	5	+ 9'368	576	...	32
1474	1480	Piazzi IV. 31	6'7	4. 8. 51'52	34'29	4	+ 4'115	+ 41. 24. 4'75	34'27	4	+ 9'350	31
1475	1481	Lacaille 1402	7	4. 9. 6'02	38'05	3	+ 1'823	— 46. 32. 49'46	38'05	3	+ 9'332	...	1402	...
1476	1482	53 Persei ^δ	6	4. 9. 38'50	35'09	3	+ 4'304	+ 46. 5. 46'68	34'32	4	+ 9'290	577	...	33
1477	1483	54 Persei	6	4. 9. 42'83	34'28	4	+ 3'877	+ 34. 9. 38'77	34'26	4	+ 9'283	579	...	35
1478	1484	53 Tauri	6'7	4. 9. 43'14	32'92	5	+ 3'521	+ 20. 44. 9'99	32'71	5	+ 9'283	580	...	36
1479	1485	56 Tauri	6'7	4. 9. 51'39	33'03	5	+ 3'536	+ 21. 22. 5'53	33'45	6	+ 9'273	581	...	37
1480	1486	52 Tauri ^φ	6	4. 10. 13'10	33'33	7	+ 3'675	+ 26. 56. 56'19	33'02	5	+ 9'245	582	...	38

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1481	1487	54 Tauri..... ^γ	3'4	h m s 4. 10. 24'73	33'26	20	+ 3'395	+ 15. 13. 22'04	33'70	27	+ 9'229	583	...	39
1482	1488	55 Tauri	7	4. 10. 28'75	34'34	4	+ 3'415	+ 16. 7. 5'05	34'33	4	+ 9'224	584	...	40
1483	1489	Lacaille 1413	7	4. 10. 30'00	38'05	2	+ 1'139	- 58. 26. 28'67	38'05	2	+ 9'223	...	1413	...
1484	1490	57 Tauri..... ^h	6	4. 10. 40'69	33'09	5	+ 3'360	+ 13. 37. 50'69	33'04	5	+ 9'209	585	...	41
1485	1491	Lacaille 1408	7	4. 10. 42'54	38'02	3	+ 2'100	- 39. 17. 35'95	38'02	3	+ 9'207	...	1408	...
1486	1492	58 Tauri	6	4. 11. 15'45	33'02	5	+ 3'384	+ 14. 41. 37'14	32'47	7	+ 9'164	586	...	43
1487	1493	Brisbane 680	8	4. 11. 28'10	38'02	3	+ 2'100	- 39. 15. 10'58	38'02	3	+ 9'148
1488	1494	Bradley 587	6'7	4. 11. 36'39	33'11	5	+ 3'357	+ 13. 27. 48'22	32'36	5	+ 9'137	587	...	45
1489	1495	41 Eridani..... ^u	3'4	4. 11. 39'30	31'95	12	+ 2'263	- 34. 12. 20'38	33'04	13	+ 9'133	590	...	50
1490	1496	Doradus..... ^γ	4	4. 11. 42'92	35'98	13	+ 1'553	- 51. 54. 21'32	35'11	20	+ 9'128	...	1417	...
1491	1497	Piazzi IV. 47	7	4. 11. 47'90	34'69	5	+ 3'520	+ 20. 38. 26'68	34'33	4	+ 9'122	47
1492	1498	Piazzi IV. 48	7	4. 11. 52'04	34'52	4	+ 3'524	+ 20. 47. 15'48	34'29	4	+ 9'116	48
1493	1499	Piazzi IV. 49	6'7	4. 11. 53'84	34'54	4	+ 3'192	+ 5. 43. 51'98	34'34	4	+ 9'115	49
1494	1500	Piazzi IV. 44	8	4. 12. 2'92	36'31	3	+ 4'515	+ 50. 27. 24'11	36'02	3	+ 9'103	44
1495	1501	Piazzi IV. 46	7	4. 12. 7'78	34'32	4	+ 4'146	+ 42. 2. 0'31	34'28	4	+ 9'097	46
1496	1502	Retionli..... ^a	3'4	4. 12. 19'40	32'93	5	+ 0'744	- 62. 53. 19'38	31'54	10	+ 9'081	...	1423	...
1497	1503	Piazzi IV. 52	9	4. 12. 23'10	36'51	4	+ 3'065	- 0. 19. 30'07	36'50	4	+ 9'076	52
1498	1504	59 Tauri..... ^χ	6	4. 12. 33'13	33'12	5	+ 3'634	+ 25. 13. 57'86	32'98	5	+ 9'063	588	...	51
1499	1505	Piazzi IV. 53	7	4. 12. 41'10	33'62	5	+ 3'516	+ 20. 25. 25'64	33'05	5	+ 9'052	53
1500	1506	60 Tauri	7	4. 12. 46'17	33'92	3	+ 3'363	+ 13. 40. 51'17	33'07	5	+ 9'046	589	...	54
1501	1507	Lacaille 1415	6'7	4. 12. 48'81	38'16	11	+ 2'504	- 25. 25. 36'93	37'33	8	+ 9'044	...	1415	56
1502	1508	Piazzi IV. 55	6'7	4. 13. 1'33	36'26	5	+ 3'062	- 0. 29. 26'31	34'28	4	+ 9'027	55
1503	1509	61 Tauri..... ^δ	4	4. 13. 25'72	33'26	18	+ 3'441	+ 17. 8. 55'78	31'66	10	+ 8'995	594	...	57
1504	1510	Retionli..... ^e	5	4. 13. 38'93	32'09	6	+ 1'026	- 59. 42. 3'32	31'59	10	+ 8'978	...	1428	...
1505	1511	55 Persei.....	6'7	4. 13. 47'61	34'67	3	+ 3'871	+ 33. 44. 26'72	34'29	4	+ 8'967	591	...	58
1506	1512	Piazzi IV. 61	7'8	4. 13. 49'65	34'52	4	+ 3'521	+ 20. 35. 24'91	34'31	4	+ 8'965	61
1507	1513	Lacaille 1430	7	4. 13. 52'81	39'26	9	+ 0'882	- 61. 21. 19'41	39'26	9	+ 8'959	...	1430	...
1508	1514	56 Persei.....	7	4. 13. 56'55	36'50	7	+ 3'866	+ 33. 34. 18'84	35'95	3	+ 8'955	593	...	60
1509	1515	63 Tauri	6	4. 13. 57'49	32'82	5	+ 3'424	+ 16. 23. 7'54	33'29	7	+ 8'954	596	...	62
1510	1516	62 Tauri.....	7	4. 14. 3'46	33'65	3	+ 3'603	+ 23. 54. 35'67	33'10	5	+ 8'946	595	...	63
1511	1517	Lacaille 1424	6	4. 14. 3'81	35'90	7	+ 1'889	- 44. 40. 0'73	34'91	6	+ 8'946	...	1424	65
1512	1518	Lacaille 1427	7'8	4. 14. 11'63	39'26	9	+ 1'466	- 53. 18. 28'87	39'26	9	+ 8'936	...	1427	...
1513	1519	Brisbane 689	7	4. 14. 19'33	38'07	3	+ 1'980	- 42. 21. 19'54	38'07	3	+ 8'925
1514	1520	64 Tauri..... ^δ	4'5	4. 14. 35'63	36'22	6	+ 3'439	+ 17. 3. 18'54	33'69	13	+ 8'905	597	...	64
1515	1521	Lacaille 1429	6'7	4. 14. 36'26	38'53	4	+ 1'466	- 53. 15. 52'31	38'03	5	+ 8'904	...	1429	...
1516	1522	Brisbane 692	7'8	4. 14. 36'41	38'28	4	+ 1'464	- 53. 18. 31'59	38'04	2	+ 8'904
1517	1523	Lacaille 1422	6	4. 14. 40'67	33'97	3	+ 2'484	- 26. 7. 16'69	33'12	5	+ 8'898	...	1422	68
1518	1524	66 Tauri..... ^τ	5'6	4. 14. 52'61	33'13	2	+ 3'263	+ 9. 4. 14'29	33'01	5	+ 8'882	598	...	66
1519	1525	Brisbane 693	8	4. 14. 59'85	38'35	3	+ 1'460	- 53. 20. 38'04	38'05	2	+ 8'873
1520	1526	42 Eridani..... ^ξ	6	4. 15. 28'25	33'05	5	+ 2'985	- 4. 7. 58'50	33'05	5	+ 8'836	602	...	72

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
1521	1527	65 Tauriκ ¹	5.6	4. 15. 32.57	32.96	1	+ 3.555	+ 21. 54. 32.86	33.07	5	+ 8.830	599	...	70
1522	1528	67 Tauriκ ²	6.7	4. 15. 35.82	33.03	9	+ 3.553	+ 21. 48. 57.30	32.95	6	+ 8.826	600	...	71
1523	1529	Piazzi IV. 69	6.7	4. 15. 36.77	33.10	5	+ 3.795	+ 31. 3. 32.80	33.09	4	+ 8.825	69
1524	1530	Reticuliθ	5	4. 15. 50.86	36.45	11	+ 0.646	- 63. 39. 24.55	34.42	14	+ 8.804	...	1443	...
1525	1531	68 Tauriδ ⁸	5	4. 15. 57.22	32.30	11	+ 3.452	+ 17. 32. 38.42	31.81	10	+ 8.797	601	...	73
1526	1532	70 Tauri	7	4. 16. 12.84	33.82	5	+ 3.406	+ 15. 33. 25.61	32.97	5	+ 8.777	603	...	74
1527	1533	69 Tauriν ¹	5	4. 16. 26.63	32.45	5	+ 3.569	+ 22. 25. 58.32	32.03	10	+ 8.758	604	...	75
1528	1534	Piazzi IV. 76	8	4. 16. 32.43	36.50	2	+ 3.536	+ 21. 5. 19.05	36.49	4	+ 8.751	76
1529	1535	Piazzi IV. 67	7.8	4. 16. 33.35	34.55	4	+ 5.944	+ 67. 15. 40.74	34.26	4	+ 8.750	67
1530	1536	71 Tauri	5.6	4. 16. 57.20	35.66	7	+ 3.400	+ 15. 14. 13.77	33.12	5	+ 8.718	605	...	78
1531	1537	Lacaille 1438	6.7	4. 17. 4.73	35.09	3	+ 2.199	- 35. 56. 1.00	34.31	4	+ 8.709	...	1438	81
1532	1538	73 Tauriπ	5	4. 17. 17.54	32.15	13	+ 3.380	+ 14. 20. 2.61	31.84	10	+ 8.691	608	...	79
1533	1539	72 Tauriν ²	6	4. 17. 26.10	33.13	5	+ 3.574	+ 22. 37. 3.34	33.10	5	+ 8.679	606	...	80
1534	1540	Piazzi IV. 59	9	4. 17. 28.31	36.50	4	+ 10.051	+ 80. 11. 58.72	36.50	4	+ 8.677	59
1535	1541	43 Eridaniν ⁵	4.5	4. 17. 50.71	32.02	5	+ 2.246	- 34. 24. 16.36	33.03	13	+ 8.648	...	1441	85
1536	1542	Piazzi IV. 82	6.7	4. 18. 13.67	35.43	8	+ 3.541	+ 21. 14. 41.96	35.37	8	+ 8.617	82
1537	1543	Lacaille 1446	6.7	4. 18. 35.82	38.07	3	+ 2.042	- 40. 26. 12.14	38.07	3	+ 8.590	...	1446	...
1538	1544	Lacaille 1447	6.7	4. 18. 49.86	34.01	3	+ 2.221	- 35. 8. 3.67	34.29	4	+ 8.569	...	1447	92
1539	1545	Piazzi IV. 86	7.8	4. 18. 55.16	36.64	3	+ 3.417	+ 15. 55. 36.05	36.35	3	+ 8.562	86
1540	1547	74 Tauriε	4	4. 18. 59.42	33.67	25	+ 3.484	+ 18. 48. 27.59	32.43	11	+ 8.537	609	...	87
1541	1548	1 Camelopardi	7	4. 18. 59.59	35.11	3	+ 4.709	+ 53. 32. 33.08	34.31	4	+ 8.537	607	...	84
1542	1549	75 Tauri	6	4. 19. 0.98	33.46	6	+ 3.418	+ 15. 59. 1.19	32.12	6	+ 8.556	610	...	88
1543	1550	76 Tauri	7	4. 19. 2.94	33.04	5	+ 3.382	+ 14. 22. 2.28	33.03	5	+ 8.552	611	...	89
1544	1551	77 Tauriθ ¹	5	4. 19. 9.43	34.71	10	+ 3.409	+ 15. 35. 21.23	33.69	13	+ 8.544	612	...	90
1545	1552	78 Tauriθ ²	5.6	4. 19. 14.88	32.80	8	+ 3.407	+ 15. 29. 52.32	33.02	7	+ 8.538	613	...	91
1546	1553	Lacaille 1452	7	4. 19. 19.18	38.08	3	+ 1.887	- 44. 24. 9.55	38.08	2	+ 8.531	...	1452	...
1547	1554	Lacaille 1449	7	4. 19. 21.42	39.27	9	+ 2.191	- 36. 3. 7.84	39.27	9	+ 8.528	...	1449	...
1548	1555	Lacaille 1454	7	4. 19. 23.45	38.05	3	+ 1.772	- 47. 1. 35.56	38.05	3	+ 8.525	...	1454	...
1549	1556	79 Tauriδ	6	4. 19. 36.05	33.14	4	+ 3.344	+ 12. 40. 30.28	31.98	5	+ 8.509	614	...	93
1550	1557	44 Eridani	5.6	4. 20. 0.79	33.04	5	+ 3.094	+ 1. 0. 32.63	33.01	5	+ 8.477	615	...	94
1551	1558	Reticuliγ	5	4. 20. 7.75	32.08	6	+ 0.610	- 63. 46. 45.87	31.59	10	+ 8.468	...	1473	...
1552	1559	Lacaille 1458	7	4. 20. 8.38	35.04	3	+ 1.878	- 44. 32. 34.08	34.34	4	+ 8.467	...	1458	98
1553	1560	Piazzi IV. 77	8	4. 20. 22.65	36.67	3	+ 10.181	+ 80. 19. 10.07	36.51	4	+ 8.448	77
1554	1561	Brisbane 709	7	4. 20. 37.02	38.07	3	+ 2.091	- 38. 57. 45.30	38.07	3	+ 8.428
1555	1562	Piazzi IV. 95	7	4. 20. 37.73	34.47	5	+ 3.501	+ 19. 28. 27.90	34.33	4	+ 8.428	95
1556	1563	Lacaille 1462	7	4. 20. 40.98	38.03	3	+ 1.849	- 45. 13. 51.38	38.02	3	+ 8.424	...	1462	...
1557	1564	80 Tauri	6	4. 20. 44.58	35.02	14	+ 3.403	+ 15. 16. 12.96	38.81	8	+ 8.419	617	...	97
1558	1566	Piazzi IV. 96	7.8	4. 20. 59.72	34.52	4	+ 3.967	+ 36. 22. 51.76	34.26	4	+ 8.399	96
1559	1565	Lacaille 1475	7	4. 20. 59.80	38.09	3	+ 1.170	- 57. 26. 51.63	38.09	3	+ 8.399	...	1475	...
1560	1567	Lacaille 1464	6.7	4. 21. 4.14	38.02	3	+ 2.020	- 40. 54. 16.65	38.01	3	+ 8.393	...	1464	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1561	1568	Bradley 619.....	5.6	h m s 4. 21. 7.50	35.73	10	+ 3.416	+ 15. 49. 41.49	34.00	9	+ 8.389	619	...	99
1562	1569	81 Tauri	5.6	4. 21. 14.91	33.98	3	+ 3.405	+ 15. 19. 36.19	32.96	3	+ 8.380	620	...	100
1563	1570	83 Tauri	6	4. 21. 20.63	32.66	6	+ 3.361	+ 13. 21. 33.25	33.06	5	+ 8.371	621	...	103
1564	1571	Piazzi IV. 102.....	7	4. 21. 20.83	37.00	11	+ 3.415	+ 15. 47. 14.11	37.57	2	+ 8.371	102
1565	1572	84 Tauri	7	4. 21. 45.79	35.92	17	+ 3.392	+ 14. 44. 33.33	35.83	8	+ 8.338	622	...	105
1566	1573	Bradley 616.....	6.7	4. 21. 46.15	38.60	6	+ 4.193	+ 42. 40. 25.99	38.37	7	+ 8.337	616	...	101
1567	1574	57 Persei	6.7	4. 21. 49.44	38.11	5	+ 4.194	+ 42. 42. 11.96	34.36	8	+ 8.332	618	...	104
1568	1575	Piazzi IV. 106.....	9.10	4. 21. 51.23	38.42	8	+ 3.383	+ 14. 19. 31.40	40.34	4	+ 8.330	106
1569	1576	Lacaille 1468	8	4. 22. 4.57	38.91	1	+ 2.366	- 30. 7. 35.58	38.91	1	+ 8.311	...	1468	...
1570	1577	Lacaille 1479	6	4. 22. 15.41	38.10	3	+ 1.753	- 47. 18. 25.51	38.10	3	+ 8.298	...	1479	...
1571	1578	85 Tauri	6	4. 22. 26.80	32.99	5	+ 3.409	+ 15. 29. 24.77	32.02	10	+ 8.282	623	...	108
1572	1579	Piazzi IV. 107.....	9	4. 22. 28.69	36.52	4	+ 4.197	+ 42. 43. 49.30	36.49	4	+ 8.279	107
1573	1580	Brisbane 716.....	7	4. 22. 37.01	38.06	2	+ 2.121	- 37. 58. 30.37	38.06	2	+ 8.269
1574	1581	Lacaille 1484	6.7	4. 22. 45.64	38.11	3	+ 1.962	- 42. 19. 44.23	38.11	3	+ 8.257	...	1484	...
1575	1582	Lacaille 1496	6.7	4. 22. 49.40	38.11	3	+ 0.816	- 61. 36. 47.56	38.11	3	+ 8.253	...	1496	...
1576	1583	Piazzi IV. 109.....	6.7	4. 23. 18.12	34.37	3	+ 3.180	+ 5. 2. 56.63	34.28	4	+ 8.214	109
1577	1584	45 Eridani	6	4. 23. 26.57	32.32	5	+ 3.063	- 0. 24. 14.50	33.03	5	+ 8.203	624	...	110
1578	1585	Brisbane 719.....	7	4. 23. 34.49	38.06	3	+ 2.082	- 39. 2. 48.80	38.06	3	+ 8.193
1579	1586	Lacaille 1488	6.7	4. 23. 55.41	35.40	3	+ 2.344	- 30. 48. 25.26	34.35	4	+ 8.165	...	1488	115
1580	1587	Bradley 625	7	4. 24. 12.07	34.32	4	+ 3.422	+ 15. 58. 9.05	34.35	4	+ 8.142	625	...	113
1581	1588	Piazzi IV. 111.....	7	4. 24. 19.21	33.08	6	+ 3.739	+ 28. 36. 31.56	33.07	5	+ 8.133	111
1582	1589	Lacaille 1498	7	4. 24. 27.62	38.08	3	+ 1.766	- 46. 52. 49.40	38.08	3	+ 8.121	...	1498	...
1583	1590	86 Tauri.....	5	4. 24. 29.68	31.58	12	+ 3.387	+ 14. 29. 28.40	31.59	10	+ 8.118	627	...	114
1584	1591	Piazzi IV. 116.....	7	4. 24. 31.29	34.51	4	+ 3.352	+ 12. 53. 52.46	34.90	7	+ 8.116	116
1585	1592	Lacaille 1495	6	4. 24. 39.88	34.53	4	+ 2.183	- 36. 0. 55.46	34.31	4	+ 8.105	...	1495	118
1586	1593	Lacaille 1499	7	4. 24. 59.78	38.02	3	+ 2.142	- 37. 14. 4.92	38.02	3	+ 8.078	...	1499	...
1587	1594	58 Persei	5.6	4. 25. 16.36	35.06	3	+ 4.133	+ 40. 55. 3.16	34.35	4	+ 8.055	626	...	117
1588	1595	Lacaille 1508	6.7	4. 25. 24.89	34.58	4	+ 1.987	- 41. 31. 55.47	34.34	4	+ 8.045	...	1508	124
1589	1596	Orli.....	5	4. 25. 47.11	32.64	15	+ 1.832	- 45. 18. 42.06	32.41	14	+ 8.015	...	1512	129
1590	1597	46 Eridani	6	4. 25. 52.54	33.10	6	+ 2.920	- 7. 5. 24.79	32.05	10	+ 8.007	631	...	121
1591	1598	Piazzi IV. 119.....	8	4. 25. 59.85	36.47	4	+ 3.509	+ 19. 37. 22.00	36.47	4	+ 7.998	119
1592	1599	Piazzi IV. 120.....	6.7	4. 26. 2.63	34.10	3	+ 3.507	+ 19. 32. 3.96	34.38	4	+ 7.994	120
1593	1600	Bradley 633	6	4. 26. 12.76	33.11	5	+ 2.917	- 7. 11. 12.34	33.08	3	+ 7.981	633
1594	1601	47 Eridani	5	4. 26. 15.18	32.04	12	+ 2.887	- 8. 34. 56.08	31.60	10	+ 7.978	634	...	126
1595	1602	87 Tauri.....	1	4. 26. 27.61	34.60	118	+ 3.428	+ 16. 10. 14.31	32.93	180	+ 7.961	630	...	125
1596	1603	Piazzi IV. 127.....	9	4. 26. 31.81	36.49	4	+ 3.284	+ 9. 49. 31.11	36.85	3	+ 7.955	127
1597	1604	88 Tauri.....	5	4. 26. 35.75	32.51	6	+ 3.284	+ 9. 49. 1.86	31.60	10	+ 7.950	632	...	128
1598	1605	Piazzi IV. 112.....	6.7	4. 26. 45.98	34.01	3	+ 7.863	+ 75. 37. 28.96	34.33	4	+ 7.937	112
1599	1606	2 Camelopardi	6.7	4. 26. 55.05	34.58	4	+ 4.707	+ 53. 8. 17.57	34.33	4	+ 7.925	628	...	122
1600	1607	3 Camelopardi	5.6	4. 26. 56.37	35.10	3	+ 4.687	+ 52. 44. 28.61	34.38	4	+ 7.923	629	...	123

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1601	1608	Brisbane 731.....	7	h m s 4. 26. 57'57	38'07	3	" + 2'178	° ' " — 36. 3. 6'52	38'08	3	" + 7'922
1602	1609	50 Eridani..... ^{v0}	6	4. 27. 2'35	35'08	5	+ 2'360	— 30. 6. 16'69	35'58	10	+ 7'916	636	1513	130
1603	1610	Lacaille 1518.....	7	4. 27. 16'31	38'06	3	+ 2'090	— 38. 38. 9'12	38'07	2	+ 7'897	...	1518	...
1604	1611	Piazzi IV. 131.....	8	4. 27. 24'89	36'05	2	+ 2'886	— 8. 38. 16'99	36'38	6	+ 7'884	131
1605	1612	Lacaille 1516.....	7	4. 27. 27'31	37'96	10	+ 2'396	— 28. 47. 49'06	37'34	8	+ 7'881	...	1516	132
1606	1613	48 Eridani..... ^v	4	4. 28. 4'83	31'97	6	+ 2'992	— 3. 41. 44'52	32'06	5	+ 7'830	637	...	133
1607	1614	89 Tauri.....	7	4. 28. 43'27	33'08	5	+ 3'418	+ 15. 41. 45'22	33'07	5	+ 7'780	638	...	135
1608	1615	49 Eridani.....	6	4. 28. 43'77	33'56	4	+ 3'086	+ 0. 39. 28'12	31'97	5	+ 7'778	640	...	137
1609	1616	Lacaille 1535.....	7	4. 28. 48'77	38'01	3	+ 0'927	— 60. 7. 5'35	38'01	3	+ 7'772	...	1535	...
1610	1617	Piazzi IV. 134.....	6'7	4. 28. 48'78	34'54	4	+ 4'123	+ 40. 27. 17'79	34'37	4	+ 7'772	134
1611	1618	Piazzi IV. 139.....	7	4. 28. 54'25	34'83	5	+ 2'882	— 8. 47. 58'63	34'30	4	+ 7'765	139
1612	1619	90 Tauri..... ^{c1}	5	4. 28. 56'66	31'86	5	+ 3'338	+ 12. 10. 20'67	32'04	10	+ 7'761	639	...	138
1613	1620	52 Eridani..... ^{v7}	3	4. 29. 8'57	32'01	6	+ 2'334	— 30. 54. 18'02	31'81	12	+ 7'746	645	1529	144
1614	1621	Piazzi IV. 141.....	8'9	4. 29. 14'42	36'50	4	+ 2'882	— 8. 45. 57'99	36'37	3	+ 7'738	141
1615	1622	51 Eridani..... ^c	5'6	4. 29. 18'20	33'14	5	+ 3'011	— 2. 48. 34'77	33'05	4	+ 7'733	642	...	140
1616	1623	Piazzi IV. 142.....	9'10	4. 29. 26'08	36'53	2	+ 3'008	— 2. 59. 0'72	36'50	4	+ 7'722	142
1617	1624	91 Tauri..... ^{c1}	5'6	4. 29. 44'44	33'13	4	+ 3'414	+ 15. 28. 5'73	33'10	5	+ 7'697	641	...	143
1618	1625	92 Tauri..... ^{c2}	5'6	4. 29. 50'65	33'08	6	+ 3'416	+ 15. 35. 2'62	33'11	5	+ 7'688	643	...	145
1619	1626	Piazzi IV. 146.....	6'7	4. 30. 10'58	34'35	4	+ 3'235	+ 7. 32. 12'03	34'32	4	+ 7'661	146
1620	1627	Doradus..... ^a	3	4. 30. 26'58	34'67	9	+ 1'281	— 55. 23. 19'04	33'06	13	+ 7'640	...	1539	...
1621	1628	Lacaille 1533.....	7'8	4. 30. 26'87	36'53	4	+ 2'328	— 31. 3. 18'03	36'57	4	+ 7'640	...	1533	151
1622	1629	Piazzi IV. 136.....	7'8	4. 30. 32'87	38'01	10	+ 6'510	+ 70. 12. 42'13	37'33	8	+ 7'632	136
1623	1630	53 Eridani.....	4	4. 30. 37'75	31'93	6	+ 2'749	— 14. 37. 53'12	31'68	12	+ 7'624	647	...	150
1624	1631	Lacaille 1537.....	7	4. 30. 38'56	38'41	5	+ 2'100	— 38. 9. 41'63	38'41	5	+ 7'623	...	1537	...
1625	1632	Lacaille 1534.....	7	4. 30. 40'08	34'35	4	+ 2'336	— 30. 46. 3'73	34'30	4	+ 7'622	...	1534	153
1626	1633	93 Tauri..... ^{c2}	5	4. 30. 52'67	32'01	11	+ 3'332	+ 11. 52. 4'13	31'60	10	+ 7'604	646	...	149
1627	1634	Piazzi IV. 152.....	8	4. 30. 55'62	38'69	5	+ 2'886	— 8. 33. 27'60	40'41	3	+ 7'600	152
1628	1635	Piazzi IV. 148.....	6'7	4. 31. 0'81	32'97	6	+ 3'738	+ 28. 17. 15'51	35'38	12	+ 7'594	148
1629	1636	Brisbane 746.....	7	4. 31. 1'05	38'05	2	+ 2'174	— 35. 57. 28'56	38'05	2	+ 7'594
1630	1637	Piazzi IV. 154.....	7	4. 31. 12'06	36'49	4	+ 2'799	— 12. 27. 18'33	37'01	1	+ 7'579	154
1631	1638	59 Persei.....	6	4. 31. 12'99	35'09	3	+ 4'229	+ 43. 2. 31'93	34'34	4	+ 7'578	644	...	147
1632	1639	Piazzi IV. 156.....	8'9	4. 31. 24'26	36'59	5	+ 2'306	— 31. 44. 41'36	36'68	3	+ 7'563	156
1633	1640	Piazzi IV. 155.....	6'7	4. 31. 24'37	34'37	4	+ 3'040	— 1. 22. 57'43	34'36	4	+ 7'563	155
1634	1641	Bradley 650.....	6	4. 31. 44'50	33'03	5	+ 2'747	— 14. 41. 4'48	31'97	4	+ 7'534	650	...	157
1635	1642	Lacaille 1543.....	7	4. 31. 57'24	35'08	5	+ 1'947	— 42. 12. 36'90	33'20	6	+ 7'518	...	1543	160
1636	1643	Piazzi IV. 158.....	8'9	4. 32. 18'73	36'56	4	+ 3'588	+ 22. 37. 7'03	37'08	2	+ 7'489	158
1637	1644	94 Tauri..... ^r	5	4. 32. 21'14	32'59	8	+ 3'589	+ 22. 38. 0'47	33'34	21	+ 7'486	648	...	159
1638	1645	Piazzi IV. 161.....	6'7	4. 33. 9'06	34'29	4	+ 3'865	+ 32. 32. 50'23	34'31	4	+ 7'421	161
1639	1646	54 Eridani.....	4	4. 33. 13'71	32'31	18	+ 2'620	— 19. 59. 36'00	31'63	9	+ 7'414	653	...	166
1640	1647	Piazzi IV. 163.....	7'8	4. 33. 14'12	34'34	4	+ 3'485	+ 18. 24. 10'28	34'27	4	+ 7'414	163

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1641	1648	95 Tauri	7	4 33. 14.91	33.10.	5	+ 3.619	+ 23. 46. 7.56	32.12	5	+ 7.413	652	...	162
1642	1649	Lacaille 1544	6	4 33. 15.30	33.06	5	+ 2.498	- 24. 48. 37.63	32.12	6	+ 7.413	...	1544	167
1643	1650	Brisbane 753	9	4 33. 43.10	38.40	5	+ 1.458	- 52. 23. 6.80	38.40	5	+ 7.375
1644	1651	4 Camelopardi	6	4 34. 16.97	35.12	3	+ 4.949	+ 56. 27. 14.41	34.32	4	+ 7.329	649	...	164
1645	1652	Lacaille 1553	6.7	4 34. 34.50	38.07	3	+ 2.059	- 39. 7. 50.61	38.08	3	+ 7.305	...	1553	...
1646	1653	Piazzi IV. 165	7	4 34. 45.55	34.32	4	+ 5.551	+ 63. 19. 19.58	34.28	4	+ 7.289	165
1647	1654	Lacaille 1558	6	4 34. 59.62	38.08	3	+ 1.477	- 51. 59. 58.21	38.08	3	+ 7.270	...	1558	...
1648	1655	Cæli	4.5	4 35. 15.05	31.98	12	+ 1.942	- 42. 10. 58.90	31.86	13	+ 7.250	...	1556	175
1649	1656	Piazzi IV. 169	6	4 35. 17.60	32.97	5	+ 3.310	+ 10. 49. 55.42	32.81	6	+ 7.246	169
1650	1657	Piazzi IV. 171	7.8	4 35. 24.90	36.49	4	+ 2.530	- 23. 29. 44.96	36.25	4	+ 7.237	171
1651	1658	Piazzi IV. 168	7	4 35. 30.30	34.35	4	+ 3.745	+ 28. 21. 0.51	34.32	4	+ 7.227	168
1652	1660	Piazzi IV. 173	7.8	4 35. 40.40	36.03	4	+ 2.872	- 9. 6. 37.70	36.33	3	+ 7.215	173
1653	1659	55 Eridani	6.7	4 35. 40.57	34.36	4	+ 2.872	- 9. 6. 32.37	34.35	4	+ 7.215	655	...	172
1654	1661	Piazzi IV. 174	9	4 35. 51.85	36.52	4	+ 2.996	- 3. 28. 50.49	37.07	2	+ 7.199	174
1655	1662	Brisbane 760	7.8	4 36. 1.62	38.01	3	+ 2.114	- 37. 30. 28.44	38.01	3	+ 7.186
1656	1663	Lacaille 1565	7	4 36. 2.76	38.05	3	+ 1.642	- 48. 51. 36.14	38.05	3	+ 7.184	...	1565	...
1657	1664	56 Eridani	6	4 36. 9.84	34.38	3	+ 2.878	- 8. 49. 2.71	34.27	4	+ 7.175	656	...	178
1658	1665	Cæli	5	4 36. 13.74	32.02	10	+ 2.115	- 37. 28. 15.18	31.58	10	+ 7.169	...	1559	181
1659	1666	Piazzi IV. 177	8	4 36. 28.07	36.54	4	+ 3.490	+ 18. 29. 28.16	36.52	4	+ 7.151	177
1660	1667	Piazzi IV. 179	6	4 36. 39.34	33.09	8	+ 3.488	+ 18. 25. 44.35	32.12	5	+ 7.134	179
1661	1668	Piazzi IV. 170	6	4 36. 40.85	34.31	5	+ 5.547	+ 63. 12. 42.09	34.29	4	+ 7.132	170
1662	1669	Lacaille 1564	6.7	4 36. 46.84	35.09	3	+ 2.318	- 31. 4. 36.84	34.34	4	+ 7.123	...	1564	182
1663	1670	57 Eridani	5	4 37. 15.48	31.80	10	+ 2.994	- 3. 33. 46.54	31.58	10	+ 7.086	657	...	183
1664	1671	Lacaille 1574	6.7	4 37. 15.66	38.09	3	+ 1.676	- 48. 8. 27.32	38.09	3	+ 7.085	...	1574	...
1665	1672	Lacaille 1569	6.7	4 37. 37.46	38.09	3	+ 2.410	- 27. 53. 17.03	38.09	3	+ 7.055	...	1569	...
1666	1673	9 Camelopardi	4.5	4 37. 42.10	33.70	14	+ 5.890	+ 66. 3. 1.10	32.35	11	+ 7.048	176
1667	1674	Lacaille 1570	8	4 37. 53.64	36.35	3	+ 2.399	- 28. 15. 32.83	36.32	4	+ 7.032	...	1570	188
1668	1675	Piazzi IV. 186	7	4 37. 58.84	36.48	4	+ 2.576	- 21. 35. 27.96	36.52	4	+ 7.025	186
1669	1676	Piazzi IV. 180	8	4 38. 4.35	38.05	7	+ 5.905	+ 66. 8. 51.06	37.54	6	+ 7.019	180
1670	1677	Lacaille 1578	6.7	4 38. 19.14	34.38	4	+ 1.968	- 41. 22. 34.15	34.33	4	+ 6.999	...	1578	192
1671	1678	Piazzi IV. 189	7	4 38. 30.27	34.34	4	+ 3.192	+ 5. 29. 3.73	34.48	5	+ 6.983	189
1672	1679	Brisbane 771	7.8	4 38. 31.10	38.09	3	+ 2.135	- 36. 45. 47.07	38.09	3	+ 6.982
1673	1680	Ptolemy	5	4 38. 33.14	38.08	3	+ 1.535	- 50. 47. 43.25	38.08	3	+ 6.979	...	1585	...
1674	1681	Piazzi IV. 185	6.7	4 38. 39.23	34.38	4	+ 3.864	+ 32. 17. 24.91	34.31	4	+ 6.971	185
1675	1682	Piazzi IV. 184	6.7	4 38. 46.26	34.31	4	+ 4.487	+ 48. 26. 48.00	34.27	4	+ 6.961	184
1676	1683	1. Aurigæ	6	4 38. 48.86	34.29	4	+ 4.023	+ 37. 11. 19.29	34.28	4	+ 6.953	658	...	187
1677	1684	Piazzi IV. 190	7.8	4 39. 2.89	34.02	4	+ 3.490	+ 18. 25. 38.52	34.88	7	+ 6.938	190
1678	1685	Lacaille 1589	6.7	4 39. 17.36	38.48	4	+ 1.646	- 48. 38. 51.94	38.64	3	+ 6.918	...	1589	...
1679	1686	Lacaille 1587	7	4 39. 43.47	35.11	3	+ 2.215	- 34. 18. 35.66	34.34	4	+ 6.881	...	1587	196
1680	1687	Lacaille 1599	7	4 39. 46.84	38.10	3	+ 1.431	- 52. 34. 24.84	38.10	3	+ 6.877	...	1599	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835-0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835-0.	Mean Dec., 1835-0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835-0.	Bradley.	Lacaille.	Piazzi.
1681	1688	Lacaille 1586	6	4. 39. 50.86	32.14	5	+ 2.393	- 28. 23. 28.29	32.05	10	+ 6.872	...	1586	197
1682	1689	Piazzi IV. 194	8	4. 40. 5.66	36.48	4	+ 3.423	+ 15. 35. 37.80	36.40	3	+ 6.852	194
1683	1690	58 Eridani	6	4. 40. 11.98	33.04	6	+ 2.682	- 17. 14. 33.05	32.30	5	+ 6.844	664	...	198
1684	1691	96 Tauri	6	4. 40. 18.19	34.71	8	+ 3.423	+ 15. 36. 33.01	36.32	7	+ 6.835	660	...	195
1685	1692	Lacaille 1594	6.7	4. 40. 20.94	34.56	4	+ 2.030	- 39. 39. 29.37	34.32	4	+ 6.831	...	1594	202
1686	1693	Brisbane 780	7	4. 40. 45.65	38.02	3	+ 2.098	- 37. 45. 22.55	38.02	3	+ 6.797
1687	1694	Piazzi IV. 193	7.8	4. 40. 49.90	36.72	3	+ 6.109	+ 67. 29. 53.82	36.57	4	+ 6.792	193
1688	1695	1 Orionis	4	4. 40. 53.27	32.40	20	+ 3.219	+ 6. 40. 0.24	32.11	16	+ 6.787	663	...	201
1689	1696	59 Eridani	6	4. 41. 7.35	33.07	5	+ 2.696	- 16. 37. 38.45	33.04	5	+ 6.769	668	...	206
1690	1697	Bradley 661	7	4. 41. 18.11	34.46	3	+ 3.999	+ 36. 21. 17.86	34.34	4	+ 6.753	661	...	200
1691	1698	Lacaille 1603	7	4. 41. 19.86	38.09	3	+ 2.067	- 38. 36. 29.07	38.09	3	+ 6.750	...	1603	...
1692	1699	Lacaille 1601	6.7	4. 41. 23.46	34.44	3	+ 2.336	- 30. 19. 19.19	34.27	4	+ 6.745	...	1601	210
1693	1700	Piazzi IV. 205	8	4. 41. 25.62	36.52	4	+ 3.219	+ 6. 39. 28.31	36.50	4	+ 6.742	205
1694	1701	Piazzi IV. 191	6.7	4. 41. 29.23	34.34	4	+ 7.464	+ 73. 59. 52.78	34.30	4	+ 6.738	191
1695	1702	5 Camelopardi	6	4. 41. 35.17	34.32	4	+ 4.870	+ 54. 58. 34.46	34.31	4	+ 6.730	659	...	199
1696	1703	2 Aurigæ	5.6	4. 41. 35.85	34.34	5	+ 4.001	+ 36. 24. 57.05	34.34	4	+ 6.729	662	...	203
1697	1704	2 Orionis	5	4. 41. 37.58	32.14	15	+ 3.263	+ 8. 36. 37.25	32.10	14	+ 6.726	667	...	209
1698	1705	97 Tauri	5.6	4. 41. 43.78	33.04	7	+ 3.493	+ 18. 33. 7.66	33.07	5	+ 6.717	666	...	208
1699	1706	3 Orionis	4	4. 42. 25.45	31.93	8	+ 3.189	+ 5. 18. 59.19	32.40	15	+ 6.662	670	...	213
1700	1707	Piazzi IV. 211	7	4. 42. 29.23	33.09	6	+ 3.732	+ 27. 36. 49.98	33.08	5	+ 6.656	211
1701	1708	Piazzi IV. 214	6.7	4. 42. 40.11	34.39	3	+ 3.287	+ 9. 41. 18.88	34.27	4	+ 6.641	214
1702	1709	Gould 5444	7	4. 42. 44.81	39.36	7	+ 1.724	- 46. 53. 29.98	39.36	7	+ 6.633
1703	1710	60 Eridani	6	4. 42. 45.78	33.03	8	+ 2.698	- 16. 30. 34.27	33.03	5	+ 6.632	673	...	215
1704	1711	Lacaille 1611	8.9	4. 43. 9.92	36.52	4	+ 2.175	- 35. 22. 49.92	37.02	2	+ 6.600	...	1611	220
1705	1712	4 Orionis	5	4. 43. 12.46	31.90	11	+ 3.386	+ 13. 58. 8.50	31.60	10	+ 6.597	672	...	216
1706	1713	6 Camelopardi	7	4. 43. 14.13	34.36	4	+ 4.913	+ 55. 32. 55.70	34.36	4	+ 6.594	665	...	212
1707	1714	Lacaille 1616	6.7	4. 43. 29.40	35.09	3	+ 1.841	- 44. 16. 21.86	34.27	4	+ 6.573	...	1616	221
1708	1715	Piazzi IV. 219	8	4. 43. 35.15	36.49	4	+ 2.947	- 5. 39. 39.03	36.36	3	+ 6.564	219
1709	1716	Piazzi IV. 204	6.7	4. 43. 44.55	34.54	4	+ 7.340	+ 73. 30. 12.40	34.28	4	+ 6.551	204
1710	1717	Lacaille 1617	8	4. 43. 53.96	36.52	4	+ 2.174	- 35. 23. 14.99	36.05	2	+ 6.538	...	1617	223
1711	1718	Piazzi IV. 207	7.8	4. 43. 57.05	35.91	7	+ 7.426	+ 73. 48. 29.49	35.68	3	+ 6.534	207
1712	1719	7 Camelopardi	5	4. 44. 4.89	32.81	5	+ 4.780	+ 53. 28. 41.05	31.58	10	+ 6.523	669	...	217
1713	1720	Lacaille 1621	7	4. 44. 23.44	38.42	5	+ 1.927	- 42. 8. 31.42	38.43	5	+ 6.498	...	1621	...
1714	1721	Piazzi IV. 222	7	4. 44. 31.43	34.36	3	+ 3.453	+ 16. 44. 52.29	34.31	4	+ 6.487	222
1715	1722	Lacaille 1632	6	4. 44. 31.87	38.04	3	+ 0.930	- 59. 25. 48.07	38.04	3	+ 6.486	...	1632	...
1716	1723	Piazzi IV. 224	7	4. 44. 39.50	34.39	4	+ 2.949	- 5. 34. 3.07	34.34	4	+ 6.476	224
1717	1724	5 Orionis	6	4. 44. 46.76	33.09	3	+ 3.121	+ 2. 13. 45.01	33.17	5	+ 6.464	675	...	226
1718	1725	61 Eridani	5	4. 44. 47.60	32.12	6	+ 2.945	- 5. 44. 5.45	31.61	9	+ 6.463	676	...	227
1719	1726	Lacaille 1622	6.7	4. 44. 49.35	38.08	3	+ 2.052	- 38. 51. 1.93	38.08	3	+ 6.462	...	1622	...
1720	1727	Lacaille 1626	6.7	4. 44. 54.43	34.57	4	+ 1.947	- 41. 36. 34.84	34.32	4	+ 6.454	...	1626	230

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1721	1728	Lacaille 1638	8	^{h m s} 4. 45. 21'46	38'05	3	^s + 0'713	^{° ' "} - 61. 45. 55'01	38'05	3	["] + 6'418	...	1638	...
1722	1729	Piazzi IV. 228	7	4. 45. 26'46	34'32	4	+ 3'438	+ 16. 6. 39'55	34'27	4	+ 6'410	228
1723	1730	Lacaille 1628	6	4. 45. 28'34	38'56	6	+ 2'179	- 35. 11. 14'23	37'08	9	+ 6'409	...	1628	237
1724	1731	6 Orionis	6	4. 45. 38'24	33'07	5	+ 3'322	+ 11. 8. 57'54	32'70	6	+ 6'394	678	...	229
1725	1732	8 Orionis	4'5	4. 45. 39'70	33'68	12	+ 3'120	+ 2. 9. 51'55	31'45	8	+ 6'392	680	...	232
1726	1733	Piazzi IV. 218	7'8	4. 45. 47'57	36'97	2	+ 7'447	+ 73. 50. 21'86	37'08	2	+ 6'380	218
1727	1734	7 Orionis	5'6	4. 45. 49'05	33'04	5	+ 3'293	+ 9. 52. 55'24	33'04	5	+ 6'379	679	...	234
1728	1735	Lacaille 1630	6'7	4. 45. 50'08	38'01	4	+ 2'200	- 34. 31. 11'22	38'01	3	+ 6'377	...	1630	...
1729	1736	Piazzi IV. 231	7	4. 45. 50'48	34'68	3	+ 3'444	+ 16. 20. 51'45	34'29	4	+ 6'376	231
1730	1737	Piazzi IV. 236	6'7	4. 45. 52'82	34'54	4	+ 3'239	+ 7. 30. 20'62	34'30	4	+ 6'373	236
1731	1738	Piazzi IV. 238	7'8	4. 46. 13'26	36'58	5	+ 2'994	- 3. 30. 0'85	36'58	4	+ 6'347	238
1732	1739	3 Aurigæ	4	4. 46. 15'52	32'46	12	+ 3'893	+ 32. 53. 48'25	31'59	10	+ 6'343	677	...	235
1733	1740	Piazzi IV. 225	9	4. 46. 20'18	36'58	4	+ 5'831	+ 65. 18. 34'85	36'58	4	+ 6'336	225
1734	1741	Piazzi IV. 239	6	4. 46. 22'33	34'31	4	+ 3'076	+ 0. 11. 35'86	34'27	4	+ 6'334	239
1735	1742	8 Camelopardi	6'7	4. 46. 38'93	34'40	4	+ 4'750	+ 52. 53. 30'55	34'35	4	+ 6'310	674	...	233
1736	1743	9 Orionis	5	4. 47. 6'10	31'82	11	+ 3'371	+ 13. 14. 48'53	31'59	10	+ 6'273	682	...	240
1737	1744	Piazzi IV. 241	6'7	4. 47. 14'35	34'38	4	+ 3'242	+ 7. 38. 15'50	34'32	4	+ 6'262	241
1738	1745	Lacaille 1650	6	4. 47. 14'79	39'26	9	+ 1'340	- 53. 44. 43'52	39'27	9	+ 6'261	...	1650	...
1739	1746	Brisbane 811	7	4. 47. 15'96	39'05	8	+ 1'340	- 53. 44. 36'56	38'43	5	+ 6'259
1740	1747	Lacaille 1643	7	4. 47. 20'62	38'09	3	+ 1'703	- 47. 7. 48'45	38'09	3	+ 6'253	...	1643	...
1741	1748	Lacaille 1651	6'7	4. 47. 28'00	38'09	3	+ 1'445	- 52. 0. 17'76	38'09	3	+ 6'243	...	1651	...
1742	1749	99 Tauri	6'7	4. 47. 48'47	33'10	5	+ 3'630	+ 23. 41. 1'12	33'04	6	+ 6'213	684	...	243
1743	1750	Bradley 686	6'7	4. 47. 50'85	33'09	5	+ 3'458	+ 16. 53. 15'51	33'06	5	+ 6'210	686	...	246
1744	1751	Piazzi IV. 248	9	4. 47. 58'34	36'62	3	+ 2'948	- 5. 35. 28'65	36'52	4	+ 6'201	248
1745	1753	98 Tauri	6	4. 48. 4'05	34'39	6	+ 3'659	+ 24. 47. 18'76	35'96	8	+ 6'193	685	...	247
1746	1752	4 Aurigæ	5	4. 48. 4'09	31'96	12	+ 4'053	+ 37. 37. 57'78	31'58	10	+ 6'193	683	...	245
1747	1754	Lacaille 1646	7	4. 48. 6'41	38'09	3	+ 2'159	- 35. 41. 3'53	38'09	3	+ 6'190	...	1646	...
1748	1755	62 Eridani	6	4. 48. 17'02	33'14	5	+ 2'951	- 5. 26. 21'08	32'64	5	+ 6'174	689	...	250
1749	1756	Piazzi IV. 249	8	4. 48. 20'97	36'54	4	+ 3'139	+ 3. 1. 9'78	36'49	2	+ 6'169	249
1750	1757	Piazzi IV. 242	8'9	4. 48. 41'56	36'53	4	+ 5'292	+ 60. 10. 13'02	36'53	4	+ 6'141	242
1751	1758	Lacaille 1648	7	4. 48. 45'47	38'07	3	+ 2'451	- 25. 59. 48'55	38'08	3	+ 6'136	...	1648	...
1752	1759	10 Camelopardi	4'5	4. 48. 46'36	33'67	3	+ 5'294	+ 60. 11. 24'40	31'62	10	+ 6'135	681	...	244
1753	1760	5 Aurigæ	6'7	4. 48. 58'58	34'28	4	+ 4'108	+ 39. 8. 10'00	34'27	4	+ 6'118	687	...	251
1754	1761	Lacaille 1657	7	4. 49. 1'29	38'04	3	+ 2'027	- 39. 21. 36'16	38'04	3	+ 6'114	...	1657	...
1755	1762	6 Aurigæ	7	4. 49. 1'44	34'34	4	+ 4'118	+ 39. 23. 46'21	34'32	4	+ 6'114	688	...	252
1756	1763	Brisbane 824	8	4. 49. 3'54	39'36	7	+ 1'280	- 54. 35. 56'18	39'09	4	+ 6'111
1757	1764	Lacaille 1658	6	4. 49. 23'40	34'31	4	+ 2'007	- 39. 53. 55'04	34'29	4	+ 6'082	...	1658	260
1758	1765	Piazzi IV. 258	8'9	4. 49. 33'05	36'68	3	+ 3'104	+ 1. 24. 50'53	36'53	4	+ 6'070	258
1759	1766	Piazzi IV. 255	9	4. 49. 36'07	36'57	4	+ 3'396	+ 14. 17. 24'85	37'02	1	+ 6'066	255
1760	1767	Piazzi IV. 257	7	4. 49. 37'95	32'47	5	+ 3'396	+ 14. 17. 2'82	34'17	8	+ 6'065	257

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1761	1768	10 Orionis..... π^6	5'6	h m s 4. 50. 0'16	33'08	5	+ 3'104	+ 1. 27. 16'25	33'11	5	+ 6'032	695	...	259
1762	1769	7 Aurigæ..... ϵ	4	4. 50. 8'56	31'98	9	+ 4'286	+ 43. 34. 13'65	32'68	25	+ 6'021	690	...	256
1763	1770	101 Tauri.....	7	4. 50. 16'58	33'02	4	+ 3'430	+ 15. 39. 39'43	33'04	5	+ 6'010	694	...	261
1764	1771	Lacaille 1664.....	6'7	4. 50. 34'33	38'04	3	+ 2'031	- 39. 12. 13'03	38'04	3	+ 5'985	...	1664	...
1765	1772	Piazzi IV. 265.....	8'9	4. 50. 56'32	36'65	3	+ 3'300	+ 10. 8. 7'45	36'57	4	+ 5'953	265
1766	1773	8 Aurigæ..... ζ	4	4. 50. 57'44	32'57	6	+ 4'176	+ 40. 49. 34'49	32'61	22	+ 5'952	693	...	262
1767	1774	Piazzi IV. 266.....	6'7	4. 51. 12'40	34'36	4	+ 3'394	+ 14. 7. 40'04	34'32	4	+ 5'931	266
1768	1775	Piazzi IV. 267.....	7	4. 51. 16'56	36'40	3	+ 3'285	+ 9. 26. 47'56	37'08	2	+ 5'927	267
1769	1776	Piazzi IV. 268.....	8'9	4. 51. 26'41	36'40	3	+ 2'655	- 18. 3. 53'46	36'52	4	+ 5'911	268
1770	1777	Piazzi IV. 253.....	6	4. 51. 27'51	37'64	7	+ 8'292	+ 76. 14. 47'91	37'30	8	+ 5'910	253
1771	1778	Piazzi IV. 270.....	7	4. 51. 37'49	37'93	8	+ 2'832	- 10. 36. 33'14	37'63	9	+ 5'897	270
1772	1779	Piazzi IV. 254.....	6	4. 51. 37'94	35'34	4	+ 7'448	+ 73. 43. 5'85	34'34	4	+ 5'896	254
1773	1780	Lacaille 1674.....	7	4. 51. 38'93	38'01	3	+ 1'267	- 54. 41. 37'55	38'01	3	+ 5'894	...	1674	...
1774	1781	11 Camelopardi.....	6'7	4. 51. 49'38	34'99	9	+ 5'182	+ 58. 43. 51'12	34'01	2	+ 5'880	691	...	263
1775	1782	12 Camelopardi.....	6'7	4. 51. 52'57	37'12	3	+ 5'182	+ 58. 46. 52'23	34'40	6	+ 5'875	692	...	264
1776	1783	63 Eridani.....	5	4. 52. 2'13	33'62	13	+ 2'835	- 10. 30. 36'77	31'59	10	+ 5'860	697	...	271
1777	1784	Lacaille 1679.....	6'7	4. 52. 11'49	38'05	3	+ 0'959	- 58. 48. 59'73	38'06	3	+ 5'848	...	1679	...
1778	1785	64 Eridani.....	6	4. 52. 16'05	33'07	5	+ 2'782	- 12. 47. 10'56	33'02	5	+ 5'842	699	...	272
1779	1786	Brisbane 836.....	7	4. 53. 12'70	38'65	3	+ 1'252	- 54. 52. 14'50	38'65	3	+ 5'764
1780	1787	102 Tauri..... ι	4'5	4. 53. 14'44	33'13	21	+ 3'573	+ 21. 20. 49'61	32'02	14	+ 5'761	698	...	274
1781	1788	Piazzi IV. 276.....	6'7	4. 53. 20'95	34'25	5	+ 3'083	+ 0. 28. 32'20	34'32	4	+ 5'752	276
1782	1789	Piazzi IV. 277.....	8	4. 53. 25'80	36'47	4	+ 3'090	+ 0. 48. 1'94	36'53	4	+ 5'746	277
1783	1790	65 Eridani..... ψ	5	4. 53. 26'61	31'81	9	+ 2'905	- 7. 25. 18'77	31'57	10	+ 5'744	701	...	280
1784	1791	Piazzi IV. 278.....	7	4. 53. 27'69	35'22	7	+ 3'103	+ 1. 21. 44'04	34'35	4	+ 5'743	278
1785	1792	Piazzi IV. 279.....	8'9	4. 53. 28'49	36'96	2	+ 3'102	+ 1. 21. 48'25	36'52	4	+ 5'742	279
1786	1793	9 Aurigæ.....	6	4. 53. 46'36	34'53	4	+ 4'676	+ 51. 22. 6'77	34'29	4	+ 5'717	696	...	273
1787	1794	Piazzi IV. 281.....	7	4. 53. 49'73	34'30	4	+ 3'340	+ 11. 48. 47'59	34'31	4	+ 5'713	281
1788	1795	Lacaille 1682.....	7	4. 54. 3'08	38'06	3	+ 2'111	- 36. 52. 24'38	38'05	3	+ 5'693	...	1682	...
1789	1796	Piazzi IV. 285.....	5	4. 54. 16'33	36'36	3	+ 2'598	- 20. 17. 48'27	36'52	4	+ 5'675	285
1790	1797	Lacaille 1696.....	6'7	4. 54. 22'69	39'36	7	+ 0'992	- 58. 19. 43'47	39'08	6	+ 5'666	...	1696	...
1791	1798	Piazzi IV. 275.....	6'7	4. 54. 25'87	37'63	11	+ 5'511	+ 62. 15. 9'32	37'96	9	+ 5'662	275
1792	1799	Piazzi IV. 282.....	7	4. 54. 32'02	32'85	6	+ 3'565	+ 21. 2. 21'03	32'12	5	+ 5'652	282
1793	1800	10 Aurigæ..... γ	4	4. 54. 57'34	32'36	12	+ 4'188	+ 41. 0. 9'80	32'20	13	+ 5'617	700	...	283
1794	1801	Piazzi IV. 284.....	6'7	4. 55. 3'26	34'39	4	+ 4'266	+ 42. 56. 25'48	34'36	4	+ 5'609	284
1795	1802	11 Orionis.....	5	4. 55. 8'74	31'65	6	+ 3'420	+ 15. 10. 2'34	33'66	13	+ 5'602	702	...	286
1796	1803	Lacaille 1698.....	7	4. 55. 11'80	38'07	3	+ 1'558	- 49. 42. 22'28	38'08	3	+ 5'597	...	1698	...
1797	1804	Lacaille 1708.....	7	4. 55. 12'87	38'09	3	+ 1'000	- 58. 13. 7'54	38'09	3	+ 5'596	...	1708	...
1798	1805	Lacaille 1709.....	7	4. 55. 19'39	38'07	3	+ 0'980	- 58. 27. 31'88	38'07	3	+ 5'587	...	1709	...
1799	1806	Lacaille 1686.....	5'6	4. 55. 27'48	33'04	5	+ 2'431	- 26. 30. 50'16	32'07	7	+ 5'575	...	1686	289
1800	1807	Piazzi IV. 269.....	5'6	4. 55. 30'36	34'34	4	+ 9'693	+ 79. 1. 15'11	34'28	4	+ 5'571	269

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1801	1808	Piazzi IV. 287	7	h m s 4. 55. 40'97	34'31	4	+ 3'704	+ 26. 11. 44'13	34'12	4	+ 5'555	287
1802	1809	1 Leporis	6	4. 55. 47'46	33'02	5	+ 2'526	- 23. 2. 13'00	32'98	5	+ 5'547	704	...	290
1803	1810	Piazzi IV. 288	6'7	4. 55. 48'99	34'35	4	+ 3'529	+ 19. 34. 21'02	34'34	4	+ 5'545	288
1804	1811	Lacaille 1700	6	4. 56. 5'04	37'33	8	+ 1'995	- 39. 57. 43'64	37'31	8	+ 5'522	...	1700	291
1805	1812	Lacaille 1699	7	4. 56. 8'33	38'09	3	+ 2'096	- 37. 13. 5'38	38'09	3	+ 5'518	...	1699	...
1806	1813	Lacaille 1695	5'6	4. 56. 8'48	38'03	3	+ 2'268	- 32. 0. 53'89	38'03	3	+ 5'518	...	1695	...
1807	1814	Brisbane 856	8	4. 57. 18'34	39'09	6	+ 0'950	- 58. 44. 34'12	39'09	6	+ 5'420
1808	1815	Brisbane 857	7	4. 57. 40'53	38'10	3	+ 1'918	- 41. 50. 45'41	38'10	3	+ 5'389
1809	1816	104 Tauri	5	4. 57. 42'36	31'91	8	+ 3'501	+ 18. 24. 58'52	32'22	18	+ 5'386	705	...	293
1810	1817	Piazzi IV. 299	9	4. 57. 55'89	36'50	4	+ 3'212	+ 6. 11. 36'33	36'51	4	+ 5'368	299
1811	1818	106 Tauri	5'6	4. 58. 2'90	33'03	7	+ 3'546	+ 20. 11. 37'23	32'12	5	+ 5'358	708	...	296
1812	1819	103 Tauri	6	4. 58. 3'75	33'06	5	+ 3'647	+ 24. 2. 23'44	32'32	5	+ 5'357	706	...	295
1813	1820	105 Tauri	6	4. 58. 3'96	33'08	5	+ 3'579	+ 21. 28. 45'23	33'05	5	+ 5'357	707	...	297
1814	1821	14 Camelopardi	6'7	4. 58. 11'46	34'37	4	+ 5'545	+ 62. 28. 31'94	34'32	4	+ 5'345	703	...	292
1815	1822	Piazzi IV. 298	7	4. 58. 13'94	33'11	5	+ 3'759	+ 28. 2. 55'95	33'06	5	+ 5'343	298
1816	1823	Piazzi IV. 294	6	4. 58. 26'54	34'86	6	+ 4'443	+ 46. 44. 54'46	34'30	4	+ 5'324	294
1817	1824	Cæli	5	4. 58. 28'61	32'11	7	+ 2'145	- 35. 42. 48'69	31'61	10	+ 5'322	...	1712	308
1818	1825	2 Leporis	4	4. 58. 28'77	31'97	9	+ 2'535	- 22. 35. 53'05	31'59	10	+ 5'322	713	...	303
1819	1826	Pictoris	6'7	4. 58. 30'22	38'73	4	+ 1'569	- 49. 23. 16'19	38'96	3	+ 5'319	...	1717	...
1820	1827	Cæli	6'7	4. 58. 32'76	34'30	4	+ 2'138	- 35. 56. 21'75	34'27	4	+ 5'315	...	1713	309
1821	1828	Lacaille 1710	6	4. 58. 34'66	33'14	5	+ 2'432	- 26. 22. 47'36	33'11	5	+ 5'313	...	1710	307
1822	1829	13 Orionis	6'7	4. 58. 36'09	34'35	4	+ 3'282	+ 9. 15. 48'24	34'35	4	+ 5'310	709	...	300
1823	1830	66 Eridani	6	4. 58. 36'47	33'12	5	+ 2'962	- 4. 52. 56'51	33'27	5	+ 5'310	712	...	302
1824	1831	Lacaille 1715	6'7	4. 58. 38'32	34'31	4	+ 1'911	- 41. 59. 8'38	34'34	4	+ 5'306	...	1715	310
1825	1832	Lacaille 1719	7	4. 58. 42'70	38'02	3	+ 1'539	- 49. 56. 28'75	38'02	3	+ 5'301	...	1719	...
1826	1833	Piazzi IV. 306	8'9	4. 58. 47'82	36'49	4	+ 2'950	- 5. 23. 28'90	36'56	4	+ 5'294	306
1827	1834	14 Orionis	6	4. 58. 54'30	33'16	5	+ 3'260	+ 8. 16. 35'98	33'12	5	+ 5'284	711	...	304
1828	1835	Brisbane 866	8	4. 58. 58'08	39'07	5	+ 0'946	- 58. 45. 21'41	39'41	6	+ 5'279
1829	1836	Lacaille 1720	7	4. 58. 59'55	38'02	2	+ 1'549	- 49. 43. 35'70	38'02	3	+ 5'277	...	1720	...
1830	1837	107 Tauri	7	4. 59. 6'67	33'57	2	+ 3'532	+ 19. 38. 17'98	33'14	5	+ 5'268	710	...	305
1831	1838	Piazzi IV. 301	8'9	4. 59. 26'96	36'32	3	+ 4'443	+ 46. 43. 33'02	36'52	4	+ 5'239	301
1832	1839	67 Eridani	3	4. 59. 44'49	33'05	19	+ 2'952	- 5. 18. 21'17	31'53	10	+ 5'213	715	...	312
1833	1840	Brisbane 869	8	5. 0. 9'05	38'02	2	+ 1'541	- 49. 50. 35'65	38'02	3	+ 5'179
1834	1841	16 Oriopis	6	5. 0. 15'25	32'67	5	+ 3'291	+ 9. 36. 34'24	33'03	5	+ 5'170	716	...	314
1835	1842	15 Orionis	5	5. 0. 15'73	33'62	10	+ 3'427	+ 15. 22. 46'65	33'56	14	+ 5'170	714	...	313
1836	1843	68 Eridani	6	5. 0. 33'36	33'04	5	+ 2'966	- 4. 40. 38'70	32'43	5	+ 5'145	717	...	316
1837	1844	Piazzi IV. 320	6'7	5. 0. 51'79	34'29	5	+ 3'230	+ 6. 57. 49'03	34'32	4	+ 5'139	320
1838	1846	Piazzi IV. 322	7	5. 0. 52'09	34'58	4	+ 2'593	- 20. 20. 19'79	34'28	4	+ 5'119	322
1839	1845	Brisbane 873	8	5. 0. 52'37	38'87	5	+ 0'948	- 58. 40. 35'02	38'87	5	+ 5'118
1840	1847	Piazzi IV. 318	7	5. 0. 52'97	34'27	5	+ 3'378	+ 13. 20. 1'85	34'30	4	+ 5'118	318

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	" ' "			"			
1841	1848	Piazzi IV. 319	7	5. 1. 0.20	34.40	4	+ 3.552	+ 20. 21. 19.59	34.36	4	+ 5.107	319
1842	1849	Piazzi IV. 321	7	5. 1. 3.97	34.71	5	+ 3.294	+ 9. 44. 47.98	34.38	4	+ 5.103	321
1843	1850	69 Eridani.....λ	4	5. 1. 15.24	31.96	5	+ 2.860	- 8. 58. 18.12	31.61	10	+ 5.086	720	...	323
1844	1851	Piazzi IV. 315	6.7	5. 1. 30.72	34.39	4	+ 4.789	+ 53. 0. 27.69	34.42	3	+ 5.064	315
1845	1852	Lacaille 1732	6	5. 1. 33.91	38.04	3	+ 1.249	- 54. 37. 58.81	38.04	3	+ 5.060	...	1732	...
1846	1853	Piazzi V. 2	8.9	5. 1. 57.93	36.50	4	+ 2.980	- 4. 3. 59.94	36.38	3	+ 5.025	2
1847	1854	11 Aurigæ.....μ	5	5. 2. 8.73	32.14	6	+ 4.094	+ 38. 16. 49.56	31.57	11	+ 5.011	719	...	324
1848	1855	Piazzi V. 1	6.7	5. 2. 13.37	33.06	4	+ 3.439	+ 15. 50. 2.67	32.89	6	+ 5.004	1
1849	1856	Lacaille 1731	6	5. 2. 22.51	38.07	3	+ 2.133	- 35. 56. 9.85	38.07	3	+ 4.992	...	1731	...
1850	1857	Piazzi V. 3	7	5. 2. 23.12	34.78	3	+ 2.892	- 7. 47. 57.19	34.36	4	+ 4.992	3
1851	1858	Doradus.....ζ	5	5. 2. 41.67	35.80	15	+ 1.022	- 57. 42. 1.36	35.39	14	+ 4.963	...	1744	...
1852	1859	Piazzi V. 4	7.8	5. 2. 52.02	36.50	4	+ 2.800	- 11. 51. 36.65	36.50	4	+ 4.948	4
1853	1860	Piazzi IV. 311	7	5. 3. 2.25	35.21	6	+ 9.237	+ 78. 7. 43.77	35.30	8	+ 4.934	311
1854	1861	Lacaille 1737	6.7	5. 3. 12.75	38.51	6	+ 1.927	- 41. 26. 31.24	38.51	6	+ 4.920	...	1737	...
1855	1862	Bradley 724	7	5. 3. 41.08	35.11	4	+ 2.795	- 12. 3. 35.18	34.39	4	+ 4.878	724	...	7
1856	1863	Piazzi IV. 317	8	5. 4. 8.46	36.55	4	+ 9.076	+ 77. 48. 21.30	36.53	4	+ 4.841	317
1857	1864	12 Aurigæ.....	7	5. 4. 14.34	34.37	4	+ 4.427	+ 43. 13. 5.78	34.32	4	+ 4.832	721	...	5
1858	1865	Lacaille 1751	7	5. 4. 16.18	38.06	3	+ 1.205	- 55. 12. 23.60	38.06	3	+ 4.830	...	1751	...
1859	1866	13 Aurigæ.....α	1	5. 4. 30.55	32.61	49	+ 4.408	+ 45. 49. 15.59	32.77	152	+ 4.810	722	...	6
1860	1867	3 Leporis.....λ	4	5. 4. 36.19	32.09	6	+ 2.794	- 12. 4. 25.40	32.04	10	+ 4.801	727	...	11
1861	1868	14 Aurigæ.....	5	5. 4. 39.89	35.96	13	+ 3.899	+ 32. 29. 16.62	37.28	11	+ 4.795	723	...	9
1862	1869	17 Orionis.....ρ	5	5. 4. 40.16	33.03	9	+ 3.133	+ 2. 39. 30.38	33.09	9	+ 4.795	725	...	10
1863	1870	Lacaille 1749	7	5. 4. 43.13	35.13	3	+ 1.794	- 44. 33. 1.44	34.35	4	+ 4.791	...	1749	14
1864	1871	Brisbane 888	7	5. 4. 53.43	38.96	10	+ 1.568	- 49. 11. 23.75	38.96	10	+ 4.776
1865	1872	Piazzi V. 12.....	9	5. 5. 2.30	36.49	4	+ 2.883	- 8. 16. 1.56	36.52	4	+ 4.764	12
1866	1873	Lacaille 1747	7	5. 5. 8.74	38.52	6	+ 2.308	- 30. 25. 54.25	38.52	6	+ 4.754	...	1747	...
1867	1874	15 Camelopardi.....	6.7	5. 5. 14.63	34.36	4	+ 5.146	+ 57. 55. 42.90	34.34	4	+ 4.747	8
1868	1875	5 Leporis.....μ	5	5. 5. 31.40	31.91	10	+ 2.692	- 16. 24. 22.51	31.33	6	+ 4.723	732	...	16
1869	1876	108 Tauri.....	7	5. 5. 33.01	32.41	6	+ 3.599	+ 22. 5. 19.04	33.07	5	+ 4.722	726	...	13
1870	1877	4 Leporis.....κ	5	5. 5. 37.01	33.07	6	+ 2.768	- 13. 8. 32.60	32.11	5	+ 4.716	730	...	17
1871	1878	Bradley 729	4	5. 5. 37.65	34.43	10	+ 2.881	- 8. 20. 52.59	33.55	9	+ 4.715	729	...	15
1872	1879	19 Orionis.....β	1	5. 6. 36.71	35.12	69	+ 2.880	- 8. 23. 52.55	32.18	65	+ 4.631	736	...	18
1873	1880	18 Orionis.....	6	5. 6. 54.46	33.12	5	+ 3.328	+ 11. 8. 53.57	32.31	5	+ 4.605	734	...	19
1874	1881	Piazzi V. 20	7	5. 7. 5.66	36.53	4	+ 3.501	+ 18. 14. 53.81	36.55	4	+ 4.589	20
1875	1882	Piazzi V. 24	7	5. 7. 8.57	36.55	4	+ 2.912	- 6. 59. 55.31	36.53	4	+ 4.586	24
1876	1883	16 Aurigæ.....	5.6	5. 7. 21.14	34.60	2	+ 3.923	+ 33. 11. 27.70	34.39	3	+ 4.568	733	...	21
1877	1884	17 Aurigæ.....	6.7	5. 7. 27.86	34.27	6	+ 3.937	+ 33. 34. 54.04	34.42	3	+ 4.558	23
1878	1885	15 Aurigæ.....λ	5	5. 7. 32.40	32.12	5	+ 4.163	+ 39. 56. 38.87	31.59	10	+ 4.551	731	...	22
1879	1887	Piazzi V. 25.....	7.8	5. 7. 45.64	36.71	3	+ 3.545	+ 19. 56. 52.39	36.52	4	+ 4.532	25
1880	1886	Brisbane 896.....	8	5. 7. 45.71	38.54	6	+ 1.560	- 49. 15. 33.08	38.03	5	+ 4.532

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
1881	1888	Lacaille 1767	7.8	5. 7. 55'29	37'13	2	+ 2'125	- 36. 1. 8'57	36'33	4	+ 4'519	...	1767	30
1882	1889	Piazzi V. 29	7.8	5. 8. 0'47	36'60	2	+ 2'404	- 27. 9. 26'73	36'51	4	+ 4'512	29
1883	1890	Bradley 737	6.7	5. 8. 8'75	34'58	2	+ 3'937	+ 33. 33. 51'01	34'58	2	+ 4'500	737	...	26
1884	1891	18 Aurigæ	8	5. 8. 31'22	36'74	3	+ 3'945	+ 33. 48. 8'87	36'01	2	+ 4'468	738	...	27
1885	1892	Lacaille 1773	6	5. 8. 38'78	34'73	5	+ 2'119	- 36. 10. 13'91	34'35	4	+ 4'456	...	1773	36
1886	1893	Lacaille 1771	6	5. 8. 47'46	34'09	7	+ 2'404	- 27. 8. 0'01	33'06	6	+ 4'444	...	1771	35
1887	1894	Piazzi V. 33	9	5. 8. 56'62	36'51	4	+ 2'909	- 7. 7. 25'82	36'34	4	+ 4'430	33
1888	1895	Brisbane 902	7.8	5. 9. 1'85	38'04	3	+ 1'620	- 48. 4. 15'41	38'04	3	+ 4'423
1889	1896	19 Aurigæ	6	5. 9. 8'72	34'09	3	+ 3'945	+ 33. 46. 37'48	34'29	4	+ 4'414	739	...	32
1890	1897	16 Camelopardi	6	5. 9. 20'79	34'39	6	+ 5'109	+ 57. 22. 21'93	34'36	4	+ 4'397	735	...	28
1891	1898	109 Tauri	5.6	5. 9. 22'13	35'04	7	+ 3'597	+ 21. 55. 5'74	33'11	5	+ 4'396	741	...	34
1892	1899	Piazzi V. 37	7	5. 9. 29'42	33'10	6	+ 3'546	+ 19. 57. 15'44	33'13	5	+ 4'385	37
1893	1900	Piazzi V. 38	9	5. 9. 34'35	36'32	4	+ 3'382	+ 13. 23. 9'04	36'11	5	+ 4'379	38
1894	1901	20 Orionis	4	5. 9. 35'89	32'74	14	+ 2'911	- 7. 1. 43'15	31'53	9	+ 4'376	742	...	40
1895	1902	Lacaille 1783	7	5. 9. 51'70	37'10	3	+ 2'154	- 35. 6. 56'92	35'74	6	+ 4'352	...	1783	44
1896	1903	Lacaille 1791	6.7	5. 10. 3'97	38'08	3	+ 1'388	- 52. 13. 18'09	38'08	3	+ 4'336	...	1791	...
1897	1904	Bradley 743	6	5. 10. 5'77	34'59	8	+ 2'754	- 13. 42. 3'98	32'84	5	+ 4'333	743
1898	1905	20 Aurigæ	6	5. 10. 8'19	34'28	4	+ 4'233	+ 41. 37. 49'96	34'28	4	+ 4'330	740	...	39
1899	1906	Lacaille 1785	7	5. 10. 15'02	39'31	9	+ 2'234	- 32. 41. 55'65	39'19	9	+ 4'320	...	1785	...
1900	1908	Lacaille 1794	6.7	5. 10. 15'97	38'06	3	+ 1'154	- 55. 45. 23'02	38'06	3	+ 4'319	...	1794	...
1901	1909	Lacaille 1786	6	5. 10. 20'70	34'37	4	+ 2'201	- 33. 43. 22'62	34'32	4	+ 4'312	...	1786	47
1902	1910	Piazzi V. 43	7	5. 10. 34'76	32'12	6	+ 3'532	+ 19. 24. 5'19	33'06	5	+ 4'291	43
1903	1911	21 Orionis	6	5. 10. 35'10	32'86	7	+ 3'127	+ 2. 25. 7'51	33'16	5	+ 4'291	744	...	45
1904	1912	Piazzi V. 41	6.7	5. 10. 38'14	34'38	4	+ 3'760	+ 27. 46. 56'22	34'35	4	+ 4'286	41
1905	1913	Piazzi V. 42	6.7	5. 10. 43'37	33'03	6	+ 3'808	+ 29. 23. 39'00	33'18	5	+ 4'280	42
1906	1914	Lacaille 1787	7	5. 10. 45'11	39'15	10	+ 2'273	- 31. 28. 2'93	39'25	9	+ 4'277	...	1787	...
1907	1915	Piazzi V. 46	9	5. 10. 45'11	36'54	4	+ 3'382	+ 13. 22. 19'43	36'26	6	+ 4'277	46
1908	1916	Piazzi V. 48	6.7	5. 11. 12'09	34'30	4	+ 3'538	+ 19. 38. 23'55	34'30	4	+ 4'239	48
1909	1917	Piazzi V. 49	7.8	5. 11. 12'82	36'53	4	+ 3'125	+ 2. 20. 28'75	36'36	3	+ 4'238	49
1910	1918	Columbæ	5	5. 11. 32'21	34'40	23	+ 2'154	- 35. 3. 40'03	34'04	15	+ 4'210	...	1793	51
1911	1919	Brisbane 915	7	5. 11. 35'18	38'07	3	+ 1'575	- 48. 52. 13'34	38'08	3	+ 4'206
1912	1920	Lacaille 1802	7	5. 11. 51'20	38'10	3	+ 1'376	- 52. 22. 4'23	38'10	3	+ 4'182	...	1802	...
1913	1921	6 Leporis	4.5	5. 11. 58'56	31'78	10	+ 2'762	- 13. 21. 11'40	31'54	10	+ 4'173	748	...	52
1914	1922	7 Leporis	5.6	5. 12. 20'00	32'12	7	+ 2'782	- 12. 29. 26'68	32'11	7	+ 4'142	749	...	54
1915	1923	Brisbane 918	7	5. 12. 27'46	38'07	3	+ 1'576	- 48. 49. 13'98	38'10	3	+ 4'132
1916	1924	Gould 6115	7.8	5. 12. 35'21	38'95	12	+ 1'524	- 49. 46. 47'47	38'94	15	+ 4'120
1917	1925	Piazzi V. 53	8.9	5. 12. 37'53	36'51	4	+ 3'777	+ 28. 18. 8'58	36'70	3	+ 4'118	53
1918	1926	Piazzi V. 50	8	5. 12. 44'91	36'55	4	+ 5'112	+ 57. 18. 37'07	36'69	3	+ 4'106	50
1919	1927	Lacaille 1796	6	5. 12. 49'48	33'12	5	+ 2'389	- 27. 32. 35'93	32'90	6	+ 4'101	...	1796	59
1920	1928	22 Aurigæ	7	5. 12. 56'15	33'13	5	+ 3'791	+ 28. 46. 16'53	33'02	5	+ 4'090	746	...	55

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835° 0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835° 0.	Mean Dec., 1835° 0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835° 0.	Bradley.	Lacaille.	Piazzi.
1921	1929	Bradley 750	5.6	h m s 5. 13. 7°00	35°68	15	+ 3°059	— 0. 35. 11°26	34°52	2	+ 4°076	750	..	58
1922	1930	22 Orionis	5.6	5. 13. 20°61	38°32	12	+ 3°059	— 0. 33. 5°20	35°47	10	+ 4°056	751	...	60
1923	1931	Piazzi V. 61	Var.	5. 13. 25°16	37°08	6	+ 3°150	+ 3. 24. 11°99	38°42	6	+ 4°049	61
1924	1932	21 Aurigæ	6	5. 13. 26°72	34°34	4	+ 4°067	+ 37. 13. 20°70	34°34	4	+ 4°046	747	...	56
1925	1933	Piazzi V. 62	7	5. 14. 0°65	33°10	5	+ 3°861	+ 31. 3. 42°27	33°11	5	+ 3°998	62
1926	1934	Piazzi V. 63	7	5. 14. 0°94	33°08	8	+ 3°859	+ 30. 58. 52°39	33°18	5	+ 3°998	63
1927	1935	110 Tauri	7	5. 14. 6°30	33°06	6	+ 3°461	+ 16. 32. 11°41	33°14	6	+ 3°991	752	...	64
1928	1936	23 Orionis	5	5. 14. 9°91	31°95	12	+ 3°149	+ 3. 22. 45°29	31°99	12	+ 3°985	753	...	65
1929	1937	Brisbane 923	7	5. 14. 11°11	39°21	6	+ 1°519	— 49. 49. 46°16	40°15	3	+ 3°984
1930	1938	Lacaille 1817	7	5. 14. 21°73	38°42	5	+ 1°224	— 54. 38. 55°09	38°22	5	+ 3°968	...	1817	...
1931	1939	Lacaille 1809	6.7	5. 14. 24°78	34°29	4	+ 2°159	— 34. 52. 9°17	34°32	4	+ 3°964	...	1809	69
1932	1940	Piazzi V. 67	7.8	5. 14. 34°69	36°49	4	+ 3°098	+ 1. 7. 33°41	36°49	4	+ 3°948	67
1933	1941	17 Camelopardi	6	5. 14. 36°24	34°30	6	+ 5°636	+ 62. 55. 1°43	34°34	4	+ 3°947	745	...	57
1934	1942	111 Tauri	6	5. 14. 47°97	33°05	6	+ 3°478	+ 17. 13. 22°97	33°16	5	+ 3°930	754	...	66
1935	1943	Lacaille 1810	6	5. 15. 0°16	34°39	9	+ 2°462	— 24. 56. 18°77	33°17	5	+ 3°913	...	1810	70
1936	1944	Lacaille 1815	6.7	5. 15. 11°63	38°08	3	+ 1°975	— 39. 55. 25°52	38°08	3	+ 3°897	...	1815	...
1937	1945	Lacaille 1813	6.7	5. 15. 18°43	34°39	3	+ 2°170	— 34. 30. 41°80	34°31	4	+ 3°887	...	1813	74
1938	1946	Pictoris	5.6	5. 15. 19°77	38°09	3	+ 1°464	— 50. 47. 12°36	38°08	3	+ 3°886	...	1825	...
1939	1947	Lacaille 1821	6.7	5. 15. 27°28	38°10	3	+ 1°654	— 47. 13. 3°99	38°10	3	+ 3°874	...	1821	...
1940	1948	Lacaille 1820	7	5. 15. 36°68	39°75	7	+ 1°819	— 43. 42. 9°58	39°75	7	+ 3°860	...	1820	...
1941	1949	112 Tauri	2	5. 15. 51°99	33°77	32	+ 3°783	+ 28. 27. 36°98	32°93	95	+ 3°839	756	...	72
1942	1950	Piazzi V. 73	8.9	5. 15. 52°59	36°51	4	+ 3°149	+ 3. 21. 34°91	36°54	4	+ 3°837	73
1943	1951	Bradley 755	6	5. 15. 53°31	34°41	4	+ 3°965	+ 34. 14. 17°00	34°43	3	+ 3°837	755	...	71
1944	1952	Brisbane 934	7.8	5. 15. 56°58	38°10	3	+ 1°380	— 52. 12. 29°88	38°10	3	+ 3°832
1945	1953	8 Leporis	6	5. 15. 57°32	33°98	3	+ 2°743	— 14. 5. 17°49	33°18	4	+ 3°831	766	...	77
1946	1954	29 Orionis	5.6	5. 16. 0°26	33°18	4	+ 2°888	— 7. 57. 55°52	33°08	5	+ 3°827	764	...	75
1947	1955	27 Orionis	5.6	5. 16. 5°79	33°19	5	+ 3°048	— 1. 3. 21°51	33°06	5	+ 3°818	762	...	76
1948	1956	28 Orionis	4.5	5. 16. 11°05	33°21	21	+ 3°014	— 2. 33. 19°58	31°57	10	+ 3°811	765	...	81
1949	1957	25 Orionis	5.6	5. 16. 11°38	33°16	5	+ 3°111	+ 1. 41. 20°07	33°98	3	+ 3°811	763	..	78
1950	1958	Piazzi V. 68	7	5. 16. 12°78	34°65	2	+ 5°632	+ 62. 50. 31°83	34°35	4	+ 3°809	68
1951	1959	24 Orionis	2	5. 16. 17°05	33°01	8	+ 3°215	+ 6. 11. 37°71	32°02	16	+ 3°802	761	...	80
1952	1960	Piazzi V. 82	8	5. 16. 23°51	38°74	7	+ 3°011	— 2. 39. 20°12	38°42	8	+ 3°794	82
1953	1961	Piazzi V. 83	8.9	5. 16. 32°52	36°50	4	+ 3°096	+ 1. 1. 45°67	36°58	4	+ 3°781	83
1954	1962	113 Tauri	6	5. 16. 34°06	33°14	5	+ 3°462	+ 16. 32. 46°40	33°99	1	+ 3°778	760
1955	1963	Lacaille 1823	6	5. 16. 34°53	39°41	9	+ 2°407	— 26. 51. 58°63	39°15	9	+ 3°777	...	1823	...
1956	1964	Lacaille 1830	7	5. 16. 36°75	38°12	3	+ 1°780	— 44. 32. 14°55	38°12	3	+ 3°774	...	1830	...
1957	1965	Piazzi V. 84	7.8	5. 16. 37°83	36°38	3	+ 3°112	+ 1. 46. 3°05	36°56	4	+ 3°774	84
1958	1966	24 Aurigæ	6	5. 16. 43°08	32°00	6	+ 3°969	+ 34. 19. 37°23	31°62	10	+ 3°766	758	...	79
1959	1967	Brisbane 938	7	5. 16. 45°02	38°04	2	+ 1°510	— 49. 56. 9°98	38°04	2	+ 3°762
1960	1968	Piazzi V. 87	6.7	5. 17. 18°42	34°30	4	+ 3°080	+ 0. 21. 58°73	34°30	4	+ 3°715	87

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
1961	1969	Lacaille 1836	6	h m s 5. 17. 30.14	38.06	2	+ 1.406	- 51. 44. 19.16	38.06	2	+ 3.698	...	1836	...
1962	1970	115 Tauri	5.6	5. 17. 33.02	32.87	4	+ 3.494	+ 17. 48. 47.47	33.16	5	+ 3.694	767	...	86
1963	1971	114 Tauri	5	5. 17. 43.88	31.74	9	+ 3.597	+ 21. 47. 18.95	31.63	10	+ 3.677	768	...	88
1964	1972	Lacaille 1833	6.7	5. 17. 57.84	34.67	4	+ 2.063	- 37. 29. 36.76	34.28	4	+ 3.657	...	1833	94
1965	1973	Lacaille 1834	6.7	5. 17. 58.08	34.47	5	+ 1.975	- 39. 50. 10.01	34.34	4	+ 3.657	...	1834	95
1966	1974	Bradley 769	9	5. 18. 1.12	36.55	4	+ 3.446	+ 15. 53. 28.56	36.54	4	+ 3.654	769	...	89
1967	1975	Brisbane 944	7.8	5. 18. 1.64	38.09	3	+ 1.490	- 50. 16. 9.08	38.10	3	+ 3.654
1968	1976	Piazzi V. 93	7.8	5. 18. 3.56	36.55	4	+ 2.762	- 13. 16. 54.66	36.42	3	+ 3.651	93
1969	1977	Lacaille 1832	7	5. 18. 10.54	38.14	3	+ 2.166	- 34. 34. 23.62	38.13	3	+ 3.641	...	1832	...
1970	1978	30 Orionis	ψ^2 5	5. 18. 11.86	31.62	12	+ 3.140	+ 2. 56. 47.87	31.70	9	+ 3.638	773	...	91
1971	1979	Lacaille 1841	7.8	5. 18. 16.22	38.07	2	+ 1.092	- 56. 24. 27.42	38.15	2	+ 3.633	...	1841	...
1972	1980	116 Tauri	6	5. 18. 17.02	33.64	9	+ 3.442	+ 15. 43. 37.91	33.51	9	+ 3.630	771	...	90
1973	1981	18 Camelopardi	6.7	5. 18. 26.42	34.39	4	+ 5.105	+ 57. 5. 35.59	34.36	4	+ 3.617	759	...	85
1974	1982	117 Tauri	6	5. 18. 27.23	33.11	5	+ 3.476	+ 17. 5. 40.81	33.09	5	+ 3.616	92
1975	1983	Piazzi V. 96	8	5. 18. 27.91	36.58	4	+ 2.767	- 13. 3. 20.41	36.43	3	+ 3.615	96
1976	1985	Lacaille 1843	7.8	5. 18. 31.39	38.05	2	+ 1.232	- 54. 26. 0.89	38.14	2	+ 3.611	...	1843	...
1977	1984	Lacaille 1851	7	5. 18. 31.51	38.13	2	+ 0.705	- 60. 56. 34.94	38.13	2	+ 3.611	...	1851	...
1978	1986	Bradley 774	7	5. 18. 38.78	33.08	5	+ 3.456	+ 16. 17. 43.81	33.13	5	+ 3.599	774
1979	1987	Piazzi V. 97	6.7	5. 18. 41.40	34.32	4	+ 3.014	- 2. 30. 32.33	34.28	4	+ 3.596	97
1980	1988	118 Tauri	7	5. 19. 7.38	33.06	6	+ 3.686	+ 25. 0. 32.94	33.12	5	+ 3.559	775	...	98
1981	1989	Piazzi V. 100.	8.9	5. 19. 9.91	36.59	4	+ 3.559	+ 20. 17. 58.63	36.60	4	+ 3.555	100
1982	1990	Piazzi V. 99	7.8	5. 19. 12.05	35.10	3	+ 3.803	+ 29. 2. 48.13	34.02	3	+ 3.552	99
1983	1991	Brisbane 954	7.8	5. 19. 14.19	38.04	3	+ 1.529	- 49. 31. 45.89	38.03	3	+ 3.549
1984	1992	Piazzi V. 102	6	5. 19. 23.82	32.51	5	+ 2.791	- 12. 2. 44.72	32.06	4	+ 3.535	102
1985	1993	Piazzi V. 101	6.7	5. 19. 27.22	34.43	3	+ 3.020	- 2. 17. 26.16	34.30	4	+ 3.530	101
1986	1994	Piazzi V. 104	9	5. 19. 48.05	36.47	5	+ 2.876	- 8. 28. 18.41	36.55	4	+ 3.500	104
1987	1995	Lacaille 1850	6.7	5. 20. 1.54	34.33	4	+ 1.783	- 44. 22. 31.62	34.31	4	+ 3.482	...	1850	108
1988	1996	Piazzi V. 105	9	5. 20. 18.42	36.51	4	+ 3.615	+ 22. 24. 7.74	36.54	4	+ 3.457	105
1989	1997	Piazzi V. 106	7	5. 20. 26.76	34.35	4	+ 3.562	+ 20. 24. 49.64	34.32	4	+ 3.444	106
1990	1998	Brisbane 960	8	5. 20. 35.52	38.07	4	+ 0.809	- 59. 47. 18.13	38.08	3	+ 3.432
1991	1999	Piazzi V. 107	6.7	5. 20. 45.97	34.36	4	+ 3.613	+ 22. 19. 35.31	34.36	4	+ 3.417	107
1992	2000	Lacaille 1849	6.7	5. 20. 47.19	38.33	6	+ 2.408	- 26. 43. 35.28	38.38	5	+ 3.415	...	1849	...
1993	2001	Piazzi V. 109	8	5. 20. 48.18	36.53	4	+ 2.875	- 8. 31. 3.08	36.68	3	+ 3.414	109
1994	2002	9 Leporis	β 4	5. 21. 10.72	32.20	15	+ 2.569	- 20. 53. 46.82	31.58	10	+ 3.381	781	...	113
1995	2003	Piazzi V. 110	9	5. 21. 11.33	36.52	4	+ 3.042	- 1. 19. 32.99	36.55	4	+ 3.381	110
1996	2004	Bradley 778	7.8	5. 21. 17.51	36.71	3	+ 3.051	- 0. 56. 15.69	36.55	4	+ 3.372	778	...	111
1997	2005	19 Camelopardi	6.7	5. 21. 17.70	34.41	4	+ 5.779	+ 64. 2. 6.65	34.35	4	+ 3.371	770	...	103
1998	2006	31 Orionis	5	5. 21. 21.50	32.37	13	+ 3.044	- 1. 13. 42.58	32.38	14	+ 3.367	779	...	112
1999	2007	Lacaille 1870	7	5. 21. 33.42	38.06	3	+ 1.334	- 52. 49. 27.05	38.07	3	+ 3.350	...	1870	...
2000	2008	Lacaille 1855	6.7	5. 21. 42.69	38.03	3	+ 2.230	- 32. 33. 24.48	38.03	3	+ 3.336	...	1855	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
2001	2009	Lacaille 1862	6'7	5. 21. 48'10	34'41	4	+ 1'922	- 41. 5. 25'12	34'34	4	+ 3'329	...	1862	122
2002	2010	32 Orionis	5	5. 21. 57'56	34'38	6	+ 3'206	+ 5. 48. 55'21	31'59	10	+ 3'315	780	...	116
2003	2011	25 Aurigæ	5	5. 21. 59'71	34'86	17	+ 3'898	+ 32. 3. 42'26	34'09	14	+ 3'313	776	...	114
2004	2012	Piazzi V. 115	8'9	5. 22. 10'19	36'53	4	+ 3'740	+ 26. 51. 6'96	36'63	5	+ 3'297	115
2005	2013	Lacaille 1872	6'7	5. 22. 16'87	38'08	3	+ 1'752	- 45. 0. 18'13	38'08	2	+ 3'286	...	1872	...
2006	2014	Piazzi V. 121	8	5. 22. 25'77	36'52	4	+ 3'146	+ 3. 13. 14'21	36'57	4	+ 3'273	121
2007	2015	Piazzi V. 118	Var.	5. 22. 30'77	35'23	6	+ 3'902	+ 32. 9. 42'21	34'22	5	+ 3'267	118
2008	2016	119 Tauri	5'6	5. 22. 32'67	34'66	11	+ 3'513	+ 18. 27. 51'39	33'64	16	+ 3'265	783	...	119
2009	2017	Lacaille 1868	6	5. 22. 34'49	36'11	7	+ 2'065	- 37. 22. 19'53	35'94	7	+ 3'262	...	1868	124
2010	2018	33 Orionis	6	5. 22. 35'33	33'63	9	+ 3'145	+ 3. 9. 36'94	33'55	10	+ 3'261	784	...	123
2011	2019	Piazzi V. 117	6'7	5. 23. 3'48	38'64	7	+ 4'910	+ 54. 18. 29'72	38'46	8	+ 3'220	117
2012	2020	20 Camelopardi	7'8	5. 23. 30'49	34'01	3	+ 5'057	+ 56. 22. 11'53	34'28	4	+ 3'181	777	...	120
2013	2021	34 Orionis	2	5. 23. 34'79	32'80	23	+ 3'062	- 0. 25. 39'47	32'15	20	+ 3'173	787	...	126
2014	2022	Piazzi V. 125	6'7	5. 23. 50'59	33'07	6	+ 3'562	+ 20. 20. 58'29	33'02	5	+ 3'152	125
2015	2023	120 Tauri	6	5. 23. 51'80	36'32	9	+ 3'512	+ 18. 24. 54'29	38'59	6	+ 3'150	786	...	127
2016	2024	36 Orionis	5	5. 23. 57'29	31'81	6	+ 2'900	- 7. 25. 44'56	31'60	4	+ 3'142	789	...	130
2017	2025	10 Leporis	6	5. 24. 4'38	32'80	6	+ 2'626	- 20. 59. 25'11	32'13	5	+ 3'133	791	...	133
2018	2026	35 Orionis	7	5. 24. 31'85	35'23	7	+ 3'406	+ 14. 10. 58'03	35'68	9	+ 3'091	788	...	132
2019	2027	Piazzi V. 131	7'8	5. 24. 40'56	36'52	4	+ 3'741	+ 26. 51. 21'24	36'42	3	+ 3'080	131
2020	2028	Piazzi V. 134	7	5. 24. 47'66	34'32	4	+ 2'964	- 4. 41. 29'67	34'29	4	+ 3'068	134
2021	2029	22 Camelopardi	7	5. 25. 9'62	34'53	5	+ 5'050	+ 56. 15. 15'13	34'32	4	+ 3'037	785	...	129
2022	2030	21 Camelopardi	7	5. 25. 11'50	34'34	4	+ 5'541	+ 61. 50. 20'41	34'30	4	+ 3'036	782	...	128
2023	2031	Lacaille 1886	6'7	5. 25. 18'11	38'02	3	+ 1'644	- 47. 12. 20'12	38'02	3	+ 3'025	...	1886	...
2024	2032	Columba	4	5. 25. 21'49	32'00	6	+ 2'126	- 35. 35. 44'79	34'13	9	+ 3'021	...	1883	140
2025	2033	121 Tauri	6	5. 25. 22'91	33'17	4	+ 3'658	+ 23. 55. 20'43	33'11	5	+ 3'018	790	...	135
2026	2034	11 Leporis	3'4	5. 25. 27'28	33'41	7	+ 2'644	- 17. 56. 45'27	31'47	11	+ 3'012	796	...	139
2027	2035	Piazzi V. 136	6'7	5. 25. 34'61	33'18	5	+ 3'761	+ 27. 32. 49'67	33'13	5	+ 3'002	136
2028	2036	38 Orionis	6	5. 25. 36'14	33'15	4	+ 3'156	+ 3. 38. 51'42	33'14	5	+ 2'998	793	...	137
2029	2037	Lacaille 1888	5'6	5. 25. 37'52	38'02	3	+ 1'644	- 47. 11. 59'80	38'02	3	+ 2'995	...	1888	...
2030	2038	Lacaille 1897	7	5. 25. 41'58	38'04	4	+ 0'730	- 60. 32. 41'91	38'04	4	+ 2'990	...	1897	...
2031	2039	37 Orionis	4'5	5. 25. 46'09	31'90	4	+ 3'290	+ 9. 22. 13'90	31'58	10	+ 2'984	792	...	138
2032	2040	Lacaille 1889	7	5. 26. 2'31	38'06	3	+ 1'863	- 42. 25. 39'73	38'06	3	+ 2'962	...	1889	...
2033	2041	39 Orionis	4	5. 26. 3'26	32'11	6	+ 3'301	+ 9. 49. 1'39	32'65	20	+ 2'960	794	...	141
2034	2042	Brisbane 977	8'9	5. 26. 4'59	38'04	3	+ 0'705	- 60. 48. 34'02	38'05	2	+ 2'956
2035	2043	Piazzi V. 142	7	5. 26. 9'02	34'38	4	+ 3'293	+ 9. 29. 46'73	34'33	4	+ 2'951	142
2036	2044	Piazzi V. 144	6'7	5. 26. 15'64	36'68	10	+ 2'958	- 4. 55. 23'73	38'73	8	+ 2'942	144
2037	2045	Piazzi V. 145	7	5. 26. 50'96	32'89	6	+ 3'741	+ 26. 48. 48'23	33'09	5	+ 2'891	145
2038	2046	Lacaille 1896	6'7	5. 26. 55'05	36'90	16	+ 1'699	- 46. 2. 59'46	37'17	10	+ 2'886	...	1896	157
2039	2047	41 Orionis	6	5. 27. 10'05	38'37	9	+ 2'945	- 5. 30. 17'76	34'75	12	+ 2'864	802	...	147
2040	2048	Lacaille 1890	7	5. 27. 13'58	35'11	3	+ 2'137	- 35. 15. 26'36	34'36	4	+ 2'860	...	1890	158

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2041	2049	42 Orionis..... ^c	5	5. 27. 14'96	33'32	15	+ 2'957	— 4. 57. 12'42	32'97	15	+ 2'857	803	...	149
2042	2050	43 Orionis ^θ	6	5. 27. 16'86	33'99	11	+ 2'944	— 5. 31. 52'38	35'17	3	+ 2'853	804	...	150
2043	2051	Lacaille 1892	6'7	5. 27. 19'02	34'35	4	+ 2'165	— 34. 25. 22'70	34'31	4	+ 2'851	...	1892	159
2044	2052	44 Orionis ^ε	3'4	5. 27. 21'80	32'15	4	+ 2'933	— 6. 1. 26'67	31'65	8	+ 2'847	806	...	151
2045	2053	Piazzi V. 143	8'9	5. 27. 26'82	36'68	3	+ 5'510	+ 61. 30. 14'21	36'51	4	+ 2'839	143
2046	2054	122 Tauri	6	5. 27. 29'47	33'59	4	+ 3'475	+ 16. 55. 51'60	33'98	5	+ 2'836	798	...	148
2047	2055	45 Orionis ^δ	6	5. 27. 31'35	37'21	9	+ 2'957	— 4. 58. 11'76	38'63	6	+ 2'833	807	...	154
2048	2056	Brisbane 981	10	5. 27. 37'93	39'44	5	+ 0'577	— 62. 2. 52'02	39'73	6	+ 2'822
2049	2057	Brisbane 982	7'8	5. 27. 44'61	39'56	6	+ 0'587	— 61. 56. 59'14	39'56	6	+ 2'812
2050	2058	123 Tauri ^ζ	3'4	5. 27. 47'24	33'13	11	+ 3'581	+ 21. 2. 3'83	32'56	20	+ 2'807	800	...	152
2051	2059	46 Orionis ^ε	2'3	5. 27. 50'66	32'32	9	+ 3'042	— 1. 18. 49'47	31'71	19	+ 2'804	809	...	160
2052	2060	40 Orionis ^φ	5	5. 27. 50'73	32'02	6	+ 3'286	+ 9. 11. 38'96	33'87	12	+ 2'804	805	...	156
2053	2061	Piazzi V. 146	7	5. 27. 57'81	36'49	4	+ 4'855	+ 53. 24. 11'68	36'50	4	+ 2'793	146
2054	2062	26 Aurigæ	5	5. 28. 2'68	33'02	6	+ 3'848	+ 30. 23. 8'68	31'10	5	+ 2'787	799	...	155
2055	2063	Piazzi V. 163	7'8	5. 28. 9'85	35'14	3	+ 2'939	— 5. 45. 31'63	35'71	3	+ 2'777	163
2056	2064	Piazzi V. 162	6'7	5. 28. 17'70	33'68	5	+ 3'278	+ 8. 50. 35'44	34'31	4	+ 2'765	162
2057	2065	23 Camelopardi	6'7	5. 28. 58'31	34'74	5	+ 5'500	+ 61. 22. 58'33	34'35	4	+ 2'706	795	...	153
2058	2066	24 Camelopardi	6'7	5. 29. 2'40	35'15	3	+ 5'073	+ 56. 29. 3'17	34'35	4	+ 2'702	797	...	161
2059	2067	Lacaille 1902	6	5. 29. 11'28	38'40	5	+ 2'205	— 33. 11. 44'95	38'40	5	+ 2'688	...	1902	...
2060	2068	Piazzi V. 164	6'7	5. 29. 13'79	34'39	3	+ 3'640	+ 23. 13. 12'80	34'30	4	+ 2'684	164
2061	2069	Lacaille 1904	7	5. 29. 24'39	39'16	8	+ 2'199	— 33. 23. 1'75	39'05	8	+ 2'670	...	1904	...
2062	2070	Piazzi V. 167	7	5. 29. 28'75	34'33	4	+ 2'955	— 5. 2. 24'49	34'28	4	+ 2'662	167
2063	2071	125 Tauri ^δ	6	5. 29. 30'86	34'38	6	+ 3'713	+ 25. 47. 46'34	35'80	8	+ 2'659	810	...	165
2064	2072	Lacaille 1905	6	5. 29. 43'32	37'70	13	+ 2'343	— 28. 48. 58'69	36'98	14	+ 2'642	...	1905	169
2065	2073	Brisbane 992	6'7	5. 29. 53'97	38'09	3	+ 0'614	— 61. 39. 33'73	38'09	3	+ 2'626
2066	2074	Piazzi V. 168	8	5. 30. 9'45	36'52	4	+ 3'926	+ 32. 47. 53'54	37'01	2	+ 2'604	168
2067	2075	Piazzi V. 170	8'9	5. 30. 17'46	37'06	8	+ 3'165	+ 4. 2. 17'50	36'54	4	+ 2'591	170
2068	2076	25 Camelopardi	6'7	5. 30. 20'40	35'09	3	+ 4'950	+ 54. 46. 27'14	34'33	4	+ 2'588	808	...	166
2069	2077	48 Orionis ^σ	4	5. 30. 28'00	31'52	11	+ 3'010	— 2. 42. 5'97	31'57	10	+ 2'576	814	...	172
2070	2078	Lacaille 1923	7	5. 30. 28'63	38'10	3	+ 1'177	— 55. 0. 54'33	38'10	3	+ 2'575	...	1923	...
2071	2079	47 Orionis ^ω	6	5. 30. 28'75	34'45	13	+ 3'165	+ 4. 1. 15'10	35'10	13	+ 2'575	813	...	171
2072	2080	Piazzi V. 173	9	5. 30. 29'15	39'05	6	+ 3'010	— 2. 42. 2'99	36'10	2	+ 2'575	173
2073	2081	Piazzi V. 174	7	5. 30. 30'46	36'72	3	+ 3'010	— 2. 41. 44'78	36'58	4	+ 2'574	174
2074	2082	Lacaille 1914	7	5. 30. 43'55	38'09	3	+ 2'138	— 35. 10. 8'38	38'10	3	+ 2'556	...	1914	...
2075	2083	Lacaille 1911	6	5. 30. 45'70	33'67	9	+ 2'368	— 27. 58. 21'39	33'12	9	+ 2'551	...	1911	177
2076	2084	49 Orionis ^d	5	5. 30. 54'27	31'97	7	+ 2'902	— 7. 18. 38'92	33'52	13	+ 2'540	816	...	176
2077	2085	Piazzi V. 175	7	5. 30. 55'61	36'55	4	+ 2'949	— 5. 17. 40'22	37'04	2	+ 2'538	175
2078	2086	Piazzi V. 181	7	5. 31. 12'45	37'92	9	+ 2'345	— 28. 43. 43'29	37'73	10	+ 2'514	181
2079	2087	Piazzi V. 178	6	5. 31. 18'09	33'05	6	+ 2'981	— 3. 39. 41'71	33'07	5	+ 2'505	178
2080	2088	Lacaille 1915	6	5. 31. 18'44	32'32	7	+ 2'343	— 28. 47. 38'58	33'05	5	+ 2'505	...	1915	183

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession 1835°0.	Mean Dec., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
2081	2089	Lacaille 1930	5.6	h m s 5. 31. 34.46	38°04	3	+ 1'628	— 47. 25. 6.21	38°05	2	+ 2'482	...	1930	...
2082	2090	126 Tauri	5.6	5. 31. 45.80	32°16	6	+ 3'463	+ 16. 26. 27.60	33°68	6	+ 2'464	817	...	180
2083	2091	Lacaille 1926	7	5. 31. 46.55	38°09	3	+ 2'030	— 38. 7. 32.73	38°11	3	+ 2'462	...	1926	...
2084	2092	Piazzi V. 184	6.7	5. 32. 5.82	34°82	3	+ 3'624	+ 22. 34. 11.89	34°33	4	+ 2'435	184
2085	2093	Piazzi V. 185	7	5. 32. 6.04	34°35	4	+ 2'990	— 3. 31. 19.07	34°29	4	+ 2'435	185
2086	2094	Piazzi V. 190	8	5. 32. 7.63	36°59	4	+ 2'338	— 28. 56. 13.27	36°58	4	+ 2'432	190
2087	2095	Donadue	4	5. 32. 12.42	32°15	6	+ 0'511	— 62. 35. 56.71	31°66	9	+ 2'427	...	1948	...
2088	2096	50 Orionis	3	5. 32. 26.14	32°34	26	+ 3'025	— 2. 2. 10.89	32°15	21	+ 2'406	819	...	188
2089	2097	26 Camelopardi	6.7	5. 32. 36.17	34°41	4	+ 5'043	+ 56. 2. 10.78	34°35	4	+ 2'391	811	...	179
2090	2098	Piazzi V. 187	8	5. 32. 42.83	36°38	3	+ 3'519	+ 18. 35. 59.65	36°41	3	+ 2'382	187
2091	2099	Bradley 818	9	5. 32. 46.49	36°08	8	+ 3'527	+ 18. 53. 54.53	35°76	3	+ 2'377	818	...	189
2092	2100	28 Camelopardi	7	5. 32. 50.53	34°33	4	+ 5'105	+ 56. 50. 39.14	34°27	4	+ 2'371	812	...	182
2093	2101	Piazzi V. 193	9	5. 32. 53.95	36°52	2	+ 2'311	— 29. 48. 38.04	36°56	4	+ 2'366	193
2094	2102	27 Aurigæ	6.7	5. 33. 8.07	35°10	4	+ 4'641	+ 49. 44. 38.83	34°33	4	+ 2'345	815	...	186
2095	2103	Brisbane 1006	6	5. 33. 9.77	38°10	3	+ 0'648	— 61. 16. 44.51	38°10	3	+ 2'343
2096	2104	127 Tauri	6.7	5. 33. 11.60	36°59	6	+ 3'527	+ 18. 53. 34.60	35°24	5	+ 2'340	820	...	191
2097	2105	Lacaille 1958	8.9	5. 33. 13.91	39°09	6	+ 0'676	— 60. 59. 47.37	39°36	7	+ 2'337	...	1958	...
2098	2106	Piazzi V. 192	6.7	5. 33. 18.41	34°39	4	+ 3'639	+ 23. 7. 6.45	34°35	4	+ 2'331	192
2099	2107	Lacaille 1941	6.7	5. 33. 25.76	35°04	5	+ 1'925	— 40. 18. 14.43	34°28	4	+ 2'319	...	1941	195
2100	2108	Bradley 823	7	5. 33. 36.38	35°95	10	+ 3'406	+ 14. 5. 31.18	36°26	9	+ 2'304	823
2101	2109	Columba	2	5. 33. 40.74	32°38	24	+ 2'170	— 34. 9. 59.94	31°88	51	+ 2'297	...	1938	196
2102	2111	Brisbane 1012	7	5. 33. 43.76	38°04	4	+ 1'606	— 47. 48. 39.95	38°04	3	+ 2'292
2103	2110	Lacaille 1936	6.7	5. 33. 44.10	34°39	4	+ 2'219	— 32. 43. 14.45	34°35	4	+ 2'292	...	1936	197
2104	2112	51 Orionis	6	5. 33. 56.86	32°45	6	+ 3'104	+ 1. 23. 16.63	32°18	5	+ 2'274	822	...	194
2105	2113	Brisbane 1013	7	5. 34. 12.50	38°02	2	+ 1'926	— 40. 46. 38.00	38°02	2	+ 2'253
2106	2114	Piazzi V. 198	8.9	5. 34. 35.13	36°78	4	+ 3'523	+ 18. 45. 8.21	36°55	4	+ 2'219	198
2107	2115	Piazzi V. 200	6.7	5. 34. 48.43	34°31	4	+ 3'033	— 1. 41. 45.25	34°32	4	+ 2'200	200
2108	2116	Lacaille 1966	7	5. 35. 12.99	38°42	5	+ 1'170	— 55. 2. 49.59	38°43	5	+ 2'165	...	1966	...
2109	2117	12 Leporis	6	5. 35. 17.65	31°80	9	+ 2'522	— 22. 27. 34.35	32°81	4	+ 2'158	828	...	204
2110	2118	128 Tauri	6	5. 35. 23.06	33°40	7	+ 3'453	+ 16. 0. 25.54	35°36	8	+ 2'149	826	...	201
2111	2119	Lacaille 1955	7	5. 35. 25.07	35°32	4	+ 2'193	— 33. 29. 11.57	34°38	4	+ 2'147	...	1955	205
2112	2120	Piazzi V. 202	7	5. 35. 30.56	34°38	4	+ 3'520	+ 18. 37. 33.10	34°38	4	+ 2'140	202
2113	2121	Piazzi V. 199	9	5. 35. 33.92	36°54	4	+ 4'900	+ 53. 57. 42.16	37°02	2	+ 2'136	199
2114	2122	Lacaille 1962	7	5. 35. 54.34	35°13	3	+ 2'285	— 30. 37. 10.95	34°40	4	+ 2'106	...	1962	207
2115	2123	Brisbane 1020	8.9	5. 36. 15.95	38°06	3	+ 0'614	— 61. 35. 10.43	38°06	3	+ 2'074
2116	2124	Piazzi V. 206	6	5. 36. 19.52	34°32	4	+ 3'163	+ 3. 55. 55.06	34°28	4	+ 2'069	206
2117	2125	Lacaille 1964	6.7	5. 36. 20.54	35°17	3	+ 2'149	— 34. 45. 10.34	34°38	4	+ 2'067	...	1964	211
2118	2126	29 Camelopardi	6.7	5. 36. 29.73	34°32	4	+ 5'108	+ 56. 51. 10.40	34°31	4	+ 2'053	821	...	203
2119	2127	Brisbane 1021	8	5. 36. 39.38	38°11	3	+ 0'646	— 61. 15. 29.93	38°11	2	+ 2'041
2120	2128	Piazzi V. 210	6.7	5. 37. 8.73	34°45	3	+ 3'562	+ 20. 12. 35.78	34°35	4	+ 1'997	210

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2121	2129	Lacaille 1968	7	h m s 5. 37. 12.71	34.57	4	+ 2.192	— 33. 30. 15.61	34.29	4	+ 1.991	...	1968	217
2122	2130	129 Tauri	6	5. 37. 16.31	33.33	7	+ 3.447	+ 15. 45. 1.80	32.16	5	+ 1.987	830	...	212
2123	2131	28 Aurigæ	6.7	5. 37. 23.54	35.15	3	+ 4.168	+ 39. 28. 0.95	35.04	5	+ 1.975	827	...	209
2124	2132	13 Leporis	4	5. 37. 35.35	31.50	11	+ 2.521	— 22. 30. 25.32	31.58	10	+ 1.959	837	...	219
2125	2133	29 Aurigæ	7	5. 37. 44.59	34.41	3	+ 4.154	+ 39. 6. 56.35	34.33	4	+ 1.944	829	...	213
2126	2134	30 Camelopardi	6	5. 37. 44.88	34.33	4	+ 5.278	+ 58. 54. 17.36	34.34	4	+ 1.944	825	...	208
2127	2135	Piazzi V. 214	6.7	5. 37. 48.19	35.12	2	+ 3.682	+ 24. 37. 9.45	34.36	4	+ 1.940	214
2128	2136	130 Tauri	6	5. 37. 49.32	33.14	5	+ 3.496	+ 17. 39. 36.53	32.18	7	+ 1.939	832	...	215
2129	2137	131 Tauri	6	5. 37. 49.42	33.05	6	+ 3.414	+ 14. 25. 13.14	33.05	6	+ 1.939	833	...	216
2130	2138	Lacaille 1979	7.8	5. 37. 53.22	38.04	4	+ 1.203	— 54. 32. 41.31	38.04	4	+ 1.932	...	1979	...
2131	2139	Lacaille 1973	6.7	5. 38. 3.55	35.09	5	+ 1.976	— 39. 29. 2.71	34.38	4	+ 1.918	...	1973	224
2132	2140	Piazzi V. 218	9	5. 38. 4.15	36.97	3	+ 3.445	+ 15. 39. 9.15	36.51	4	+ 1.916	218
2133	2141	Piazzi V. 220	6	5. 38. 4.51	34.42	4	+ 3.098	+ 1. 6. 16.08	34.38	4	+ 1.914	220
2134	2142	133 Tauri	6	5. 38. 21.56	33.11	5	+ 3.400	+ 13. 49. 56.24	33.08	4	+ 1.890	834	...	221
2135	2143	Piazzi V. 222	6.7	5. 38. 31.54	34.32	4	+ 3.578	+ 20. 48. 13.52	34.27	4	+ 1.876	222
2136	2144	132 Tauri	5	5. 38. 53.57	32.21	13	+ 3.679	+ 24. 30. 17.17	32.33	14	+ 1.845	835	...	223
2137	2145	Lacaille 1981	6.7	5. 39. 0.28	34.38	4	+ 1.697	— 45. 54. 43.25	36.19	8	+ 1.835	...	1981	231
2138	2146	Brisbane 1028	8	5. 39. 1.22	38.02	4	+ 1.707	— 45. 41. 48.77	38.02	4	+ 1.834
2139	2147	Brisbane 1031	7.8	5. 39. 4.61	38.41	5	+ 1.702	— 45. 48. 58.73	38.65	3	+ 1.830
2140	2148	52 Orionis	6	5. 39. 8.58	33.13	4	+ 3.221	+ 6. 23. 21.02	33.03	6	+ 1.823	841	...	227
2141	2149	Piazzi V. 225	8	5. 39. 12.34	36.33	3	+ 3.895	+ 31. 43. 29.33	36.53	4	+ 1.817	225
2142	2150	Brisbane 1033	7	5. 39. 20.93	38.08	3	+ 1.490	— 49. 55. 6.31	38.08	3	+ 1.804
2143	2151	14 Leporis	4.5	5. 39. 28.89	33.85	15	+ 2.718	— 14. 53. 21.23	31.57	10	+ 1.792	843	...	230
2144	2152	31 Aurigæ	5.6	5. 39. 47.44	34.28	4	+ 4.085	+ 37. 14. 56.46	34.31	4	+ 1.767	839	...	228
2145	2153	Columbæ	5	5. 39. 52.22	33.00	10	+ 2.228	— 32. 22. 24.94	32.38	14	+ 1.760	...	1982	238
2146	2154	53 Orionis	3	5. 39. 55.98	33.50	11	+ 2.843	— 9. 44. 3.94	31.53	10	+ 1.753	844	...	234
2147	2155	Lacaille 1986	7	5. 39. 57.87	37.47	5	+ 1.978	— 39. 23. 2.32	38.39	3	+ 1.751	...	1986	...
2148	2156	32 Aurigæ	5	5. 40. 3.55	32.15	5	+ 4.154	+ 39. 5. 28.41	31.38	7	+ 1.744	840	...	229
2149	2157	Piazzi V. 232	8.9	5. 40. 4.47	36.68	3	+ 3.401	+ 13. 51. 41.35	36.54	4	+ 1.743	232
2150	2158	31 Camelopardi	5	5. 40. 11.65	32.17	6	+ 5.364	+ 59. 50. 22.03	31.05	5	+ 1.730	831	...	226
2151	2159	134 Tauri	5.6	5. 40. 17.03	32.76	6	+ 3.370	+ 12. 35. 32.27	32.42	5	+ 1.722	842	...	235
2152	2160	Piazzi V. 236	7	5. 40. 34.60	33.16	5	+ 3.778	+ 27. 54. 37.16	32.11	5	+ 1.699	236
2153	2161	Piazzi V. 237	6.7	5. 40. 40.64	34.31	4	+ 3.907	+ 32. 4. 7.60	34.28	4	+ 1.688	237
2154	2162	Lacaille 1991	6.7	5. 40. 47.46	34.39	4	+ 2.387	— 27. 11. 50.57	34.36	4	+ 1.679	...	1991	241
2155	2163	Piazzi V. 239	6	5. 40. 57.43	34.31	4	+ 3.303	+ 9. 48. 48.10	34.29	4	+ 1.664	239
2156	2164	30 Aurigæ	5	5. 41. 1.50	32.02	6	+ 5.022	+ 55. 39. 24.44	31.03	4	+ 1.659	838	...	233
2157	2165	135 Tauri	6	5. 41. 5.80	32.46	6	+ 3.410	+ 14. 15. 2.17	33.05	6	+ 1.651	845	...	240
2158	2166	Lacaille 2004	7	5. 41. 9.66	38.09	5	+ 1.113	— 55. 46. 0.97	38.48	5	+ 1.646	...	2004	...
2159	2167	Bradley 846	7	5. 41. 25.07	33.02	5	+ 3.414	+ 14. 23. 19.00	33.07	5	+ 1.623	846	...	242
2160	2168	Bradley 847	7	5. 41. 29.34	33.19	4	+ 3.405	+ 13. 59. 31.94	37.98	3	+ 1.617	847	...	244

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2161	2169	Piazzi V. 243	6	h m s 5. 41. 44.91	34.33	4	+ 3.967	+ 33. 51. 55.44	34.31	4	+ 1.595	243
2162	2170	Lacaille 2003	5.6	5. 41. 54.02	38.04	3	+ 1.659	- 46. 39. 40.90	38.04	3	+ 1.582	...	2003	...
2163	2171	Piazzi V. 245	8	5. 42. 7.41	36.27	4	+ 3.543	+ 19. 28. 11.58	36.52	4	+ 1.563	245
2164	2172	Lacaille 2012	7.8	5. 42. 11.84	39.27	5	+ 1.111	- 55. 47. 21.66	38.77	3	+ 1.555	...	2012	...
2165	2174	Lacaille 2005	7	5. 42. 18.23	36.99	7	+ 1.886	- 41. 39. 0.91	37.54	11	+ 1.546	...	2005	250
2166	2173	Lacaille 1998	6.7	5. 42. 18.40	39.12	6	+ 2.190	- 33. 29. 20.74	40.13	3	+ 1.546	...	1998	...
2167	2175	Lacaille 2014	7	5. 42. 25.63	39.51	9	+ 1.122	- 55. 38. 31.97	39.37	10	+ 1.534	...	2014	...
2168	2176	136 Tauri	4.5	5. 42. 57.65	32.30	21	+ 3.768	+ 27. 33. 56.24	33.58	19	+ 1.490	848	...	247
2169	2177	137 Tauri	6	5. 43. 0.20	33.17	5	+ 3.407	+ 14. 7. 21.22	32.19	6	+ 1.486	849	...	249
2170	2178	Lacaille 2002	6	5. 43. 0.21	33.13	5	+ 2.505	- 23. 1. 38.93	33.04	4	+ 1.486	...	2002	252
2171	2179	Brisbane 1052	10	5. 43. 19.01	38.04	2	+ 0.668	- 60. 58. 50.79	39.04	3	+ 1.458
2172	2180	Lacaille 2025	7	5. 43. 22.23	39.86	5	+ 1.095	- 55. 59. 49.57	39.86	5	+ 1.454	...	2025	...
2173	2181	Pictoria	5.6	5. 43. 22.74	38.04	3	+ 1.417	- 51. 7. 46.39	38.12	3	+ 1.454	...	2021	...
2174	2182	55 Orionis	6	5. 43. 24.16	35.26	12	+ 2.895	- 7. 34. 5.57	35.26	12	+ 1.450	853	...	254
2175	2183	Bradley 850	Var.	5. 43. 30.73	34.35	4	+ 3.564	+ 20. 15. 11.82	34.43	5	+ 1.442	850	...	251
2176	2184	Brisbane 1054	6.7	5. 43. 34.89	39.19	8	+ 0.687	- 60. 47. 5.65	39.51	5	+ 1.436
2177	2185	Piazzi V. 255	7	5. 43. 36.44	36.49	4	+ 3.216	+ 6. 9. 45.62	36.55	4	+ 1.435	255
2178	2186	Lacaille 2011	7	5. 43. 37.53	38.06	3	+ 2.281	- 30. 40. 27.58	38.06	3	+ 1.434	...	2011	...
2179	2187	Piazzi V. 246	6.7	5. 43. 41.65	34.56	5	+ 6.212	+ 66. 59. 3.40	34.35	4	+ 1.427	246
2180	2188	Piazzi V. 248	7	5. 43. 51.16	34.28	5	+ 5.021	+ 55. 37. 8.72	34.31	4	+ 1.412	248
2181	2189	56 Orionis	5.6	5. 43. 52.68	33.11	5	+ 3.114	+ 1. 48. 29.57	33.15	5	+ 1.409	855	...	257
2182	2190	15 Leporis	5	5. 44. 13.54	31.56	7	+ 2.563	- 20. 53. 51.39	31.64	10	+ 1.380	858	...	261
2183	2191	Brisbane 1056	6.7	5. 44. 15.73	39.29	5	+ 0.636	- 61. 17. 26.15	39.76	12	+ 1.376
2184	2192	Piazzi V. 256	6.7	5. 44. 16.58	33.05	7	+ 3.895	+ 31. 40. 5.90	33.16	5	+ 1.376	256
2185	2193	Piazzi V. 258	9	5. 44. 19.36	36.52	4	+ 3.401	+ 13. 50. 49.81	36.51	4	+ 1.371	258
2186	2194	Brisbane 1055	7	5. 44. 19.82	38.44	5	+ 1.673	- 46. 22. 13.10	38.44	5	+ 1.369
2187	2195	Doradus	5	5. 44. 29.67	32.15	6	+ 0.103	- 65. 47. 51.35	31.14	6	+ 1.356	...	2045	...
2188	2196	Piazzi V. 263	9	5. 44. 34.15	36.70	3	+ 2.563	- 20. 53. 10.54	36.08	2	+ 1.350	263
2189	2197	Piazzi V. 260	7	5. 44. 35.86	36.50	4	+ 3.217	+ 6. 12. 41.07	36.54	4	+ 1.347	260
2190	2198	54 Orionis	5	5. 44. 36.85	32.04	10	+ 3.564	+ 20. 14. 17.53	32.16	16	+ 1.346	856	...	259
2191	2199	Lacaille 2034	7	5. 44. 46.66	38.14	3	+ 1.741	- 44. 55. 39.46	38.14	3	+ 1.330	...	2034	...
2192	2200	Columba	3	5. 45. 8.93	31.82	9	+ 2.108	- 35. 50. 5.81	33.55	13	+ 1.298	...	2029	267
2193	2201	57 Orionis	6	5. 45. 10.67	32.85	5	+ 3.550	+ 19. 42. 36.59	32.17	5	+ 1.294	857	...	265
2194	2202	Piazzi V. 253	7	5. 45. 12.72	37.12	7	+ 6.197	+ 66. 52. 26.75	40.07	3	+ 1.292	253
2195	2203	33 Aurigæ	3.4	5. 45. 56.72	32.17	4	+ 4.927	+ 54. 15. 40.41	31.10	5	+ 1.228	852	...	262
2196	2204	Bradley 851	6.7	5. 46. 0.50	34.39	4	+ 5.000	+ 55. 17. 46.25	34.37	4	+ 1.224	851	...	264
2197	2205	Piazzi V. 266	6.7	5. 46. 5.06	34.36	4	+ 3.808	+ 28. 54. 26.51	34.29	4	+ 1.216	266
2198	2206	Piazzi V. 270	8.9	5. 46. 9.45	36.63	5	+ 2.104	- 35. 57. 12.10	36.38	3	+ 1.211	270
2199	2207	58 Orionis	1	5. 46. 14.47	34.49	122	+ 3.245	+ 7. 22. 10.32	32.76	143	+ 1.201	860	...	268
2200	2208	Brisbane 1066	9	5. 46. 22.68	38.56	6	+ 0.639	- 61. 15. 20.37	38.52	6	+ 1.189

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2201	2209	Lacaille 2040	6.7	h m s 5. 46. 40.85	38.06	3	+ 1.905	— 41. 8. 57.75	38.06	3	+ 1.165	...	2040	...
2202	2210	Pictoris.....γ	5.6	5. 46. 50.21	38.07	3	+ 1.077	— 56. 12. 39.24	38.08	3	+ 1.151	...	2053	...
2203	2211	Lacaille 2051	6	5. 46. 52.43	38.09	3	+ 1.312	— 52. 48. 51.75	38.09	3	+ 1.149	...	2051	...
2204	2212	Lacaille 2041	6.7	5. 46. 55.94	34.73	5	+ 2.041	— 37. 40. 14.58	34.37	4	+ 1.142	...	2041	274
2205	2213	Columba.....λ	6	5. 47. 7.23	35.09	3	+ 2.177	— 33. 50. 33.42	34.36	4	+ 1.127	...	2044	276
2206	2214	Lacaille 2052	5	5. 47. 9.55	38.10	3	+ 1.354	— 52. 8. 57.34	38.10	3	+ 1.124	...	2052	...
2207	2215	Lacaille 2046	6	5. 47. 16.22	34.11	3	+ 2.007	— 38. 33. 56.04	34.34	4	+ 1.114	...	2046	278
2208	2216	Piazzi V. 272	7.8	5. 47. 24.82	34.39	4	+ 3.537	+ 19. 11. 8.46	35.06	1	+ 1.100	272
2209	2217	34 Aurigæ.....β	2	5. 47. 25.54	31.38	5	+ 4.404	+ 44. 55. 16.79	32.72	14	+ 1.100	859	...	269
2210	2218	35 Aurigæ.....π	5	5. 47. 41.52	32.19	6	+ 4.451	+ 45. 54. 44.64	31.18	5	+ 1.078	271
2211	2219	Brisbane 1077	7	5. 47. 42.20	39.09	8	+ 0.690	— 60. 43. 22.58	38.99	9	+ 1.077
2212	2220	139 Tauri.....	5.6	5. 47. 45.50	35.71	12	+ 3.721	+ 25. 55. 30.58	38.34	11	+ 1.072	862	...	273
2213	2221	Brisbane 1078	8.9	5. 47. 54.35	41.12	2	+ 0.677	— 60. 51. 12.90	40.12	3	+ 1.058
2214	2222	36 Aurigæ.....	6.7	5. 48. 27.46	34.36	4	+ 4.549	+ 47. 52. 52.31	34.47	5	+ 1.010	861	...	275
2215	2223	37 Aurigæ.....θ	4	5. 48. 28.24	31.65	10	+ 4.085	+ 37. 11. 33.17	31.83	9	+ 1.009	863	...	277
2216	2224	Piazzi V. 279	8	5. 48. 43.67	36.54	2	+ 3.768	+ 27. 32. 16.28	36.52	4	+ 0.985	279
2217	2225	Lacaille 2064	7.8	5. 48. 47.39	38.47	5	+ 1.588	— 47. 59. 31.46	38.47	5	+ 0.981	...	2064	...
2218	2226	Brisbane 1081	8	5. 48. 53.50	38.04	3	+ 1.895	— 41. 22. 40.30	38.04	3	+ 0.972
2219	2227	16 Leporis.....η	4	5. 48. 53.64	32.32	8	+ 2.734	— 14. 12. 12.88	31.64	10	+ 0.971	866	...	281
2220	2228	Brisbane 1084	10	5. 49. 12.45	39.63	7	+ 0.615	— 61. 27. 57.00	39.40	9	+ 0.943
2221	2229	Lacaille 2077	7.8	5. 49. 23.79	38.06	3	+ 1.053	— 56. 29. 59.45	38.05	3	+ 0.926	...	2077	...
2222	2230	Brisbane 1087	8.9	5. 49. 25.51	40.39	4	+ 1.328	— 52. 32. 58.91	39.14	3	+ 0.925
2223	2231	Lacaille 2067	6.7	5. 49. 30.97	34.41	4	+ 1.952	— 39. 59. 25.54	34.39	4	+ 0.917	...	2067	286
2224	2232	Lacaille 2080	6	5. 49. 34.62	38.17	3	+ 1.001	— 57. 11. 20.75	38.17	3	+ 0.912	...	2080	...
2225	2233	Piazzi V. 282	7.8	5. 49. 39.81	36.26	4	+ 3.115	+ 1. 49. 57.37	36.52	4	+ 0.905	282
2226	2234	Lacaille 2065	6.7	5. 49. 47.56	35.93	7	+ 2.251	— 31. 33. 39.07	35.91	7	+ 0.894	...	2065	288
2227	2235	Lacaille 2069	6	5. 49. 49.40	35.15	3	+ 2.060	— 37. 8. 59.19	34.38	4	+ 0.892	...	2069	290
2228	2236	59 Orionis	6	5. 49. 50.44	32.70	7	+ 3.114	+ 1. 48. 47.98	33.05	5	+ 0.889	869	...	283
2229	2237	Piazzi V. 280	6	5. 49. 59.19	34.41	4	+ 4.659	+ 49. 53. 46.28	34.44	3	+ 0.876	280
2230	2238	Doradus.....ε	5	5. 50. 4.77	36.78	7	— 0.067	— 66. 56. 33.53	34.24	13	+ 0.870	...	2093	...
2231	2239	Piazzi V. 284	9	5. 50. 8.08	36.50	4	+ 3.349	+ 11. 44. 30.56	36.54	4	+ 0.863	284
2232	2240	Columba.....σ	6.7	5. 50. 8.59	36.59	6	+ 2.256	— 31. 24. 34.77	35.96	7	+ 0.862	...	2070	292
2233	2241	60 Orionis	6	5. 50. 20.71	32.19	6	+ 3.084	+ 0. 31. 51.54	32.17	5	+ 0.844	870	...	289
2234	2242	140 Tauri	6	5. 50. 28.28	34.30	4	+ 3.636	+ 22. 52. 54.87	34.28	4	+ 0.834	867	...	285
2235	2243	Lacaille 2082	6.7	5. 50. 33.89	38.06	3	+ 1.499	— 49. 39. 27.18	38.07	3	+ 0.826	...	2082	...
2236	2244	Piazzi V. 287	7	5. 50. 38.36	34.02	7	+ 3.769	+ 27. 33. 21.69	32.36	5	+ 0.819	287
2237	2245	Lacaille 2075	6.7	5. 50. 39.89	38.11	3	+ 2.237	— 32. 0. 6.68	38.11	3	+ 0.817	...	2075	...
2238	2246	1 Monocerotis.....	6.7	5. 51. 10.62	34.40	4	+ 2.851	— 9. 24. 8.14	34.35	4	+ 0.773	872	...	294
2239	2247	Lacaille 2087	6.7	5. 51. 12.55	38.35	4	+ 1.320	— 52. 40. 30.13	38.11	3	+ 0.769	...	2087	...
2240	2248	2 Monocerotis	5.6	5. 51. 14.43	33.06	6	+ 2.847	— 9. 34. 31.68	33.09	5	+ 0.766	874	...	295

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2241	2249	Bradley 864	7.8	h m s 5. 51. 24'03	37.89	11	+ 4.756	+ 51. 34. 0'92	38.27	9	+ 0.751	864	...	291
2242	2250	38 Aurigæ.....	6.7	5. 51. 24'22	34.20	6	+ 4.314	+ 42. 54. 28'10	34.29	4	+ 0.751	868	...	293
2243	2251	Brisbane 1099	7	5. 51. 40'02	38.10	3	+ 0.573	- 61. 52. 13'24	38.10	3	+ 0.730
2244	2252	Columbæ.....	4	5. 51. 41'35	31.95	22	+ 2.126	- 35. 18. 18'80	32.65	14	+ 0.728	...	2084	297
2245	2253	Brisbane 1100.....	9.10	5. 51. 43'37	38.36	4	+ 0.617	- 61. 25. 58'58	38.14	2	+ 0.725
2246	2254	141 Tauri	6	5. 51. 43'99	33.28	8	+ 3.622	+ 22. 23. 18'39	33.13	5	+ 0.723	871	...	296
2247	2255	Piazzi V. 299	7	5. 52. 52'31	34.39	4	+ 3.146	+ 3. 10. 33'10	34.36	4	+ 0.624	299
2248	2256	Brisbane 1101	7.8	5. 52. 57'75	38.03	3	+ 1.049	- 56. 32. 51'36	38.12	3	+ 0.615
2249	2257	Lacaille 2100	8	5. 53. 2'79	38.03	2	+ 1.046	- 56. 34. 42'60	38.12	3	+ 0.608	...	2100	...
2250	2258	39 Aurigæ	6.7	5. 53. 11'48	34.60	2	+ 4.318	+ 42. 59. 2'73	34.28	4	+ 0.595	873	...	298
2251	2259	61 Orionis	5	5. 53. 18'49	32.15	18	+ 3.299	+ 9. 38. 25'23	32.10	16	+ 0.585	877	...	302
2252	2260	Piazzi V. 300	8	5. 53. 20'37	36.53	4	+ 3.498	+ 17. 39. 31'32	36.55	4	+ 0.582	300
2253	2261	Piazzi V. 303	8	5. 53. 38'91	36.71	3	+ 3.770	+ 27. 34. 4'04	37.05	2	+ 0.556	303
2254	2262	Piazzi V. 305	8	5. 53. 39'45	36.52	4	+ 3.252	+ 7. 41. 29'42	36.55	4	+ 0.556	305
2255	2263	64 Orionis	5.6	5. 53. 41'41	32.18	6	+ 3.550	+ 19. 41. 8'58	32.14	5	+ 0.553	878	...	304
2256	2264	Piazzi V. 301.....	6.7	5. 53. 43'43	34.35	4	+ 4.115	+ 37. 57. 40'74	34.30	4	+ 0.551	301
2257	2265	Lacaille 2098	6	5. 53. 44'23	35.95	6	+ 1.779	- 44. 3. 2'46	34.36	4	+ 0.548	...	2098	313
2258	2266	Piazzi V. 306	7	5. 54. 0'20	34.39	4	+ 3.708	+ 25. 26. 31'30	34.34	4	+ 0.525	306
2259	2267	3 Monocerotis	5.6	5. 54. 4'93	32.16	6	+ 2.822	- 10. 36. 21'50	31.20	4	+ 0.517	883	...	311
2260	2268	1 Geminorum	5	5. 54. 5'68	31.72	12	+ 3.647	+ 23. 15. 52'08	32.09	16	+ 0.516	880	...	307
2261	2269	Lacaille 2099	5.6	5. 54. 5'78	35.09	4	+ 1.833	- 42. 49. 41'45	34.38	4	+ 0.516	...	2099	315
2262	2270	62 Orionis	5	5. 54. 7'38	32.00	10	+ 3.562	+ 20. 8. 4'83	31.53	9	+ 0.515	881	...	308
2263	2271	Brisbane 1108	8	5. 54. 10'17	38.53	6	+ 1.320	- 52. 39. 4'70	38.45	5	+ 0.511
2264	2272	Piazzi V. 312	7	5. 54. 12'05	34.32	4	+ 2.900	- 7. 17. 47'53	34.31	4	+ 0.507	312
2265	2273	Piazzi V. 309	7.8	5. 54. 13'53.	34.67	5	+ 3.251	+ 7. 37. 19'67	34.18	7	+ 0.504	309
2266	2274	Brisbane 1109	7.8	5. 54. 26'04	40.31	4	+ 0.613	- 61. 28. 7'84	39.28	6	+ 0.485
2267	2275	Brisbane 1110	7.8	5. 55. 4'98	38.09	3	+ 1.311	- 52. 48. 18'30	38.09	3...	+ 0.430
2268	2276	Brisbane 1111	7.8	5. 55. 9'10	38.19	7	+ 1.319	- 52. 39. 59'09	38.05	6	+ 0.425
2269	2277	Lacaille 2114	7	5. 55. 9'74.	38.09	3	+ 1.407	- 51. 14. 8'21	38.10	3.	+ 0.424	...	2114	...
2270	2278	Lacaille 2108	6	5. 55. 17'50	35.72	3	+ 2.173	- 33. 55. 3'91	34.39	4...	+ 0.411	...	2108	320
2271	2279	Lacaille 2112	7	5. 55. 24'06	39.07	7	+ 1.780	- 44. 0. 50'74	39.26	6	+ 0.402	...	2112	...
2272	2280	37 Camelopardi	6.7	5. 55. 25'21	34.41	4	+ 5.293	+ 58. 56. 44'43	34.35	4	+ 0.401	876	...	310
2273	2281	Piazzi V. 317	8.9	5. 55. 42'53	36.55	4	+ 3.441	+ 15. 27. 3'55	36.53	4	+ 0.377	317
2274	2282	Piazzi V. 319	8	5. 56. 7'16	37.06	2	+ 3.739	+ 26. 31. 52'04	36.57	4	+ 0.340	319
2275	2283	63 Orionis	6.7	5. 56. 10'39	36.55	4	+ 3.199	+ 5. 25. 21'39	36.59	4	+ 0.336	321
2276	2284	Piazzi V. 318	7.8	5. 56. 11'71	36.57	4	+ 4.120	+ 38. 5. 23'65	36.54	4.	+ 0.332	318
2277	2285	36 Camelopardi	6	5. 56. 14'66	34.40	3	+ 6.038	+ 65. 44. 14'65	34.30	4.	+ 0.328	875	...	314
2278	2286	66 Orionis	6	5. 56. 15'33	32.20	6	+ 3.168	+ 4. 9. 42'39	32.17	6.	+ 0.328	885	...	322
2279	2287	38 Camelopardi	6.7	5. 56. 16'91	34.36	4	+ 5.314	+ 59. 11. 3'28	34.29	4.	+ 0.324	316
2280	2288	Lacaille 2115	5.6	5. 56. 36'99	33.05	6	+ 2.412	- 26. 17. 21'24	32.19	4	+ 0.298	...	2115	327

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2281	2290	2 Geminorum	6.7	h m s 5. 56. 45.09	33.50	9	+ 3.658	+ 23. 38. 43.57	32.20	4	+ 0.285	884	...	323
2282	2289	Piazzi V. 324	7.8	5. 56. 45.39	36.56	4	+ 3.368	+ 12. 29. 8.55	36.58	4	+ 0.285	324
2283	2291	Lacaille 2123	7	5. 56. 57.42	38.57	4	+ 1.408	- 51. 13. 30.85	38.10	2	+ 0.267	...	2123	...
2284	2292	Piazzi V. 325	7.8	5. 57. 2.06	34.01	1	+ 3.744	+ 26. 41. 26.81	34.01	3	+ 0.260	325
2285	2293	Piazzi V. 328	7	5. 57. 13.56	33.11	5	+ 3.444	+ 15. 33. 16.62	32.12	5	+ 0.244	328
2286	2294	Brisbane 1119	8	5. 57. 21.57	39.13	4	+ 1.155	- 55. 5. 34.12	39.33	5	+ 0.231
2287	2295	17 Leporis	5.6	5. 57. 37.59	32.40	7	+ 2.676	- 16. 28. 44.49	33.03	5	+ 0.210	890	...	331
2288	2296	Bradley 889	6.7	5. 57. 39.58	34.31	4	+ 2.831	- 10. 14. 13.48	34.28	4	+ 0.206	889	...	330
2289	2297	Lacaille 2127	7	5. 57. 42.65	38.12	4	+ 1.166	- 54. 57. 18.33	38.12	3	+ 0.201	...	2127	...
2290	2298	Brisbane 1121	8	5. 57. 43.01	38.73	6	+ 0.710	- 60. 29. 23.23	38.65	5	+ 0.200
2291	2299	Brisbane 1120	8	5. 57. 44.48	38.31	4	+ 2.321	- 29. 20. 9.19	38.06	3	+ 0.198
2292	2300	Piazzi V. 329	7	5. 57. 47.40	34.37	4	+ 3.633	+ 22. 43. 8.99	34.33	4	+ 0.194	329
2293	2301	Lacaille 2133	7	5. 58. 3.27	39.29	10	+ 0.927	- 58. 6. 23.44	39.20	9	+ 0.171	...	2133	...
2294	2302	67 Orionis	4.5	5. 58. 9.12	33.34	27	+ 3.425	+ 14. 46. 51.72	32.80	32	+ 0.162	887	...	332
2295	2303	Brisbane 1125	8	5. 58. 29.93	39.53	2	+ 0.709	- 60. 29. 33.98	39.08	2	+ 0.131
2296	2304	18 Leporis	4.5	5. 58. 41.42	32.48	14	+ 2.715	- 14. 55. 34.85	31.46	11	+ 0.114	892	...	336
2297	2305	Piazzi V. 326	7	5. 58. 47.49	36.43	3	+ 6.650	+ 69. 30. 35.19	36.59	4	+ 0.106	326
2298	2306	41 Aurigæ	6.7	5. 58. 58.18	34.49	3	+ 4.596	+ 48. 44. 5.40	34.10	3	+ 0.089	886	...	334
2299	2307	Piazzi V. 333	7	5. 58. 58.40	36.56	4	+ 4.596	+ 48. 44. 12.39	36.29	4	+ 0.089	333
2300	2309	Bradley 894	7	5. 59. 8.71	33.82	6	+ 2.808	- 11. 9. 40.00	34.35	4	+ 0.074	894	...	339
2301	2310	Lacaille 2146	7	5. 59. 17.12	39.09	13	+ 0.710	- 60. 29. 6.45	39.09	13	+ 0.062	...	2146	...
2302	2311	Lacaille 2140	7	5. 59. 20.04	38.12	3	+ 1.259	- 53. 34. 45.34	38.12	3	+ 0.057	...	2140	...
2303	2312	Piazzi V. 338	6.7	5. 59. 35.59	32.50	6	+ 3.618	+ 22. 12. 31.57	32.16	5	+ 0.035	338
2304	2313	Lacaille 2128	6	5. 59. 39.25	36.82	8	+ 2.502	- 23. 5. 51.55	36.17	9	+ 0.031	...	2128	342
2305	2314	3 Geminorum	6	5. 59. 42.88	32.17	8	+ 3.643	+ 23. 7. 56.58	32.18	5	+ 0.025	891	...	340
2306	2315	Lacaille 2137	6.7	5. 59. 43.72	36.71	5	+ 1.733	- 45. 2. 21.77	35.93	7	+ 0.023	...	2137	346
2307	2316	Lacaille 2130	6	5. 59. 44.55	38.01	3	+ 2.308	- 29. 44. 42.67	38.01	3	+ 0.022	...	2130	...
2308	2317	Lacaille 2136	7	5. 59. 45.37	34.08	3	+ 1.726	- 45. 11. 16.57	34.31	4	+ 0.022	...	2136	347
2309	2318	Lacaille 2141	6.7	5. 59. 55.87	36.71	8	+ 1.731	- 45. 4. 51.99	36.23	7	+ 0.005	...	2141	348
2310	2319	Piazzi V. 345	7.8	5. 59. 58.83	40.33	4	+ 2.503	- 23. 4. 45.81	40.33	4	+ 0.001	345
2311	2320	Lacaille 2155	6	6. 0. 5.70	38.91	5	+ 0.748	- 60. 5. 33.94	39.82	7	- 0.009	...	2155	...
2312	2321	Lacaille 2143	7	6. 0. 6.47	38.15	3	+ 1.416	- 51. 5. 26.75	38.15	3	- 0.010	...	2143	...
2313	2323	Brisbane 1136	8	6. 0. 24.30	38.09	3	+ 1.311	- 52. 47. 10.05	38.13	2	- 0.035
2314	2324	4 Geminorum	7	6. 0. 29.34	32.20	3	+ 3.640	+ 23. 1. 12.61	33.07	5	- 0.043	895	...	344
2315	2325	Lacaille 2145	6	6. 0. 30.52	38.64	4	+ 1.563	- 48. 26. 47.20	38.63	4	- 0.045	...	2145	...
2316	2326	19 Leporis	6	6. 0. 31.10	33.09	6	+ 2.608	- 19. 9. 7.88	33.10	5	- 0.045	898	...	349
2317	2327	Brisbane 1138	7.8	6. 0. 36.99	39.10	10	+ 1.305	- 52. 53. 4.35	39.10	9	- 0.053
2318	2328	Piazzi V. 335	5	6. 0. 38.96	32.02	6	+ 6.623	+ 69. 21. 52.56	31.58	10	- 0.056	335
2319	2329	4 Monocerotis	6	6. 0. 41.72	33.16	2	+ 2.808	- 11. 7. 38.53	33.13	4	- 0.061	897
2320	2330	40 Camelopardi	5	6. 0. 50.93	31.99	6	+ 5.391	+ 60. 1. 57.68	31.57	10	- 0.074	888	...	341

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{1xi}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2321	2331	Brisbane 1142	9	6. 1. 3.10	38.49	3	+ 0.696	- 60. 38. 10.02	40.31	6	- 0.091
2322	2332	Brisbane 1140	7	6. 1. 6.05	38.35	4	+ 1.207	- 54. 22. 26.45	38.44	3	- 0.096
2323	2333	Lacaille 2142	6.7	6. 1. 7.21	35.14	3	+ 2.160	- 34. 17. 45.60	34.35	4	- 0.097	...	2142	352
2324	2334	Piazzi V. 337	6.7	6. 1. 17.12	34.32	4	+ 6.670	+ 69. 36. 45.86	34.26	4	- 0.112	337
2325	2335	5 Geminorum	7	6. 1. 25.12	33.58	10	+ 3.680	+ 24. 26. 55.74	33.61	9	- 0.124	896	...	350
2326	2336	Piazzi V. 343	8	6. 1. 27.05	36.52	4	+ 5.320	+ 59. 15. 6.16	36.54	4	- 0.127	343
2327	2337	Lacaille 2156	7	6. 1. 31.06	38.08	3	+ 1.697	- 45. 47. 53.62	38.08	3	- 0.132	...	2156	...
2328	2338	Columbae	6.7	6. 1. 35.31	35.16	3	+ 1.856	- 42. 16. 55.67	34.34	4	- 0.140	...	2154	6
2329	2339	Lacaille 2150	8	6. 1. 36.07	36.25	7	+ 2.064	- 37. 1. 5.14	36.54	4	- 0.141	...	2150	4
2330	2340	Lacaille 2149	7.8	6. 1. 39.83	36.77	7	+ 2.058	- 37. 10. 54.47	37.62	12	- 0.144	...	2149	5
2331	2341	Columbae	5	6. 1. 52.40	31.70	11	+ 2.056	- 37. 14. 2.26	32.22	12	- 0.162	...	2153	9
2332	2342	Brisbane 1148	7	6. 1. 56.90	38.09	3	+ 1.204	- 54. 23. 41.38	38.09	3	- 0.171
2333	2343	Gould 7325	10	6. 2. 9.18	41.12	3	+ 0.774	- 59. 48. 31.47	39.97	6	- 0.189
2334	2344	Lacaille 2160	6.7	6. 2. 15.03	34.34	4	+ 1.732	- 45. 4. 30.61	34.28	4	- 0.197	...	2160	11
2335	2345	68 Orionis	6	6. 2. 15.22	33.14	4	+ 3.554	+ 19. 49. 9.72	32.87	5	- 0.197	900	...	2
2336	2346	6 Geminorum	6.7	6. 2. 18.71	33.02	5	+ 3.638	+ 22. 56. 16.70	32.20	5	- 0.202	899	...	3
2337	2347	Lacaille 2161	6.7	6. 2. 24.20	38.44	3	+ 1.678	- 46. 11. 9.36	38.44	3	- 0.210	...	2161	...
2338	2348	69 Orionis	6	6. 2. 32.51	33.12	5	+ 3.460	+ 16. 9. 35.52	32.18	6	- 0.222	901	...	7
2339	2349	70 Orionis	5	6. 2. 33.61	31.55	14	+ 3.408	+ 14. 14. 20.17	31.64	9	- 0.223	903	...	8
2340	2350	Brisbane 1155	7	6. 2. 35.40	38.49	3	+ 0.701	- 60. 35. 18.61	40.31	6	- 0.227
2341	2351	Brisbane 1152	7	6. 2. 37.11	38.80	3	+ 1.342	- 52. 18. 15.24	38.80	3	- 0.229
2342	2352	Piazzi VI. 1	8	6. 2. 40.41	36.70	3	+ 4.478	+ 46. 25. 52.89	36.55	4	- 0.233	1
2343	2353	1 Lynx	5	6. 2. 41.58	31.57	5	+ 5.540	+ 61. 33. 23.98	31.58	9	- 0.237	893	...	351
2344	2354	Columbae	6	6. 2. 45.67	35.09	3	+ 1.860	- 42. 7. 56.79	34.36	4	- 0.242	...	2164	12
2345	2355	Lacaille 2167	6.7	6. 2. 58.56	34.38	4	+ 1.748	- 44. 42. 32.51	34.30	4	- 0.260	...	2167	15
2346	2356	Lacaille 2170	7.8	6. 3. 6.01	38.04	3	+ 1.760	- 44. 27. 24.52	38.04	3	- 0.272	...	2170	...
2347	2357	Lacaille 2174	6.7	6. 3. 43.32	35.59	6	+ 1.766	- 44. 19. 54.80	35.55	6	- 0.325	...	2174	20
2348	2359	Lacaille 2168	6	6. 4. 0.88	32.62	7	+ 2.387	- 27. 7. 21.93	32.16	5	- 0.351	...	2168	17
2349	2360	Piazzi VI. 13	9	6. 4. 3.99	37.96	8	+ 3.668	+ 24. 1. 25.56	37.90	6	- 0.355	13
2350	2361	Piazzi VI. 14	8.9	6. 4. 4.03	40.16	2	+ 3.667	+ 23. 59. 28.30	38.12	4	- 0.355	14
2351	2362	Brisbane 1162	7	6. 4. 6.46	38.47	3	+ 0.586	- 61. 43. 46.40	38.46	3	- 0.360
2352	2363	Piazzi VI. 10	8	6. 4. 20.73	36.53	4	+ 5.351	+ 59. 36. 29.60	36.53	4	- 0.381	10
2353	2364	Lacaille 2179	7	6. 4. 31.92	38.08	3	+ 1.870	- 41. 57. 11.95	38.08	3	- 0.397	...	2179	...
2354	2365	Lacaille 2173	6	6. 4. 36.66	38.02	3	+ 2.407	- 26. 27. 4.03	38.10	3	- 0.404	...	2173	...
2355	2366	Lacaille 2178	6	6. 4. 38.17	38.15	3	+ 2.143	- 34. 47. 13.98	38.15	3	- 0.406	...	2178	...
2356	2367	Lacaille 2186	8.9	6. 4. 38.56	39.25	6	+ 1.204	- 54. 24. 55.17	39.08	7	- 0.407	...	2186	...
2357	2368	Brisbane 1169	7.8	6. 4. 42.92	38.64	4	+ 1.281	- 53. 15. 37.63	38.64	4	- 0.413
2358	2369	Lacaille 2182	6.7	6. 4. 50.81	34.40	4	+ 1.937	- 40. 19. 37.55	34.55	5	- 0.425	...	2182	28
2359	2370	44 Aurigae	4	6. 4. 51.97	31.36	6	+ 3.830	+ 29. 33. 3.21	32.12	15	- 0.426	907	...	18
2360	2371	Lacaille 2177	7	6. 4. 53.77	34.13	3	+ 2.390	- 27. 1. 28.33	34.38	4	- 0.429	...	2177	26

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2361	2372	7 Geminorum	4.5	h m s 6. 4. 55.13	33.17	13	+ 3.627	+ 22. 32. 50.26	31.86	19	- 0.430	909	...	22
2362	2373	2 Lynceis	4.5	6. 5. 3.61	32.46	6	+ 5.302	+ 59. 3. 32.62	32.02	17	- 0.443	902	...	16
2363	2374	71 Orionis	5.6	6. 5. 8.34	32.14	6	+ 3.538	+ 19. 12. 16.54	33.02	5	- 0.450	911	...	23
2364	2375	Piazzi VI. 24	7	6. 5. 12.72	36.56	4	+ 3.457	+ 16. 4. 31.19	36.57	4	- 0.457	24
2365	2377	Lacaille 2183	8	6. 5. 16.67	38.06	3	+ 2.176	- 33. 50. 16.83	38.05	3	- 0.463	...	2183	...
2366	2376	42 Aurigæ	6.7	6. 5. 16.70	34.34	5	+ 4.479	+ 46. 28. 10.19	34.37	4	- 0.463	905	...	19
2367	2379	72 Orionis	6	6. 5. 54.32	32.21	5	+ 3.460	+ 16. 11. 10.86	33.05	5	- 0.516	913	...	29
2368	2380	Lacaille 2191	6.7	6. 5. 56.03	35.11	3	+ 1.724	- 45. 14. 56.91	34.35	4	- 0.520	...	2191	34
2369	2381	43 Aurigæ	6.7	6. 5. 58.23	34.40	3	+ 4.477	+ 46. 24. 53.06	34.31	4	- 0.522	908	...	25
2370	2382	8 Geminorum	7	6. 6. 14.19	33.55	6	+ 3.668	+ 24. 0. 56.11	32.20	4	- 0.546	914	...	30
2371	2383	Brisbane 1175	8	6. 6. 24.93	38.62	6	+ 1.313	- 52. 46. 5.44	38.62	4	- 0.561
2372	2384	73 Orionis	6	6. 6. 28.98	33.08	6	+ 3.370	+ 12. 35. 45.71	33.07	5	- 0.568	916	...	32
2373	2385	Lacaille 2189	7	6. 6. 31.39	34.36	4	+ 2.348	- 28. 25. 32.44	34.27	4	- 0.570	...	2189	36
2374	2386	Lacaille 2194	6.7	6. 6. 45.78	38.43	3	+ 2.082	- 36. 31. 31.63	38.43	3	- 0.591	...	2194	...
2375	2387	5 Monocerotis	4.5	6. 6. 48.63	31.93	34	+ 2.926	- 6. 13. 49.87	31.69	14	- 0.595	920	...	35
2376	2388	3 Lynceis	7	6. 6. 50.60	34.31	4	+ 5.566	+ 61. 49. 22.40	34.32	4	- 0.599	906	...	27
2377	2389	9 Geminorum	7	6. 6. 54.82	32.14	5	+ 3.661	+ 23. 47. 20.11	33.09	6	- 0.604	917	...	33
2378	2390	Lacaille 2201	5.6	6. 7. 5.62	38.40	3	+ 1.168	- 54. 56. 3.31	38.40	3	- 0.621	...	2201	...
2379	2391	74 Orionis	5.6	6. 7. 10.78	33.12	5	+ 3.364	+ 12. 18. 38.23	32.16	10	- 0.629	919	...	37
2380	2392	Piazzi VI. 38	7	6. 7. 15.90	35.12	3	+ 3.286	+ 9. 4. 30.43	34.40	4	- 0.635	38
2381	2393	4 Lynceis	6.7	6. 7. 24.47	34.33	4	+ 5.335	+ 59. 25. 51.19	34.30	4	- 0.648	910	...	31
2382	2394	Piazzi VI. 41	7	6. 7. 27.23	37.60	6	+ 3.193	+ 5. 9. 43.27	35.19	12	- 0.652	41
2383	2395	Lacaille 2199	8	6. 7. 30.61	38.08	4	+ 1.827	- 42. 58. 0.72	38.08	4	- 0.657	...	2199	...
2384	2396	Piazzi VI. 44	8	6. 7. 43.63	37.06	2	+ 2.928	- 6. 9. 39.54	36.43	3	- 0.677	44
2385	2397	Piazzi VI. 43	7	6. 8. 0.28	32.46	6	+ 3.761	+ 27. 15. 57.05	32.16	5	- 0.700	43
2386	2398	75 Orionis	6	6. 8. 0.89	35.55	8	+ 3.308	+ 9. 59. 43.11	32.17	5	- 0.701	921	...	45
2387	2399	Piazzi VI. 46	9	6. 8. 8.98	39.49	5	+ 2.771	- 12. 40. 37.57	40.33	4	- 0.713	46
2388	2400	Piazzi VI. 48	9.10	6. 8. 16.13	38.46	8	+ 2.771	- 12. 41. 23.07	37.83	12	- 0.723	48
2389	2401	Piazzi VI. 39	8.9	6. 8. 19.48	36.52	4	+ 4.819	+ 52. 34. 56.00	36.53	4	- 0.727	39
2390	2402	Piazzi VI. 47	9.10	6. 8. 20.78	36.70	3	+ 2.928	- 6. 8. 11.06	37.02	1	- 0.731	47
2391	2403	45 Aurigæ	6	6. 8. 21.53	34.32	4	+ 4.879	+ 53. 30. 58.53	34.29	4	- 0.732	915	...	40
2392	2404	Piazzi VI. 49	7	6. 8. 32.19	37.07	3	+ 3.192	+ 5. 8. 42.92	38.93	7	- 0.747	49
2393	2405	Brisbane 1180	8	6. 8. 41.55	39.35	7	+ 0.779	- 59. 46. 0.67	39.35	7	- 0.761
2394	2406	10 Geminorum	7	6. 8. 51.23	34.33	4	+ 3.658	+ 23. 39. 33.43	34.32	4	- 0.774	922	...	51
2395	2407	Lacaille 2215	8	6. 9. 12.01	38.85	4	+ 0.615	- 61. 27. 41.51	38.85	4	- 0.805	...	2215	...
2396	2408	11 Geminorum	7	6. 9. 16.59	32.62	8	+ 3.654	+ 23. 31. 35.97	32.19	5	- 0.812	923	...	52
2397	2409	Brisbane 1181	7.8	6. 9. 18.38	39.02	3	+ 0.756	- 60. 1. 3.81	39.01	2	- 0.813
2398	2410	12 Geminorum	6.7	6. 9. 20.95	35.14	3	+ 3.648	+ 23. 19. 57.15	34.37	4	- 0.818	924	...	53
2399	2411	Brisbane 1184	8	6. 9. 35.99	38.04	3	+ 1.818	- 43. 11. 29.48	38.04	3	- 0.840
2400	2412	Lacaille 2206	6	6. 9. 36.30	38.02	3	+ 2.309	- 29. 44. 15.69	38.02	3	- 0.840	...	2206	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^h	[°] ['] ^{''}			^{''}			
2401	2413	6 Monocerotis	7	6. 9. 49.73	38.02	10	+ 2.820	- 10. 40. 10.43	38.28	9	- 0.861	927	...	56
2402	2414	Brisbane 1186	6.7	6. 9. 53.39	38.94	7	+ 1.385	- 51. 37. 8.49	39.07	5	- 0.866
2403	2415	Piazzi VI. 50	8.9	6. 10. 4.44	36.81	3	+ 5.777	+ 63. 42. 46.48	36.57	4	- 0.880	50
2404	2416	Piazzi VI. 59	6.7	6. 10. 7.07	36.40	3	+ 2.516	- 22. 38. 56.91	36.56	4	- 0.885	59
2405	2417	Piazzi VI. 60	6.7	6. 10. 11.63	34.59	4	+ 2.524	- 22. 19. 6.40	34.06	3	- 0.892	60
2406	2418	Brisbane 1189	7	6. 10. 14.58	38.13	3	+ 0.739	- 60. 12. 44.12	38.13	3	- 0.897
2407	2419	Brisbane 1188	9	6. 10. 24.15	39.10	4	+ 1.391	- 51. 32. 14.29	38.75	3	- 0.910
2408	2420	Piazzi VI. 58	7.8	6. 10. 26.34	36.58	4	+ 3.365	+ 12. 21. 12.90	36.53	4	- 0.914	58
2409	2421	Piazzi VI. 54	7	6. 10. 31.49	34.36	4	+ 5.667	+ 62. 45. 47.94	34.34	4	- 0.921	54
2410	2422	Brisbane 1190	7.8	6. 10. 32.56	39.39	7	+ 1.820	- 43. 7. 34.66	39.39	7	- 0.923
2411	2423	Brisbane 1192	8	6. 10. 37.19	38.13	3	+ 0.741	- 60. 11. 21.77	38.13	2	- 0.928
2412	2424	Columba	4.5	6. 10. 41.05	31.43	22	+ 2.134	- 35. 5. 23.88	33.38	14	- 0.935	...	2213	65
2413	2425	Lacaille 2224	7	6. 10. 50.65	39.20	11	+ 0.619	- 61. 25. 40.17	39.01	10	- 0.949	...	2224	...
2414	2426	Lacaille 2222	7	6. 10. 51.52	38.09	3	+ 1.026	- 56. 52. 8.15	38.09	3	- 0.950	...	2222	...
2415	2427	Lacaille 2214	6.7	6. 11. 8.63	35.14	3	+ 1.983	- 39. 12. 30.76	34.18	3	- 0.975	...	2214	68
2416	2428	Piazzi VI. 55	7	6. 11. 12.32	34.51	3	+ 5.252	+ 58. 30. 13.51	34.15	3	- 0.980	55
2417	2429	Piazzi VI. 62	7	6. 11. 22.41	34.15	3	+ 3.590	+ 21. 11. 52.56	34.16	3	- 0.994	62
2418	2430	Lacaille 2217	6.7	6. 11. 24.28	34.08	3	+ 2.040	- 37. 41. 4.29	34.07	3	- 0.997	...	2217	70
2419	2431	Piazzi VI. 64	7	6. 11. 29.95	36.29	5	+ 3.592	+ 21. 15. 58.59	34.17	3	- 1.006	64
2420	2432	Lacaille 2218	6	6. 11. 30.45	35.17	3	+ 2.058	- 37. 11. 42.77	34.10	3	- 1.007	...	2218	71
2421	2433	Piazzi VI. 57	7	6. 11. 30.90	34.68	4	+ 5.266	+ 58. 40. 39.06	34.15	3	- 1.007	57
2422	2434	Lacaille 2216	6.7	6. 11. 36.92	38.04	3	+ 2.271	- 30. 56. 58.51	38.04	3	- 1.016	...	2216	...
2423	2435	Piazzi VI. 67	8	6. 11. 45.12	34.05	2	+ 3.662	+ 23. 49. 45.36	34.28	4	- 1.028	67
2424	2436	7 Monocerotis	6	6. 11. 46.11	32.13	6	+ 2.890	- 7. 45. 34.76	32.20	5	- 1.029	928	...	69
2425	2437	Piazzi VI. 42	7	6. 11. 48.87	34.32	4	+ 10.422	+ 79. 42. 11.58	34.30	4	- 1.033	42
2426	2438	Piazzi VI. 72	8.9	6. 12. 4.45	36.59	4	+ 2.752	- 13. 39. 29.46	36.59	4	- 1.055	72
2427	2439	Piazzi VI. 73	7	6. 12. 10.32	34.13	3	+ 2.889	- 7. 48. 21.38	34.08	3	- 1.064	73
2428	2440	46 Aurigæ	5	6. 12. 11.10	31.81	8	+ 4.628	+ 49. 21. 43.03	31.58	10	- 1.066	926	...	66
2429	2441	Piazzi VI. 61	8	6. 12. 12.69	36.59	3	+ 5.251	+ 58. 29. 48.04	36.07	2	- 1.068	61
2430	2442	5 Lynceis	6	6. 12. 23.94	35.08	6	+ 5.251	+ 58. 29. 45.87	34.53	4	- 1.085	925	...	63
2431	2443	13 Geminorum	3	6. 12. 58.62	34.63	20	+ 3.627	+ 22. 35. 27.28	32.35	49	- 1.136	929	...	74
2432	2444	Lacaille 2225	7	6. 13. 5.97	38.08	3	+ 1.997	- 38. 49. 51.64	38.08	3	- 1.146	...	2225	...
2433	2445	Piazzi VI. 76	9	6. 13. 42.42	36.52	4	+ 3.026	- 1. 57. 26.61	36.57	4	- 1.198	76
2434	2446	Lacaille 2228	7	6. 13. 44.13	34.37	4	+ 2.160	- 34. 19. 47.66	34.27	4	- 1.201	...	2228	79
2435	2447	Piazzi VI. 80	7.8	6. 13. 53.82	37.10	2	+ 2.303	- 29. 57. 1.09	34.39	4	- 1.215	80
2436	2449	Brisbane 1210	9	6. 13. 56.95	38.89	6	+ 0.837	- 59. 8. 59.29	38.90	6	- 1.220
2437	2448	Lacaille 2239	8	6. 13. 57.12	39.31	9	+ 1.141	- 55. 21. 10.50	39.30	9	- 1.220	...	2239	...
2438	2451	1 Canis Majoris	3	6. 13. 58.88	32.75	22	+ 2.301	- 29. 59. 42.48	32.83	13	- 1.223	933	2229	81
2439	2452	Lacaille 2242	7	6. 14. 1.81	39.31	8	+ 0.839	- 59. 8. 19.68	39.32	8	- 1.227	...	2242	...
2440	2453	Lacaille 2238	6.7	6. 14. 13.82	38.53	6	+ 1.322	- 52. 40. 9.30	38.48	5	- 1.245	...	2238	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2441	2454	Piazzi VI. 77	7.8	h m s 6. 14. 14.21	36.69	3	+ 3.161	+ 3. 50. 7.68	36.03	2	- 1.245	77
2442	2455	Lacaille 2233	6.7	6. 14. 21.84	35.14	3	+ 1.975	- 39. 25. 5.49	34.15	3	- 1.256	...	2233	86
2443	2456	Piazzi VI. 78	7	6. 14. 33.92	32.16	6	+ 3.698	+ 25. 7. 38.72	32.14	6	- 1.272	78
2444	2457	Piazzi VI. 82	6	6. 14. 36.85	33.26	8	+ 3.161	+ 3. 50. 28.26	33.14	7	- 1.277	82
2445	2458	Lacaille 2234	5.6	6. 14. 38.17	34.32	4	+ 2.170	- 34. 4. 29.08	34.30	4	- 1.279	...	2234	88
2446	2459	Lacaille 2241	7	6. 14. 45.11	38.11	3	+ 1.465	- 52. 17. 33.98	38.10	3	- 1.289	...	2241	...
2447	2460	8 Monocerotis	5.6	6. 15. 1.49	32.19	6	+ 3.181	+ 4. 40. 12.95	33.57	6	- 1.314	931	...	84
2448	2461	Bradley 932	9	6. 15. 2.04	36.71	3	+ 3.182	+ 4. 40. 25.33	37.08	3	- 1.314	932	...	85
2449	2462	2 Canis Majoris	2.3	6. 15. 26.12	32.84	27	+ 2.642	- 17. 52. 46.93	31.52	37	- 1.350	936	...	92
2450	2463	Piazzi VI. 87	7	6. 15. 30.21	32.21	5	+ 3.653	+ 23. 31. 29.24	32.19	7	- 1.355	87
2451	2464	Piazzi VI. 89	7	6. 15. 31.02	33.05	6	+ 3.650	+ 23. 24. 36.75	32.20	3	- 1.356	89
2452	2465	Piazzi VI. 83	7	6. 15. 37.34	34.33	4	+ 4.813	+ 52. 32. 10.01	34.29	4	- 1.365	83
2453	2466	Lacaille 2247	6	6. 15. 45.94	38.06	3	+ 1.556	- 48. 39. 26.54	38.06	3	- 1.378	...	2247	...
2454	2467	14 Geminorum	6.7	6. 15. 48.47	34.37	4	+ 3.603	+ 21. 43. 42.11	34.33	4	- 1.382	934	...	91
2455	2468	Piazzi VI. 93	6.7	6. 16. 4.90	34.40	4	+ 3.187	+ 4. 57. 19.79	34.10	3	- 1.407	93
2456	2469	3 Canis Majoris	4	6. 16. 5.27	31.90	8	+ 2.194	- 33. 21. 26.51	31.59	10	- 1.407	939	2244	95
2457	2470	Piazzi VI. 94	8	6. 16. 20.12	36.39	3	+ 3.410	+ 14. 10. 37.00	36.04	1	- 1.429	94
2458	2471	Lacaille 2253	8.9	6. 16. 22.70	38.28	4	+ 1.753	- 44. 41. 2.17	38.28	4	- 1.433	...	2253	...
2459	2472	6 Lynx	6	6. 16. 26.33	37.36	8	+ 5.229	+ 58. 16. 20.50	37.32	8	- 1.438	930	...	90
2460	2473	Piazzi VI. 97	9	6. 16. 31.25	36.59	4	+ 2.180	- 33. 47. 30.42	36.73	3	- 1.444	97
2461	2474	Lacaille 2255	7	6. 17. 4.23	38.38	3	+ 2.248	- 31. 42. 34.83	38.37	3	- 1.491	...	2255	...
2462	2475	47 Aurigæ	7	6. 17. 43.10	34.30	4	+ 4.491	+ 46. 46. 48.30	34.27	4	- 1.548	935	...	96
2463	2476	Lacaille 2269	7	6. 17. 46.48	38.09	3	+ 1.329	- 52. 35. 3.45	38.09	3	- 1.552	...	2269	...
2464	2477	Piazzi VI. 99	9.10	6. 17. 55.42	37.84	5	+ 3.580	+ 20. 52. 26.33	40.11	2	- 1.568	99
2465	2480	Piazzi VI. 75	6	6. 17. 56.09	38.11	7	+ 10.416	+ 79. 43. 15.36	37.28	11	- 1.568	75
2466	2478	15 Geminorum	6	6. 17. 56.25	36.76	31	+ 3.581	+ 20. 52. 57.62	36.86	16	- 1.568	940	...	100
2467	2479	48 Aurigæ	6	6. 17. 57.84	33.15	4	+ 3.860	+ 30. 35. 11.31	32.19	5	- 1.570	938	...	98
2468	2481	Lacaille 2263	6	6. 18. 3.73	38.28	4	+ 2.070	- 36. 55. 51.07	38.28	4	- 1.578	...	2263	...
2469	2482	16 Geminorum	6	6. 18. 8.01	33.12	5	+ 3.573	+ 20. 35. 15.13	32.21	5	- 1.585	941	...	101
2470	2483	Piazzi VI. 102	9	6. 18. 11.23	36.55	4	+ 3.317	+ 10. 24. 46.31	35.59	2	- 1.590	102
2471	2484	Piazzi VI. 104	6.7	6. 18. 14.73	34.44	5	+ 3.085	+ 0. 32. 41.08	34.32	4	- 1.595	104
2472	2485	Lacaille 2282	8	6. 18. 15.23	38.08	3	+ 0.642	- 61. 15. 23.70	38.08	3	- 1.595	...	2282	...
2473	2486	Piazzi VI. 105	8	6. 18. 17.33	37.01	2	+ 3.084	+ 0. 31. 41.99	36.58	4	- 1.598	105
2474	2487	Lacaille 2265	6.7	6. 18. 17.87	35.75	6	+ 2.081	- 36. 37. 32.22	34.95	6	- 1.599	...	2265	110
2475	2488	Piazzi VI. 112	8	6. 18. 23.06	35.72	3	+ 2.081	- 36. 37. 4.13	37.07	2	- 1.607	112
2476	2489	Lacaille 2268	8	6. 18. 39.07	38.27	3	+ 1.969	- 39. 37. 5.91	38.07	3	- 1.629	...	2268	...
2477	2490	Piazzi VI. 103	6.7	6. 18. 44.78	34.41	4	+ 4.251	+ 41. 30. 1.51	34.35	4	- 1.638	103
2478	2491	77 Orionis	6	6. 18. 45.51	33.06	5	+ 3.081	+ 0. 23. 29.24	33.04	6	- 1.638	943	...	107
2479	2492	78 Orionis	6	6. 18. 49.77	33.18	5	+ 3.068	- 0. 11. 1.34	33.08	5	- 1.646	944	...	108
2480	2493	9 Monocerotis	6.7	6. 18. 50.50	34.31	4	+ 2.973	- 4. 15. 50.59	34.28	4	- 1.646	945	...	111

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2481	2494	18 Geminorum.....v	5	h m s 6. 19. 9'97	31'83	33	+ 3'565	+ 20 18. 32'92	32'11	16	- 1'674	942	...	109
2482	2495	Piazzi VI. 113	7	6. 19. 11'45	35'10	3	+ 3'317	+ 10. 24. 2'97	35'29	6	- 1'678	113
2483	2496	B.A.O. 2091	9'10	6. 19. 21'79	37'99	2	+ 3'580	+ 20. 52. 58'40	33'10	5	- 1'692
2484	2497	Lacaille 2276	6'7	6. 19. 23'37	34'35	4	+ 1'946	- 40. 11. 44'50	34'31	4	- 1'694	...	2276	117
2485	2498	10 Monocerotis	6	6. 19. 48'92	32'15	6	+ 2'963	- 4. 40. 2'56	32'14	5	- 1'731	948	...	116
2486	2499	Piazzi VI. 106	9'10	6. 19. 51'11	36'60	4	+ 5'317	+ 59. 18. 29'77	36'56	4	- 1'735	106
2487	2500	Lacaille 2285	7	6. 19. 53'76	38'08	2	+ 1'361	- 52. 5. 35'95	38'08	2	- 1'739	...	2285	...
2488	2501	Piazzi VI. 114	6'7	6. 19. 57'18	34'33	4	+ 3'790	+ 28. 18. 45'91	34'30	4	- 1'744	114
2489	2502	Argus.....a	1	6. 20. 17'30	32'78	32	+ 1'330	- 52. 36. 30'44	31'63	87	- 1'773	...	2291	...
2490	2503	Bradley 950	6'7	6. 20. 21'80	35'10	3	+ 3'061	- 0. 28. 25'72	34'41	4	- 1'780	950	...	118
2491	2504	Piazzi VI. 119	6'7	6. 20. 24'56	34'35	4	+ 3'077	+ 0. 13. 35'33	34'33	4	- 1'784	119
2492	2505	Lacaille 2284	7'8	6. 20. 29'75	35'15	3	+ 1'919	- 40. 52. 57'61	35'12	1	- 1'792	...	2284	124
2493	2506	Lacaille 2279	7	6. 20. 32'80	38'04	3	+ 2'430	- 25. 45. 3'46	38'04	3	- 1'795	...	2279	...
2494	2507	7 Lynceis	6'7	6. 20. 48'85	35'09	2	+ 5'007	+ 55. 27. 46'86	34'17	3	- 1'818	115
2495	2508	11 Monocerotis	6'7	6. 20. 49'38	34'57	5	+ 2'910	- 6. 55. 59'41	34'23	3	- 1'818	952	...	122
2496	2509	Cephei 51 (H).....	6'7	6. 20. 52'00	35'20	3	+ 30'950	+ 87. 15. 53'53	40'44	4	- 1'823	21
2497	2510	Piazzi VI. 120	9	6. 20. 52'29	36'53	4	+ 3'570	+ 20. 31. 28'28	36'28	4	- 1'823	120
2498	2511	Piazzi VI. 127	8	6. 20. 56'79	36'70	3	+ 2'238	- 32. 4. 0'59	36'57	4	- 1'831	127
2499	2512	Lacaille 2290	7'8	6. 20. 57'65	34'59	4	+ 1'892	- 41. 32. 32'16	34'37	4	- 1'833	...	2290	128
2500	2513	Lacaille 2299	7'8	6. 21. 10'36	39'30	8	+ 1'323	- 52. 42. 51'97	41'05	2	- 1'849	...	2299	...
2501	2514	Lacaille 2303	6	6. 21. 18'20	38'11	3	+ 0'904	- 58. 27. 19'31	38'11	3	- 1'861	...	2303	...
2502	2515	Piazzi VI. 126	7	6. 21. 41'07	33'58	10	+ 3'922	+ 32. 33. 50'27	33'50	9	- 1'895	126
2503	2516	Piazzi VI. 129	8	6. 22. 1'79	36'59	4	+ 3'453	+ 15. 57. 38'79	37'01	2	- 1'925	129
2504	2517	Lacaille 2295	5	6. 22. 3'42	31'70	11	+ 2'225	- 32. 28. 49'73	31'52	11	- 1'926	...	2295	136
2505	2518	Piazzi VI. 131	9	6. 22. 4'31	36'57	4	+ 3'308	+ 10. 2. 47'89	36'63	4	- 1'927	131
2506	2519	9 Lynceis	6'7	6. 22. 6'15	34'74	3	+ 5'083	+ 56. 30. 18'27	34'34	4	- 1'931	947	...	123
2507	2520	19 Geminorum	6'7	6. 22. 8'08	33'10	7	+ 3'454	+ 16. 0. 41'55	32'18	5	- 1'934	953	...	130
2508	2521	Lacaille 2311	6	6. 22. 11'36	38'13	3	+ 0'750	- 60. 11. 24'44	38'13	3	- 1'939	...	2311	...
2509	2522	Brisbane 1250	7'8	6. 22. 27'24	38'66	5	+ 1'335	- 52. 33. 28'60	38'80	4	- 1'962
2510	2523	Lacaille 2300	6	6. 22. 31'12	35'39	4	+ 2'232	- 32. 16. 9'63	34'42	4	- 1'967	...	2300	138
2511	2524	Lacaille 2302	7'8	6. 22. 31'94	34'44	3	+ 1'914	- 41. 2. 7'15	34'36	4	- 1'969	...	2302	139
2512	2525	8 Lynceis	6	6. 22. 35'57	36'78	10	+ 5'535	+ 61. 36. 50'98	36'17	14	- 1'975	946	...	125
2513	2526	20 Geminorum	8	6. 22. 40'04	36'57	4	+ 3'501	+ 17. 53. 17'48	36'75	3	- 1'980	955	...	134
2514	2527	Bradley 956	7	6. 22. 40'62	33'81	9	+ 3'502	+ 17. 53. 34'66	32'94	8	- 1'981	956	...	135
2515	2529	Lacaille 2307	6'7	6. 23. 25'80	34'62	2	+ 1'917	- 40. 58. 17'30	34'36	4	- 2'049	...	2307	145
2516	2528	10 Lynceis	6'7	6. 23. 26'09	37'08	9	+ 5'532	+ 61. 36. 8'02	39'73	6	- 2'049	949	...	132
2517	2530	12 Monocerotis	6	6. 23. 33'86	32'17	6	+ 3'188	+ 4. 58. 2'98	32'39	5	- 2'058	957	...	140
2518	2531	Brisbane 1253	8'9	6. 23. 34'59	39'49	7	+ 1'318	- 52. 50. 16'85	39'49	7	- 2'060
2519	2532	11 Lynceis	6'7	6. 23. 36'03	34'10	3	+ 5'119	+ 56. 58. 44'47	34'27	4	- 2'062	951	...	133
2520	2533	Brisbane 1255	8'9	6. 23. 45'25	38'09	3	+ 1'177	- 54. 56. 0'25	38'09	3	- 2'075

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			"	" ' "			"			
2521	2534	Lacaille 2310	7.8	6. 23. 45.96	38.04	3	+ 1.945	- 40. 16. 2.57	38.04	3	- 2.076	...	2310	...
2522	2535	Brisbane 1256	7	6. 23. 51.60	38.04	3	+ 1.945	- 40. 16. 26.98	38.04	4	- 2.085
2523	2536	Piazzi VI. 137	7	6. 23. 56.86	34.15	2	+ 5.006	+ 55. 28. 53.52	34.29	4	- 2.093	137
2524	2537	13 Monocerotis	5	6. 23. 58.98	32.06	13	+ 3.246	+ 7. 26. 49.61	31.58	10	- 2.096	958	...	143
2525	2538	Piazzi VI. 144	6.7	6. 24. 14.03	32.19	6	+ 3.410	+ 14. 16. 29.37	33.04	5	- 2.118	144
2526	2539	Lacaille 2309	6	6. 24. 14.45	32.20	5	+ 2.375	- 27. 39. 34.95	32.16	5	- 2.118	...	2309	148
2527	2540	Piazzi VI. 142	6.7	6. 24. 21.07	34.29	4	+ 3.888	+ 31. 33. 12.69	34.05	3	- 2.128	142
2528	2541	Lacaille 2328	6	6. 24. 28.09	38.07	3	+ 0.952	- 57. 53. 55.89	38.08	3	- 2.138	...	2328	...
2529	2542	Piazzi VI. 151	6	6. 24. 40.00	32.88	5	+ 2.641	- 17. 56. 56.36	32.14	4	- 2.154	151
2530	2543	49 Aurigæ	6	6. 24. 48.48	33.06	5	+ 3.783	+ 28. 8. 32.80	32.21	5	- 2.166	959	...	146
2531	2544	Piazzi VI. 149	7.8	6. 24. 51.90	36.52	4	+ 3.243	+ 7. 21. 25.48	37.07	2	- 2.172	149
2532	2545	22 Geminorum	7	6. 24. 55.00	34.31	4	+ 3.544	+ 19. 32. 54.86	34.31	4	- 2.176	960	...	147
2533	2546	4 Canis Majoris	5.6	6. 24. 59.02	33.12	5	+ 2.500	- 23. 18. 19.69	32.17	5	- 2.183	962	2313	155
2534	2547	Piazzi VI. 154	6.7	6. 25. 3.13	34.33	4	+ 2.812	- 11. 3. 3.02	34.34	4	- 2.188	154
2535	2548	41 Camelopardi	7	6. 25. 14.30	35.20	2	+ 5.577	+ 62. 3. 15.14	35.22	2	- 2.205	954	...	141
2536	2549	Piazzi VI. 150	7.8	6. 25. 18.43	36.63	4	+ 3.890	+ 31. 36. 10.77	36.56	4	- 2.210	150
2537	2550	Lacaille 2320	6	6. 25. 20.09	38.03	4	+ 1.944	- 40. 20. 10.62	38.11	3	- 2.214	...	2320	...
2538	2551	Lacaille 2319	6	6. 25. 20.78	38.02	3	+ 2.136	- 35. 8. 45.72	38.02	3	- 2.215	...	2319	...
2539	2552	Piazzi VI. 152	7	6. 25. 22.59	35.15	3	+ 3.462	+ 16. 19. 37.02	34.17	3	- 2.218	152
2540	2553	Piazzi VI. 153	8	6. 25. 23.69	36.99	10	+ 3.475	+ 16. 53. 6.19	37.72	6	- 2.220	153
2541	2554	Lacaille 2335	9	6. 25. 42.19	38.08	3	+ 1.116	- 55. 48. 31.16	38.08	3	- 2.244	...	2335	...
2542	2555	Lacaille 2326	6.7	6. 25. 42.50	34.36	4	+ 1.925	- 40. 48. 10.51	34.32	4	- 2.245	...	2326	159
2543	2556	14 Monocerotis	6	6. 25. 50.37	33.14	5	+ 3.252	+ 7. 41. 38.10	32.19	5	- 2.256	961	...	156
2544	2557	Lacaille 2324	6.7	6. 25. 52.27	35.11	3	+ 2.077	- 36. 49. 43.35	34.41	4	- 2.258	...	2324	160
2545	2558	Piazzi VI. 157	7.8	6. 26. 20.17	36.71	6	+ 3.467	+ 16. 34. 16.23	36.56	4	- 2.300	157
2546	2559	23 Geminorum	7	6. 26. 28.75	36.52	6	+ 3.476	+ 16. 55. 24.31	36.45	6	- 2.313	966	...	158
2547	2560	Lacaille 2330	6	6. 26. 28.79	35.20	3	+ 2.245	- 31. 54. 46.17	34.44	4	- 2.313	...	2330	164
2548	2561	Lacaille 2343	6	6. 26. 36.87	38.01	3	+ 1.047	- 56. 44. 30.46	38.01	3	- 2.323	...	2343	...
2549	2562	Lacaille 2334	6	6. 26. 42.14	36.66	5	+ 2.050	- 37. 34. 30.86	34.23	3	- 2.331	...	2334	166
2550	2563	51 Aurigæ	6	6. 27. 13.03	34.34	4	+ 4.168	+ 39. 31. 37.93	34.35	4	- 2.376	963	...	161
2551	2564	52 Aurigæ	6.7	6. 27. 19.21	35.12	3	+ 4.187	+ 40. 2. 6.01	34.42	4	- 2.384	964	...	162
2552	2565	Piazzi VI. 165	6.7	6. 27. 20.18	34.16	3	+ 3.683	+ 24. 43. 12.76	34.35	4	- 2.386	165
2553	2567	Lacaille 2349	6	6. 27. 27.41	38.06	3	+ 1.390	- 51. 42. 46.89	38.05	3	- 2.397	...	2349	...
2554	2568	50 Aurigæ	6	6. 27. 32.25	34.16	3	+ 4.294	+ 42. 37. 31.04	34.37	4	- 2.404	965	...	163
2555	2569	Lacaille 2344	7	6. 27. 33.06	38.13	3	+ 1.736	- 45. 11. 22.12	38.13	3	- 2.405	...	2344	...
2556	2570	Lacaille 2338	6	6. 27. 37.54	38.14	3	+ 2.016	- 38. 30. 10.74	38.15	3	- 2.412	...	2338	...
2557	2571	Lacaille 2356	6.7	6. 27. 40.48	38.58	4	+ 0.821	- 59. 28. 32.98	38.73	3	- 2.414	...	2356	...
2558	2572	53 Aurigæ	6.7	6. 27. 54.89	34.06	3	+ 3.811	+ 29. 7. 2.41	34.35	4	- 2.436	967	...	167
2559	2573	Lacaille 2341	6	6. 28. 2.22	34.02	3	+ 2.104	- 36. 6. 46.31	34.33	4	- 2.447	...	2341	172
2560	2574	5 Canis Majoris	6	6. 28. 8.73	31.49	7	+ 2.513	- 22. 50. 21.34	31.54	10	- 2.457	972	...	170

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2561	2575	24 Geminorum..... ^γ	3	6. 28. 10'70	35'23	19	+ 3'466	+ 16. 31. 59'22	32'54	38	- 2'461	969	...	169
2562	2576	Piazzi VI. 168	7·8	6. 28. 12'42	36'54	4	+ 3'679	+ 24. 35. 7'62	36'61	4	- 2'463	168
2563	2577	Piazzi VI. 171	6·7	6. 28. 28'02	35'18	3	+ 2'954	- 5. 4. 49'08	34'42	4	- 2'485	171
2564	2578	Lacaille 2347	6	6. 28. 28'59	34'14	3	+ 2'224	- 32. 35. 27'07	34'31	4	- 2'487	...	2347	175
2565	2579	Lacaille 2350	6·7	6. 28. 43'68	34'79	3	+ 2'181	- 33. 53. 4'56	34'36	4	- 2'508	...	2350	177
2566	2580	Lacaille 2361	9	6. 28. 47'42	39'40	7	+ 1'471	- 50. 21. 1'70	39'39	7	- 2'513	...	2361	...
2567	2581	Lacaille 2353	7	6. 29. 0'46	38'04	3	+ 1'879	- 41. 58. 14'93	38'04	3	- 2'531	...	2353	...
2568	2582	Lacaille 2351	6·7	6. 29. 6'81	38'05	3	+ 2'146	- 34. 55. 17'50	38'05	3	- 2'542	...	2351	...
2569	2584	54 Aurigæ	6	6. 29. 8'67	32'19	6	+ 3'789	+ 28. 24. 2'20	32'20	8	- 2'545	970	...	173
2570	2583	Piazzi VI. 178	9	6. 29. 8'72	37'03	3	+ 2'627	- 18. 31. 51'14	36'21	2	- 2'545	178
2571	2585	6 Canis Majoris	6·7	6. 29. 9'51	35'37	4	+ 2'627	- 18. 31. 46'75	35'27	6	- 2'546	975	...	179
2572	2586	Brisbane 1290	8	6. 29. 24'59	39'53	7	+ 1'141	- 55. 31. 16'29	39'53	7	- 2'567
2573	2587	7 Canis Majoris..... ^γ	5	6. 29. 29'37	31'71	9	+ 2'612	- 19. 7. 13'59	31'60	10	- 2'574	978	...	180
2574	2588	Pictoris	6	6. 29. 31'06	38'95	13	+ 0'897	- 58. 37. 51'35	38'95	13	- 2'576	...	2373	...
2575	2589	Lacaille 2377	5'6	6. 29. 32'34	38'46	3	+ 0'604	- 61. 45. 29'83	38'45	3	- 2'577	...	2377	...
2576	2590	Lacaille 2359	6	6. 29. 40'31	35'17	3	+ 2'085	- 36. 39. 2'69	34'38	4	- 2'587	...	2359	182
2577	2591	Lacaille 2369	8	6. 29. 42'42	38'14	2	+ 1'363	- 52. 12. 17'73	38'14	2	- 2'591	...	2369	...
2578	2592	Brisbane 1295	8	6. 29. 53'93	38'46	3	+ 0'555	- 62. 12. 59'90	38'46	3	- 2'608
2579	2593	Bradley 968	7	6. 30. 15'13	36'49	5	+ 5'331	+ 59. 35. 54'64	34'41	4	- 2'639	968	...	174
2580	2594	Piazzi VI. 181	7	6. 30. 17'14	34'04	4	+ 3'549	+ 19. 48. 5'51	34'32	4	- 2'642	181
2581	2595	Lacaille 2364	7·8	6. 30. 17'33	36'20	1	+ 2'252	- 31. 45. 15'52	36'77	3	- 2'642	...	2364	187
2582	2596	Lacaille 2371	7	6. 30. 20'30	38'47	3	+ 1'638	- 47. 14. 43'80	38'47	3	- 2'647	...	2371	...
2583	2597	Piazzi VI. 176	7	6. 30. 22'56	38'64	7	+ 5'119	+ 57. 4. 58'93	37'37	8	- 2'651	176
2584	2598	8 Canis Majoris..... ^γ	5'6	6. 30. 38'22	32'90	7	+ 2'639	- 18. 6. 1'92	32'16	5	- 2'672	979	...	189
2585	2599	Piazzi VI. 191	8	6. 30. 49'88	36'61	4	+ 2'241	- 32. 5. 14'27	36'63	4	- 2'690	191
2586	2600	25 Geminorum	7	6. 30. 56'83	32'49	6	+ 3'786	+ 28. 20. 25'79	32'18	2	- 2'700	977	...	186
2587	2601	Piazzi VI. 190	6·7	6. 31. 3'05	34'06	3	+ 3'216	+ 6. 11. 53'63	34'05	3	- 2'708	190
2588	2602	55 Aurigæ	5	6. 31. 4'02	31'86	8	+ 4'382	+ 44. 40. 26'72	31'59	10	- 2'709	973	...	183
2589	2603	Lacaille 2389	6·7	6. 31. 6'76	38'46	3	+ 0'611	- 61. 42. 5'98	38'45	3	- 2'714	...	2389	...
2590	2604	Lacaille 2383	5'6	6. 31. 20'38	38'15	3	+ 1'324	- 52. 50. 37'45	38'15	3	- 2'734	...	2383	...
2591	2605	Lacaille 2375	6·7	6. 31. 25'78	37'11	7	+ 2'037	- 38. 0. 43'21	34'36	4	- 2'743	...	2375	195
2592	2606	Lacaille 2382	6·7	6. 31. 29'79	38'06	3	+ 1'484	- 50. 9. 46'72	38'05	3	- 2'748	...	2382	...
2593	2607	Lacaille 2376	6·7	6. 31. 30'98	35'11	3	+ 2'079	- 36. 51. 14'53	34'44	4	- 2'749	...	2376	197
2594	2608	Lacaille 2374	6·7	6. 31. 37'08	34'61	4	+ 2'238	- 32. 12. 14'64	34'34	4	- 2'757	...	2374	198
2595	2610	Lacaille 2379	8	6. 31. 37'46	35'12	2	+ 1'904	- 41. 25. 16'02	34'43	4	- 2'757	...	2379	199
2596	2609	Piazzi VI. 184	8	6. 31. 37'63	36'96	7	+ 5'330	+ 59. 35. 56'99	36'77	3	- 2'757	184
2597	2611	12 Lynceis	6	6. 31. 38'11	34'11	3	+ 5'329	+ 59. 35. 46'84	35'05	4	- 2'759	971	...	185
2598	2612	Piazzi VI. 196	8	6. 31. 48'38	36'59	4	+ 2'640	- 18. 2. 39'87	36'56	4	- 2'773	196
2599	2613	15 Monocerotis	6	6. 31. 53'47	32'48	6	+ 3'306	+ 10. 2. 28'27	31'58	8	- 2'781	981	...	193
2600	2614	Lacaille 2384	7	6. 32. 19'42	38'54	9	+ 1'824	- 43. 18. 45'35	38'66	7	- 2'818	...	2384	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2601	2615	Lacaille 2390	7	h m s 6. 32. 22.34	38.05	3	+ 1.483	- 50. 11. 30.87	38.05	3	- 2.823	...	2390	...
2602	2617	Piazzi VI. 200	8.9	6. 32. 31.98	36.56	4	+ 3.171	+ 4. 17. 40.08	36.53	2	- 2.837	200
2603	2618	Piazzi VI. 203	6	6. 32. 36.45	34.36	4	+ 3.087	+ 0. 38. 33.13	34.32	4	- 2.843	203
2604	2619	Brisbane 1312	8	6. 32. 41.48	38.40	3	+ 1.166	- 55. 12. 38.20	38.40	3	- 2.852
2605	2620	Argds	3	6. 32. 42.97	31.69	10	+ 1.836	- 43. 3. 18.84	31.59	10	- 2.853	...	2386	205
2606	2621	13 Lynceis	6	6. 32. 44.76	35.10	3	+ 5.136	+ 57. 19. 47.12	34.41	4	- 2.856	976	...	192
2607	2622	Piazzi VI. 188	7	6. 32. 46.02	36.54	6	+ 6.296	+ 67. 40. 38.85	34.13	3	- 2.858	188
2608	2623	Lacaille 2401	7	6. 32. 46.78	38.19	3	+ 0.648	- 61. 21. 49.06	38.19	3	- 2.859	...	2401	...
2609	2624	26 Geminorum	5.6	6. 32. 47.77	33.19	7	+ 3.497	+ 17. 47. 58.09	32.21	5	- 2.860	982	...	202
2610	2625	Lacaille 2394	7.8	6. 32. 50.96	38.11	3	+ 1.104	- 56. 5. 30.45	38.11	3	- 2.865	...	2394	...
2611	2626	Piazzi VI. 206	7	6. 33. 2.38	37.14	5	+ 2.044	- 37. 51. 7.02	36.31	6	- 2.881	206
2612	2627	Brisbane 1315	7	6. 33.	+ 1.837	- 43. 18. 48.02	38.15	3	- 2.903
2613	2628	Lacaille 2398	7	6. 33. 22.68	38.47	3	+ 1.366	- 52. 12. 20.66	38.47	3	- 2.911	...	2398	...
2614	2629	Lacaille 2395	8	6. 33. 27.14	38.45	3	+ 1.529	- 49. 23. 14.94	38.45	3	- 2.917	...	2395	...
2615	2630	Lacaille 2406	7	6. 33. 40.90	38.20	3	+ 1.004	- 57. 24. 7.63	38.20	3	- 2.938	...	2406	...
2616	2631	42 Camelopardi	5	6. 33. 42.45	33.57	18	+ 6.303	+ 67. 44. 25.38	31.59	10	- 2.939	974	...	194
2617	2632	27 Geminorum	3	6. 33. 46.69	34.08	18	+ 3.697	+ 25. 17. 12.12	32.29	44	- 2.945	983	...	204
2618	2633	Brisbane 1320	8	6. 34. 13.01	38.08	2	+ 1.600	- 48. 4. 22.99	38.08	2	- 2.983
2619	2634	28 Geminorum	6	6. 34. 18.05	32.49	6	+ 3.809	+ 29. 7. 47.07	32.22	5	- 2.990	986	...	207
2620	2635	Lacaille 2397	6.7	6. 34. 19.98	35.09	3	+ 2.038	- 38. 0. 34.23	34.38	4	- 2.994	...	2397	213
2621	2636	Lacaille 2408	7	6. 34. 23.79	38.40	3	+ 1.170	- 55. 12. 4.80	38.40	3	- 2.999	...	2408	...
2622	2637	Lacaille 2400	6.7	6. 34. 25.52	38.34	5	+ 1.827	- 43. 16. 49.03	38.14	3	- 3.002	...	2400	...
2623	2638	30 Geminorum	5.6	6. 34. 41.05	32.19	6	+ 3.387	+ 13. 23. 18.46	32.88	5	- 3.024	987	...	211
2624	2639	Lacaille 2409	7	6. 34. 43.93	38.46	3	+ 1.332	- 52. 47. 15.74	38.46	3	- 3.028	...	2409	...
2625	2640	Lacaille 2405	7	6. 34. 45.74	38.15	2	+ 1.829	- 43. 15. 19.36	38.15	2	- 3.030	...	2405	...
2626	2641	Lacaille 2399	7	6. 34. 49.76	34.13	3	+ 2.293	- 30. 29. 40.35	34.34	4	- 3.037	...	2399	214
2627	2642	56 Aurigæ	6	6. 34. 50.33	34.54	4	+ 4.337	+ 43. 43. 54.89	34.31	4	- 3.037	985	...	209
2628	2643	Piazzi VI. 212	6.7	6. 34. 56.41	34.07	3	+ 3.166	+ 4. 5. 22.59	34.33	4	- 3.046	212
2629	2644	57 Aurigæ	6	6. 35. 4.53	35.17	3	+ 4.590	+ 48. 57. 13.40	34.37	4	- 3.057	984	...	210
2630	2645	Piazzi VI. 216	7	6. 35. 12.19	38.10	7	+ 2.384	- 27. 28. 49.51	37.63	10	- 3.069	216
2631	2646	Lacaille 2411	7	6. 35. 51.78	36.38	7	+ 1.956	- 40. 11. 49.27	35.97	7	- 3.126	...	2411	219
2632	2647	43 Camelopardi	5	6. 35. 52.45	36.20	16	+ 6.525	+ 69. 3. 59.20	34.08	14	- 3.126	980	...	208
2633	2648	Piazzi VI. 201	6	6. 35. 53.57	32.16	5	+ 8.871	+ 77. 10. 8.87	31.59	10	- 3.127	201
2634	2649	Lacaille 2412	7.8	6. 35. 55.31	38.37	3	+ 1.957	- 40. 8. 18.92	38.04	3	- 3.130	...	2412	...
2635	2650	31 Geminorum	4	6. 36. 1.65	34.27	13	+ 3.379	+ 13. 4. 1.91	32.37	15	- 3.141	989	...	217
2636	2651	Lacaille 2423	7	6. 36. 9.06	38.06	3	+ 1.300	- 53. 18. 0.12	38.07	3	- 3.151	...	2423	...
2637	2652	Lacaille 2432	6.7	6. 36. 14.04	38.18	3	+ 0.651	- 61. 23. 19.63	38.18	3	- 3.159	...	2432	...
2638	2653	Brisbane 1331	6.7	6. 36. 18.50	38.38	4	+ 1.633	- 47. 28. 7.77	38.16	3	- 3.165
2639	2654	Lacaille 2421	7	6. 36. 20.67	38.13	2	+ 1.630	- 47. 31. 13.85	38.16	3	- 3.169	...	2421	...
2640	2655	Piazzi VI. 215	9	6. 36. 23.66	36.56	4	+ 4.837	+ 53. 12. 19.34	36.33	4	- 3.173	215

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2641	2656	Brisbane 1334	8	h m s 6. 36. 30.38	38.19	3	+ 0.902	— 58. 41. 8.00	38.19	3	— 3.181
2642	2657	32 Geminorum	6.7	6. 36. 38.07	34.10	3	+ 3.373	+ 12. 51. 30.40	34.29	4	— 3.193	990	...	218
2643	2658	Lacaille 2418	7	6. 36. 41.39	35.20	3	+ 2.031	— 38. 14. 30.54	34.40	4	— 3.197	...	2418	223
2644	2659	Piazzi VI. 221	8	6. 37. 13.56	37.03	1	+ 3.133	+ 2. 39. 53.97	36.32	4	— 3.242	221
2645	2660	Piazzi VI. 225	8.9	6. 37. 17.76	36.36	3	+ 2.680	— 16. 33. 59.89	36.57	4	— 3.250	225
2646	2661	Brisbane 1336	8	6. 37. 28.05	38.34	4	+ 2.011	— 38. 48. 16.47	38.34	4	— 3.264
2647	2662	16 Monocerotis	6	6. 37. 32.52	32.19	6	+ 3.275	+ 8. 45. 16.75	32.17	5	— 3.271	991	...	224
2648	2663	Piazzi VI. 220	8	6. 37. 47.89	36.58	4	+ 4.456	+ 46. 21. 37.37	36.40	3	— 3.294	220
2649	2664	Piazzi VI. 226	7.8	6. 37. 48.03	36.30	5	+ 3.259	+ 8. 3. 44.96	34.07	3	— 3.294	226
2650	2665	9 Canis Majoris	1	6. 37. 52.67	33.78	150	+ 2.681	— 16. 29. 41.36	32.32	133	— 3.301	994	...	227
2651	2666	Lacaille 2430	6.7	6. 37. 53.15	36.50	3	+ 2.003	— 39. 1. 48.65	34.33	4	— 3.301	...	2430	230
2652	2667	Lacaille 2445	7.8	6. 37. 57.66	38.40	4	+ 0.880	— 58. 58. 5.28	38.40	4	— 3.308	...	2445	...
2653	2668	10 Canis Majoris	6.7	6. 38. 11.97	38.12	7	+ 2.283	— 30. 54. 20.63	37.36	8	— 3.328	...	2429	231
2654	2669	17 Monocerotis	6	6. 38. 22.38	31.67	9	+ 3.262	+ 8. 12. 30.53	31.56	10	— 3.342	993	...	228
2655	2670	14 Lynx	6	6. 38. 30.19	34.11	3	+ 5.322	+ 59. 37. 56.78	34.29	4	— 3.354	988	...	222
2656	2671	Lacaille 2444	7	6. 38. 44.37	38.13	3	+ 1.485	— 50. 17. 23.03	38.13	3	— 3.375	...	2444	...
2657	2672	Piazzi VI. 233	7.8	6. 38. 52.77	36.82	4	+ 2.576	— 20. 36. 19.78	36.70	5	— 3.387	233
2658	2673	Piazzi VI. 235	9	6. 38. 59.34	36.44	3	+ 2.581	— 20. 26. 12.88	36.59	4	— 3.396	235
2659	2674	Piazzi VI. 236	8.9	6. 39. 2.49	36.60	6	+ 2.577	— 20. 35. 1.48	37.05	2	— 3.400	236
2660	2675	58 Aurigæ	5.6	6. 39. 5.37	35.11	3	+ 4.257	+ 41. 57. 57.74	34.37	4	— 3.405	992	...	229
2661	2676	Lacaille 2437	6	6. 39. 12.72	35.19	3	+ 2.261	— 31. 36. 34.95	34.31	4	— 3.415	...	2437	239
2662	2677	Lacaille 2438	6	6. 39. 13.86	35.15	3	+ 2.287	— 30. 46. 48.45	34.39	4	— 3.417	...	2438	238
2663	2678	18 Monocerotis	5	6. 39. 15.39	32.55	7	+ 3.131	+ 2. 35. 12.70	31.63	10	— 3.418	995	...	234
2664	2679	11 Canis Majoris	6	6. 39. 19.55	32.22	6	+ 2.737	— 14. 15. 18.84	32.16	5	— 3.426	996	...	237
2665	2680	Piazzi VI. 232	7	6. 39. 32.38	34.15	3	+ 4.469	+ 46. 40. 53.98	34.33	4	— 3.444	232
2666	2681	Brisbane 1343	7.8	6. 39. 37.80	38.33	4	+ 1.194	— 54. 57. 6.06	38.33	4	— 3.452
2667	2682	Brisbane 1342	7.8	6. 39. 44.31	38.07	3	+ 2.091	— 36. 40. 47.53	38.32	4	— 3.461
2668	2683	Lacaille 2452	7.8	6. 39. 44.88	38.17	3	+ 1.130	— 55. 51. 6.61	38.17	3	— 3.462	...	2452	...
2669	2684	12 Canis Majoris	6	6. 39. 57.58	38.10	7	+ 2.570	— 20. 50. 31.86	37.35	8	— 3.480	1001	...	241
2670	2685	Piazzi VI. 242	8.9	6. 40. 2.34	36.14	2	+ 2.568	— 20. 55. 39.55	36.69	5	— 3.487	242
2671	2686	33 Geminorum	6	6. 40. 19.88	32.20	6	+ 3.459	+ 16. 22. 58.81	32.19	5	— 3.512	997	...	240
2672	2687	Brisbane 1350	8	6. 40. 32.59	38.17	3	+ 0.691	— 61. 4. 1.09	38.17	3	— 3.530
2673	2688	Lacaille 2447	6.7	6. 40. 32.72	34.45	3	+ 2.058	— 37. 36. 10.11	34.35	4	— 3.530	...	2447	245
2674	2689	Lacaille 2449	7	6. 40. 34.91	38.08	3	+ 1.992	— 39. 22. 5.79	38.08	3	— 3.533	...	2449	...
2675	2690	Lacaille 2453	6.7	6. 40. 37.35	38.37	4	+ 1.658	— 47. 3. 7.31	38.37	4	— 3.537	...	2453	...
2676	2691	Brisbane 1348	7.8	6. 40. 37.41	38.45	3	+ 1.676	— 46. 40. 57.52	38.45	3	— 3.537
2677	2692	Lacaille 2468	7.8	6. 40. 44.59	38.06	3	+ 0.639	— 61. 35. 26.36	38.06	3	— 3.548	...	2468	...
2678	2693	Lacaille 2459	6.7	6. 40. 49.01	38.04	4	+ 1.222	— 54. 33. 44.85	38.04	3	— 3.553	...	2459	...
2679	2694	Lacaille 2460	6.7	6. 40. 51.67	38.04	3	+ 1.225	— 54. 31. 34.45	38.04	3	— 3.557	...	2460	...
2680	2695	Lacaille 2450	7.8	6. 40. 55.33	38.07	3	+ 2.101	— 36. 25. 21.65	38.07	3	— 3.561	...	2450	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
2681	2696	Lacaille 2448	8	6. 40. 58'25	38'63	5	+ 2'361	- 28. 22. 57'79	38'53	4	- 3'566	...	2448	...
2682	2697	35 Geminorum	6	6. 41. 6'70	33'05	6	+ 3'390	+ 13. 35. 43'51	32'21	5	- 3'579	1002	...	243
2683	2698	Piazzi VI. 249	8'9	6. 41. 20'22	36'10	1	+ 2'738	- 14. 12. 36'62	36'16	3	- 3'598	249
2684	2699	36 Geminorum	6'7	6. 41. 39'74	32'32	7	+ 3'602	+ 21. 56. 54'56	32'22	5	- 3'626	1004	...	247
2685	2700	59 Aurigæ	6'7	6. 41. 39'99	36'35	4	+ 4'139	+ 39. 3. 25'37	36'37	3	- 3'626	999	...	244
2686	2701	Puppis	6	6. 41. 42'69	31'65	12	+ 2'054	- 37. 45. 5'59	31'61	10	- 3'629	...	2455	253
2687	2702	60 Aurigæ	6'7	6. 41. 54'16	35'12	5	+ 4'123	+ 38. 38. 5'48	34'35	4	- 3'646	1000	...	246
2688	2703	34 Geminorum	6	6. 41. 54'39	31'79	8	+ 3'964	+ 34. 9. 6'41	31'59	10	- 3'646	1003	...	248
2689	2704	Lacaille 2471	6	6. 42. 7'55	38'35	4	+ 1'375	- 52. 14. 6'04	38'35	4	- 3'665	...	2471	...
2690	2705	Lacaille 2469	6'7	6. 42. 15'92	38'45	3	+ 1'631	- 47. 37. 40'69	38'45	3	- 3'677	...	2469	...
2691	2706	Brisbane 1362	8	6. 42. 33'03	39'38	7	+ 1'985	- 39. 30. 34'14	39'38	7	- 3'702
2692	2707	61 Aurigæ	6'7	6. 42. 38'13	35'13	3	+ 4'125	+ 38. 41. 53'91	34'41	4	- 3'710	1005	...	252
2693	2708	Lacaille 2487	6'7	6. 42. 50'70	38'17	3	+ 0'697	- 61. 3. 1'83	38'16	3	- 3'728	...	2487	...
2694	2709	Piazzi VI. 254	7	6. 42. 56'79	34'31	4	+ 3'699	+ 25. 30. 14'42	34'46	5	- 3'736	254
2695	2710	15 Lynceis	5	6. 42. 57'95	31'65	6	+ 5'227	+ 58. 37. 41'99	31'54	10	- 3'738	998	...	250
2696	2711	Piazzi VI. 251	6'7	6. 3. 5'96	37'54	13	+ 5'155	+ 57. 45. 42'40	37'03	16	- 3'750	251
2697	2712	Lacaille 2476	7	6. 43. 7'85	38'19	3	+ 1'657	- 47. 7. 9'68	38'19	3	- 3'753	...	2476	...
2698	2713	Lacaille 2475	7	6. 43. 18'33	38'39	4	+ 1'821	- 43. 37. 17'22	38'16	3	- 3'767	...	2475	...
2699	2714	Lacaille 2484	7	6. 43. 20'47	38'08	5	+ 1'230	- 54. 31. 1'85	38'10	4	- 3'770	...	2484	...
2700	2715	Piazzi VI. 258	8	6. 43. 22'42	36'41	3	+ 2'240	- 32. 21. 23'33	36'57	4	- 3'772	258
2701	2716	Lacaille 2470	7	6. 43. 30'35	38'12	3	+ 2'399	- 27. 8. 54'12	38'12	2	- 3'784	...	2470	...
2702	2717	13 Canis Majoris	4	6. 43. 40'86	32'47	19	+ 2'241	- 32. 19. 21'46	31'51	9	- 3'800	1008	2474	259
2703	2718	Lacaille 2481	7	6. 43. 43'18	38'39	4	+ 1'821	- 43. 37. 4'35	38'51	5	- 3'802	...	2481	...
2704	2719	Piazzi VI. 257	6'7	6. 43. 50'78	34'40	4	+ 3'270	+ 8. 34. 25'79	34'52	5	- 3'814	257
2705	2720	Piazzi VI. 260	7'8	6. 43. 55'67	36'37	4	+ 2'625	- 18. 49. 27'70	36'58	4	- 3'822	260
2706	2721	Carinæ	6	6. 44. 6'06	38'18	3	+ 1'172	- 55. 21. 32'99	38'10	3	- 3'836	...	2490	...
2707	2722	Lacaille 2479	6	6. 44. 9'14	34'33	4	+ 2'267	- 31. 31. 5'97	34'31	4	- 3'840	...	2479	261
2708	2723	Piazzi VI. 262	8'9	6. 44. 12'47	36'58	4	+ 2'267	- 31. 30. 47'62	36'08	3	- 3'844	262
2709	2724	Brisbane 1377	8	6. 44. 18'35	38'09	4	+ 1'228	- 54. 34. 9'89	38'09	4	- 3'853
2710	2725	Piazzi VI. 255	8'9	6. 44. 31'18	36'33	4	+ 5'154	+ 57. 47. 24'50	36'14	3	- 3'871	255
2711	2726	Piazzi VI. 256	8	6. 44. 44'28	40'56	2	+ 5'158	+ 57. 49. 56'60	38'27	5	- 3'891	256
2712	2727	Lacaille 2486	5	6. 44. 52'36	31'57	12	+ 2'181	- 34. 10. 38'27	31'64	10	- 3'901	...	2486	267
2713	2728	Piazzi VI. 265	8	6. 45. 3'49	39'67	5	+ 3'495	+ 17. 52. 59'96	38'09	7	- 3'917	265
2714	2729	Piazzi VI. 268	8'9	6. 45. 5'80	36'68	5	+ 2'185	- 34. 5. 9'26	36'54	4	- 3'922	268
2715	2730	37 Geminorum	6	6. 45. 9'67	32'46	7	+ 3'699	+ 25. 34. 26'80	32'17	5	- 3'926	1007	...	264
2716	2731	Puppis	6	6. 45. 15'60	39'33	8	+ 1'693	- 46. 26. 31'74	39'33	8	- 3'935	...	2492	...
2717	2732	38 Geminorum	5'6	6. 45. 20'02	33'08	5	+ 3'384	+ 13. 22. 50'90	31'52	6	- 3'942	1009	...	266
2718	2733	Brisbane 1380	8'9	6. 45. 25'10	38'30	4	+ 1'030	- 57. 17. 49'98	38'30	4	- 3'949
2719	2734	Lacaille 2509	7'8	6. 45. 29'78	38'05	3	+ 1'017	- 57. 28. 18'02	38'05	3	- 3'956	...	2509	...
2720	2735	16 Lynceis	6	6. 45. 34'07	34'38	4	+ 4'397	+ 45. 17. 56'79	34'38	4	- 3'961	1006	...	263

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2721	2736	Argus	4	h m s 6. 45. 50.77	32.32	7	+ 1.487	— 50. 25. 14.88	31.62	10	— 3.986	...	2505	...
2722	2737	Puppis	6.7	6. 45. 53.53	34.41	4	+ 2.119	— 36. 2. 0.00	34.39	4	— 3.989	...	2493	271
2723	2738	Lacaille 2498	7	6. 45. 54.24	38.14	3	+ 1.891	— 42. 0. 44.11	38.13	3	— 3.990	...	2498	...
2724	2739	Lacaille 2514	7.8	6. 45. 59.86	38.18	3	+ 0.952	— 58. 16. 46.75	38.18	3	— 3.999	...	2514	...
2725	2740	Lacaille 2499	8	6. 46. 0.14	38.05	3	+ 2.048	— 38. 1. 16.70	38.05	3	— 3.999	...	2499	...
2726	2741	Piazzi VI. 272	9	6. 46. 14.59	36.41	3	+ 2.640	— 18. 14. 48.90	36.12	3	— 4.019	272
2727	2742	Carina	5	6. 46. 15.88	38.19	3	+ 1.306	— 53. 25. 56.59	38.19	3	— 4.021	...	2511	...
2728	2743	15 Canis Majoris	5.6	6. 46. 24.93	33.05	7	+ 2.594	— 20. 1. 31.74	31.49	7	— 4.035	1012	...	275
2729	2744	Pictoria	4	6. 46. 29.65	34.50	10	+ 0.633	— 61. 45. 56.67	34.10	10	— 4.042	...	2525	...
2730	2745	14 Canis Majoris	5	6. 46. 31.46	36.83	7	+ 2.798	— 11. 50. 15.06	38.93	7	— 4.045	1011	...	274
2731	2746	Piazzi VI. 270	7	6. 46. 40.64	33.49	9	+ 3.496	+ 17. 56. 36.91	32.23	5	— 4.058	270
2732	2747	Lacaille 2523	7.8	6. 46. 53.25	38.33	4	+ 1.151	— 55. 42. 37.38	38.33	4	— 4.075	...	2523	...
2733	2748	Piazzi VI. 277	7.8	6. 46. 59.34	34.07	3	+ 2.488	— 24. 1. 49.29	34.41	3	— 4.084	277
2734	2749	Lacaille 2501	6	6. 47. 0.09	35.10	2	+ 2.367	— 28. 19. 10.25	34.37	4	— 4.085	...	2501	278
2735	2750	Piazzi VI. 269	7	6. 47. 0.96	34.73	5	+ 5.152	+ 57. 48. 34.27	35.04	1	— 4.086	269
2736	2751	Brisbane 1394	7	6. 47. 10.04	38.20	3	+ 1.561	— 49. 5. 53.88	38.19	3	— 4.099
2737	2752	16 Canis Majoris	4	6. 47. 17.32	32.15	13	+ 2.490	— 23. 58. 56.90	31.62	10	— 4.110	1014	2506	279
2738	2753	Lacaille 2518	7	6. 47. 29.76	38.14	3	+ 1.881	— 42. 18. 18.30	38.14	3	— 4.128	...	2518	...
2739	2754	Piazzi VI. 273	6.7	6. 47. 40.87	34.37	4	+ 4.945	+ 55. 4. 25.88	34.32	4	— 4.143	273
2740	2755	62 Auriga	6	6. 47. 47.99	35.09	3	+ 4.104	+ 38. 16. 12.20	34.37	4	— 4.153	1010	...	276
2741	2756	Lacaille 2521	7.8	6. 47. 50.60	38.14	3	+ 1.876	— 42. 25. 39.42	38.14	3	— 4.157	...	2521	...
2742	2757	17 Canis Majoris	6	6. 47. 55.37	32.81	6	+ 2.591	— 20. 12. 0.14	32.16	4	— 4.162	1016	...	282
2743	2758	Piazzi VI. 281	7	6. 48. 6.30	33.15	4	+ 3.500	+ 18. 6. 44.22	33.06	5	— 4.179	281
2744	2759	19 Canis Majoris	5.6	6. 48. 28.44	33.17	5	+ 2.598	— 19. 55. 54.04	32.18	4	— 4.210	1018	...	287
2745	2760	18 Canis Majoris	5.6	6. 48. 33.13	33.12	6	+ 2.750	— 13. 50. 10.61	32.20	5	— 4.217	1017	...	286
2746	2761	39 Geminorum	6.7	6. 48. 36.93	33.69	10	+ 3.718	+ 26. 17. 24.11	33.98	3	— 4.221	1013	...	283
2747	2762	20 Canis Majoris	4.5	6. 48. 46.84	32.15	22	+ 2.676	— 16. 50. 46.15	31.83	12	— 4.238	1019	...	289
2748	2763	Brisbane 1399	7.8	6. 48. 54.65	38.38	4	+ 0.970	— 58. 7. 44.45	38.38	4	— 4.248
2749	2764	Piazzi VI. 280	6.7	6. 49. 3.99	34.37	4	+ 5.175	+ 58. 9. 9.79	34.31	4	— 4.261	280
2750	2765	Lacaille 2530	6	6. 49. 14.87	34.34	4	+ 1.889	— 42. 9. 38.68	34.30	4	— 4.277	...	2530	291
2751	2766	40 Geminorum	6.7	6. 49. 16.48	33.24	6	+ 3.713	+ 26. 7. 49.87	32.87	4	— 4.279	1015	...	288
2752	2767	Lacaille 2537	6.7	6. 49. 16.67	38.12	3	+ 1.282	— 53. 53. 17.01	38.12	3	— 4.281	...	2537	...
2753	2768	Piazzi VI. 284	7	6. 49. 19.65	35.13	3	+ 4.732	+ 51. 47. 32.21	34.38	4	— 4.285	284
2754	2769	Lacaille 2531	7	6. 49. 30.98	38.46	3	+ 2.039	— 38. 20. 54.25	38.46	3	— 4.299	...	2531	...
2755	2770	Lacaille 2529	7	6. 49. 32.83	38.18	3	+ 2.204	— 33. 35. 53.27	38.17	2	— 4.302	...	2529	...
2756	2771	Piazzi VI. 290	7	6. 49. 41.70	37.79	6	+ 2.676	— 16. 53. 11.49	35.42	6	— 4.315	290
2757	2772	Lacaille 2541	6.7	6. 49. 57.39	38.07	3	+ 1.493	— 50. 24. 53.06	38.07	3	— 4.337	...	2541	...
2758	2773	Lacaille 2552	6.7	6. 50. 20.73	38.08	3	+ 0.888	— 59. 8. 18.28	38.08	3	— 4.371	...	2552	...
2759	2774	Piazzi VI. 294	7	6. 50. 22.01	32.64	4	+ 3.450	+ 16. 9. 34.46	33.11	3	— 4.372	294
2760	2775	Brisbane 1409	7.8	6. 50. 38.46	38.05	3	+ 2.078	— 37. 18. 35.81	38.05	3	— 4.394

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
2761	2776	Piazzi VI. 296	7	6. 50. 40'31	34'41	4	+ 3'644	+ 23. 39. 43'80	34'41	4	- 4'397	296
2762	2777	Piazzi VI. 295	7	6. 50. 45'56	34'38	4	+ 3'808	+ 29. 26. 22'59	34'33	4	- 4'405	295
2763	2778	Lacaille 2535	6	6. 50. 45'57	32'22	5	+ 2'480	- 24. 25. 15'86	32'57	5	- 4'405	...	2535	300
2764	2779	41 Geminorum	6'7	6. 50. 46'70	32'16	6	+ 3'453	+ 16. 17. 58'06	32'38	6	- 4'408	1020	...	297
2765	2780	Lacaille 2539	7	6. 50. 50'36	38'16	3	+ 2'154	- 35. 7. 40'94	38'16	3	- 4'412	...	2539	...
2766	2781	Piazzi VI. 293	6'7	6. 51. 25'44	35'11	3	+ 5'333	+ 60. 2. 6'43	34'40	4	- 4'462	293
2767	2782	Lacaille 2548	7	6. 51. 25'61	38'18	3	+ 2'101	- 36. 40. 19'02	38'19	3	- 4'462	...	2548	...
2768	2783	Piazzi VI. 298	8'9	6. 51. 27'29	36'31	4	+ 4'494	+ 47. 29. 11'82	36'32	4	- 4'465	298
2769	2784	Brisbane 1415	9'10	6. 51. 33'56	38'17	2	+ 0'828	- 59. 50. 53'45	38'13	2	- 4'474
2770	2785	Brisbane 1414	8	6. 51. 33'77	38'09	3	+ 1'208	- 55. 2. 26'81	38'09	3	- 4'474
2771	2786	Brisbane 1417	8	6. 51. 36'20	38'31	5	+ 0'844	- 59. 40. 19'61	38'36	4	- 4'477
2772	2787	Piazzi VI. 299	6'7	6. 51. 43'30	34'33	4	+ 4'484	+ 47. 16. 43'06	34'34	4	- 4'487	299
2773	2788	Piazzi VI. 303	6	6. 51. 50'44	32'18	6	+ 2'459	- 25. 11. 44'76	32'20	5	- 4'498	303
2774	2789	Lacaille 2557	6	6. 51. 52'67	38'35	4	+ 1'599	- 48. 30. 25'33	38'35	4	- 4'502	...	2557	...
2775	2790	21 Canis Majoris	2'3	6. 52. 8'61	32'07	17	+ 2'357	- 28. 45. 8'17	31'89	58	- 4'525	1023	2550	304
2776	2791	42 Geminorum	6	6. 52. 21'34	33'06	6	+ 3'664	+ 24. 26. 36'47	32'21	5	- 4'542	1021	...	302
2777	2792	Puppis	6	6. 52. 22'77	34'32	4	+ 2'197	- 33. 53. 32'30	34'31	4	- 4'546	...	2554	306
2778	2793	Lacaille 2561	7	6. 52. 29'30	38'17	3	+ 1'832	- 43. 34. 11'72	38'17	3	- 4'554	...	2561	...
2779	2794	Piazzi VI. 301	6'7	6. 52. 31'66	34'40	4	+ 4'800	+ 52. 59. 42'18	34'37	4	- 4'557	301
2780	2795	Piazzi VI. 307	8	6. 52. 36'14	36'32	4	+ 2'358	- 28. 44. 24'86	36'33	4	- 4'562	307
2781	2796	Lacaille 2568	6'7	6. 52. 43'37	38'17	3	+ 1'476	- 50. 47. 55'24	38'18	3	- 4'572	...	2568	...
2782	2797	Lacaille 2567	8	6. 52. 43'71	38'07	3	+ 1'491	- 50. 32. 21'47	38'07	3	- 4'574	...	2567	...
2783	2798	Lacaille 2574	7'8	6. 52. 55'26	38'35	4	+ 1'087	- 56. 45. 15'13	38'35	4	- 4'589	...	2574	...
2784	2799	Piazzi VI. 305	6'7	6. 53. 0'87	36'19	9	+ 3'811	+ 29. 36. 20'43	35'95	10	- 4'598	305
2785	2800	Piazzi VI. 285	6'7	6. 53. 43'24	37'61	10	+ 11'809	+ 81. 32. 0'53	37'32	8	- 4'660	285
2786	2801	Brisbane 1429	7'8	6. 53. 44'92	38'10	3	+ 1'226	- 54. 49. 40'00	38'10	3	- 4'662
2787	2802	Lacaille 2576	6'7	6. 53. 53'72	34'36	4	+ 1'747	- 45. 32. 37'46	34'35	4	- 4'673	...	2576	314
2788	2803	Brisbane 1433	7	6. 54. 15'70	38'08	3	+ 1'153	- 55. 52. 53'69	38'08	3	- 4'704
2789	2804	Piazzi VI. 313	6	6. 54. 16'51	35'09	3	+ 3'286	+ 9. 22. 15'68	34'38	4	- 4'706	313
2790	2805	Piazzi VI. 311	8	6. 54. 18'68	36'53	4	+ 3'567	+ 20. 49. 50'06	36'35	4	- 4'709	311
2791	2806	43 Geminorum	4	6. 54. 19'16	33'57	24	+ 3'566	+ 20. 48. 17'32	32'97	38	- 4'709	1024	...	312
2792	2807	Piazzi VI. 309	8'9	6. 54. 23'87	36'37	3	+ 4'605	+ 49. 42. 40'90	36'36	4	- 4'717	309
2793	2808	Lacaille 2580	6'7	6. 54. 28'56	38'18	3	+ 1'951	- 40. 46. 41'39	38'18	3	- 4'722	...	2580	...
2794	2809	19 Monocerotis	5'6	6. 54. 43'21	35'30	20	+ 2'981	- 4. 0. 23'14	34'87	12	- 4'742	1026	...	315
2795	2810	17 Lynx	6'7	6. 54. 49'01	36'40	7	+ 5'419	+ 61. 2. 25'91	35'59	10	- 4'751	1022	...	308
2796	2811	Piazzi VI. 310	6'7	6. 54. 56'34	37'91	5	+ 5'414	+ 60. 59. 32'60	38'30	5	- 4'762	310
2797	2812	22 Canis Majoris	3'4	6. 55. 9'00	32'16	17	+ 2'390	- 27. 42. 13'24	31'53	11	- 4'780	1027	2581	320
2798	2813	Piazzi VI. 319	Var.	6. 55. 15'50	38'43	8	+ 2'981	- 4. 1. 50'79	40'08	3	- 4'788	319
2799	2814	Piazzi VI. 316	6	6. 55. 18'36	35'10	3	+ 3'972	+ 34. 43. 1'01	34'39	4	- 4'793	316
2800	2815	Brisbane 1438	9	6. 55. 21'33	39'20	10	+ 0'765	- 60. 37. 44'30	39'33	9	- 4'798

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{lxxiii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2801	2816	44 Geminorum	6.7	h m s 6. 55. 22.16	32.35	7	+ 3.620	+ 22. 52. 36.86	32.21	5	— 4.798	1025	...	317
2802	2817	Lacaille 2594	6.7	6. 55. 26.93	38.09	3	+ 1.183	— 55. 29. 56.75	38.09	3	— 4.806	...	2594	...
2803	2818	Lacaille 2598	6.7	6. 55. 30.73	38.05	3	+ 1.135	— 56. 10. 0.52	38.05	3	— 4.810	...	2598	...
2804	2819	Lacaille 2590	6.7	6. 55. 42.63	38.12	5	+ 1.961	— 40. 33. 48.63	38.11	4	— 4.825	...	2590	...
2805	2820	Piazzi VI. 292	4.5	6. 55. 53.82	31.74	9	+ 13.206	+ 82. 42. 13.15	31.57	10	— 4.844	292
2806	2821	Lacaille 2595	7	6. 56. 2.55	38.37	4	+ 1.585	— 48. 54. 10.89	38.15	3	— 4.856	...	2595	...
2807	2822	24 Canis Majoris ^o	4	6. 56. 8.25	32.25	16	+ 2.505	— 23. 35. 49.14	31.59	10	— 4.864	1029	2588	323
2808	2823	23 Canis Majoris ^γ	4	6. 56. 17.67	32.89	20	+ 2.715	— 15. 23. 41.54	31.68	11	— 4.878	1028	...	325
2809	2824	Lacaille 2593	6.7	6. 56. 24.19	38.14	4	+ 1.958	— 40. 39. 49.24	38.14	4	— 4.887	...	2593	...
2810	2825	Brisbane 1441	8	6. 56. 30.91	39.32	10	+ 0.745	— 60. 52. 14.47	39.32	10	— 4.895
2811	2826	Piazzi VI. 324	6	6. 56. 36.84	34.66	4	+ 3.287	+ 9. 25. 43.35	34.40	4	— 4.903	324
2812	2827	Piazzi VI. 322	7	6. 56. 42.08	34.04	3	+ 3.493	+ 17. 59. 16.49	35.05	1	— 4.911	322
2813	2828	Piazzi VI. 321	7	6. 56. 52.95	35.13	3	+ 5.257	+ 59. 19. 7.83	34.16	3	— 4.927	321
2814	2829	Brisbane 1455	7	6. 57. 2.03	38.11	3	+ 0.770	— 60. 36. 43.58	38.11	3	— 4.940
2815	2830	Lacaille 2605	6.7	6. 57. 8.70	38.17	3	+ 1.515	— 50. 13. 57.33	38.17	3	— 4.950	...	2605	...
2816	2832	Lacaille 2599	7	6. 57. 9.21	38.38	4	+ 1.889	— 42. 23. 46.08	38.38	4	— 4.950	...	2599	...
2817	2831	Lacaille 2600	6.7	6. 57. 9.23	34.38	4	+ 1.856	— 43. 10. 1.12	34.31	4	— 4.950	...	2600	327
2818	2833	Brisbane 1458	7	6. 57. 56.84	38.17	3	+ 1.518	— 50. 11. 30.68	38.17	3	— 5.018
2819	2834	Piazzi VI. 328	8	6. 58. 1.94	36.31	4	+ 2.734	— 14. 37. 35.80	36.38	4	— 5.025	328
2820	2835	Brisbane 1459	8	6. 58. 11.26	38.11	3	+ 0.771	— 60. 37. 44.02	38.11	4	— 5.038
2821	2836	Piazzi VI. 326	8	6. 58. 23.64	38.12	7	+ 4.622	+ 50. 9. 27.68	37.63	6	— 5.056	326
2822	2837	Lacaille 2621	6.7	6. 58. 31.66	39.53	8	+ 0.943	— 58. 42. 33.95	39.53	8	— 5.068	...	2621	...
2823	2838	Brisbane 1460	8	6. 58. 33.80	38.13	3	+ 1.303	— 53. 49. 18.93	38.13	3	— 5.070
2824	2839	Piazzi VI. 329	8.9	6. 58. 34.62	35.16	3	+ 3.437	+ 15. 47. 19.12	34.16	3	— 5.071	329
2825	2840	Brisbane 1463	7.8	6. 58. 41.04	38.14	4	+ 0.747	— 60. 54. 22.72	38.16	3	— 5.081
2826	2841	Piazzi VI. 332	6.7	6. 58. 46.33	35.16	3	+ 3.437	+ 15. 47. 33.88	35.09	.. 1	— 5.087	332
2827	2842	Piazzi VI. 330	7	6. 58. 48.31	35.09	4	+ 3.831	+ 30. 24. 7.78	34.32	4	— 5.090	330
2828	2843	Puppis ^C	6	6. 58. 49.15	35.15	3	+ 1.903	— 42. 5. 51.17	34.53	5	— 5.091	...	2607	335
2829	2844	Brisbane 1466	7.8	6. 58. 52.97	38.32	4	+ 1.211	— 55. 12. 7.06	38.07	3	— 5.098
2830	2845	Lacaille 2608	6	6. 58. 53.81	34.35	4	+ 1.849	— 43. 22. 56.42	35.08	6	— 5.099	...	2608	336
2831	2846	45 Geminorum	6	6. 58. 54.14	32.16	6	+ 3.447	+ 16. 11. 12.82	32.19	6	— 5.099	1030	...	333
2832	2847	Piazzi VI. 337	8	6. 58. 55.50	36.71	5	+ 1.849	— 43. 23. 6.27	36.66	2	— 5.100	337
2833	2848	Piazzi VI. 331	7	6. 59. 18.94	34.87	5	+ 4.615	+ 50. 2. 59.43	34.41	3	— 5.133	331
2834	2849	Puppis ^H	6	6. 59. 36.49	38.32	4	+ 1.567	— 49. 20. 45.20	38.32	4	— 5.157	...	2624	...
2835	2850	Lacaille 2622	6.7	7. 0. 7.25	38.11	3	+ 1.973	— 40. 23. 39.76	38.18	3	— 5.200	...	2622	...
2836	2851	Lacaille 2635	8	7. 0. 15.50	38.21	3	+ 1.179	— 55. 42. 17.83	38.21	3	— 5.212	...	2635	...
2837	2852	63 Auriga	5	7. 0. 17.72	31.66	10	+ 4.140	+ 39. 34. 52.16	31.57	10	— 5.216	1032	...	338
2838	2853	Lacaille 2625	6.7	7. 0. 22.35	38.20	3	+ 2.058	— 38. 8. 1.04	38.20	3	— 5.223	...	2625	...
2839	2854	46 Geminorum ^T	5	7. 0. 37.81	31.73	10	+ 3.832	+ 30. 30. 26.94	31.64	9	— 5.246	1033	...	341
2840	2855	Brisbane 1474	9.10	7. 0. 42.37	38.45	5	+ 0.761	— 60. 49. 4.94	38.55	4	— 5.251

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2841	2856	Lacaille 2640	6	h m s 7. 0. 42'71	38'20	3	+ 0'930	— 58. 56. 5'18	38'19	3	— 5'252	...	2640	...
2842	2857	Lacaille 2631	6'7	7. 0. 43'50	31'51	3	+ 1'907	— 42. 4. 41'88	34'20	3	— 5'253	...	2631	344
2843	2858	Piazzi VI. 342	9	7. 0. 45'09	36'36	4	+ 3'233	+ 7. 6. 16'81	36'34	4	— 5'255	342
2844	2859	Piazzi VI. 339	7	7. 1. 1'67	35'13	2	+ 5'311	+ 60. 2. 45'75	34'40	4	— 5'279	339
2845	2860	47 Geminorum	6	7. 1. 8'74	32'19	6	+ 3'733	+ 27. 7. 13'50	31'20	5	— 5'288	1034	...	343
2846	2861	Lacaille 2642	6	7. 1. 13'43	38'48	3	+ 1'123	— 56. 30. 5'50	38'50	3	— 5'294	...	2642	...
2847	2862	Lacaille 2636	7	7. 1. 15'01	37'96	5	+ 1'854	— 43. 21. 32'44	38'39	4	— 5'297	...	2636	...
2848	2863	18 Lyncis	6	7. 1. 28'14	34'63	6	+ 5'298	+ 59. 55. 13'60	34'36	4	— 5'315	1031	...	340
2849	2864	Piazzi VI. 345	8'9	7. 1. 39'74	37'26	5	+ 3'215	+ 6. 19. 59'90	36'36	4	— 5'333	345
2850	2865	25 Canis Majoris	3'4	7. 1. 41'10	32'29	12	+ 2'440	— 26. 8. 8'62	31'57	10	— 5'335	1042	2633	2
2851	2866	Puppis	6	7. 1. 42'79	34'39	4	+ 1'966	— 40. 38. 19'58	34'31	4	— 5'337	...	2638	6
2852	2867	Brisbane 1482	7'8	7. 1. 45'31	38'47	3	+ 1'979	— 40. 16. 56'71	38'48	3	— 5'340
2853	2868	Piazzi VI. 347	9	7. 1. 45'67	38'19	7	+ 3'209	+ 6. 4. 45'85	39'09	6	— 5'341	347
2854	2869	Bradley 1036	7	7. 1. 51'23	34'32	4	+ 3'432	+ 15. 35. 49'04	35'40	9	— 5'349	1036	...	346
2855	2870	Brisbane 1480	8	7. 1. 54'74	38'13	2	+ 1'307	— 53. 52. 8'57	38'45	3	— 5'354
2856	2871	Piazzi VII. 1	8	7. 1. 58'56	36'74	3	+ 3'207	+ 6. 0. 2'66	36'15	3	— 5'360	1
2857	2872	20 Monocerotis	5'6	7. 2. 1'95	32'21	6	+ 2'982	— 3. 59. 8'73	31'21	5	— 5'364	1041	...	4
2858	2873	48 Geminorum	6	7. 2. 24'58	32'57	8	+ 3'656	+ 24. 23. 50'85	31'23	5	— 5'396	1038	...	3
2859	2874	Brisbane 1481	8'9	7. 2. 34'86	38'43	3	+ 0'791	— 60. 33. 14'22	38'43	3	— 5'410
2860	2875	49 Geminorum	7	7. 2. 39'97	34'42	4	+ 3'700	+ 26. 0. 59'27	34'42	4	— 5'417	1039	...	5
2861	2876	Lacaille 2641	5'6	7. 2. 55'22	33'17	7	+ 2'473	— 24. 58. 9'58	32'86	6	— 5'438	...	2641	13
2862	2877	Piazzi VII. 14	8	7. 2. 56'99	36'51	3	+ 2'473	— 24. 56. 46'93	36'81	3	— 5'441	14
2863	2878	21 Monocerotis	6	7. 2. 57'64	35'14	3	+ 3'072	— 0. 2. 8'81	34'38	4	— 5'442	1045	...	7
2864	2879	Brisbane 1485	7'8	7. 3. 1'61	38'08	3	+ 0'852	— 59. 54. 10'90	38'08	3	— 5'448
2865	2880	Piazzi VII. 8	6	7. 3. 3'30	34'73	5	+ 3'205	+ 5. 55. 18'50	34'33	4	— 5'449	8
2866	2881	Lacaille 2662	7	7. 3. 4'37	40'39	4	+ 0'406	— 64. 14. 17'77	40'39	4	— 5'450	...	2662	...
2867	2882	Brisbane 1490	7'8	7. 3. 5'62	39'47	6	+ 0'753	— 60. 58. 23'25	39'38	8	— 5'453
2868	2883	Piazzi VII. 9	8	7. 3. 13'53	36'43	3	+ 3'449	+ 16. 21. 14'67	36'38	4	— 5'463	9
2869	2884	Carinae	7	7. 3. 16'47	38'13	3	+ 1'442	— 51. 42. 43'67	38'13	3	— 5'469	...	2651	...
2870	2885	Puppis	6	7. 3. 18'65	34'10	3	+ 2'015	— 39. 23. 43'53	34'36	4	— 5'471	...	2649	18
2871	2886	Bradley 1044	7	7. 3. 23'62	34'14	3	+ 3'427	+ 15. 26. 49'33	34'35	4	— 5'479	1044	...	11
2872	2887	Piazzi VII. 12	9	7. 3. 24'53	36'61	4	+ 3'310	+ 10. 27. 58'57	36'60	4	— 5'480	12
2873	2888	22 Monocerotis	4'5	7. 3. 26'27	32'24	19	+ 3'067	— 0. 13. 31'60	31'56	9	— 5'482	1047	...	15
2874	2889	Brisbane 1491	8	7. 3. 28'17	39'42	8	+ 0'737	— 61. 8. 58'40	39'60	7	— 5'484
2875	2890	Lacaille 2652	7	7. 3. 33'51	38'13	3	+ 1'429	— 51. 56. 53'70	38'13	3	— 5'491	...	2652	...
2876	2891	51 Geminorum	5	7. 3. 53'68	32'59	12	+ 3'451	+ 16. 25. 56'33	32'52	22	— 5'520	1046	...	17
2877	2892	Piazzi VII. 19	7	7. 4. 2'76	35'17	3	+ 2'955	— 5. 10. 33'24	34'66	2	— 5'533	19
2878	2893	Brisbane 1494	7	7. 4. 11'26	38'09	3	+ 0'870	— 59. 44. 17'55	38'09	3	— 5'545
2879	2894	Piazzi VI. 334	6'7	7. 4. 14'77	37'69	7	+ 11'378	+ 81. 12. 32'79	37'35	8	— 5'549	334
2880	2895	44 Camelopardi	7	7. 4. 19'35	35'15	3	+ 5'227	+ 59. 12. 3'40	34'39	4	— 5'555	1037	...	10

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
2881	2896	52 Geminorum	7	h m s 7. 4. 36'11	33'08	7	+ 3'675	+ 25. 9. 49'53	32'21	5	— 5'579	1049	...	21
2882	2897	Piazzi VII. 23	8	7. 4. 42'64	36'63	4	+ 3'321	+ 10. 57. 53'07	36'68	4	— 5'589	23
2883	2898	Lacaille 2667	6'7	7. 4. 49'42	38'20	3	+ 0'896	— 59. 27. 20'96	38'19	3	— 5'597	...	2667	...
2884	2899	Brisbane 1495	8	7. 4. 50'58	38'16	2	+ 1'991	— 40. 6. 4'81	38'16	2	— 5'600
2885	2900	45 Camelopardi	6'7	7. 4. 51'26	35'15	3	+ 5'245	+ 59. 24. 38'51	34'35	4	— 5'601	1040	...	16
2886	2901	23 Monocerotis	7	7. 4. 52'14	35'10	5	+ 3'072	+ 0. 0. 48'03	34'20	3	— 5'602	24
2887	2902	Lacaille 2669	6'7	7. 5. 7'63	38'20	3	+ 1'090	— 57. 4. 10'15	38'20	3	— 5'622	...	2669	...
2888	2903	Piazzi VII. 27	7	7. 5. 21'75	35'11	3	+ 2'823	— 10. 58. 42'43	34'43	4	— 5'643	27
2889	2904	26 Canis Majoris	6	7. 5. 27'33	32'18	6	+ 2'456	— 25. 40. 16'92	31'22	3	— 5'651	1053	2656	31
2890	2905	Piazzi VII. 20	9	7. 5. 28'73	36'62	4	+ 5'293	+ 59. 59. 2'00	36'59	4	— 5'654	20
2891	2906	46 Camelopardi	6'7	7. 5. 31'71	34'34	4	+ 5'253	+ 59. 32. 26'06	34'36	4	— 5'658	1043	...	22
2892	2907	Piazzi VII. 26	9	7. 5. 36'84	36'55	4	+ 3'259	+ 8. 18. 36'57	36'51	3	— 5'664	26
2893	2908	53 Geminorum	6	7. 5. 38'56	33'40	9	+ 3'759	+ 28. 10. 35'80	33'41	10	— 5'667	1050	...	25
2894	2909	Piazzi VII. 29	6	7. 5. 40'98	34'07	3	+ 3'148	+ 3. 23. 16'45	34'30	4	— 5'671	29
2895	2910	Lacaille 2660	6	7. 5. 42'38	38'21	3	+ 2'315	— 30. 33. 0'42	38'20	3	— 5'672	...	2660	...
2896	2911	Lacaille 2665	6'7	7. 5. 46'49	38'20	3	+ 2'040	— 38. 50. 1'48	38'20	3	— 5'677	...	2665	...
2897	2912	Lacaille 2680	7'8	7. 6. 2'84	39'40	8	+ 1'164	— 56. 5. 35'77	39'13	6	— 5'701	...	2680	...
2898	2913	Brisbane 1501	7'8	7. 6. 5'46	39'39	5	+ 1'164	— 56. 6. 4'47	39'19	4	— 5'704
2899	2914	Piazzi VII. 28	8	7. 6. 10'85	36'67	4	+ 4'195	+ 41. 13. 47'48	36'64	4	— 5'713	28
2900	2915	Piazzi VII. 34	8	7. 6. 28'26	36'65	5	+ 3'293	+ 9. 46. 44'56	36'68	4	— 5'736	34
2901	2916	64 Aurigæ	5	7. 6. 33'03	31'56	9	+ 4'192	+ 41. 10. 4'97	31'61	10	— 5'743	1052	...	32
2902	2917	Lacaille 2668	6	7. 6. 34'43	38'49	3	+ 2'132	— 36. 16. 14'04	38'49	3	— 5'744	...	2668	...
2903	2918	Brisbane 1503	8'9	7. 6. 38'12	39'16	7	+ 1'165	— 56. 6. 8'71	38'38	4	— 5'751
2904	2919	Piazzi VII. 37	6'7	7. 6. 42'45	35'13	3	+ 3'258	+ 8. 15. 29'73	34'45	4	— 5'756	37
2905	2920	Puppis	6'7	7. 6. 48'01	35'19	3	+ 1'989	— 40. 13. 28'26	34'81	3	— 5'764	...	2672	41
2906	2921	Piazzi VII. 35	6'7	7. 6. 49'66	35'18	3	+ 3'724	+ 26. 58. 44'46	34'44	4	— 5'768	35
2907	2923	Brisbane 1505	7'8	7. 6. 52'87	38'05	3	+ 0'826	— 60. 18. 32'91	38'05	3	— 5'772
2908	2922	24 Monocerotis	6'7	7. 6. 52'96	34'39	4	+ 3'072	+ 0. 7. 7'85	34'39	4	— 5'772	1055	...	38
2909	2924	Piazzi VII. 30	8'9	7. 7. 2'92	36'82	3	+ 5'403	+ 61. 13. 19'89	36'47	3	— 5'785	30
2910	2925	Lacaille 2685	6'7	7. 7. 3'93	38'07	3	+ 1'222	— 55. 18. 56'49	38'07	3	— 5'786	...	2685	...
2911	2926	Lacaille 2692	6'7	7. 7. 7'47	38'05	3	+ 0'845	— 60. 6. 46'84	38'05	3	— 5'790	...	2692	...
2912	2927	Piazzi VII. 39	7	7. 7. 16'47	32'22	6	+ 3'449	+ 16. 25. 47'08	32'57	7	— 5'803	39
2913	2928	Piazzi VII. 33	Var.	7. 7. 20'03	36'43	4	+ 5'345	+ 60. 37. 21'40	36'40	4	— 5'809	33
2914	2929	Lacaille 2676	6'7	7. 7. 26'51	35'16	3	+ 2'309	— 30. 48. 17'33	34'58	5	— 5'811	...	2676	44
2915	2930	27 Canis Majoris	4'5	7. 7. 31'80	31'55	15	+ 2'446	— 26. 4. 21'62	31'62	10	— 5'825	1059	2674	45
2916	2931	Piazzi VII. 40	9	7. 7. 32'89	36'29	5	+ 3'289	+ 9. 37. 15'54	36'49	5	— 5'826	40
2917	2932	Piazzi VII. 42	7'8	7. 7. 40'73	34'41	4	+ 3'453	+ 16. 34. 42'21	34'33	4	— 5'838	42
2918	2933	Piazzi VII. 36	6'7	7. 7. 47'64	34'04	3	+ 5'305	+ 60. 11. 45'89	34'29	4	— 5'847	36
2919	2934	Puppis	5	7. 7. 51'50	32'71	13	+ 1'725	— 46. 29. 14'17	32'65	13	— 5'852	...	2687	...
2920	2935	Piazzi VII. 46	6'7	7. 7. 54'72	34'41	4	+ 2'840	— 10. 18. 0'87	34'36	4	— 5'857	46

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2921	2936	28 Canis Majoris	6	h m s 7. 8. 6.96	32.24	4	+ 2.435	— 26. 29. 26.98	31.65	10	— 5.873	1060	2681	51
2922	2937	Brisbane 1518	7	7. 8. 14.91	38.11	3	+ 2.323	— 30. 22. 30.37	38.10	3	— 5.885
2923	2938	Puppis L ¹	5	7. 8. 17.26	32.50	10	+ 1.798	— 44. 53. 58.44	31.60	10	— 5.888	...	2690	54
2924	2939	Puppis L ²	6	7. 8. 29.82	34.11	3	+ 1.822	— 44. 22. 28.39	34.33	4	— 5.906	...	2691	55
2925	2940	Brisbane 1519	7	7. 8. 30.23	38.19	4	+ 2.003	— 39. 54. 50.96	38.18	4	— 5.906
2926	2941	54 Geminorum.....λ	4.5	7. 8. 36.42	35.32	30	+ 3.459	+ 16. 49. 52.80	32.64	23	— 5.914	1058	...	50
2927	2942	Piazzi VII. 52	6.7	7. 8. 37.00	34.12	3	+ 3.288	+ 9. 35. 9.23	34.33	4	— 5.915	52
2928	2943	Piazzi VII. 43	8	7. 8. 57.85	36.12	3	+ 3.291	+ 9. 44. 59.85	36.36	4	— 5.945	43
2929	2944	Bradley 1054.....	7.8	7. 9. 21.89	35.87	7	+ 4.935	+ 55. 35. 5.97	34.64	4	— 5.981	1054	...	47
2930	2945	Piazzi VII. 49	8.9	7. 9. 23.88	36.38	4	+ 4.938	+ 55. 38. 28.89	36.36	4	— 5.982	49
2931	2955	C.P.D. — 61°.781.....	10	7. 9. 24.94	39.10	3	+ 0.714	— 61. 33. 9.06	40.61	4	— 5.983
2932	2946	Piazzi VII. 56	7	7. 9. 28.90	35.21	2	+ 2.929	— 6. 23. 27.08	34.45	4	— 5.989	56
2933	2947	Lacaille 2700	6	7. 9. 34.39	34.09	3	+ 1.957	— 41. 8. 31.02	34.30	4	— 5.995	...	2700	58
2934	2948	20 Lynx 7	7	7. 9. 36.03	35.15	3	+ 4.617	+ 50. 26. 53.87	34.36	5	— 5.998	1057	...	53
2935	2949	Brisbane 1525	8	7. 9. 42.72	38.20	3	+ 0.901	— 59. 33. 34.55	38.20	3	— 6.008
2936	2950	Lacaille 2715.....	6.7	7. 9. 57.16	38.08	3	+ 1.356	— 53. 23. 6.96	38.08	3	— 6.028	...	2715	...
2937	2951	Lacaille 2697.....	6	7. 9. 58.36	32.20	7	+ 2.405	— 27. 35. 41.30	32.21	5	— 6.029	...	2697	59
2938	2952	Lacaille 2710.....	5.6	7. 10. 2.04	38.15	4	+ 1.725	— 46. 33. 51.03	38.15	4	— 6.035	...	2710	...
2939	2953	Volantis γ	5	7. 10. 7.10	34.32	10	— 0.475	— 70. 13. 42.21	31.79	8	— 6.041	...	2746	...
2940	2954	55 Geminorum δ	3.4	7. 10. 15.81	33.29	23	+ 3.594	+ 22. 16. 44.42	32.36	23	— 6.054	1062	...	57
2941	2956	Brisbane 1532.....	7.8	7. 10. 24.34	38.20	3	+ 0.763	— 61. 5. 56.67	38.19	3	— 6.066
2942	2957	Piazzi VII. 63.....	6.7	7. 10. 44.98	35.14	3	+ 3.139	+ 3. 2. 12.75	34.43	4	— 6.094	63
2943	2958	Lacaille 2713.....	6.7	7. 10. 49.60	35.18	3	+ 2.076	— 38. 1. 44.52	34.43	4	— 6.102	...	2713	65
2944	2959	Piazzi VII. 64	6.7	7. 10. 53.19	34.07	3	+ 3.239	+ 7. 26. 32.61	34.36	4	— 6.106	64
2945	2960	Lacaille 2714	6.7	7. 10. 56.94	34.08	3	+ 2.136	— 36. 18. 6.22	34.38	4	— 6.111	...	2714	66
2946	2961	65 Auriga	5	7. 11. 0.55	31.67	11	+ 4.034	+ 37. 3. 46.21	31.62	10	— 6.115	1063	...	60
2947	2962	Argus π	3.4	7. 11. 19.07	32.32	12	+ 2.120	— 36. 48. 20.12	31.64	10	— 6.141	...	2720	68
2948	2963	Clould 9278.....	7.8	7. 11. 24.23	39.91	5	+ 1.543	— 50. 12. 35.02	39.91	5	— 6.149
2949	2964	Lacaille 2732.....	7	7. 11. 30.32	38.16	3	+ 1.732	— 46. 29. 4.97	38.16	3	— 6.157	...	2732	...
2950	2965	Piazzi VII. 61	7	7. 11. 35.80	36.69	12	+ 5.023	+ 56. 52. 47.83	36.13	8	— 6.164	61
2951	2966	Piazzi VII. 62	7.8	7. 11. 43.52	37.97	9	+ 5.020	+ 56. 51. 11.86	38.06	8	— 6.174	62
2952	2967	Lacaille 2727	7	7. 11. 47.73	38.35	4	+ 2.052	— 38. 43. 53.12	38.35	4	— 6.181	...	2727	...
2953	2968	Lacaille 2728.....	7	7. 11. 47.95	38.35	4	+ 2.056	— 38. 37. 19.09	38.35	4	— 6.181	...	2728	...
2954	2969	29 Canis Majoris	6	7. 11. 48.33	32.24	6	+ 2.499	— 24. 15. 45.92	31.70	10	— 6.182	1067	2718	71
2955	2970	30 Canis Majoris.....	6	7. 11. 52.19	33.06	5	+ 2.488	— 24. 39. 30.12	31.23	5	— 6.187	1069	2721	72
2956	2971	Lacaille 2729	7	7. 12. 10.56	38.08	3	+ 2.323	— 30. 30. 8.42	38.08	2	— 6.211	...	2729	...
2957	2972	56 Geminorum.....	5.6	7. 12. 12.34	32.20	7	+ 3.554	+ 20. 44. 52.22	32.55	7	— 6.215	1065	...	69
2958	2973	Lacaille 2750.....	7	7. 12. 14.98	38.17	3	+ 0.799	— 60. 46. 53.99	38.18	2	— 6.219	...	2750	...
2959	2974	Lacaille 2726.....	8	7. 12. 22.03	36.06	2	+ 2.488	— 24. 39. 27.90	36.13	3	— 6.228	...	2726	73
2960	2975	Lacaille 2733.....	6	7. 12. 26.56	35.18	3	+ 2.134	— 36. 26. 14.85	34.55	5	— 6.235	...	2733	74

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{lxxvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
2961	2976	Lacaille 2744	7	h m s 7. 12. 30.74	38.32	4	+ 1.339	— 53. 45. 0.41	38.05	3	— 6.240	...	2744	...
2962	2977	Lacaille 2748	7.8	7. 12. 38.29	38.32	4	+ 1.328	— 53. 56. 5.32	38.05	3	— 6.251	...	2748	...
2963	2978	66 Aurigæ	5.6	7. 12. 42.07	34.04	3	+ 4.176	+ 40. 58. 53.90	34.38	4	— 6.256	1064	...	70
2964	2979	Lacaille 2752	7	7. 12. 42.91	38.16	3	+ 1.019	— 58. 15. 5.46	38.16	3	— 6.257	...	2752	...
2965	2981	Lacaille 2740	7	7. 12. 45.79	39.35	8	+ 1.723	— 46. 42. 35.46	39.35	8	— 6.261	...	2740	...
2966	2980	Lacaille 2736	6	7. 12. 46.35	35.18	3	+ 2.134	— 36. 26. 42.28	34.40	4	— 6.261	...	2736	78
2967	2982	Puppis	6.7	7. 12. 55.80	35.21	2	+ 2.047	— 38. 54. 45.38	34.43	4	— 6.276	...	2739	80
2968	2983	Brisbane 1555	7.8	7. 12. 56.52	38.16	3	+ 0.998	— 58. 30. 48.28	38.16	3	— 6.276
2969	2984	Puppis	7	7. 12. 58.01	36.39	3	+ 1.859	— 43. 41. 20.11	36.38	4	— 6.278	...	2742	82
2970	2985	Lacaille 2738	6.7	7. 13. 5.25	38.05	3	+ 2.234	— 33. 25. 37.24	38.05	3	— 6.288	...	2738	...
2971	2986	Brisbane 1556	7	7. 13. 24.02	38.20	3	+ 2.090	— 37. 44. 22.52	38.20	3	— 6.315
2972	2987	57 Geminorum	6	7. 13. 24.59	32.41	5	+ 3.674	+ 25. 21. 37.70	32.14	5	— 6.316	1068	...	75
2973	2988	Piazzi VII. 77	6.7	7. 13. 29.09	34.63	6	+ 3.499	+ 18. 35. 0.23	34.35	4	— 6.322	77
2974	2989	58 Geminorum	7	7. 13. 32.92	32.93	10	+ 3.617	+ 23. 15. 19.57	33.69	10	— 6.326	1070	...	76
2975	2990	Piazzi VII. 81	6	7. 13. 35.46	34.40	4	+ 3.083	+ 0. 28. 59.08	34.30	4	— 6.329	81
2976	2991	Piazzi VII. 67	6	7. 13. 37.92	35.16	3	+ 6.342	+ 68. 47. 24.32	34.41	4	— 6.334	67
2977	2992	Brisbane 1560	9	7. 13. 52.26	39.55	7	+ 0.854	— 60. 13. 55.53	39.46	6	— 6.354
2978	2993	Lacaille 2756	7.8	7. 14. 1.87	38.32	4	+ 1.520	— 50. 44. 38.91	38.33	4	— 6.367	...	2756	...
2979	2994	Lacaille 2754	7	7. 14. 2.45	38.49	3	+ 1.804	— 45. 0. 5.11	38.43	4	— 6.367	...	2754	...
2980	2995	Piazzi VII. 85	6.7	7. 14. 7.11	34.38	4	+ 2.879	— 8. 40. 21.60	34.32	4	— 6.373	85
2981	2996	21 Lynx	5.6	7. 14. 14.66	34.40	4	+ 4.558	+ 49. 31. 45.96	34.31	4	— 6.385	1066	...	79
2982	2997	59 Geminorum	6.7	7. 14. 16.95	35.81	13	+ 3.744	+ 27. 56. 56.61	35.09	19	— 6.388	1071	...	83
2983	2998	Lacaille 2749	6	7. 14. 17.90	32.21	6	+ 2.465	— 25. 35. 14.56	32.24	5	— 6.389	...	2749	88
2984	2999	Piazzi VII. 86	6	7. 14. 19.65	35.16	2	+ 2.946	— 5. 40. 26.42	34.83	3	— 6.392	86
2985	3000	Lacaille 2757	7	7. 14. 28.00	38.50	3	+ 1.763	— 45. 55. 54.98	38.50	3	— 6.403	...	2757	...
2986	3001	Piazzi VII. 84	8.9	7. 14. 30.20	36.62	2	+ 3.616	+ 23. 14. 32.84	36.62	2	— 6.406	84
2987	3002	Lacaille 2753	7	7. 14. 35.23	38.46	3	+ 2.275	— 32. 10. 15.48	38.46	3	— 6.412	...	2753	...
2988	3003	Lacaille 2761	8	7. 14. 44.25	38.35	4	+ 1.718	— 46. 55. 7.87	38.35	4	— 6.425	...	2761	...
2989	3004	Lacaille 2764	7	7. 14. 56.95	38.51	3	+ 1.580	— 49. 40. 49.17	38.51	3	— 6.443	...	2764	...
2990	3005	Brisbane 1566	7.8	7. 15. 1.12	38.51	3	+ 0.967	— 58. 57. 49.99	38.51	3	— 6.448
2991	3006	Piazzi VII. 87	6.7	7. 15. 15.71	34.36	4	+ 4.277	+ 43. 34. 37.61	34.35	4	— 6.469	87
2992	3007	60 Geminorum	4	7. 15. 28.26	32.75	18	+ 3.748	+ 28. 7. 5.70	32.56	28	— 6.486	1072	...	90
2993	3008	Piazzi VII. 89	7.8	7. 15. 30.05	36.38	3	+ 3.869	+ 32. 12. 49.39	36.36	4	— 6.489	89
2994	3009	1 Canis Minoris	6	7. 15. 47.89	33.98	6	+ 3.334	+ 11. 59. 8.78	33.98	4	— 6.513	1074	...	91
2995	3010	Lacaille 2763	7	7. 15. 53.36	39.66	6	+ 2.273	— 32. 16. 35.87	39.67	6	— 6.521	...	2763	...
2996	3011	Piazzi VII. 93	8	7. 15. 53.54	37.03	1	+ 2.290	— 31. 44.	— 6.521	93
2997	3012	Brisbane 1571	7	7. 15. 54.88	38.52	3	+ 1.438	— 52. 15. 34.72	38.52	3	— 6.523
2998	3013	Lacaille 2778	6.7	7. 16. 1.57	38.53	3	+ 1.221	— 55. 40. 1.50	38.22	2	— 6.531	...	2778	...
2999	3014	Brisbane 1567	7.8	7. 16. 16.94	39.62	8	+ 2.062	— 38. 37. 37.62	39.54	7	— 6.554
3000	3015	Lacaille 2766	6	7. 16. 18.07	35.61	6	+ 2.291	— 31. 44. 2.51	35.40	8	— 6.555	...	2766	96

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3001	3016	Lacaille 2772	7	^{h m s} 7. 16. 18.80	38.40	4	+ 1.659	— 48. 12. 20.72	38.17	3	— 6.556	...	2772	...
3002	3017	Lacaille 2789	7	7. 16. 22.27	39.67	6	+ 1.069	— 57. 44. 56.39	39.58	7	— 6.560	...	2789	...
3003	3018	Lacaille 2779	7.8	7. 16. 22.78	39.06	13	+ 1.455	— 52. 0. 36.11	39.20	11	— 6.561	...	2779	...
3004	3019	Gould 9422	8	7. 16. 22.95	39.67	4	+ 1.455	— 52. 0. 26.19	39.03	7	— 6.562
3005	3020	Piazzi VII. 92	7	7. 16. 32.68	35.14	3	+ 4.501	+ 48. 30. 36.71	34.43	4	— 6.576	92
3006	3021	Brisbane 1573	8	7. 16. 36.38	39.12	6	+ 2.065	— 38. 33. 46.64	39.12	6	— 6.580
3007	3022	2 Canis Minoris	6	7. 16. 37.57	32.23	5	+ 3.286	+ 9. 35. 42.64	32.18	5	— 6.583	1075	...	94
3008	3023	Lacaille 2785	6.7	7. 16. 38.92	40.15	5	+ 1.462	— 51. 53. 22.68	39.83	6	— 6.584	...	2785	...
3009	3024	Puppis	6.7	7. 16. 42.28	34.38	4	+ 2.295	— 31. 36. 36.44	34.39	4	— 6.588	...	2769	99
3010	3025	Lacaille 2781	6.7	7. 16. 49.01	38.17	3	+ 1.659	— 48. 13. 2.81	38.17	3	— 6.598	...	2781	...
3011	3026	Brisbane 1582	7.8	7. 16. 49.68	38.48	3	+ 1.659	— 48. 13. 25.52	38.48	3	— 6.600
3012	3027	Volantis	5	7. 16. 53.29	31.25	5	+ 0.001	— 67. 39. 16.30	31.59	10	— 6.604	...	2809	...
3013	3028	Piazzi VII. 97	6.7	7. 17. 5.03	34.43	3	+ 3.579	+ 21. 51. 30.98	34.39	4	— 6.620	97
3014	3029	Lacaille 2798	6.7	7. 17. 6.10	38.51	3	+ 1.202	— 55. 59. 15.63	38.51	3	— 6.621	...	2798	...
3015	3030	61 Geminorum	6.7	7. 17. 12.52	35.18	2	+ 3.546	+ 20. 34. 48.66	34.43	4	— 6.630	1076	...	98
3016	3031	Piazzi VII. 100	6	7. 17. 12.97	35.21	2	+ 2.713	— 15. 52. 57.99	34.41	4	— 6.630	100
3017	3032	Lacaille 2773	6	7. 17. 14.77	34.45	4	+ 2.287	— 30. 53. 11.80	34.33	4	— 6.633	...	2773	102
3018	3033	Lacaille 2771	7	7. 17. 15.13	38.38	4	+ 2.340	— 30. 8. 4.23	38.46	3	— 6.633	...	2771	...
3019	3034	Lacaille 2804	7.8	7. 17. 20.28	38.52	3	+ 0.811	— 60. 50. 13.60	38.52	3	— 6.641	...	2804	...
3020	3035	Piazzi VII. 103	7	7. 17. 21.17	35.22	2	+ 2.374	— 28. 58. 24.55	34.41	4	— 6.642	103
3021	3036	22 Lynx	6	7. 17. 22.77	34.33	4	+ 4.575	+ 50. 0. 16.03	34.36	4	— 6.645	1073	...	95
3022	3037	Lacaille 2774	6.7	7. 17. 27.81	38.13	3	+ 2.347	— 29. 54. 2.52	38.13	3	— 6.651	...	2774	...
3023	3038	Brisbane 1594	7	7. 17. 32.08	39.73	7	+ 2.059	— 38. 46. 32.92	39.86	3	— 6.658
3024	3039	31 Canis Majoris	7	7. 17. 34.25	32.05	16	+ 2.375	— 28. 59. 9.54	31.42	18	— 6.660	1081	2777	104
3025	3040	Lacaille 2806	7	7. 17. 51.51	38.40	3	+ 1.025	— 58. 21. 44.26	38.40	3	— 6.684	...	2806	...
3026	3041	63 Geminorum	6	7. 17. 56.35	32.66	10	+ 3.576	+ 21. 46. 32.61	33.11	5	— 6.691	1077	...	101
3027	3042	3 Canis Minoris	3	7. 18. 12.01	33.92	40	+ 3.263	+ 8. 36. 55.00	32.67	47	— 6.712	1079	...	106
3028	3043	Lacaille 2796	7	7. 18. 14.42	39.56	7	+ 2.044	— 39. 13. 9.79	39.56	7	— 6.715	...	2796	...
3029	3044	Lacaille 2793	6	7. 18. 24.74	35.16	4	+ 2.301	— 31. 29. 20.37	34.32	4	— 6.730	...	2793	108
3030	3045	62 Geminorum	5	7. 18. 29.34	32.42	10	+ 3.862	+ 32. 6. 16.18	31.50	8	— 6.736	1078	...	105
3031	3046	64 Geminorum	5.6	7. 19. 3.07	32.80	6	+ 3.754	+ 28. 27. 2.58	31.22	7	— 6.782	1080	...	107
3032	3047	5 Canis Minoris	6	7. 19. 9.49	33.08	6	+ 3.232	+ 7. 16. 18.65	33.23	5	— 6.790	1084	...	110
3033	3048	4 Canis Minoris	5.6	7. 19. 10.67	32.22	6	+ 3.277	+ 9. 15. 10.57	31.99	5	— 6.793	1083	...	109
3034	3049	Lacaille 2802	6.7	7. 19. 23.03	35.09	2	+ 2.304	— 31. 24. 53.01	34.42	4	— 6.810	...	2802	113
3035	3050	Brisbane 1603	8	7. 19. 29.17	38.46	3	+ 0.738	— 61. 40. 39.81	38.46	3	— 6.818
3036	3051	Lacaille 2812	7	7. 19. 31.53	38.21	3	+ 1.258	— 55. 15. 48.04	38.21	3	— 6.820	...	2812	...
3037	3052	65 Geminorum	5.6	7. 19. 32.55	33.11	5	+ 3.748	+ 28. 14. 56.27	33.31	8	— 6.822	1082	...	111
3038	3053	Lacaille 2811	7	7. 19. 33.70	39.46	8	+ 1.392	— 53. 11. 21.22	39.46	8	— 6.824	...	2811	...
3039	3054	Lacaille 2818	7.8	7. 19. 41.26	38.39	4	+ 0.744	— 61. 38. 9.39	38.15	3	— 6.834	...	2818	...
3040	3055	Lacaille 2816	7	7. 19. 55.29	39.37	7	+ 1.383	— 53. 21. 1.03	39.44	8	— 6.853	...	2816	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3041	3056	Brisbane 1606	9	h m s 7. 20. 3'57	38'40	3	+ 1'014	— 58. 35. 41'14	38'40	3	— 6'864
3042	3057	Piazzi VII. 116	6	7. 20. 6'28	37'36	8	+ 2'823	— 11. 13. 39'68	37'33	8	— 6'868	116
3043	3058	Piazzi VII. 114	6	7. 20. 23'34	34'11	2	+ 3'747	+ 28. 14.	— 6'892	114
3044	3059	Lacaille 2810	6'7	7. 20. 35'01	35'14	3	+ 2'231	— 33. 48. 46'86	34'42	4	— 6'908	...	2810	119
3045	3060	Piazzi VII. 112	8	7. 20. 36'30	36'41	3	+ 4'413	+ 46. 52. 31'09	36'35	4	— 6'909	112
3046	3061	6 Canis Minoris	5'6	7. 20. 36'60	32'16	6	+ 3'346	+ 12. 20. 27'35	32'24	5	— 6'910	1085	...	117
3047	3062	Piazzi VII. 121	7	7. 21. 7'44	34'34	4	+ 2'240	— 33. 33. 32'29	34'32	4	— 6'951	121
3048	3063	Piazzi VII. 115	6'7	7. 21. 8'59	35'13	3	+ 4'657	+ 51. 39. 27'26	34'43	4	— 6'954	115
3049	3064	Lacaille 2831	7	7. 21. 10'03	38'50	3	+ 0'718	— 61. 57. 5'31	38'50	3	— 6'956	...	2831	...
3050	3065	Piazzi VII. 118	8'9	7. 21. 10'67	36'37	4	+ 3'738	+ 27. 57. 36'12	36'32	5	— 6'957	118
3051	3066	Lacaille 2822	8	7. 21. 14'51	38'09	3	+ 1'421	— 52. 47. 24'13	38'09	3	— 6'961	...	2822	...
3052	3067	Lacaille 2827	7	7. 21. 18'66	38'21	3	+ 1'052	— 58. 10. 27'32	38'21	3	— 6'968	...	2827	...
3053	3068	Piazzi VII. 120	6'7	7. 21. 24'68	36'36	4	+ 2'913	— 7. 13. 20'70	36'39	4	— 6'976	120
3054	3069	Lacaille 2817	6	7. 21. 26'36	32'81	10	+ 2'382	— 28. 49. 29'42	32'25	6	— 6'978	...	2817	122
3055	3070	Brisbane 1617	8	7. 21. 36'69	39'55	7	+ 0'855	— 60. 30. 52'52	39'38	8	— 6'991
3056	3071	Lacaille 2819	7	7. 22. 7'15	36'61	4	+ 2'384	— 28. 47. 0'54	34'42	4	— 7'033	...	2819	123
3057	3072	Carinae	6'7	7. 22. 8'16	38'07	3	+ 1'543	— 50. 41. 19'97	38'07	3	— 7'035	...	2829	...
3058	3073	Brisbane 1623	8'9	7. 22. 21'52	39'12	3	+ 1'282	— 55. 2. 0'00	39'12	3	— 7'054
3059	3074	Lacaille 2821	6'7	7. 22. 31'21	34'05	3	+ 2'305	— 31. 30. 47'06	34'32	4	— 7'066	...	2821	124
3060	3075	Lacaille 2823	6'7	7. 22. 42'90	35'14	4	+ 2'317	— 31. 7. 13'53	34'41	4	— 7'082	...	2823	125
3061	3076	Brisbane 1627	7'8	7. 23. 11'36	38'18	3	+ 1'292	— 54. 54. 43'14	38'17	3	— 7'121
3062	3077	Lacaille 2835	7	7. 23. 19'81	38'12	4	+ 1'525	— 51. 4. 6'18	38'12	4	— 7'134	...	2835	...
3063	3078	Puppis	6	7. 23. 22'89	35'16	3	+ 2'079	— 38. 28. 30'25	34'42	4	— 7'138	...	2832	130
3064	3079	7 Canis Minoris	6	7. 23. 31'61	32'19	6	+ 3'121	+ 2. 15. 30'63	32'14	5	— 7'148	1088	...	126
3065	3080	Argus	4	7. 23. 59'88	31'66	10	+ 1'909	— 42. 58. 16'27	31'58	10	— 7'188	...	2837	135
3066	3081	67 Geminorum	7	7. 23. 59'98	33'57	10	+ 3'430	+ 15. 59. 10'29	33'07	10	— 7'188	1089	...	129
3067	3082	66 Geminorum	4'5	7. 24. 3'46	36'39	3	+ 3'860	+ 32. 14. 29'19	36'39	4	— 7'192	1087	...	127
3068	3083	66 Geminorum	3	7. 24. 3'66	33'07	94	+ 3'860	+ 32. 14. 32'56	32'86	159	— 7'193	1087	...	128
3069	3084	Brisbane 1633	8	7. 24. 5'14	39'46	9	+ 1'285	— 55. 4. 29'28	39'38	8	— 7'195
3070	3085	68 Geminorum	5	7. 24. 11'22	31'72	11	+ 3'434	+ 16. 10. 29'48	31'60	10	— 7'203	1091	...	131
3071	3086	Lacaille 2834	5'6	7. 24. 17'73	34'37	4	+ 2'334	— 30. 37. 12'36	34'38	4	— 7'213	...	2834	137
3072	3087	Brisbane 1635	8	7. 24. 20'78	38'12	3	+ 0'975	— 59. 14. 39'68	38'12	3	— 7'217
3073	3088	8 Canis Minoris	5'6	7. 24. 32'58	32'23	9	+ 3'151	+ 3. 38. 8'65	31'22	6	— 7'233	1092	...	134
3074	3089	Bradley 1090	7	7. 24. 39'12	33'11	6	+ 3'831	+ 31. 18. 41'00	32'19	4	— 7'241	1090
3075	3090	Brisbane 1637	8	7. 24. 57'71	38'14	3	+ 2'211	— 34. 38. 25'92	38'14	3	— 7'267
3076	3091	Piazzi VII. 136	8	7. 25. 5'25	38'87	5	+ 3'762	+ 28. 58. 47'58	40'34	4	— 7'277	136
3077	3092	Lacaille 2848	7	7. 25. 11'86	38'08	3	+ 1'099	— 57. 44. 4'03	38'08	3	— 7'286	...	2848	...
3078	3093	9 Canis Minoris	6	7. 25. 36'32	35'37	9	+ 3'153	+ 3. 43. 24'07	34'10	13	— 7'319	1095	...	139
3079	3094	Brisbane 1639	8	7. 25. 43'58	38'31	4	+ 1'542	— 50. 51. 43'22	38'31	4	— 7'330
3080	3095	48 Camelopardi	7	7. 25. 44'30	35'16	3	+ 5'222	+ 59. 55. 32'78	34'38	5	— 7'331	1086	...	133

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3081	3096	69 Geminorum..... ^v	5	h m s 7. 25. 44'81	32'75	11	" + 3'713	" / " + 27. 15. 20'06	31'62	10	" - 7'332	1094	...	138
3082	3097	Brisbane 1641	7'8	7. 25. 57'76	38'17	2	+ 1'297	- 54. 57. 44'79	38'17	3	- 7'349
3083	3098	Lacaille 2851	6'7	7. 25. 59'96	38'09	3	+ 1'462	- 52. 18. 34'31	38'09	3	- 7'352	...	2851	...
3084	3099	Lacaille 2850	6'7	7. 26. 9'39	38'07	3	+ 1'576	- 50. 15. 52'93	38'07	3	- 7'364	...	2850	...
3085	3100	Gould 9703	9	7. 26. 11'02	39'17	6	+ 1'601	- 49. 46. 54'32	40'13	2	- 7'367
3086	3101	Piazzi VII. 141	6'7	7. 26. 13'67	38'10	5	+ 3'152	+ 3. 41. 45'21	37'79	8	- 7'371	141
3087	3102	Lacaille 2844	6	7. 26. 16'19	38'51	3	+ 2'509	- 24. 21. 39'55	38'51	3	- 7'374	...	2844	...
3088	3103	Piazzi VII. 142	8	7. 26. 17'03	36'33	4	+ 3'195	+ 5. 39. 4'43	36'24	1	- 7'376	142
3089	3104	Piazzi VII. 143	7'8	7. 26. 18'90	36'58	4	+ 3'151	+ 3. 37. 45'13	36'36	4	- 7'378	143
3090	3105	Brisbane 1644	7	7. 26. 36'19	38'31	4	+ 1'547	- 50. 48. 39'30	38'05	3	- 7'400
3091	3106	Lacaille 2861	6'7	7. 26. 47'84	38'13	3	+ 1'359	- 54. 3. 15'68	38'13	3	- 7'417	...	2861	..
3092	3107	23 Lyncis.....	7	7. 27. 8'47	35'13	3	+ 5'019	+ 57. 26. 58'64	34'43	4	- 7'444	1093	...	140
3093	3108	Piazzi VII. 148.....	7	7. 27. 16'12	36'42	3	+ 2'406	- 28. 12. 55'05	36'36	4	- 7'454	148
3094	3109	Puppis..... ⁿ¹	6	7. 27. 20'43	32'23	6	+ 2'542	- 23. 7. 12'44	32'22	5	- 7'461	...	2849	147
3095	3110	Puppis..... ⁿ²	6	7. 27. 21'17	33'11	5	+ 2'542	- 23. 7. 11'91	32'24	5	- 7'462	149
3096	3111	Piazzi VII. 144	7	7. 27. 23'09	32'28	8	+ 3'536	+ 20. 31. 17'88	32'20	5	- 7'465	144
3097	3112	Brisbane 1652	7	7. 27. 38'72	38'20	3	+ 0'843	- 60. 54. 2'01	38'20	3	- 7'485
3098	3113	Puppis..... ^g	6'7	7. 27. 40'92	34'93	4	+ 2'473	- 25. 45. 36'17	34'37	4	- 7'488	...	2854	154
3099	3114	70 Geminorum	6	7. 27. 42'31	35'09	3	+ 3'954	+ 35. 24. 36'74	34'44	4	- 7'490	1097	...	145
3100	3115	Piazzi VII. 150	7	7. 27. 47'60	36'35	5	+ 3'207	+ 6. 13. 14'37	36'37	4	- 7'498	150
3101	3116	Lacaille 2860	6	7. 27. 53'04	35'12	3	+ 2'172	- 35. 59. 1'62	34'71	4	- 7'505	...	2860	157
3102	3117	Piazzi VII. 146	6'7	7. 27. 53'59	34'41	4	+ 3'506	+ 19. 16. 59'82	34'33	4	- 7'506	146
3103	3118	Lacaille 2865	6'7	7. 27. 55'89	38'10	3	+ 1'926	- 42. 43. 52'28	38'10	3	- 7'509	...	2865	...
3104	3119	Piazzi VII. 153.....	6'7	7. 28. 14'64	35'17	3	+ 3'642	+ 24. 43. 25'69	34'48	4	- 7'534	153
3105	3120	Lacaille 2878	7	7. 28. 22'27	38'08	3	+ 1'121	- 57. 35. 25'33	38'08	3	- 7'544	...	2878	...
3106	3121	71 Geminorum..... ^o	6	7. 28. 22'90	34'43	4	+ 3'938	+ 34. 57. 18'01	34'33	4	- 7'546	1099	...	152
3107	3122	Lacaille 2866	6'7	7. 28. 32'87	38'10	3	+ 1'927	- 42. 45. 27'89	38'10	3	- 7'558	...	2866	...
3108	3123	Piazzi VII. 158.....	7'8	7. 28. 34'24	36'38	4	+ 3'197	+ 5. 46. 3'86	36'30	5	- 7'559	158
3109	3124	Piazzi VII. 132	7	7. 28. 37'40	37'13	12	+ 10'601	+ 80. 39. 35'53	37'36	8	- 7'565	132
3110	3125	Puppis..... ^p	5'6	7. 28. 45'61	33'98	5	+ 2'413	- 28. 0. 34'27	33'41	6	- 7'575	...	2867	163
3111	3126	Lacaille 2881	7	7. 28. 52'89	38'21	3	+ 1'417	- 53. 12. 4'79	38'21	3	- 7'587	...	2881	...
3112	3127	Piazzi VII. 165	8'9	7. 28. 55'17	36'47	3	+ 2'542	- 23. 11. 19'05	36'65	2	- 7'590	165
3113	3128	Lacaille 2871	7	7. 28. 58'97	38'12	3	+ 1'968	- 41. 42. 56'85	38'12	3	- 7'594	...	2871	...
3114	3129	Piazzi VII. 156	6'7	7. 28. 59'43	35'19	3	+ 4'471	+ 48. 30. 27'17	34'39	4	- 7'594	156
3115	3130	24 Lyncis.....	7	7. 29. 0'29	35'11	2	+ 5'139	+ 59. 5. 8'16	34'57	5	- 7'595	1096	...	151
3116	3131	25 Monocerotis.....	6	7. 29. 4'57	32'13	6	+ 2'991	- 3. 44. 54'00	32'14	5	- 7'600	1102	...	162
3117	3132	Lacaille 2880.....	6'7	7. 29. 6'63	38'07	3	+ 1'585	- 50. 13. 41'43	38'07	3	- 7'604	...	2880	...
3118	3133	Piazzi VII. 161	6	7. 29. 13'42	34'39	4	+ 3'638	+ 24. 35. 23'64	34'42	4	- 7'612	161
3119	3134	Bradley 1101	7	7. 29. 20'22	34'83	7	+ 3'856	+ 32. 22. 48'41	34'44	7	- 7'623	1101
3120	3135	Brisbane 1661	8	7. 29. 23'23	38'49	3	+ 1'318	- 54. 48. 34'26	38'49	3	- 7'627

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3121	3136	Brisbane 1662	7	h m s 7. 29. 37.76	39.42	8	+ 2.180	— 35. 48. 6.72	39.42	8	— 7.646
3122	3137	Lacaille 2874	7	7. 29. 41.23	38.51	3	+ 1.881	— 43. 56. 13.17	38.51	3	— 7.650	...	2874	...
3123	3138	74 Geminorum..... ^f	6	7. 29. 56.42	33.13	5	+ 3.475	+ 18. 2. 35.13	32.26	6	— 7.671	1103	...	166
3124	3139	Piazzi VII. 159	8.9	7. 30. 8.10	36.45	3	+ 5.787	+ 65. 32. 23.19	37.08	1	— 7.687	159
3125	3140	Piazzi VII. 160	9	7. 30. 8.46	36.36	4	+ 5.787	+ 65. 32. 30.39	36.31	7	— 7.687	160
3126	3141	Lacaille 2882	7	7. 30. 17.91	38.20	1	+ 2.458	— 26. 26. 53.76	38.20	1	— 7.701	...	2882	...
3127	3142	10 Canis Minoris..... ^a	1.2	7. 30. 39.71	33.73	133	+ 3.194	+ 5. 38. 32.95	32.70	204	— 7.729	1106	...	168
3128	3143	Brisbane 1667	7	7. 30. 40.30	38.52	3	+ 1.032	— 58. 50. 21.09	38.52	3	— 7.729
3129	3144	51 Camelopardi	6.7	7. 30. 49.17	35.22	2	+ 5.821	+ 65. 50. 17.98	35.08	2	— 7.742	1098	...	164
3130	3145	Brisbane 1668	7	7. 31. 7.56	38.10	4	+ 1.856	— 44. 35. 32.35	38.09	4	— 7.766
3131	3146	Puppis..... ^f	6	7. 31. 15.86	35.18	3	+ 2.222	— 34. 36. 6.36	34.39	4	— 7.778	...	2890	172
3132	3147	Bradley 1107 ...	7	7. 31. 21.01	34.61	6	+ 3.193	+ 5. 36. 18.52	34.20	3	— 7.786	1107	...	170
3133	3148	Puppis	6	7. 31. 26.22	32.19	6	+ 2.498	— 24. 59. 43.38	32.22	4	— 7.793	...	2888	173
3134	3149	49 Camelopardi	6.7	7. 31. 27.79	34.65	6	+ 5.518	+ 63. 13. 5.22	34.42	4	— 7.795	1100	...	167
3135	3150	Brisbane 1672	7	7. 31. 32.04	38.11	4	+ 1.856	— 44. 37. 18.89	38.10	3	— 7.799
3136	3151	Bradley 1104	6.7	7. 31. 32.84	35.15	3	+ 4.583	+ 50. 48. 52.93	35.14	4	— 7.801	1104	...	169
3137	3152	Carina	5.6	7. 31. 35.10	38.09	3	+ 1.486	— 52. 10. 7.09	38.09	3	— 7.804	...	2902	...
3138	3153	Brisbane 1673	8	7. 31. 35.18	38.45	3	+ 1.680	— 48. 28. 52.86	38.45	3	— 7.804
3139	3154	Brisbane 1676	8	7. 31. 49.64	38.11	3	+ 1.855	— 44. 39. 41.00	38.10	3	— 7.824
3140	3155	Brisbane 1678	7.8	7. 31. 57.01	38.22	3	+ 2.186	— 35. 44. 31.62	38.22	3	— 7.833
3141	3156	Puppis	6.7	7. 32. 3.68	38.96	9	+ 2.461	— 26. 25. 51.35	38.48	6	— 7.842	...	2896	175
3142	3157	Puppis	5.6	7. 32. 4.38	40.43	4	+ 2.460	— 26. 25. 57.74	38.28	8	— 7.843	177
3143	3158	Puppis	6	7. 32. 7.14	38.45	3	+ 1.682	— 48. 27. 44.68	38.45	3	— 7.846	...	2904	...
3144	3159	Piazzi VII. 174	8	7. 32. 7.51	36.50	5	+ 3.168	+ 4. 27. 14.99	36.14	2	— 7.847	174
3145	3160	Piazzi VII. 171	6.7	7. 32. 7.82	35.17	3	+ 4.268	+ 44. 10. 31.65	35.15	4	— 7.848	171
3146	3161	Brisbane 1682	7.8	7. 32. 22.15	38.50	3	+ 1.413	— 53. 27. 14.20	38.51	3	— 7.866
3147	3162	Piazzi VII. 155	7.8	7. 32. 22.83	37.59	10	+ 10.246	+ 80. 16. 19.73	36.89	7	— 7.868	155
3148	3163	Lacaille 2911	6.7	7. 32. 31.44	38.52	3	+ 1.282	— 55. 31. 16.25	38.52	3	— 7.879	...	2911	...
3149	3164	Piazzi VII. 176	6	7. 32. 36.55	34.72	2	+ 3.375	+ 13. 51. 34.77	34.34	4	— 7.887	176
3150	3165	Brisbane 1683	6.7	7. 32. 41.47	37.45	7	+ 2.460	— 26. 29. 20.45	38.22	3	— 7.893
3151	3166	Brisbane 1685	7	7. 32. 41.59	39.11	3	+ 2.461	— 26. 25. 51.50	38.23	2	— 7.894
3152	3167	Brisbane 1686	8	7. 32. 44.67	38.87	4	+ 2.458	— 26. 32. 40.53	39.09	3	— 7.897
3153	3169	Puppis	6.7	7. 32. 45.27	35.27	2	+ 2.175	— 36. 7. 27.49	34.38	5	— 7.898	...	2903	180
3154	3168	Lacaille 2907	7	7. 32. 45.30	38.52	3	+ 2.055	— 39. 37. 13.29	38.52	3	— 7.898	...	2907	...
3155	3170	Lacaille 2906	7	7. 32. 46.25	38.23	2	+ 2.098	— 38. 24. 26.89	38.53	3	— 7.899	...	2906	...
3156	3171	Lacaille 2917	7	7. 32. 48.88	38.46	3	+ 1.184	— 56. 55. 53.70	38.46	3	— 7.903	...	2917	...
3157	3172	75 Geminorum..... ^σ	6	7. 32. 59.35	32.15	6	+ 3.761	+ 29. 16. 31.32	32.24	5	— 7.917	1108	...	178
3158	3173	26 Monocerotis..... ^γ	4.5	7. 33. 21.79	31.70	11	+ 2.874	— 9. 10. 17.07	31.66	9	— 7.947	1110	...	181
3159	3174	Piazzi VII. 179	7	7. 33. 32.08	32.56	8	+ 3.587	+ 22. 46. 54.81	32.14	5	— 7.961	179
3160	3176	Puppis	6	7. 33. 38.62	35.14	4	+ 2.116	— 37. 55. 59.90	34.41	4	— 7.970	...	2909	185

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3161	3177	Puppis.....Y ²	6	h m s 7. 33. 38.65	38.50	3	+ 1.698	— 48. 13. 45.68	38.50	3	— 7.970	...	2918	...
3162	3175	Brisbane 1693.....	8	7. 33. 39.30	38.11	3	+ 1.868	— 44. 27. 20.74	38.12	4	— 7.971
3163	3178	Puppisd ²	6	7. 33. 54.23	37.47	9	+ 2.122	— 37. 45. 48.98	36.77	11	— 7.990	...	2912	186
3164	3179	Puppisd ³	6	7. 33. 58.82	37.14	8	+ 2.118	— 37. 53. 3.50	36.02	6	— 7.996	...	2913	188
3165	3180	Piazzi VII. 182.....	9	7. 34. 0.41	36.43	3	+ 3.634	+ 24. 37. 45.54	36.36	4	— 7.998	182
3166	3181	76 Geminorumc	6	7. 34. 2.56	32.67	6	+ 3.674	+ 26. 10. 10.00	32.18	5	— 8.001	1109	...	183
3167	3182	Puppisd ⁴	6	7. 34. 4.80	34.14	3	+ 2.141	— 37. 12. 7.15	34.39	4	— 8.005	...	2914	190
3168	3183	Brisbane 1701.....	8.9	7. 34. 18.44	39.59	7	+ 1.196	— 56. 50. 38.30	39.59	7	— 8.023
3169	3184	Brisbane 1700.....	9	7. 34. 23.71	38.15	3	+ 1.269	— 55. 48. 23.12	38.15	3	— 8.030
3170	3185	77 Geminorumk	4	7. 34. 28.82	31.54	8	+ 3.638	+ 24. 47. 14.16	31.62	10	— 8.037	1111	...	184
3171	3186	Piazzi VII. 189.....	8	7. 34. 37.09	36.35	4	+ 3.084	+ 0. 34. 26.04	36.38	4	— 8.047	189
3172	3187	Lacaille 2920.....	7	7. 34. 39.99	38.50	3	+ 1.680	— 48. 40. 29.24	38.50	3	— 8.051	...	2920	...
3173	3188	Lacaille 2926.....	6	7. 35. 1.41	40.53	3	+ 1.454	— 52. 53. 47.68	39.32	6	— 8.079	...	2926	...
3174	3189	Lacaille 2930.....	7.8	7. 35. 9.83	38.15	3	+ 1.268	— 55. 51. 10.76	38.15	3	— 8.091	...	2930	...
3175	3190	78 Geminorumβ	2	7. 35. 12.64	33.14	98	+ 3.734	+ 28. 25. 3.95	32.87	164	— 8.095	1112	...	191
3176	3192	79 Geminorum.....	7	7. 35. 27.72	32.25	6	+ 3.534	+ 20. 42. 17.77	32.25	6	— 8.115	1113	...	192
3177	3191	Lacaille 2924.....	6.7	7. 35. 27.88	37.12	8	+ 2.111	— 38. 9. 7.63	36.56	12	— 8.115	...	2924	193
3178	3194	Bradley 1116.....	6	7. 35. 59.52	33.08	5	+ 2.478	— 25. 57. 51.07	32.23	5	— 8.157	1116	2923	195
3179	3195	Brisbane 1713.....	7.8	7. 36. 5.87	38.18	3	+ 0.935	— 60. 15. 9.50	38.17	3	— 8.166
3180	3196	Lacaille 2928.....	7.8	7. 36. 9.98	38.61	6	+ 2.113	— 38. 8. 40.93	37.57	10	— 8.171	...	2928	197
3181	3197	Lacaille 2934.....	6.7	7. 36. 11.67	38.09	3	+ 1.882	— 44. 14. 56.28	38.09	3	— 8.174	...	2934	...
3182	3198	Brisbane 1712.....	9	7. 36. 17.94	39.33	6	+ 1.872	— 44. 29. 55.63	39.33	6	— 8.182
3183	3199	81 Geminorumg	5.6	7. 36. 33.93	33.23	8	+ 3.490	+ 18. 54. 19.52	32.21	5	— 8.203	1115	...	194
3184	3200	80 Geminorumπ	6	7. 36. 51.10	34.33	4	+ 3.889	+ 33. 48. 47.25	34.40	4	— 8.226	1114	...	196
3185	3201	1 Puppis.....	5.6	7. 36. 52.87	32.22	6	+ 2.423	— 28. 1. 23.90	32.16	5	— 8.229	1118	2932	200
3186	3202	Lacaille 2946.....	7	7. 37. 6.50	38.20	3	+ 1.375	— 54. 19. 26.38	38.20	3	— 8.246	...	2946	...
3187	3203	Lacaille 2939.....	7	7. 37. 9.94	34.28	7	+ 2.197	— 35. 39. 42.19	35.13	4	— 8.251	...	2939	203
3188	3204	11 Canis Minoris.....	6	7. 37. 11.06	32.18	6	+ 3.313	+ 11. 9. 49.02	32.26	5	— 8.253	1117	...	198
3189	3205	3 Puppis.....	5	7. 37. 11.16	31.78	11	+ 2.408	— 28. 33. 52.34	31.59	10	— 8.253	1120	2938	201
3190	3206	Brisbane 1720.....	8	7. 37. 28.09	38.14	3	+ 1.466	— 52. 48. 31.50	38.13	3	— 8.275
3191	3207	Piazzi VII. 202.....	8.9	7. 37. 35.32	36.35	4	+ 2.959	— 5. 17. 2.57	36.38	4	— 8.285	202
3192	3208	Piazzi VII. 206.....	7.8	7. 37. 46.94	36.48	3	+ 2.193	— 35. 49. 38.70	36.40	4	— 8.301	206
3193	3209	Puppis.....T	5.6	7. 37. 50.78	38.12	7	+ 1.865	— 44. 45. 29.80	37.82	10	— 8.306	...	2950	211
3194	3210	Lacaille 2943.....	6.7	7. 37. 52.48	34.37	4	+ 2.127	— 37. 48. 42.19	34.40	4	— 8.308	...	2943	208
3195	3211	Piazzi VII. 204.....	8.9	7. 37. 53.63	36.34	4	+ 2.762	— 14. 17. 26.19	36.38	4	— 8.309	204
3196	3212	2 Puppis.....	7.8	7. 37. 53.83	36.38	4	+ 2.762	— 14. 17. 43.03	36.40	4	— 8.310	1121	...	205
3197	3221	Piazzi VII. 209.....	8.9	7. 37. 59.73	36.11	1	+ 2.144	— 37. 19. 44.93	38.19	4	— 8.317	209
3198	3213	Piazzi VII. 199.....	6.7	7. 38. 3.55	34.35	4	+ 4.780	+ 54. 31. 53.25	34.41	4	— 8.323	199
3199	3214	Puppis.....W	6.7	7. 38. 4.84	35.15	3	+ 2.032	— 40. 32. 3.90	34.43	4	— 8.325	...	2945	213
3200	3215	Lacaille 2944.....	6.7	7. 38. 8.11	34.51	5	+ 2.199	— 35. 40. 26.00	34.46	3	— 8.329	...	2944	212

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3201	3216	Lacaille 2963	7.8	h m s . 7. 38. 19'37	38'33	4	+ 1'274	— 55. 55. 39'50	38'39	4	— 8'343	...	2963	...
3202	3217	4 Puppis.....	5.6	7. 38. 21'01	32'15	4	+ 2'765	— 14. 10. 6'37	32'20	5	— 8'346	1122	...	210
3203	3218	Piazzi VII. 187	6	7. 38. 28'81	35'40	7	+ 9'905	+ 79. 54. 45'31	35'75	8	— 8'357	187
3204	3219	Lacaille 2965	7.8	7. 38. 30'37	38'05	4	+ 1'350	— 54. 47. 23'36	38'05	4	— 8'358	...	2965	...
3205	3220	Brisbane 1727.....	7	7. 38. 34'39	38'43	4	+ 0'999	— 59. 36. 53'86	38'43	4	— 8'363
3206	3222	82 Geminorum.....	7	7. 38. 41'27	32'48	8	+ 3'602	+ 23. 32. 33'39	32'00	6	— 8'373	1119	...	207
3207	3223	Lacaille 2954	6.7	7. 38. 42'11	39'94	5	+ 2'138	— 37. 32. 58'72	38'14	4	— 8'374	...	2954	...
3208	3224	Lacaille 2970	7.8	7. 38. 53'22	38'42	3	+ 1'288	— 55. 45. 19'66	38'42	3	— 8'389	...	2970	...
3209	3225	Lacaille 2979	6.7	7. 39. 8'54	38'19	3	+ 1'111	— 58. 14. 25'95	38'19	3	— 8'409	...	2979	...
3210	3226	Lacaille 2975	8	7. 39. 10'83	38'05	4	+ 1'343	— 54. 55. 17'65	38'05	4	— 8'411	...	2975	...
3211	3227	Lacaille 2956	7	7. 39. 12'22	38'39	4	+ 2'141	— 37. 29. 32'88	38'14	3	— 8'414	...	2956	...
3212	3228	Lacaille 2982	7	7. 39. 19'46	38'19	3	+ 1'109	— 58. 16. 43'80	38'19	3	— 8'423	...	2982	...
3213	3229	Puppis.....	4	7. 39. 22'77	32'21	13	+ 2'139	— 37. 34. 17'76	32'85	12	— 8'431	...	2958	214
3214	3230	Lacaille 2957	6	7. 39. 25'92	38'22	3	+ 2'258	— 33. 51. 3'01	38'06	3	— 8'433	...	2957	...
3215	3231	Brisbane 1738.....	7	7. 39. 34'59	39'52	6	+ 1'494	— 52. 26. 45'00	39'52	6	— 8'442
3216	3232	Lacaille 2973	6	7. 39. 45'44	38'19	3	+ 1'789	— 46. 36. 45'83	38'19	3	— 8'457	...	2973	...
3217	3233	Lacaille 2986	6	7. 39. 46'68	38'19	3	+ 1'144	— 57. 50. 18'90	38'19	3	— 8'459	...	2986	...
3218	3234	Lacaille 2976	6.7	7. 39. 47'46	39'03	8	+ 1'624	— 50. 4. 3'89	38'62	4	— 8'460	...	2976	...
3219	3235	Brisbane 1741.....	7.8	7. 39. 51'29	39'50	6	+ 1'623	— 50. 4. 38'46	39'33	6	— 8'465
3220	3236	5 Puppis.....	6	7. 40. 13'10	36'66	16	+ 2'819	— 11. 47. 33'61	36'59	12	— 8'494	1124	...	217
3221	3237	Brisbane 1743	7	7. 40. 15'26	38'10	3	+ 1'882	— 44. 29. 2'93	38'10	3	— 8'497
3222	3238	Lacaille 2972	8	7. 40. 17'85	38'14	7	+ 2'142	— 37. 32. 3'25	39'15	3	— 8'501	...	2972	218
3223	3239	Piazzi VII. 215	7.8	7. 40. 25'24	36'39	4	+ 3'878	+ 33. 38. 31'57	36'36	4	— 8'510	215
3224	3240	Lacaille 2978	7	7. 40. 40'09	38'18	3	+ 2'148	— 37. 22. 10'87	38'17	3	— 8'529	...	2978	...
3225	3241	Brisbane 1746.....	7	7. 40. 43'15	38'10	3	+ 1'888	— 44. 21. 34'54	38'10	3	— 8'533
3226	3242	Piazzi VII. 219	8.9	7. 40. 45'79	36'46	5	+ 2'819	— 11. 48. 48'10	35'98	3	— 8'537	219
3227	3243	Brisbane 1749.....	7.8	7. 40. 48'41	38'39	4	+ 1'492	— 52. 33. 28'51	38'39	4	— 8'540
3228	3244	Lacaille 2984	6.7	7. 40. 52'41	38'19	3	+ 2'069	— 39. 39. 30'34	38'19	3	— 8'545	...	2984	...
3229	3245	Piazzi VII. 216	7	7. 41. 6'12	34'41	4	+ 4'807	+ 55. 8. 4'49	34'35	4	— 8'564	216
3230	3246	Brisbane 1752.....	8	7. 41. 12'34	38'67	4	+ 1'258	— 56. 18. 37'08	38'66	4	— 8'572
3231	3247	Brisbane 1751.....	7.8	7. 41. 13'09	39'35	9	+ 1'876	— 44. 41. 9'14	39'34	8	— 8'573
3232	3248	Puppis	5.6	7. 41. 13'80	32'22	6	+ 2'495	— 25. 31. 55'50	31'20	10	— 8'575	...	2981	220
3233	3249	Lacaille 2991	6.7	7. 41. 34'52	34'33	4	+ 2'125	— 38. 6. 24'39	34'40	4	— 8'602	...	2991	225
3234	3250	Lacaille 2992	7	7. 41. 34'71	38'11	3	+ 2'018	— 41. 6. 1'78	38'11	3	— 8'602	...	2992	...
3235	3251	Brisbane 1754.....	7.8	7. 41. 35'10	38'11	3	+ 2'018	— 41. 6. 50'40	38'11	3	— 8'602
3236	3252	Lacaille 3000	7	7. 41. 50'34	39'43	7	+ 1'573	— 51. 8. 56'05	39'43	7	— 8'608	...	3000	...
3237	3253	Puppis.....	7	7. 41. 56'60	38'23	3	+ 1'745	— 47. 42. 33'38	38'23	3	— 8'631	...	2999	...
3238	3256	Piazzi VII. 226.....	6.7	7. 42.	+ 2'520	— 24. 33. 18'23	38'30	5	— 8'631	226
3239	3254	Bradley 1130	6.7	7. 42. 6'07	38'50	3	+ 2'522	— 24. 30. 16'40	37'18	7	— 8'643	1130	2990	...
3240	3255	Lacaille 3011	6	7. 42. 8'44	38'58	5	+ 1'262	— 56. 19. 15'28	38'18	3	— 8'646	...	3011	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
3241	3257	6 Puppis	5.6	7. 42. 14.07	32.19	6	+ 2.707	- 16. 48. 47.51	31.21	5	- 8.654	1129	...	229
3242	3258	Piazzi VII. 228	8	7. 42. 15.00	36.56	2	+ 2.886	- 8. 46. 22.31	37.12	2	- 8.655	228
3243	3260	Lacaille 2995	6.7	7. 42. 15.80	34.39	4	+ 2.341	- 31. 12. 32.25	34.38	4	- 8.656	...	2995	231
3244	3259	Piazzi VII. 227	7.8	7. 42. 15.94	36.57	2	+ 3.005	- 3. 11. 9.93	36.35	4	- 8.656	227
3245	3261	Piazzi VII. 224	7	7. 42. 20.60	32.32	6	+ 3.505	+ 19. 44. 28.19	32.18	5	- 8.662	224
3246	3262	Argus.....	6	7. 42. 21.42	32.71	16	+ 2.524	- 24. 27. 2.05	31.58	10	- 8.663	1132	2994	230
3247	3263	25 Lyncis	6.7	7. 42. 27.43	35.16	3	+ 4.402	+ 47. 48. 15.82	34.44	4	- 8.672	1125	...	221
3248	3264	Lacaille 3001	7	7. 42. 30.27	38.45	4	+ 2.052	- 40. 14. 38.04	38.46	4	- 8.675	...	3001	...
3249	3265	Lacaille 3003	6.7	7. 42. 32.60	34.41	4	+ 1.815	- 46. 12. 8.19	34.35	4	- 8.677	...	3003	235
3250	3266	Lacaille 3008	7.8	7. 42. 38.91	38.21	3	+ 1.797	- 46. 36. 24.17	38.21	3	- 8.686	...	3008	...
3251	3267	26 Lyncis	6	7. 42. 40.12	34.51	5	+ 4.410	+ 47. 59. 0.32	34.38	4	- 8.687	1126	...	222
3252	3268	Brisbane 1767	7.8	7. 42. 41.29	38.21	3	+ 1.794	- 46. 39. 53.75	38.21	2	- 8.689
3253	3269	52 Camelopardi	7	7. 43. 1.75	35.10	3	+ 4.921	+ 56. 55. 44.18	34.45	4	- 8.717	1123	...	223
3254	3270	Lacaille 3002	6.7	7. 43. 6.10	35.15	3	+ 2.234	- 34. 50. 0.12	34.43	4	- 8.722	...	3002	237
3255	3271	13 Canis Minoris	5.6	7. 43. 8.43	32.24	5	+ 3.118	+ 2. 10. 55.54	32.17	5	- 8.725	1131	...	234
3256	3272	84 Geminorum	6.7	7. 43. 12.71	35.14	3	+ 3.577	+ 22. 45. 11.40	34.49	4	- 8.731	1127	...	232
3257	3273	Lacaille 3019	7	7. 43. 20.38	38.52	3	+ 1.480	- 52. 55. 31.53	38.51	3	- 8.741	...	3019	...
3258	3274	83 Geminorum	5	7. 43. 23.36	31.59	12	+ 3.690	+ 27. 11. 9.45	32.51	26	- 8.745	1128	...	233
3259	3275	Puppis	5	7. 43. 25.34	38.21	3	+ 1.796	- 46. 39. 55.05	38.21	3	- 8.747	...	3017	...
3260	3276	Lacaille 3015	6.7	7. 43. 35.88	38.52	3	+ 2.052	- 40. 17. 24.15	38.52	3	- 8.761	...	3015	...
3261	3277	8 Puppis	6.7	7. 43. 57.73	34.38	4	+ 2.808	- 12. 24. 8.55	34.36	4	- 8.790	1133	...	239
3262	3278	9 Puppis	5	7. 44. 7.97	32.97	13	+ 2.784	- 13. 27. 54.60	32.42	14	- 8.804	1134	...	240
3263	3279	Puppis	4.5	7. 44. 12.68	33.82	10	+ 1.829	- 45. 57. 40.55	33.16	13	- 8.810	...	3022	244
3264	3280	Lacaille 3024	6	7. 44. 14.28	38.21	2	+ 1.808	- 46. 26. 45.68	38.21	3	- 8.812	...	3024	...
3265	3281	Piazzi VII. 241	8	7. 44. 23.27	36.60	2	+ 2.683	- 17. 56. 23.77	36.37	4	- 8.824	241
3266	3282	Piazzi VII. 238	8.9	7. 44. 23.38	36.37	4	+ 3.843	+ 32. 42. 34.86	36.37	4	- 8.824	238
3267	3283	Piazzi VII. 242	7.8	7. 44. 39.01	36.44	3	+ 2.967	- 5. 0. 26.02	36.39	4	- 8.844	242
3268	3284	10 Puppis	6	7. 44. 43.21	32.49	7	+ 2.763	- 14. 25. 39.83	32.19	5	- 8.849	1136	...	243
3269	3285	Lacaille 3036	7	7. 44. 48.40	38.97	12	+ 1.289	- 56. 3. 34.28	38.97	12	- 8.857	...	3036	...
3270	3286	Piazzi VII. 245	6	7. 44. 48.70	36.60	4	+ 2.785	- 13. 26. 20.06	35.15	1	- 8.859	245
3271	3287	Piazzi VII. 236	8.9	7. 45. 1.94	36.37	4	+ 5.666	+ 65. 10. 52.95	36.42	3	- 8.875	236
3272	3288	Lacaille 3033	7	7. 45. 28.41	38.15	3	+ 1.908	- 44. 9. 48.62	38.15	3	- 8.909	...	3033	...
3273	3289	Lacaille 3046	7	7. 45. 34.43	38.65	4	+ 1.296	- 55. 59. 45.50	38.13	3	- 8.915	...	3046	...
3274	3290	Lacaille 3045	7.8	7. 45. 37.90	39.64	6	+ 1.399	- 54. 23. 37.97	39.15	5	- 8.921	...	3045	...
3275	3292	Brisbane 1791	7	7. 45. 38.51	39.13	3	+ 1.399	- 54. 20. 20.95	40.13	1	- 8.922
3276	3291	Brisbane 1792	8	7. 45. 41.21	39.35	8	+ 1.394	- 54. 29. 19.12	39.25	7	- 8.925
3277	3293	Lacaille 3053	8	7. 45. 51.95	38.08	3	+ 1.383	- 54. 39. 49.05	38.75	3	- 8.939	...	3053	...
3278	3294	Brisbane 1794	7.8	7. 45. 52.62	38.10	3	+ 1.813	- 46. 27. 7.87	38.10	3	- 8.941
3279	3295	Lacaille 3043	6.7	7. 45. 54.63	38.20	3	+ 1.641	- 50. 5. 25.10	38.20	3	- 8.943	...	3043	...
3280	3296	85 Geminorum	6.7	7. 46. 1.79	32.56	10	+ 3.515	+ 20. 18. 47.73	31.99	5	- 8.953	1137	...	246

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3281	3297	Lacaille 3035	6	^{h m s} 7. 46. 6'64	34'41	4	^s + 2'256	^{° ' "} - 34. 17. 44'62	34'41	4	["] - 8'959	...	3035	250
3282	3298	Piazzi VII. 247	8'9	7. 46. 15'42	36'42	3	+ 3'023	- 2. 22. 11'13	36'52	5	- 8'970	247
3283	3299	Lacaille 3047	6'7	7. 45. 17'79	38'49	3	+ 1'798	- 46. 47. 49'59	38'49	3	- 8'973	...	3047	...
3284	3300	Lacaille 3060	6'7	7. 46. 28'91	38'52	3	+ 1'012	- 59. 52. 25'92	38'51	3	- 8'988	...	3060	...
3285	3301	Puppis	5'6	7. 46. 32'60	34'35	4	+ 2'064	- 40. 9. 14'87	34'36	4	- 8'993	...	3044	253
3286	3302	Piazzi VII. 249	6	7. 46. 33'41	32'17	6	+ 3'268	+ 9. 17. 41'33	31'20	6	- 8'993	249
3287	3303	Puppis	5	7. 46. 48'40	31'54	10	+ 2'124	- 38. 26. 21'28	31'62	10	- 9'012	...	3049	254
3288	3304	Lacaille 3052	6	7. 46. 59'76	35'13	3	+ 2'207	- 35. 56. 22'99	34'44	4	- 9'028	...	3052	256
3289	3305	53 Camelopardi	6	7. 47. 33'54	36'92	10	+ 5'203	+ 60. 45. 55'20	37'46	8	- 9'071	1135	...	248
3290	3306	1 Cancri	6	7. 47. 37'07	32'13	6	+ 3'419	+ 16. 13. 27'68	31'22	7	- 9'076	1138	...	255
3291	3307	Piazzi VII. 257	6'7	7. 47. 41'06	34'35	4	+ 3'175	+ 4. 55. 0'68	34'38	4	- 9'082	257
3292	3308	Brisbane 1804	7'8	7. 47. 49'04	39'80	7	+ 2'544	- 23. 52. 35'81	40'34	4	- 9'091
3293	3309	Piazzi VII. 251	7	7. 47. 57'70	34'41	4	+ 5'261	+ 61. 26. 3'26	34'35	4	- 9'103	251
3294	3310	Brisbane 1806	7'8	7. 48. 1'95	39'60	7	+ 1'071	- 59. 13. 27'60	39'51	6	- 9'109
3295	3311	Lacaille 3059	6	7. 48. 4'09	35'15	3	+ 2'224	- 35. 26. 53'53	34'40	4	- 9'111	...	3059	259
3296	3312	Lacaille 3070	8	7. 48. 6'50	38'54	3	+ 1'353	- 55. 16. 45'81	38'45	4	- 9'114	...	3070	...
3297	3313	Piazzi VII. 258	7'8	7. 48. 18'57	36'56	2	+ 3'262	+ 9. 4. 35'47	36'39	4	- 9'130	258
3298	3314	Lacaille 3067	6'7	7. 48. 18'94	39'40	8	+ 1'648	- 50. 5. 46'85	39'40	8	- 9'130	...	3067	...
3299	3315	Piazzi VII. 252	7'8	7. 48. 19'52	35'16	3	+ 5'208	+ 60. 51. 39'32	34'47	4	- 9'131	252
3300	3316	Lacaille 3061	7	7. 48. 23'12	38'50	3	+ 2'354	- 31. 6. 18'35	38'50	3	- 9'136	...	3061	...
3301	3317	Lacaille 3069	6	7. 48. 24'75	38'54	3	+ 1'694	- 49. 11. 12'15	38'54	3	- 9'138	...	3069	...
3302	3318	Puppis	5	7. 48. 27'22	32'93	16	+ 1'765	- 47. 40. 31'59	33'19	13	- 9'141	...	3068	...
3303	3319	Lacaille 3063	6'7	7. 48. 28'04	34'56	5	+ 2'257	- 34. 24. 56'06	34'39	4	- 9'142	...	3063	262
3304	3320	Lacaille 3074	6'7	7. 48. 33'57	39'59	7	+ 1'438	- 53. 56. 29'36	39'59	7	- 9'149	...	3074	...
3305	3321	Piazzi VII. 261	7	7. 49. 6'31	32'20	6	+ 3'434	+ 16. 57. 24'42	32'00	9	- 9'192	261
3306	3322	Piazzi VII. 263	6'7	7. 49. 13'80	35'11	3	+ 3'232	+ 7. 39. 5'48	34'43	4	- 9'203	263
3307	3323	Brisbane 1816	7'8	7. 49. 16'80	38'97	5	+ 1'080	- 59. 11. 14'20	38'44	4	- 9'206
3308	3324	Brisbane 1818	9	7. 49. 23'93	38'50	3	+ 1'090	- 59. 4. 0'58	38'50	3	- 9'215
3309	3325	Piazzi VII. 264	9	7. 49. 25'64	36'59	2	+ 2'578	- 22. 34. 9'92	36'42	3	- 9'218	264
3310	3326	Lacaille 3075	7	7. 49. 27'23	38'36	4	+ 1'929	- 43. 55. 27'30	38'36	4	- 9'219	...	3075	...
3311	3327	11 Puppis	5'6	7. 49. 46'17	34'15	9	+ 2'582	- 22. 26. 41'20	32'20	5	- 9'243	1141	...	266
3312	3328	14 Canis Minoris	6	7. 49. 47'14	31'84	9	+ 3'127	+ 2. 39. 33'65	32'16	4	- 9'245	1139	...	265
3313	3329	Lacaille 3073	7	7. 49. 48'60	38'08	3	+ 2'391	- 29. 50. 56'14	38'08	2	- 9'247	...	3073	...
3314	3330	Piazzi VII. 260	8	7. 49. 51'47	36'38	4	+ 4'740	+ 54. 34. 39'52	36'37	4	- 9'250	260
3315	3331	Piazzi VII. 268	8'9	7. 50. 15'41	36'59	2	+ 3'006	- 3. 11. 53'51	36'39	4	- 9'282	268
3316	3332	Brisbane 1822	7	7. 50. 17'66	38'22	3	+ 1'653	- 50. 7. 56'80	38'21	3	- 9'285
3317	3333	Piazzi VII. 267	7	7. 50. 21'97	32'26	6	+ 3'360	+ 13. 41. 4'69	32'18	5	- 9'290	267
3318	3334	Lacaille 3080	6'7	7. 50. 25'11	35'19	3	+ 1'951	- 43. 24. 35'77	34'41	4	- 9'294	...	3080	274
3319	3335	Brisbane 1821	7	7. 50. 26'37	39'36	8	+ 1'807	- 46. 52. 42'55	39'54	7	- 9'296
3320	3336	2 Canori	6	7. 50. 56'16	33'98	5	+ 3'645	+ 25. 50. 14'68	33'98	4	- 9'335	1140	...	270

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3321	3337	Lacaille 3088	8	h m s 7. 51. 4.20	38.08	6	+ 1.532	- 52. 28. 9.07	38.12	2	- 9.345	...	3088	...
3322	3338	Lacaille 3081	6	7. 51. 5.63	32.74	7	+ 2.392	- 29. 53. 43.51	32.21	5	- 9.348	...	3081	277
3323	3339	Brisbane 1828	8.9	7. 51. 9.53	38.15	3	+ 1.432	- 54. 12. 24.41	38.15	2	- 9.353
3324	3340	Bradley 1142	7	7. 51. 10.21	34.40	4	+ 3.472	+ 18. 41. 28.36	34.36	4	- 9.354	1142	...	273
3325	3341	Piazzi VII. 272	7.8	7. 51. 10.76	36.34	5	+ 3.509	+ 20. 15. 43.68	36.38	4	- 9.355	272
3326	3342	Brisbane 1827	8	7. 51. 11.96	38.09	3	+ 1.809	- 46. 52. 44.60	38.09	3	- 9.357
3327	3343	3 Cancri	6	7. 51. 19.54	32.14	9	+ 3.450	+ 17. 45. 14.46	31.65	7	- 9.366	1143	...	275
3328	3344	27 Monocerotis	6.7	7. 51. 29.46	34.95	6	+ 3.005	- 3. 14. 7.54	34.36	4	- 9.378	1145	...	278
3329	3345	Piazzi VII. 269	7	7. 51. 38.32	37.28	11	+ 4.980	+ 58. 13. 51.39	36.44	6	- 9.389	269
3330	3346	Piazzi VII. 271	7.8	7. 51. 39.63	35.14	3	+ 4.820	+ 55. 56. 15.93	34.42	4	- 9.391	271
3331	3347	4 Cancri ω ²	6.7	7. 51. 46.05	33.14	6	+ 3.636	+ 25. 32. 11.12	32.24	5	- 9.398	1144	...	276
3332	3348	Brisbane 1832	7	7. 51. 50.62	39.37	8	+ 1.804	- 47. 1. 44.49	39.37	8	- 9.404
3333	3349	Puppis N	6	7. 51. 57.76	34.36	4	+ 1.945	- 43. 40. 10.07	34.35	4	- 9.414	...	3089	283
3334	3350	12 Puppis	6	7. 52. 1.31	34.24	7	+ 2.573	- 22. 52. 1.30	32.25	5	- 9.418	1150	...	281
3335	3351	5 Cancri	6	7. 52. 5.61	32.19	6	+ 3.431	+ 16. 54. 14.20	32.27	2	- 9.425	1146	...	279
3336	3352	Brisbane 1833	7	7. 52. 15.86	38.33	4	+ 1.723	- 48. 49. 28.15	38.07	3	- 9.438
3337	3353	Brisbane 1834	8	7. 52. 16.34	38.16	3	+ 1.453	- 53. 55. 32.35	38.15	3	- 9.439
3338	3354	Piazzi VII. 280	8	7. 52. 28.31	36.42	3	+ 3.506	+ 20. 11. 16.24	36.38	4	- 9.453	280
3339	3355	Argus X	3	7. 52. 34.93	34.19	16	+ 1.534	- 52. 32. 34.84	32.38	18	- 9.462	...	3102	...
3340	3356	Puppis O	6	7. 52. 40.79	35.12	3	+ 1.888	- 45. 8. 10.68	34.43	4	- 9.471	...	3099	288
3341	3357	28 Monocerotis	5.6	7. 52. 49.68	32.24	6	+ 3.053	- 0. 56. 23.94	32.15	5	- 9.481	1151	...	284
3342	3358	Piazzi VII. 287	8	7. 52. 58.94	36.58	4	+ 2.573	- 22. 54. 15.63	36.39	4	- 9.493	287
3343	3359	6 Cancri	5.6	7. 53. 22.33	32.26	5	+ 3.704	+ 28. 15. 0.14	32.77	8	- 9.522	1149	...	285
3344	3360	Piazzi VII. 286	7.8	7. 53. 23.74	36.39	4	+ 3.396	+ 25. 24. 8.15	36.38	4	- 9.525	286
3345	3361	Lacaille 3110	7.8	7. 53. 30.03	38.43	4	+ 1.261	- 56. 59. 19.49	38.21	3	- 9.533	...	3110	...
3346	3362	Lacaille 3105	5.6	7. 53. 30.31	38.07	4	+ 1.728	- 48. 48. 0.66	38.07	4	- 9.533	...	3105	...
3347	3363	Lacaille 3113	6	7. 53. 30.84	38.23	3	+ 1.028	- 60. 5. 7.89	38.22	3	- 9.534	...	3113	...
3348	3364	Lacaille 3103	6	7. 53. 39.21	34.41	4	+ 2.125	- 38. 50. 52.89	34.37	4	- 9.544	...	3103	292
3349	3365	Bradley 1153	5	7. 53. 40.89	31.52	13	+ 3.129	+ 2. 46. 57.28	31.61	10	- 9.547	1153	...	289
3350	3366	Brisbane 1843	7	7. 54. 1.65	38.09	3	+ 1.825	- 46. 41. 38.92	38.09	3	- 9.574
3351	3367	Piazzi VII. 282	7.8	7. 54. 2.00	35.14	3	+ 5.728	+ 66. 7. 43.07	34.40	4	- 9.574	282
3352	3368	7 Cancri	6.7	7. 54. 5.45	34.40	4	+ 3.559	+ 22. 31. 38.72	34.33	4	- 9.578	1152	...	290
3353	3369	Piazzi VII. 291	6.7	7. 54. 13.26	35.09	3	+ 3.288	+ 10. 23. 52.85	34.43	4	- 9.588	291
3354	3370	Lacaille 3117	7	7. 54. 15.64	38.48	3	+ 1.261	- 57. 2. 3.67	38.48	3	- 9.591	...	3117	...
3355	3371	Lacaille 3104	7	7. 54. 18.09	38.08	3	+ 2.525	- 24. 57. 45.62	38.08	3	- 9.594	...	3104	...
3356	3372	Brisbane 1847	7	7. 54. 28.39	38.24	1	+ 1.753	- 48. 18. 51.86	38.24	1	- 9.607
3357	3373	Brisbane 1849	7.8	7. 54. 32.42	39.22	13	+ 1.450	- 54. 7. 12.95	39.16	12	- 9.612
3358	3374	Brisbane 1848	6.7	7. 54. 33.00	39.51	9	+ 1.696	- 49. 31. 43.47	39.46	7	- 9.613
3359	3375	Lacaille 3112	8	7. 54. 34.01	39.42	5	+ 1.697	- 49. 31. 32.10	40.21	1	- 9.614	...	3112	...
3360	3377	Brisbane 1850	10	7. 54. 39.16	39.16	2	+ 1.746	- 48. 30. 12.01	39.16	2	- 9.621

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3361	3378	Lacaille 3122	6	h m s 7. 54. 43'70	38'23	3	+ 1'051	— 59. 51. 44'65	38'22	3	— 9'628	...	3122	...
3362	3376	Brisbane 1851	6'7	7. 54. 46'23	38'12	3	+ 1'820	— 46. 51. 15'60	38'11	3	— 9'630
3363	3379	Brisbane 1853	7'8	7. 55. 4'67	38'52	3	+ 1'567	— 52. 5. 41'38	38'52	3	— 9'653
3364	3380	Brisbane 1854	8	7. 55. 6'49	39'13	13	+ 1'453	— 54. 5. 53'88	39'12	10	— 9'656
3365	3381	Lacaille 3119	7'8	7. 55. 17'85	38'75	5	+ 1'750	— 48. 27. 15'60	38'48	3	— 9'671	...	3119	...
3366	3382	Lacaille 3120	7	7. 55. 27'55	38'67	4	+ 1'747	— 48. 31. 54'27	38'50	3	— 9'682	...	3120	...
3367	3383	Lacaille 3118	7	7. 55. 35'78	38'47	3	+ 2'195	— 36. 49. 47'14	38'47	3	— 9'694	...	3118	...
3368	3384	Lacaille 3123	6'7	7. 55. 40'42	38'19	2	+ 1'753	— 48. 25. 9'85	38'52	3	— 9'699	...	3123	...
3369	3385	28 Lyncis	6'7	7. 55. 42'59	35'11	3	+ 4'191	+ 43. 43. 34'66	34'40	4	— 9'702	1155	...	293
3370	3386	8 Cancri	6	7. 55. 52'68	32'04	7	+ 3'355	+ 13. 34. 54'96	32'19	5	— 9'715	1156	...	296
3371	3387	Piazzi VII. 295	7'8	7. 55. 53'68	34'38	4	+ 3'454	+ 18. 4. 59'67	34'39	4	— 9'716	295
3372	3388	27 Lyncis	5	7. 56. 0'74	31'57	8	+ 4'568	+ 51. 58. 25'72	31'63	10	— 9'725	1154	...	294
4373	3389	Lacaille 3121	7'8	7. 56. 2'90	38'47	3	+ 2'204	— 36. 35. 40'02	38'47	3	— 9'727	...	3121	...
3374	3390	Lacaille 3134	8	7. 56. 6'29	39'16	1	+ 1'016	— 60. 22. 30'12	38'67	2	— 9'731	...	3134	...
3375	3391	55 Camelopardi	5	7. 56. 17'42	33'23	12	+ 6'109	+ 68. 56. 56'24	31'64	10	— 9'746	1148
3376	3392	Piazzi VII. 297	6'7	7. 56. 19'73	34'42	4	+ 3'363	+ 13. 58. 2'20	34'43	4	— 9'750	297
3377	3393	9 Cancri	6	7. 56. 31'33	32'22	6	+ 3'570	+ 23. 6. 0'05	34'04	8	— 9'764	1157	...	298
3378	3394	Lacaille 3125	7	7. 56. 31'83	39'55	7	+ 1'939	— 44. 8. 36'95	39'55	7	— 9'766	...	3125	...
3379	3395	Brisbane 1867	7	7. 56. 36'93	38'50	3	+ 1'721	— 49. 9. 55'45	38'50	3	— 9'772
3380	3396	Lacaille 3124	6'7	7. 56. 38'05	35'14	3	+ 2'342	— 32. 0. 18'87	34'42	4	— 9'773	...	3124	301
3381	3397	Piazzi VII. 300	8	7. 56. 43'06	36'58	2	+ 3'010	— 3. 2. 1'98	36'37	4	— 9'779	300
3382	3398	Lacaille 3138	6'7	7. 56. 45'25	38'51	3	+ 1'070	— 59. 45. 17'06	38'50	3	— 9'782	...	3138	...
3383	3399	Lacaille 3135	6'7	7. 56. 46'48	39'62	7	+ 1'483	— 53. 41. 47'73	39'62	7	— 9'783	...	3135	...
3384	3401	Lacaille 3140	6	7. 56. 47'97	38'18	3	+ 1'039	— 60. 8. 6'42	38'17	3	— 9'786	...	3140	...
3385	3400	Brisbane 1871	10	7. 56. 48'83	39'16	1	+ 1'046	— 60. 3. 11'46	38'22	1	— 9'787
3386	3402	Bradley 1158	7	7. 56. 49'40	34'35	4	+ 3'566	+ 22. 55. 26'74	34'35	4	— 9'788	1158	...	299
3387	3403	Lacaille 3128	6'7	7. 57. 4'60	38'54	3	+ 2'063	— 40. 51. 6'28	38'54	3	— 9'808	...	3128	...
3388	3404	Lacaille 3130	6'7	7. 57. 7'92	38'50	3	+ 1'937	— 44. 12. 32'93	38'50	3	— 9'811	...	3130	...
3389	3405	Piazzi VII. 302	8'9	7. 57. 8'56	36'48	3	+ 2'663	— 19. 18. 49'43	36'55	8	— 9'812	302
3390	3406	14 Puppis	7	7. 57. 22'03	36'53	12	+ 2'665	— 19. 15. 55'45	35'94	11	— 9'829	1163	...	303
3391	3407	Lacaille 3139	6	7. 57. 22'61	39'26	8	+ 1'464	— 54. 3. 31'50	39'30	6	— 9'830	...	3139	...
3392	3408	O.P.D. — 54°. 147'1	8	7. 57. 24'31	39'12	4	+ 1'463	— 54. 4. 9'99	38'79	3	— 9'831
3393	3409	Lacaille 3144	6	7. 57. 40'35	40'76	5	+ 1'409	— 54. 59. 48'03	40'76	5	— 9'851	...	3144	...
3394	3410	Argus	3	7. 57. 47'26	32'00	20	+ 2'111	— 39. 32. 33'61	32'43	41	— 9'861	...	3136	306
3395	3411	Lacaille 3131	6	7. 57. 50'35	34'36	4	+ 2'339	— 32. 12. 43'63	34'36	4	— 9'865	...	3131	305
3396	3412	Lacaille 3137	7	7. 57. 59'16	38'98	4	+ 2'006	— 42. 29. 12'37	39'70	6	— 9'876	...	3137	...
3397	3413	Brisbane 1880	7	7. 57. 59'76	38'52	3	+ 1'710	— 49. 29. 31'56	38'52	3	— 9'877
3398	3414	Lacaille 3145	6'7	7. 58. 0'73	39'20	6	+ 1'458	— 54. 12. 21'40	38'88	9	— 9'878	...	3145	...
3399	3415	10 Cancri	6'7	7. 58. 2'78	32'45	8	+ 3'543	+ 22. 3. 17'61	31'71	4	— 9'881	1161	...	304
3400	3416	Lacaille 3141	6'7	7. 58. 42'27	38'09	6	+ 2'314	— 33. 7. 33'28	38'10	6	— 9'930	...	3141	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3401	3417	11 Cancri	7	h m s 7. 58. 43.33	34.68	5	+ 3.689	+ 27. 57. 12.85	34.25	6	— 9.931	1162	...	307
3402	3418	Lacaille 3148	6.7	7. 58. 44.67	38.22	3	+ 1.734	— 49. 2. 12.75	38.21	3	— 9.934	...	3148	...
3403	3419	Lacaille 3146	6.7	7. 59. 23.05	38.27	6	+ 2.316	— 33. 6. 2.65	38.91	5	— 9.982	...	3146	...
3404	3420	Piazzi VII. 308	8	7. 59. 26.26	37.80	6	+ 3.913	+ 35. 56. 29.43	37.95	6	— 9.986	308
3405	3421	12 Cancri	6	7. 59. 28.83	33.07	3	+ 3.364	+ 14. 6. 54.57	33.98	1	— 9.990	1165	...	310
3406	3422	Piazzi VII. 313	9	8. 0. 2.39	36.36	4	+ 3.297	+ 10. 59. 5.60	36.37	4	— 10.032	313
3407	3423	Lacaille 3156	6.7	8. 0. 4.89	39.31	7	+ 1.686	— 50. 7. 22.28	38.94	5	— 10.036	...	3156	...
3408	3424	Piazzi VII. 309	6.7	8. 0. 8.31	34.53	5	+ 4.856	+ 57. 0. 46.94	34.33	4	— 10.039	309
3409	3425	Brisbane 1889	6.7	8. 0. 11.62	38.46	3	+ 1.478	— 54. 0. 32.10	38.46	3	— 10.044
3410	3426	13 Cancri	6.7	8. 0. 14.06	34.47	3	+ 3.644	+ 26. 19. 22.94	34.37	4	— 10.047	1166	...	312
3411	3427	Lacaille 3159	6.7	8. 0. 15.33	38.10	3	+ 1.852	— 46. 30. 37.61	38.10	2	— 10.048	...	3159	...
3412	3428	29 Monocerotis	5.6	8. 0. 17.90	32.16	6	+ 3.022	— 2. 30. 31.78	31.80	8	— 10.052	1168	...	316
3413	3429	Piazzi VII. 315	8.9	8. 0. 19.71	36.37	4	+ 3.091	+ 0. 56. 7.06	37.09	1	— 10.055	315
3414	3430	Piazzi VII. 318	6.7	8. 0. 19.85	34.41	4	+ 2.804	— 13. 2. 0.09	34.37	5	— 10.055	318
3415	3431	Brisbane 1893	7.8	8. 0. 25.71	39.07	10	+ 1.448	— 54. 31. 42.11	39.07	10	— 10.062
3416	3432	14 Cancri	7	8. 0. 29.96	36.78	3	+ 3.637	+ 26. 0. 2.11	40.13	1	— 10.067	1167	...	314
3417	3433	Brisbane 1894	6.7	8. 0. 30.31	38.43	4	+ 1.772	— 48. 20. 14.93	38.43	4	— 10.067
3418	3434	Argus	3.4	8. 0. 31.16	31.75	8	+ 2.561	— 23. 49. 58.79	31.59	10	— 10.068	1170	3153	320
3419	3435	Piazzi VII. 317	6.7	8. 0. 35.52	34.40	4	+ 3.436	+ 17. 29. 39.83	34.39	4	— 10.074	317
3420	3436	Piazzi VII. 311	6.7	8. 0. 38.36	35.11	4	+ 4.848	+ 56. 56. 16.75	34.43	4	— 10.077	311
3421	3437	Lacaille 3162	6	8. 0. 47.14	38.52	3	+ 1.559	— 52. 38. 18.75	38.52	3	— 10.089	...	3162	...
3422	3438	Lacaille 3164	7.8	8. 0. 53.41	39.25	12	+ 1.451	— 54. 31. 20.65	39.28	8	— 10.096	...	3164	...
3423	3439	Piazzi VII. 321	6.7	8. 1. 17.03	37.45	6	+ 3.821	+ 32. 58. 4.36	36.93	10	— 10.127	321
3424	3440	Piazzi VII. 322	8	8. 1. 19.72	36.38	4	+ 3.268	+ 9. 38. 53.83	36.39	4	— 10.131	322
3425	3441	Lacaille 3163	6	8. 1. 23.11	38.15	3	+ 1.926	— 44. 47. 34.75	38.15	3	— 10.134	...	3163	...
3426	3442	16 Puppis	5.6	8. 1. 39.73	32.26	6	+ 2.680	— 18. 45. 59.86	31.57	8	— 10.155	1174	...	1
3427	3443	Lacaille 3161	7.8	8. 1. 45.64	38.17	3	+ 2.273	— 34. 44. 4.67	38.17	3	— 10.163	...	3161	...
3428	3444	56 Camelopardi	6.7	8. 1. 51.67	34.39	4	+ 5.140	+ 60. 52. 12.74	34.39	4	— 10.171	1164	...	319
3429	3445	Piazzi VIII. 2	8	8. 2. 1.34	36.38	4	+ 2.945	— 6. 15. 47.83	37.07	1	— 10.182	2
3430	3446	Piazzi VIII. 3	7	8. 2. 16.50	37.46	13	+ 3.281	+ 10. 18. 16.12	36.68	10	— 10.201	3
3431	3447	Lacaille 3173	7	8. 2. 32.62	38.50	3	+ 1.627	— 51. 27. 53.54	38.49	3	— 10.221	...	3173	...
3432	3448	16 Cancri	6	8. 2. 44.50	36.12	7	+ 3.449	+ 18. 8. 20.26	37.31	4	— 10.236	1175	...	5
3433	3449	Piazzi VIII. 6	8	8. 2. 45.03	37.48	3	+ 3.448	+ 18. 8. 16.16	37.12	1	— 10.237	6
3434	3450	Lacaille 3176	6.7	8. 2. 49.93	38.20	3	+ 1.771	— 48. 32. 0.33	38.21	3	— 10.244	...	3176	...
3435	3451	15 Cancri	6	8. 2. 54.55	38.22	6	+ 3.740	+ 30. 8. 39.79	38.95	7	— 10.248	1173	...	4
3436	3452	Lacaille 3169	7.8	8. 2. 56.34	38.17	3	+ 2.268	— 34. 58. 31.93	38.17	3	— 10.251	...	3169	...
3437	3453	18 Puppis	6	8. 3. 1.05	33.98	2	+ 2.800	— 13. 19. 7.86	33.98	1	— 10.257	1176	...	9
3438	3454	19 Puppis	6	8. 3. 31.89	32.24	6	+ 2.819	— 12. 26. 33.40	31.82	5	— 10.295	1177	...	11
3439	3455	Piazzi VIII. 12	9	8. 3. 40.41	36.37	4	+ 2.688	— 18. 29. 21.76	36.39	4	— 10.305	12
3440	3456	Brisbane 1911	8	8. 3. 40.41	38.12	3	+ 1.473	— 54. 20. 52.87	38.12	3	— 10.305

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3441	3457	29 Lyncis	6.7	8. 4. 4.58	35.13	3	+ 5.062	+ 60. 4. 3.88	34.41	4	-10.338	1171	...	7
3442	3458	Lacaille 3186	7	8. 4. 6.28	39.39	7	+ 1.598	- 52. 8. 16.37	39.39	7	-10.339	...	3186	...
3443	3459	PuppisK	7	8. 4. 12.38	34.38	4	+ 2.035	- 42. 9. 27.28	34.37	4	-10.346	...	3179	16
3444	3460	Lacaille 3181	5.6	8. 4. 14.46	39.45	7	+ 1.791	- 48. 12. 7.27	39.45	7	-10.349	...	3181	...
3445	3461	Lacaille 3177	6.7	8. 4. 22.60	38.08	3	+ 2.359	- 31. 53. 47.24	38.08	3	-10.360	...	3177	...
3446	3462	Brisbane 1916	5	8. 4. 24.50	32.72	21	+ 1.850	- 46. 51. 43.97	33.88	8	-10.361
3447	3463	Argus.....γ	3	8. 4. 26.92	32.41	30	+ 1.851	- 46. 51. 13.00	32.76	44	-10.365	...	3185	...
3448	3464	Brisbane 1918	7.8	8. 4. 30.33	38.12	3	+ 1.850	- 46. 52. 11.10	38.12	3	-10.369
3449	3465	Piazzi VIII. 13	8	8. 4. 30.85	36.43	3	+ 3.301	+ 11. 20. 26.92	36.39	4	-10.370	13
3450	3466	Lacaille 3190	7.8	8. 4. 42.16	38.09	3	+ 1.683	- 50. 31. 47.94	38.09	2	-10.383	...	3190	...
3451	3467	Lacaille 3187	6	8. 4. 42.43	38.42	4	+ 1.826	- 47. 27. 12.14	38.19	3	-10.383	...	3187	...
3452	3468	Piazzi VIII. 14	7	8. 4. 44.03	32.97	5	+ 3.447	+ 18. 10. 0.73	33.00	5	-10.386	14
3453	3469	Piazzi VIII. 8	7	8. 4. 49.00	34.37	4	+ 5.907	+ 68. 1. 50.40	34.36	4	-10.392	8
3454	3470	57 Camelopardi	6.7	8. 4. 51.57	35.15	3	+ 5.317	+ 63. 0. 27.07	34.42	4	-10.396	1172	...	10
3455	3471	Lacaille 3183	6.7	8. 4. 56.17	34.41	4	+ 2.217	- 36. 48. 23.11	34.44	4	-10.401	...	3183	17
3456	3472	Lacaille 3198	7	8. 5. 7.63	38.33	4	+ 1.605	- 52. 5. 24.27	38.33	4	-10.416	...	3198	...
3457	3473	Brisbane 1924	7.8	8. 5. 13.82	38.15	3	+ 2.232	- 36. 18. 45.39	38.15	2	-10.424
3458	3474	Puppisη ¹	6	8. 5. 28.09	35.10	3	+ 2.143	- 39. 7. 50.14	35.20	8	-10.441	...	3191	21
3459	3475	Lacaille 3195	6.7	8. 5. 29.00	38.42	4	+ 1.770	- 48. 45. 3.29	38.96	5	-10.442	...	3195	...
3460	3476	Piazzi VIII. 15	7	8. 5. 30.98	36.39	4	+ 4.681	+ 54. 38. 41.47	36.39	4	-10.444	15
3461	3477	Brisbane 1927	7	8. 5. 35.20	39.40	8	+ 1.774	- 48. 40. 38.05	39.15	7	-10.450
3462	3478	Lacaille 3208	6.7	8. 5. 42.63	38.22	3	+ 1.406	- 55. 36. 5.52	38.22	3	-10.459	...	3208	...
3463	3479	20 Puppis	5	8. 5. 45.12	31.66	6	+ 2.760	- 15. 17. 45.52	31.65	10	-10.462	1179	...	18
3464	3480	Lacaille 3197	5	8. 5. 51.75	32.24	12	+ 2.027	- 42. 29. 56.03	31.68	10	-10.471	...	3197	22
3465	3481	Lacaille 3192	6.7	8. 6. 5.60	38.44	4	+ 2.429	- 29. 25. 13.04	38.65	4	-10.489	...	3192	...
3466	3482	Lacaille 3205	5.6	8. 6. 12.80	38.23	3	+ 1.808	- 47. 58. 19.83	38.22	3	-10.497	...	3205	...
3467	3483	Piazzi VIII. 20	8	8. 6. 13.23	36.10	2	+ 3.444	+ 18. 4. 13.37	36.36	4	-10.497	20
3468	3484	Carinae.....B	5.6	8. 6. 15.75	38.52	3	+ 1.033	- 60. 48. 14.64	38.52	3	-10.500	...	3222	...
3469	3485	Lacaille 3199	7	8. 6. 19.99	38.15	3	+ 2.229	- 36. 29. 54.05	38.15	3	-10.507	...	3199	...
3470	3486	Lacaille 3207	7	8. 6. 34.29	35.15	3	+ 2.014	- 42. 54. 33.35	34.16	3	-10.523	...	3207	27
3471	3487	Piazzi VIII. 25	7.8	8. 6. 44.14	36.83	7	+ 2.370	- 31. 39. 45.76	40.10	3	-10.536	25
3472	3488	Lacaille 3213	7	8. 6. 48.98	36.45	3	+ 1.888	- 46. 9. 11.10	36.51	3	-10.542	...	3213	29
3473	3489	30 Lyncis	6.7	8. 7. 3.54	34.39	4	+ 4.909	+ 58. 14. 54.97	34.34	4	-10.560	1178	...	19
3474	3490	Brisbane 1936	7	8. 7. 7.12	38.99	6	+ 2.251	- 35. 50. 51.43	39.17	6	-10.565
3475	3491	Brisbane 1937	6.7	8. 7. 11.30	39.03	7	+ 2.252	- 35. 48. 57.01	39.00	5	-10.570
3476	3492	Puppisζ	5	8. 7. 15.96	33.11	15	+ 2.265	- 35. 24. 17.97	32.70	12	-10.576	...	3212	31
3477	3493	Piazzi VIII. 26	8	8. 7. 17.20	36.63	4	+ 3.270	+ 9. 54. 26.26	36.39	4	-10.578	26
3478	3494	Piazzi VIII. 24	8	8. 7. 20.22	36.45	3	+ 3.665	+ 27. 33. 5.30	36.37	4	-10.582	24
3479	3495	Volantis	5	8. 7. 22.27	35.47	10	+ 0.242	- 68. 7. 56.83	38.96	7	-10.584	...	3242	...
3480	3496	Piazzi VIII. 23	8	8. 7. 31.92	36.44	3	+ 4.618	+ 53. 42. 14.99	36.42	3	-10.595	23

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3481	3497	17 Cancri	β 4	8. 7. 33.73	34.05	30	+ 3.266	+ 9. 41. 19.05	32.75	36	-10.597	1180	...	28
3482	3498	Lacaille 3217	6.7	8. 7. 39.73	35.92	5	+ 2.372	- 31. 38. 38.29	35.49	11	-10.604	...	3217	32
3483	3499	Lacaille 3219	5.6	8. 7. 46.51	38.21	3	+ 2.253	- 35. 49. 34.94	38.21	3	-10.614	...	3219	...
3484	3500	Brisbane 1942	6.7	8. 7. 46.82	38.71	4	+ 2.252	- 35. 50. 40.94	38.21	3	-10.614
3485	3501	Puppis	λ^2 6	8. 8. 11.46	35.12	3	+ 2.126	- 39. 50. 51.45	34.42	4	-10.644	...	3223	35
3486	3502	Lacaille 3233	7	8. 8. 21.29	38.49	3	+ 1.532	- 53. 39. 11.11	38.48	3	-10.657	...	3233	...
3487	3503	Lacaille 3232	7	8. 8. 33.45	38.88	4	+ 1.896	- 46. 4. 50.90	38.14	3	-10.670	...	3232	...
3488	3504	Piazzi VIII. 33	6.7	8. 8. 35.19	34.40	4	+ 3.259	+ 9. 22. 13.74	34.38	4	-10.673	33
3489	3505	Piazzi VIII. 34	8	8. 8. 43.46	36.09	2	+ 3.265	+ 9. 40. 15.53	36.63	4	-10.682	34
3490	3506	Piazzi VIII. 30	6.7	8. 8. 48.30	34.39	4	+ 5.125	+ 61. 8. 37.83	34.36	4	-10.689	30
3491	3507	Lacaille 3237	6	8. 9. 6.27	34.47	3	+ 1.928	- 45. 20. 2.36	34.15	3	-10.712	...	3237	38
3492	3508	Brisbane 1951	8	8. 9. 8.99	38.10	3	+ 1.150	- 59. 32. 36.91	38.10	3	-10.715
3493	3509	Brisbane 1949	7.8	8. 9. 15.31	39.82	7	+ 1.784	- 48. 44. 5.84	39.77	6	-10.723
3494	3510	Lacaille 3229	7.8	8. 9. 18.60	38.07	3	+ 2.428	- 29. 40. 55.14	38.07	3	-10.728	...	3229	...
3495	3511	Brisbane 1952	8	8. 9. 21.44	39.12	7	+ 1.793	- 48. 32. 58.98	38.95	6	-10.731
3496	3512	Piazzi VIII. 36	8	8. 9. 26.83	36.42	3	+ 3.264	+ 9. 39. 29.06	36.16	4	-10.738	36
3497	3513	21 Puppis	6	8. 9. 49.32	33.86	10	+ 2.753	- 15. 46. 43.54	32.69	6	-10.764	1184	...	39
3498	3514	18 Cancri	χ 6	8. 10. 1.67	32.24	6	+ 3.665	+ 27. 44. 46.66	32.16	4	-10.781	1181	...	37
3499	3515	Brisbane 1955	7.8	8. 10. 21.25	39.00	8	+ 1.790	- 48. 40. 36.93	38.87	8	-10.805
3500	3516	Lacaille 3241	7.8	8. 10. 32.48	38.14	3	+ 2.528	- 25. 47. 37.52	38.14	3	-10.816	...	3241	...
3501	3517	Brisbane 1957	7.8	8. 10. 34.61	39.73	9	+ 1.797	- 48. 32. 48.55	39.77	10	-10.819
3502	3518	Lacaille 3250	7	8. 10. 37.86	38.51	3	+ 1.914	- 45. 48. 35.26	38.50	3	-10.823	...	3250	...
3503	3519	19 Cancri	λ 6	8. 10. 42.78	32.26	6	+ 3.586	+ 24. 32. 9.88	32.14	5	-10.829	1182	...	41
3504	3520	Piazzi VIII. 42	6.7	8. 10. 42.99	32.29	8	+ 3.510	+ 21. 15. 42.44	32.19	5	-10.829	42
3505	3521	Brisbane 1960	7.8	8. 10. 49.31	38.20	3	+ 1.788	- 48. 45. 35.61	38.93	4	-10.837
3506	3522	Piazzi VIII. 45	7.8	8. 10. 57.34	38.10	7	+ 2.791	- 14. 3. 22.43	37.37	8	-10.847	45
3507	3523	Brisbane 1961	7.8	8. 11. 6.49	38.92	10	+ 1.793	- 48. 40. 45.55	38.80	9	-10.859
3508	3524	Piazzi VIII. 44	6	8. 11. 9.22	34.37	4	+ 3.160	+ 4. 27. 41.46	34.38	4	-10.862	44
3509	3525	Lacaille 3251	7	8. 11. 15.74	38.46	4	+ 2.436	- 29. 29. 44.13	38.46	4	-10.871	...	3251	...
3510	3526	Piazzi VIII. 40	6	8. 11. 16.23	34.41	4	+ 4.605	+ 53. 44. 35.69	34.39	4	-10.871	40
3511	3527	Lacaille 3249	8	8. 11. 23.51	38.39	4	+ 2.528	- 25. 49. 55.41	38.14	3	-10.881	...	3249	...
3512	3528	31 Lynceis	5	8. 11. 30.71	31.52	8	+ 4.146	+ 43. 42. 37.08	31.60	10	-10.888	1183	...	43
3513	3529	Lacaille 3256	7	8. 11. 38.07	38.16	3	+ 2.061	- 42. 0. 48.53	38.16	3	-10.896	...	3256	...
3514	3530	Brisbane 1965	7.8	8. 11. 41.65	38.22	2	+ 1.940	- 45. 14. 40.54	38.21	2	-10.901
3515	3531	Lacaille 3260	6.7	8. 12. 13.99	38.22	2	+ 1.852	- 47. 24. 40.29	38.21	2	-10.942	...	3260	...
3516	3532	Lacaille 3265	7.8	8. 12. 22.25	38.53	3	+ 1.362	- 56. 45. 42.58	38.53	3	-10.952	...	3265	...
3517	3533	Puppis	λ 4.5	8. 12. 23.08	31.66	12	+ 2.254	- 36. 9. 6.27	31.63	10	-10.953	...	3259	47
3518	3534	Brisbane 1970	8	8. 12. 34.67	38.17	3	+ 1.168	- 59. 33. 3.58	38.17	3	-10.966
3519	3535	Piazzi VIII. 48	8	8. 13. 21.53	38.27	6	+ 3.293	+ 11. 10. 54.77	36.65	2	-11.025	48
3520	3536	Lacaille 3273	7	8. 13. 28.89	38.11	3	+ 1.974	- 44. 31. 18.64	38.11	3	-11.033	...	3273	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xci}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3521	3537	Lacaille 3266	7	h m s 8. 13. 34.53	38.21	3	+ 2.453	— 29. 1. 30.12	38.21	3	—11.039	...	3266	...
3522	3538	Piazzi VIII. 49	7	8. 13. 36.93	34.17	1	+ 3.124	+ 2. 40. 18.48	34.41	4	—11.041	49
3523	3539	Brisbane 1975	6.7	8. 13. 47.68	38.09	3	+ 1.888	— 46. 41. 47.04	38.09	3	—11.055
3524	3540	Brisbane 1976	7	8. 13. 51.35	38.18	3	+ 1.930	— 45. 41. 22.84	38.18	3	—11.059
3525	3541	20 Cancri	6	8. 13. 54.65	32.30	7	+ 3.453	+ 18. 51. 21.31	31.68	10	—11.063	1185	...	50
3526	3542	Piazzi VIII. 51	8.9	8. 13. 58.80	36.13	4	+ 3.449	+ 18. 39. 34.75	36.37	4	—11.069	51
3527	3543	Lacaille 3276	7	8. 14. 1.12	38.24	3	+ 1.847	— 47. 40. 57.41	38.24	3	—11.071	...	3276	...
3528	3544	Piazzi VIII. 46	6.7	8. 14. 6.00	34.62	4	+ 5.807	+ 67. 49. 46.50	34.49	5	—11.078	46
3529	3545	Lacaille 3289	6.7	8. 14. 32.83	38.25	3	+ 1.244	— 58. 39. 5.00	38.25	3	—11.110	...	3289	...
3530	3546	Lacaille 3285	7	8. 14. 50.50	38.47	3	+ 1.792	— 49. 1. 9.53	38.47	3	—11.131	...	3285	...
3531	3548	Puppis	5.6	8. 14. 53.43	34.63	6	+ 2.363	— 32. 32. 0.01	34.36	4	—11.135	...	3277	56
3532	3547	21 Cancri	7	8. 14. 53.47	32.18	6	+ 3.291	+ 11. 9. 28.04	32.83	9	—11.135	1187	...	53
3533	3549	Lacaille 3294	7.8	8. 14. 55.45	39.56	7	+ 1.161	— 59. 47. 55.97	39.47	6	—11.136	...	3294	...
3534	3550	22 Puppis	6	8. 15. 1.55	32.21	5	+ 2.825	— 12. 31. 43.30	31.79	5	—11.144	1189	...	55
3535	3551	Lacaille 3284	7	8. 15. 3.73	38.16	3	+ 2.009	— 43. 44. 7.82	38.16	3	—11.148	...	3284	...
3536	3552	Lacaille 3281	6	8. 15. 7.13	38.23	2	+ 2.265	— 35. 57. 47.60	38.23	2	—11.152	...	3281	...
3537	3553	Brisbane 1987	7.8	8. 15. 13.26	39.30	6	+ 1.163	— 59. 47. 43.62	38.90	4	—11.159
3538	3555	Bradley 1188	6.7	8. 15. 21.61	35.11	3	+ 3.427	+ 17. 42. 54.20	34.41	4	—11.171	1188	...	54
3539	3554	Lacaille 3291	6.7	8. 15. 21.84	38.52	3	+ 1.680	— 51. 25. 30.07	38.52	3	—11.171	...	3291	...
3540	3556	Lacaille 3287	6.7	8. 15. 26.34	38.44	3	+ 2.170	— 39. 5. 56.90	38.44	3	—11.174	...	3287	...
3541	3557	Lacaille 3288	7	8. 15. 33.81	38.44	3	+ 2.167	— 39. 11. 37.32	38.44	3	—11.185	...	3288	...
3542	3558	Lacaille 3295	6.7	8. 15. 37.49	39.27	8	+ 1.599	— 53. 10. 11.15	39.27	8	—11.190	...	3295	...
3543	3559	Lacaille 3283	6	8. 15. 51.71	32.25	6	+ 2.535	— 25. 49. 26.78	32.22	5	—11.206	...	3283	60
3544	3560	Brisbane 1989	7	8. 15. 58.84	38.11	3	+ 1.984	— 44. 28. 2.96	38.11	3	—11.215
3545	3561	Lacaille 3292	9	8. 16. 1.69	38.46	3	+ 2.063	— 42. 18. 47.13	38.46	3	—11.218	...	3292	...
3546	3562	Lacaille 3290	7	8. 16. 9.15	38.51	3	+ 2.404	— 31. 4. 56.82	38.51	3	—11.227	...	3290	...
3547	3563	Brisbane 1993	7	8. 16. 11.43	38.11	3	+ 1.984	— 44. 28. 48.70	38.11	3	—11.229
3548	3564	1 Hydre	6	8. 16. 21.42	32.27	5	+ 3.010	— 3. 13. 17.03	32.24	5	—11.242	1194	...	63
3549	3565	22 Cancri	6.7	8. 16. 24.74	32.58	6	+ 3.671	+ 28. 25. 51.20	32.18	5	—11.245	1190	...	59
3550	3566	Lacaille 3301	7	8. 16. 25.89	39.51	6	+ 1.670	— 51. 42. 22.14	39.60	7	—11.247	...	3301	...
3551	3567	Piazzi VIII. 52	6	8. 16. 26.85	34.35	4	+ 6.091	+ 69. 51. 47.83	34.35	4	—11.248	52
3552	3568	25 Cancri	6	8. 16. 29.01	32.82	6	+ 3.423	+ 17. 35. 3.67	32.29	5	—11.251	1192	...	62
3553	3569	1 Ursæ Majoris	4.5	8. 16. 29.65	31.79	6	+ 5.091	+ 61. 15. 40.03	32.45	23	—11.251	1186	...	57
3554	3570	Lacaille 3307	6.7	8. 16. 30.45	38.68	4	+ 1.186	— 59. 34. 56.26	38.53	3	—11.252	...	3307	...
3555	3571	Piazzi VIII. 61	9	8. 16. 37.45	36.51	5	+ 3.675	+ 28. 35. 42.42	36.38	4	—11.262	61
3556	3572	Lacaille 3305	7	8. 16. 37.95	39.19	5	+ 1.652	— 52. 3. 48.63	39.19	5	—11.263	...	3305	...
3557	3573	Lacaille 3293	7	8. 16. 40.75	38.54	3	+ 2.501	— 27. 17. 35.72	38.53	3	—11.267	...	3293	...
3558	3574	23 Cancri	6	8. 16. 47.67	38.44	11	+ 3.647	+ 27. 28. 3.08	38.95	7	—11.275	1191	...	64
3559	3575	24 Cancri	7	8. 16. 50.31	33.17	6	+ 3.589	+ 25. 4. 13.45	33.12	7	—11.277	1193	...	65
3560	3576	Piazzi VIII. 66	7.8	8. 16. 50.36	37.98	7	+ 3.589	+ 25. 4. 13.43	38.32	6	—11.277	66

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3561	3577	Lacaille 3299	7	h m s 8. 17. 0.38	38.14	3	+ 2.437	— 29. 51. 50.83	38.14	3	— 11.289	...	3299	...
3562	3578	Brisbane 2000	7	8. 17. 3.38	38.54	3	+ 1.876	— 47. 15. 29.06	38.54	3	— 11.293
3563	3579	Piazzi VIII. 67	6	8. 17. 3.50	33.20	6	+ 3.229	+ 8. 5. 46.35	32.21	4	— 11.293	67
3564	3580	Brisbane 2001	7	8. 17. 9.86	38.11	3	+ 1.992	— 44. 20. 24.06	38.11	3	— 11.299
3565	3581	Bradley 1197	5.6	8. 17. 24.87	33.25	6	+ 3.006	— 3. 22. 23.72	32.67	4	— 11.319	1197	...	69
3566	3582	Piazzi VIII. 58	7	8. 17. 28.42	35.12	3	+ 5.781	+ 67. 50. 21.35	34.41	4	— 11.323	58
3567	3583	Lacaille 3315	7	8. 17. 31.98	38.53	3	+ 1.343	— 57. 26. 55.75	38.53	3	— 11.328	...	3315	...
3568	3584	Lacaille 3310	8.9	8. 17. 34.66	38.64	4	+ 1.862	— 47. 41. 1.59	38.14	2	— 11.332	...	3310	...
3569	3585	27 Cancri	6.7	8. 17. 36.09	33.22	6	+ 3.331	+ 13. 11. 36.38	32.25	5	— 11.333	1196	...	68
3570	3586	Brisbane 2006	7.8	8. 17. 36.64	38.83	3	+ 1.823	— 48. 31. 32.87	38.83	3	— 11.333
3571	3587	Brisbane 2009	7.8	8. 17. 52.16	38.09	3	+ 1.991	— 44. 26. 11.20	38.09	3	— 11.351
3572	3588	Piazzi VIII. 70	7.8	8. 17. 52.39	36.43	3	+ 3.230	+ 8. 11. 6.10	36.40	4	— 11.351	70
3573	3589	Lacaille 3304	6	8. 17. 56.68	33.22	8	+ 2.592	— 23. 30. 56.80	32.27	5	— 11.356	...	3304	72
3574	3590	Piazzi VIII. 74	6	8. 17. 59.68	36.80	3	+ 2.592	— 23. 30. 53.38	36.39	4	— 11.361	74
3575	3591	Lacaille 3311	8	8. 18. 4.25	38.39	4	+ 1.967	— 45. 4. 59.55	38.39	4	— 11.366	...	3311	...
3576	3592	2 Hydra	6	8. 18. 12.46	33.12	3	+ 3.006	— 3. 27. 2.70	32.15	3	— 11.375	1199	...	73
3577	3593	Lacaille 3317	6.7	8. 18. 18.36	38.51	3	+ 1.683	— 51. 35. 45.32	38.51	3	— 11.382	...	3317	...
3578	3594	28 Cancri	6.7	8. 18. 49.26	32.28	9	+ 3.577	+ 24. 41. 13.69	32.17	6	— 11.422	1198	...	76
3579	3595	Piazzi VIII. 71	6.7	8. 18. 57.74	34.54	5	+ 4.566	+ 53. 39. 56.33	34.37	4	— 11.430	71
3580	3596	Argus	2	8. 19. 7.37	33.13	32	+ 1.246	— 58. 58. 51.64	33.10	57	— 11.441	...	3327	...
3581	3597	Lacaille 3318	6.7	8. 19. 15.21	38.16	3	+ 2.075	— 42. 14. 11.69	38.16	3	— 11.451	...	3318	...
3582	3598	29 Cancri	6	8. 19. 24.45	32.14	6	+ 3.360	+ 14. 45. 5.31	32.22	5	— 11.462	1200	...	77
3583	3599	Lacaille 3328	7.8	8. 19. 33.21	38.92	4	+ 1.518	— 54. 47. 13.11	39.18	5	— 11.472	...	3328	...
3584	3600	2 Ursae Majoris	6	8. 19. 44.19	34.64	4	+ 5.500	+ 65. 41. 54.75	34.57	5	— 11.486	1195	...	75
3585	3601	Piazzi VIII. 79	7	8. 19. 51.97	35.10	2	+ 3.580	+ 24. 53. 17.56	34.41	4	— 11.495	79
3586	3602	Piazzi VIII. 80	7	8. 19. 54.45	34.38	4	+ 3.624	+ 26. 44. 10.50	34.37	4	— 11.498	80
3587	3603	Lacaille 3319	6.7	8. 20. 2.81	38.22	3	+ 2.473	— 28. 40. 39.40	38.23	2	— 11.509	...	3319	...
3588	3604	Lacaille 3323	6	8. 20. 5.84	35.14	3	+ 2.099	— 41. 37. 1.31	34.42	4	— 11.512	...	3323	82
3589	3605	Piazzi VIII. 78	6.7	8. 20. 7.82	34.56	5	+ 4.561	+ 53. 39. 56.70	34.39	4	— 11.515	78
3590	3606	Piazzi VIII. 81	8	8. 20. 9.41	36.45	3	+ 3.034	— 1. 58. 31.32	36.37	4	— 11.516	81
3591	3607	Lacaille 3338	6.7	8. 20. 31.61	39.20	6	+ 1.520	— 54. 49. 47.80	39.01	5	— 11.542	...	3338	...
3592	3608	Brisbane 2020	6.7	8. 20. 41.75	38.51	3	+ 2.577	— 24. 21. 0.43	38.51	3	— 11.556
3593	3609	Lacaille 3326	6.7	8. 20. 53.68	38.53	3	+ 2.549	— 25. 35. 27.86	38.53	3	— 11.570	...	3326	...
3594	3610	Lacaille 3334	7	8. 20. 56.35	38.86	4	+ 2.089	— 41. 59. 5.51	38.76	3	— 11.573	...	3334	...
3595	3611	Lacaille 3343	6.7	8. 21. 0.46	39.55	8	+ 1.516	— 54. 56. 8.34	39.55	8	— 11.577	...	3343	...
3596	3612	Brisbane 2026	8	8. 21. 1.45	38.43	4	+ 1.863	— 47. 53. 45.93	38.50	3	— 11.578
3597	3613	Piazzi VIII. 83	6.7	8. 21. 5.85	34.40	4	+ 3.064	— 0. 24. 54.92	34.39	4	— 11.584	83
3598	3614	Lacaille 3339	7.8	8. 21. 13.03	39.57	7	+ 1.878	— 47. 33. 38.22	39.57	7	— 11.592	...	3339	...
3599	3615	Brisbane 2030	7.8	8. 21. 32.09	38.24	2	+ 2.030	— 43. 41. 25.60	38.69	2	— 11.615
3600	3616	Lacaille 3345	8	8. 21. 36.22	38.44	3	+ 1.820	— 48. 57. 24.47	38.44	3	— 11.620	...	3345	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3601	3617	30 Cancri	6.7	h m s 8. 21. 44.45	33.48	7	+ 3.572	+ 24. 37. 54.43	32.82	5	-11.630	1201	...	84
3602	3618	Lacaille 3352	7.8	8. 21. 48.17	38.52	3	+ 1.356	- 57. 35. 40.31	38.52	3	-11.634	...	3352	...
3603	3619	Lacaille 3349	6	8. 21. 52.48	38.09	3	+ 1.664	- 52. 16. 2.29	38.09	3	-11.638	...	3349	...
3604	3620	Brisbane 2035	7	8. 22. 9.41	38.15	3	+ 2.136	- 40. 42. 8.95	38.15	3	-11.659
3605	3621	31 Cancri	5.6	8. 22. 10.77	32.21	7	+ 3.439	+ 18. 38. 47.45	31.81	8	-11.661	1203	...	85
3606	3622	Piazzi VIII. 86	6.7	8. 22. 12.72	35.17	2	+ 3.458	+ 19. 32. 18.85	34.43	4	-11.663	86
3607	3623	Lacaille 3350	7	8. 22. 14.36	38.53	3	+ 1.748	- 50. 35. 13.22	38.53	3	-11.665	...	3350	...
3608	3624	Brisbane 2037	7.8	8. 22. 18.61	38.85	3	+ 1.732	- 50. 55. 57.23	38.69	4	-11.669
3609	3626	Lacaille 3354	6	8. 22. 24.34	39.22	11	+ 1.672	- 52. 9. 37.34	39.03	10	-11.676	...	3354	...
3610	3627	Brisbane 2042	7	8. 22. 35.86	39.19	11	+ 1.530	- 54. 49. 15.66	39.67	10	-11.691
3611	3628	Brisbane 2041	7.8	8. 22. 36.57	38.53	3	+ 2.035	- 43. 40. 43.81	38.53	3	-11.691
3612	3629	Brisbane 2043	7.8	8. 22. 44.34	38.15	3	+ 2.140	- 40. 37. 46.71	38.15	3	-11.700
3613	3630	32 Lynxis	6	8. 22. 45.60	34.53	5	+ 3.890	+ 36. 59. 19.49	34.63	4	-11.702	1204	...	87
3614	3631	Lacaille 3358	7.8	8. 22. 46.75	38.73	9	+ 1.533	- 54. 47. 26.18	38.54	8	-11.704	...	3358	...
3615	3632	Lacaille 3353	7	8. 23. 7.04	38.16	3	+ 2.094	- 42. 2. 29.26	38.16	3	-11.727	...	3353	...
3616	3633	33 Cancri	6	8. 23. 9.43	32.98	8	+ 3.488	+ 20. 59. 45.88	32.16	5	-11.730	1207	...	88
3617	3634	Lacaille 3362	7	8. 23. 12.36	39.64	7	+ 1.553	- 54. 28. 2.90	39.63	7	-11.733	...	3362	...
3618	3635	32 Cancri	6.7	8. 23. 14.15	35.18	3	+ 3.569	+ 24. 38. 25.94	34.21	3	-11.736	1205	...	89
3619	3636	Volantis	5	8. 23. 29.51	31.26	7	- 0.443	- 72. 51. 58.83	31.18	5	-11.754	...	3396	...
3620	3637	Lacaille 3360	6	8. 23. 31.04	38.54	3	+ 2.040	- 43. 36. 46.80	38.54	3	-11.756	...	3360	...
3621	3638	Brisbane 2052	7.8	8. 23. 32.43	39.69	6	+ 1.723	- 51. 13. 29.30	39.69	6	-11.758
3622	3639	34 Cancri	6.7	8. 23. 40.91	34.52	10	+ 3.275	+ 10. 37. 10.76	32.19	5	-11.768	1209	...	91
3623	3640	Velorum.....A	6	8. 23. 52.33	38.71	4	+ 1.896	- 47. 22. 52.71	38.55	3	-11.780	...	3367	...
3624	3641	Lacaille 3366	6	8. 23. 54.16	39.23	5	+ 2.021	- 44. 10. 35.81	38.56	3	-11.782	...	3366	...
3625	3642	Volantis.....β	5	8. 23. 55.55	34.33	12	+ 0.688	- 65. 35. 12.33	33.44	14	-11.784	...	3384	...
3626	3643	Piazzi VIII. 94	8	8. 23. 58.81	36.59	2	+ 2.701	- 18. 57. 10.80	36.38	4	-11.789	94
3627	3644	Piazzi VIII. 95	6	8. 24. 6.17	33.16	8	+ 2.700	- 19. 1. 30.85	32.21	5	-11.797	95
3628	3645	33 Lynxis	6.7	8. 24. 6.67	35.10	2	+ 3.886	+ 36. 58. 43.43	34.17	4	-11.798	1208	...	92
3629	3646	Piazzi VIII. 97	8.9	8. 24. 21.09	36.44	3	+ 3.023	- 2. 37. 29.46	36.39	4	-11.815	97
3630	3647	Lacaille 3368	6.7	8. 24. 22.72	34.44	4	+ 1.962	- 45. 46. 55.41	34.38	4	-11.817	...	3368	99
3631	3648	3 Ursæ Majoris ...	6.7	8. 24. 27.07	34.37	4	+ 5.452	+ 65. 34. 53.55	34.36	4	-11.821	1202	...	90
3632	3649	Brisbane 2060	7	8. 24. 31.66	38.69	2	+ 1.895	- 47. 28. 35.56	38.70	2	-11.826
3633	3650	Piazzi VIII. 98	6.7	8. 24. 36.21	35.13	3	+ 3.338	+ 13. 48. 58.07	34.42	4	-11.832	98
3634	3651	Brisbane 2062	7	8. 24. 37.41	38.47	3	+ 2.167	- 39. 57. 39.59	38.47	3	-11.833
3635	3652	Lacaille 3369	7	8. 24. 41.43	38.47	3	+ 2.168	- 39. 56. 54.96	38.47	3	-11.838	...	3369	...
3636	3653	Piazzi VIII. 93	7	8. 24. 48.04	34.53	5	+ 4.360	+ 49. 56. 15.69	34.36	4	-11.846	93
3637	3654	Lacaille 3373	7	8. 25. 1.25	38.14	3	+ 2.214	- 38. 30. 29.77	38.14	3	-11.861	...	3373	...
3638	3655	Lacaille 3376	7	8. 25. 5.52	39.06	8	+ 2.024	- 44. 11. 6.42	38.88	7	-11.866	...	3376	...
3639	3656	Velorum	7	8. 25. 5.71	38.53	3	+ 1.606	- 53. 39. 42.62	38.53	3	-11.867	...	3380	...
3640	3657	Piazzi VIII. 100	8.9	8. 25. 13.25	36.39	4	+ 3.027	- 2. 25. 7.58	36.39	4	-11.875	100

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3641	3658	Lacaille 3375	6.7	h m s 8. 25. 19.71	38.75	5	+ 2.215	— 38. 30. 36.67	39.14	6	— 11.884	..	3375	...
3642	3659	Lacaille 3387	7.8	8. 25. 21.26	39.26	11	+ 1.554	— 54. 38. 22.16	39.17	10	— 11.885	...	3387	...
3643	3660	Lacaille 3381	7.8	8. 25. 25.47	38.54	3	+ 1.769	— 50. 25. 7.41	38.55	3	— 11.889	...	3381	...
3644	3661	Brisbane 2070	7	8. 25. 41.41	39.20	5	+ 1.576	— 54. 16. 30.03	39.43	4	— 11.909
3645	3662	4 Ursæ Majoris	5	8. 25. 42.51	31.67	12	+ 5.369	+ 64. 53. 44.67	31.78	8	— 11.910	1206	...	96
3646	3663	35 Cancri	6.7	8. 25. 49.72	35.15	3	+ 3.467	+ 20. 9. 3.49	34.44	4	— 11.919	1210	...	101
3647	3664	Brisbane 2071	7.8	8. 25. 51.79	39.42	7	+ 2.216	— 38. 30. 39.16	38.14	3	— 11.921
3648	3665	Lacaille 3391	6.7	8. 25. 56.43	38.52	3	+ 1.906	— 47. 18. 44.10	38.52	3	— 11.926	...	3391	...
3649	3666	Lacaille 3390	7	8. 26. 9.33	38.15	3	+ 1.989	— 45. 13. 43.99	38.15	3	— 11.942	...	3390	...
3650	3667	Piazzi VIII. 104	7.8	8. 26. 15.07	34.41	4	+ 3.470	+ 20. 20. 3.02	34.40	4	— 11.949	104
3651	3668	Lacaille 3386	6.7	8. 26. 24.91	38.53	3	+ 2.428	— 30. 58. 34.35	38.53	3	— 11.960	...	3386	...
3652	3669	Lacaille 3389	7	8. 26. 31.60	38.24	2	+ 2.346	— 34. 4. 34.43	38.24	2	— 11.969	...	3389	...
3653	3670	Piazzi VIII. 103	6.7	8. 26. 41.68	35.12	3	+ 4.521	+ 53. 29. 40.97	34.44	4	— 11.980	103
3654	3671	Piazzi VIII. 107	7.8	8. 26. 49.03	36.59	4	+ 3.134	+ 3. 18. 21.73	36.37	4	— 11.988	107
3655	3672	Piazzi VIII. 106	6.7	8. 26. 52.01	35.16	3	+ 3.377	+ 15. 52. 42.70	34.42	4	— 11.991	106
3656	3673	Piazzi VIII. 102	7.8	8. 26. 59.72	34.40	4	+ 5.400	+ 65. 16. 55.37	34.54	5	— 12.001	102
3657	3674	Piazzi VIII. 105	6	8. 27. 1.48	35.11	3	+ 4.508	+ 53. 16. 55.00	34.45	4	— 12.002	105
3658	3675	Piazzi VIII. 108	6	8. 27. 4.39	32.21	6	+ 3.207	+ 7. 11. 26.18	32.00	6	— 12.006	108
3659	3676	Lacaille 3403	7.8	8. 27. 20.46	38.82	3	+ 1.839	— 49. 2. 32.52	38.82	3	— 12.025	...	3403	...
3660	3677	3 Hydræ	6	8. 27. 25.03	35.17	3	+ 2.932	— 7. 25. 8.88	34.69	6	— 12.030	1212	...	109
3661	3678	Lacaille 3410	6.7	8. 27. 30.15	38.54	3	+ 1.670	— 52. 39. 14.56	38.54	3	— 12.036	...	3410	...
3662	3679	Lacaille 3398	6	8. 27. 31.46	38.48	3	+ 2.228	— 38. 17. 15.51	38.48	3	— 12.038	...	3398	...
3663	3680	Lacaille 3409	7.8	8. 27. 33.28	38.11	5	+ 1.995	— 45. 11. 35.84	38.11	5	— 12.040	...	3409	...
3664	3681	Lacaille 3407	7.8	8. 27. 37.04	38.15	3	+ 1.923	— 47. 2. 44.59	38.15	3	— 12.044	...	3407	...
3665	3682	Lacaille 3402	7	8. 27. 55.39	38.56	3	+ 2.286	— 36. 20. 46.72	38.56	3	— 12.066	...	3402	...
3666	3683	Bradley 1211	6.7	8. 27. 59.51	35.75	5	+ 3.775	+ 33. 22. 17.58	34.41	4	— 12.071	1211	...	110
3667	3684	Brisbane 2086	7.8	8. 28. 5.43	38.55	3	+ 1.978	— 45. 41. 11.77	38.55	3	— 12.078
3668	3685	36 Cancri	7	8. 28. 8.59	32.23	5	+ 3.264	+ 10. 13. 28.47	32.82	6	— 12.081	1213	...	111
3669	3686	Lacaille 3408	6.7	8. 28. 15.42	39.70	6	+ 2.266	— 37. 2. 52.93	39.70	6	— 12.089	...	3408	...
3670	3687	Brisbane 2089	7	8. 28. 17.27	38.53	3	+ 1.572	— 54. 33. 51.24	38.53	3	— 12.091
3671	3688	Piazzi VIII. 112	7	8. 28. 18.30	35.21	3	+ 3.457	+ 19. 50. 13.17	34.48	4	— 12.092	112
3672	3689	Lacaille 3421	7	8. 28. 25.64	38.55	3	+ 1.554	— 54. 54. 33.10	38.55	3	— 12.100	...	3421	...
3673	3690	Brisbane 2092	7.8	8. 28. 41.36	38.09	3	+ 2.003	— 45. 4. 22.42	38.09	3	— 12.119
3674	3691	4 Hydræ	4	8. 28. 54.97	32.13	26	+ 3.189	+ 6. 16. 26.25	32.48	24	— 12.135	1217	...	114
3675	3692	Brisbane 2093	7	8. 28. 56.78	38.54	3	+ 2.054	— 43. 42. 16.44	38.53	3	— 12.137
3676	3693	37 Cancri	7	8. 29. 8.57	35.10	3	+ 3.262	+ 10. 8. 43.66	34.71	2	— 12.152	1218	...	116
3677	3694	Lacaille 3418	6.7	8. 29. 8.98	39.42	7	+ 2.198	— 39. 24. 22.98	39.42	7	— 12.152	...	3418	...
3678	3695	Bradley 1215	7	8. 29. 14.05	35.22	3	+ 3.765	+ 33. 5. 21.59	34.36	4	— 12.158	1215	...	113
3679	3696	Lacaille 3429	6.7	8. 29. 32.02	38.52	3	+ 1.687	— 52. 30. 24.05	38.52	3	— 12.179	...	3429	...
3680	3697	34 Lyncis	6	8. 29. 35.01	35.09	3	+ 4.188	+ 46. 24. 21.41	34.48	4	— 12.182	1214	...	115

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
3681	3698	Lacaille 3427	6.7	8. 29. 35.44	38.52	3	+ 1.782	- 50. 31. 39.63	38.52	3	-12.182	...	3427	...
3682	3699	Piazzi VIII. 118	8	8. 29. 37.51	36.43	3	+ 3.464	+ 20. 15. 1.64	35.64	4	-12.184	118
3683	3700	Bradley 1216	7.8	8. 29. 37.89	36.01	7	+ 3.770	+ 33. 18. 12.22	36.40	4	-12.185	1216	...	117
3684	3701	Piazzi VIII. 119	8	8. 29. 40.43	37.08	1	+ 3.462	+ 20. 9. 58.01	41.26	1	-12.187	119
3685	3702	Velorum	6	8. 29. 41.34	38.51	3	+ 1.834	- 49. 22. 42.23	38.51	3	-12.189	...	3428	...
3686	3703	Lacaille 3423	7.8	8. 30. 1.96	36.63	2	+ 2.558	- 25. 50. 39.06	37.28	1	-12.213	...	3423	125
3687	3704	Bradley 1219	7	8. 30. 3.62	36.61	2	+ 3.748	+ 32. 31. 9.61	36.38	4	-12.216	1219	...	120
3688	3705	Brisbane 2101	7.8	8. 30. 7.93	38.49	3	+ 1.935	- 47. 0. 13.63	38.48	3	-12.221
3689	3706	5 Hydræ	5	8. 30. 7.93	32.15	14	+ 3.145	+ 3. 54. 57.13	31.64	9	-12.221	1221	...	123
3690	3707	Piazzi VIII. 121	8	8. 30. 12.46	36.45	3	+ 3.472	+ 20. 39. 42.18	36.52	3	-12.225	121
3691	3708	38 Cancri	7	8. 30. 13.31	33.21	9	+ 3.465	+ 20. 21. 14.43	33.21	9	-12.226	1220	...	122
3692	3709	Piazzi VIII. 124	7	8. 30. 22.10	35.01	13	+ 3.460	+ 20. 6. 59.38	40.10	3	-12.237	124
3693	3710	Brisbane 2103	8	8. 30. 33.84	38.55	3	+ 1.753	- 51. 15. 11.45	38.55	3	-12.250
3694	3711	Brisbane 2104	7.8	8. 30. 36.18	38.55	3	+ 1.978	- 45. 55. 55.73	38.55	3	-12.252
3695	3712	39 Cancri	6	8. 30. 36.51	32.43	9	+ 3.470	+ 20. 35. 3.53	32.23	5	-12.253	1222	...	126
3696	3713	40 Cancri	6	8. 30. 41.52	34.42	5	+ 3.469	+ 20. 32. 52.02	32.23	5	-12.259	1223	...	127
3697	3714	Mali	6	8. 30. 49.38	32.28	6	+ 2.563	- 25. 40. 52.09	33.13	6	-12.267	...	3431	133
3698	3715	Piazzi VIII. 128	8	8. 30. 49.76	37.97	6	+ 3.459	+ 20. 6. 33.31	38.54	5	-12.268	128
3699	3716	Bradley 1224	7	8. 30. 53.22	33.53	8	+ 3.462	+ 20. 14. 50.86	32.83	7	-12.272	1224	...	129
3700	3717	Velorum	6	8. 30. 56.70	38.54	3	+ 1.794	- 50. 23. 59.52	38.54	3	-12.275	...	3443	...
3701	3718	41 Cancri	6.7	8. 30. 58.56	35.64	14	+ 3.459	+ 20. 7. 20.31	34.60	19	-12.279	1225	...	130
3702	3719	Brisbane 2107	7.8	8. 31. 8.88	39.62	7	+ 1.589	- 54. 31. 59.35	39.61	7	-12.291
3703	3720	42 Cancri	6.7	8. 31. 14.12	34.50	3	+ 3.463	+ 20. 17. 51.32	34.44	4	-12.297	1226	...	132
3704	3721	Brisbane 2108	7	8. 31. 20.23	38.69	2	+ 2.068	- 43. 32. 34.26	38.83	3	-12.304
3705	3722	Brisbane 2109	7.8	8. 31. 21.18	38.15	3	+ 1.942	- 46. 55. 41.20	38.15	3	-12.305
3706	3724	Brisbane 2110	7	8. 31. 25.68	38.26	3	+ 1.923	- 47. 25. 36.13	38.25	3	-12.310
3707	3723	Carinæ	6 ¹	8. 31. 25.77	38.54	3	+ 1.405	- 57. 39. 20.19	38.45	4	-12.310	...	3452	...
3708	3725	Carinæ	6 ²	8. 31. 26.05	38.22	3	+ 1.419	- 57. 26. 25.93	38.22	3	-12.310	...	3451	...
3709	3726	Bradley 1227	6.7	8. 31. 27.96	34.48	3	+ 3.459	+ 20. 9. 33.51	35.13	1	-12.312	1227	...	134
3710	3727	Piazzi VIII. 131	7	8. 31. 42.00	37.66	6	+ 4.305	+ 49. 26. 52.89	37.18	6	-12.328	131
3711	3728	Piazzi VIII. 135	8	8. 31. 43.53	38.01	7	+ 3.478	+ 21. 3. 23.21	38.02	7	-12.330	135
3712	3729	Velorum	5	8. 31. 50.75	31.61	14	+ 2.109	- 42. 24. 56.21	31.57	10	-12.338	...	3446	139
3713	3730	Lacaille 3455	7.8	8. 32. 2.54	38.41	4	+ 1.866	- 48. 51. 6.32	38.41	4	-12.351	...	3455	...
3714	3731	6 Hydræ	5.6	8. 32. 12.49	33.19	6	+ 2.850	- 11. 53. 49.84	32.25	5	-12.363	1229	...	138
3715	3732	Bradley 1228	7	8. 32. 20.87	33.21	7	+ 3.465	+ 20. 27. 23.43	32.27	5	-12.374	1228	...	136
3716	3733	Lacaille 3449	7	8. 32. 48.04	39.19	6	+ 2.502	- 28. 30. 9.89	39.19	6	-12.403	...	3449	...
3717	3734	Mali	6	8. 32. 51.76	33.23	5	+ 2.490	- 28. 58. 39.50	32.16	5	-12.408	...	3450	140
3718	3735	Brisbane 2121	7.8	8. 32. 53.47	38.52	3	+ 1.842	- 49. 30. 18.95	38.52	3	-12.410
3719	3736	Lacaille 3456	7	8. 33. 3.51	38.50	3	+ 2.308	- 36. 1. 49.48	38.50	3	-12.422	...	3456	...
3720	3737	Brisbane 2126	7.8	8. 33. 18.71	38.54	3	+ 1.606	- 54. 25. 7.09	38.53	3	-12.438

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3721	3738	Mali	5	h m s 8. 33. 38.79	32.37	11	+ 2.346	- 34. 43. 36.07	33.39	15	-12.462	...	3462	145
3722	3739	43 Cancri	5	8. 33. 43.66	32.06	21	+ 3.496	+ 22. 3. 23.79	32.34	14	-12.469	1230	...	142
3723	3740	44 Cancri	7.8	8. 33. 44.90	34.84	3	+ 3.427	+ 18. 44. 12.04	34.56	5	-12.470	1231	...	143
3724	3741	Piazzi VIII. 137.....	6.7	8. 33. 46.24	35.12	3	+ 5.576	+ 67. 18. 14.49	34.45	4	-12.471	137
3725	3742	Lacaille 3467	6.7	8. 34. 3.79	38.52	3	+ 1.708	- 52. 30. 42.97	38.52	3	-12.490	...	3467	...
3726	3743	9 Hydræ	6	8. 34. 4.15	32.22	6	+ 2.785	- 15. 21. 17.90	32.28	5	-12.491	1234	...	146
3727	3744	Piazzi VIII. 141.	7	8. 34. 4.44	35.15	5	+ 4.296	+ 49. 28. 6.19	34.44	4	-12.492	141
3728	3745	45 Cancri	6.7	8. 34. 6.11	32.27	6	+ 3.319	+ 13. 16. 2.89	32.17	5	-12.494	1232	...	144
3729	3746	Lacaille 3463	6.7	8. 34. 16.21	38.13	7	+ 2.205	- 39. 40. 55.75	37.40	8	-12.505	...	3463	148
3730	3747	Brisbane 2133	8.9	8. 34. 28.82	38.63	2	+ 2.139	- 41. 46. 18.12	38.11	1	-12.520
3731	3748	Lacaille 3466	7	8. 34. 29.21	38.12	3	+ 2.138	- 41. 48. 31.68	38.12	3	-12.521	...	3466	...
3732	3749	7 Hydræ	5	8. 34. 35.81	31.30	9	+ 3.145	+ 3. 59. 10.19	32.47	20	-12.528	1235	...	147
3733	3750	Lacaille 3472	6.7	8. 34. 45.75	38.49	3	+ 1.694	- 52. 51. 34.25	38.49	3	-12.539	...	3472	...
3734	3751	Brisbane 2137	8	8. 34. 49.91	38.47	3	+ 2.140	- 41. 45. 29.30	38.13	2	-12.544
3735	3752	Brisbane 2139 ..	7	8. 34. 56.28	38.55	3	+ 1.919	- 47. 51. 49.14	38.54	3	-12.551
3736	3753	Lacaille 3468	6	8. 34. 57.94	38.55	3	+ 2.043	- 44. 36. 27.64	38.55	3	-12.553	...	3468	...
3737	3754	Vorum	5	8. 35. 9.20	31.68	12	+ 1.990	- 46. 3. 55.95	31.66	11	-12.565	...	3470	155
3738	3755	46 Cancri	6	8. 35. 13.13	34.40	4	+ 3.705	+ 31. 17. 21.25	34.36	4	-12.568	1233	...	149
3739	3756	Lacaille 3476	5.6	8. 35. 15.53	39.29	9	+ 1.715	- 52. 28. 20.43	39.27	10	-12.573	...	3476	...
3740	3757	Brisbane 214	7.8	8. 35. 17.54	38.20	3	+ 1.769	- 51. 21. 31.36	38.20	3	-12.575
3741	3758	47 Cancri	4.5	8. 35. 17.90	33.95	20	+ 3.426	+ 18. 45. 19.87	32.21	10	-12.575	1236	...	150
3742	3759	Lacaille 3481	7	8. 35. 27.20	38.56	3	+ 1.677	- 53. 16. 4.23	38.56	3	-12.586	...	3481	...
3743	3760	Piazzi VIII. 151	9	8. 35. 30.18	36.58	2	+ 2.951	- 6. 37. 49.79	36.21	1	-12.589	151
3744	3761	Lacaille 3469	7	8. 35. 31.73	38.24	2	+ 2.430	- 31. 38. 39.49	38.25	2	-12.591	...	3469	...
3745	3762	Bradley 1238	5.6	8. 35. 33.83	35.09	3	+ 2.951	- 6. 38. 38.51	35.30	8	-12.593	1238	...	152
3746	3763	Argus	4	8. 35. 33.94	34.36	10	+ 1.723	- 52. 20. 20.26	34.06	12	-12.593	...	3482	...
3747	3764	Lacaille 3484	6	8. 35. 34.66	38.43	4	+ 1.719	- 52. 25. 56.45	38.20	3	-12.594	...	3484	...
3748	3765	Lacaille 3477	7	8. 35. 35.13	38.55	3	+ 1.931	- 47. 38. 24.60	38.24	2	-12.595	...	3477	...
3749	3766	Brisbane 2152	7.8	8. 35. 42.31	38.25	2	+ 1.937	- 47. 28. 53.96	38.25	2	-12.603
3750	3767	Lacaille 3490	6.7	8. 35. 43.03	38.55	3	+ 1.289	- 59. 44. 7.83	38.54	3	-12.603	...	3490	...
3751	3768	49 Cancri	6.7	8. 35. 47.38	32.18	5	+ 3.268	+ 10. 40. 25.43	32.23	5	-12.608	1237	...	154
3752	3769	Lacaille 3478	6.7	8. 35. 48.89	38.54	3	+ 1.967	- 46. 43. 55.37	38.54	3	-12.610	...	3478	...
3753	3770	Lacaille 3483	6	8. 35. 51.90	39.18	3	+ 1.904	- 48. 20. 14.40	39.18	3	-12.614	...	3483	...
3754	3771	Brisbane 2156	7	8. 35. 53.75	39.19	3	+ 1.958	- 46. 59. 20.65	39.19	3	-12.616
3755	3772	Lacaille 3480	7	8. 35. 55.94	38.25	2	+ 2.054	- 44. 24. 21.20	38.25	2	-12.619	...	3480	...
3756	3773	Piazzi VIII. 156	8	8. 36. 5.45	36.44	3	+ 3.438	+ 19. 24. 39.10	36.14	4	-12.628	156
3757	3774	10 Hydræ	7	8. 36. 16.73	38.69	7	+ 3.186	+ 6. 16. 24.34	38.55	7	-12.642	1240	...	157
3758	3775	Lacaille 3486	5.6	8. 36. 20.41	39.40	7	+ 2.040	- 44. 49. 22.63	39.40	7	-12.647	...	3486	...
3759	3776	Piazzi VIII. 153	9.10	8. 36. 28.73	36.36	5	+ 4.476	+ 53. 31. 40.26	36.41	4	-12.656	153
3760	3777	Lacaille 3497	6.7	8. 36. 41.19	38.17	3	+ 1.478	- 56. 57. 35.51	38.17	3	-12.671	...	3497	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xcvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3761	3778	48 Canori	5.6	h m s 8. 36. 41.85	32.30	6	+ 3.656	+ 29. 21. 27.08	32.26	5	—12.671	1239	...	158
3762	3779	Lacaille 3492	6	8. 36. 56.27	39.20	7	+ 1.941	— 47. 30. 34.81	39.21	6	—12.687	...	3492	...
3763	3780	Carina	5	8. 36. 58.07	34.75	8	+ 1.337	— 59. 10. 27.74	34.68	8	—12.689	...	3504	...
3764	3781	Mali	4.5	8. 36. 58.07	32.14	11	+ 2.410	— 32. 35. 43.02	31.66	10	—12.689	...	3487	162
3765	3782	Piazzi VIII. 159	8	8. 37. 0.52	36.54	5	+ 3.036	— 2. 0. 21.52	36.40	4	—12.691	159
3766	3783	Piazzi VIII. 160	7.8	8. 37. 0.66	36.47	3	+ 3.036	— 2. 0. 22.77	36.49	4	—12.692	160
3767	3784	Brisbane 2162	7.8	8. 37. 3.40	38.52	3	+ 1.724	— 52. 28. 28.17	38.18	2	—12.694
3768	3785	Brisbane 2164	7.8	8. 37. 15.09	38.55	3	+ 1.940	— 47. 34. 26.08	38.55	3	—12.708
3769	3786	Lacaille 3496	7	8. 37. 20.27	38.56	3	+ 1.993	— 46. 13. 11.62	38.56	3	—12.714	...	3496	...
3770	3787	Brisbane 2166	7.8	8. 37. 25.54	39.17	2	+ 1.730	— 52. 22. 44.98	39.17	2	—12.719
3771	3788	Piazzi VIII. 161	8.9	8. 37. 25.94	36.10	2	+ 3.277	+ 11. 11. 24.97	36.42	4	—12.720	161
3772	3789	Lacaille 3498	7	8. 37. 31.09	38.44	3	+ 2.040	— 44. 58. 11.03	38.44	3	—12.726	...	3498	...
3773	3790	Lacaille 3505	6.7	8. 37. 35.65	38.62	4	+ 1.725	— 52. 30. 38.37	38.62	4	—12.731	...	3505	...
3774	3791	Lacaille 3507	6.7	8. 37. 41.97	38.45	3	+ 1.725	— 52. 31. 27.40	38.45	3	—12.739	...	3507	...
3775	3792	50 Canori	6	8. 37. 53.02	32.11	7	+ 3.305	+ 12. 42. 38.47	32.19	5	—12.751	1242	...	163
3776	3793	Brisbane 2170	7.8	8. 37. 54.31	39.75	7	+ 1.957	— 47. 12. 53.05	39.75	7	—12.752
3777	3794	Lacaille 3501	7.8	8. 38. 0.34	38.14	3	+ 2.296	— 36. 55. 54.93	38.14	3	—12.759	...	3501	...
3778	3795	11 Hydræ	4	8. 38. 2.01	33.76	21	+ 3.199	+ 7. 1. 9.16	32.21	6	—12.761	1243	...	164
3779	3796	Brisbane 2173	9	8. 38. 13.80	39.18	3	+ 1.974	— 46. 48. 35.82	39.19	3	—12.774
3780	3797	Brisbane 2174	7.8	8. 38. 14.35	39.54	6	+ 1.696	— 53. 9. 31.56	39.54	6	—12.775
3781	3798	Brisbane 2175	8	8. 38. 18.37	38.87	3	+ 1.997	— 46. 12. 21.07	38.87	3	—12.779
3782	3799	Lacaille 3502	6.7	8. 38. 25.97	38.90	3	+ 2.437	— 31. 38. 58.59	38.90	3	—12.789	...	3502	...
3783	3800	Velorum	6	8. 38. 30.32	36.43	3	+ 2.143	— 42. 3. 20.28	34.41	4	—12.793	...	3508	168
3784	3801	Lacaille 3506	6.7	8. 38. 30.72	38.20	6	+ 2.309	— 36. 33. 7.36	39.23	3	—12.794	...	3506	...
3785	3802	Velorum	6	8. 38. 30.96	39.24	3	+ 1.878	— 49. 13. 44.25	39.24	3	—12.794	...	3514	...
3786	3803	Brisbane 2181	7.8	8. 38. 31.10	38.52	3	+ 1.772	— 51. 36. 59.58	38.52	3	—12.794
3787	3804	12 Hydræ	6	8. 38. 34.97	32.17	6	+ 2.835	— 12. 56. 55.69	31.65	5	—12.799	1244	...	166
3788	3805	Brisbane 2183	7.8	8. 38. 40.06	38.52	3	+ 1.782	— 51. 24. 41.07	38.52	3	—12.804
3789	3806	Piazzi VIII. 169	9	8. 38. 50.99	36.09	4	+ 2.145	— 42. 1. 33.13	36.20	3	—12.817	169
3790	3807	Piazzi VIII. 167	6	8. 38. 53.11	32.23	6	+ 3.049	— 1. 17. 48.57	32.17	5	—12.819	167
3791	3808	Brisbane 2185	7.8	8. 38. 54.41	39.77	7	+ 1.711	— 52. 55. 47.21	39.77	7	—12.821
3792	3809	Lacaille 3509	7	8. 39. 6.21	38.89	3	+ 2.570	— 26. 0. 51.98	38.70	2	—12.834	...	3509	...
3793	3810	Brisbane 2191	8	8. 39. 9.51	39.90	11	+ 1.955	— 47. 23. 23.40	39.83	12	—12.838
3794	3811	Lacaille 3512	6.7	8. 39. 14.14	38.91	3	+ 2.441	— 31. 33. 56.33	38.91	3	—12.843	...	3512	...
3795	3812	Piazzi VIII. 170	7	8. 39. 34.99	35.00	6	+ 3.312	+ 13. 9. 0.80	34.97	6	—12.865	170
3796	3813	Piazzi VIII. 171	8	8. 39. 40.47	36.49	3	+ 3.313	+ 13. 11. 58.51	35.82	3	—12.871	171
3797	3814	13 Hydræ	5	8. 39. 41.27	31.51	12	+ 3.188	+ 6. 26. 32.51	31.60	11	—12.872	1248	...	172
3798	3815	5 Ursæ Majoris	6	8. 39. 42.02	34.39	4	+ 5.048	+ 62. 34. 18.15	34.38	4	—12.873	1241	...	165
3799	3816	Brisbane 2192	8	8. 40. 3.44	38.49	3	+ 1.738	— 52. 28. 52.92	38.49	3	—12.896
3800	3817	Argus	3	8. 40. 8.80	31.84	11	+ 1.657	— 54. 6. 23.80	31.55	10	—12.903	...	3532	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3801	3818	Lacaille 3521	7	h m s 8. 40. 16.51	38.84	3	+ 2.381	— 34. 1. 18.23	38.84	3	—12.911	...	3521	...
3802	3819	Bradley 1245	6.7	8. 40. 16.65	35.11	3	+ 3.760	+ 33. 53. 44.52	34.41	4	—12.911	1245	...	173
3803	3820	Lacaille 3524	6.7	8. 40. 21.61	38.14	3	+ 2.198	— 40. 31. 29.98	38.15	3	—12.917	...	3524	...
3804	3821	Velorum	5	8. 40. 26.19	33.17	17	+ 2.033	— 45. 26. 28.72	33.20	13	—12.922	...	3526	176
3805	3822	Piazzi VIII. 174	8	8. 40. 35.30	36.45	4	+ 4.214	+ 48. 10. 57.82	36.41	4	—12.932	174
3806	3823	Lacaille 3528	7.8	8. 40. 38.07	38.55	3	+ 2.153	— 41. 57. 55.41	38.68	2	—12.935	...	3528	...
3807	3824	35 Lynx	6	8. 40. 50.54	34.41	4	+ 4.070	+ 44. 20. 4.25	34.40	4	—12.949	1247	...	175
3808	3825	Brisbane 2201	7.8	8. 40. 53.01	38.24	3	+ 1.979	— 46. 56. 55.41	38.26	2	—12.952
3809	3826	Lacaille 3530	6.7	8. 40. 54.08	39.79	9	+ 2.040	— 45. 18. 37.49	39.79	9	—12.953	...	3530	...
3810	3827	Brisbane 2203	7.8	8. 40. 55.88	38.54	3	+ 1.748	— 52. 22. 17.78	38.54	3	—12.955
3811	3828	14 Hydra	5.6	8. 41. 4.21	32.29	6	+ 3.022	— 2. 50. 8.54	32.15	5	—12.964	1249	...	177
3812	3829	Lacaille 3545	7.8	8. 41. 10.95	38.17	3	+ 1.432	— 58. 7. 27.01	38.17	3	—12.973	...	3545	...
3813	3830	Lacaille 3531	7	8. 41. 12.74	38.57	3	+ 2.415	— 32. 47. 38.01	38.57	3	—12.975	...	3531	...
3814	3831	Piazzi VIII. 179	7	8. 41. 19.07	33.60	9	+ 3.415	+ 18. 36. 41.45	32.27	5	—12.981	179
3815	3833	Piazzi VIII. 180	7	8. 41. 21.12	32.48	5	+ 3.432	+ 19. 26. 31.63	32.25	4	—12.983	180
3816	3832	Lacaille 3544	7	8. 41. 21.30	38.58	3	+ 1.602	— 55. 15. 29.62	38.58	3	—12.983	...	3544	...
3817	3834	Brisbane 2208	6.7	8. 41. 30.27	39.10	8	+ 2.160	— 41. 50. 57.41	39.13	5	—12.994
3818	3835	Piazzi VIII. 181	9	8. 41. 36.22	36.47	3	+ 3.416	+ 18. 38. 36.81	36.62	2	—13.000	181
3819	3836	Lacaille 3542	6.7	8. 41. 43.54	38.47	3	+ 2.034	— 45. 33. 3.22	38.47	3	—13.008	...	3542	...
3820	3837	54 Cancri	6.7	8. 41. 49.74	32.81	6	+ 3.363	+ 15. 57. 26.46	32.20	3	—13.016	1250	...	182
3821	3838	52 Cancri	7	8. 41. 56.22	34.38	4	+ 3.375	+ 16. 36. 33.63	34.38	4	—13.023	1251	...	183
3822	3839	Lacaille 3543	8	8. 42. 2.67	38.87	3	+ 2.132	— 42. 44. 59.72	38.87	3	—13.030	...	3543	...
3823	3840	Piazzi VIII. 187	7	8. 42. 12.35	38.12	10	+ 2.162	— 41. 51. 27.93	38.34	6	—13.041	187
3824	3841	Brisbane 2215	7.8	8. 42. 17.93	38.55	3	+ 1.803	— 51. 18. 54.25	38.55	3	—13.047
3825	3842	51 Cancri	6	8. 42. 22.14	35.09	3	+ 3.734	+ 33. 5. 11.36	34.42	4	—13.051	1252	...	184
3826	3843	6 Ursæ Majoris	6	8. 42. 23.32	35.14	3	+ 5.272	+ 65. 13. 37.06	34.42	4	—13.053	1246	...	178
3827	3844	Carina..... ^f	6	8. 42. 26.64	38.55	3	+ 1.557	— 56. 9. 57.49	38.26	2	—13.057	...	3554	...
3828	3845	53 Cancri	6.7	8. 42. 32.61	34.38	4	+ 3.631	+ 28. 52. 20.79	34.45	3	—13.062	1253	...	185
3829	3846	Brisbane 2220	7.8	8. 42. 33.87	38.17	3	+ 2.165	— 41. 47. 37.65	38.17	3	—13.064
3830	3847	Lacaille 3546	7.8	8. 42. 39.70	39.17	6	+ 2.479	— 30. 19. 23.79	39.17	6	—13.071	...	3546	...
3831	3848	55 Cancri	6	8. 42. 45.46	32.73	6	+ 3.633	+ 28. 57. 20.34	32.19	5	—13.076	1254	...	186
3832	3849	Lacaille 3548	6	8. 43. 7.61	34.03	9	+ 2.514	— 28. 51. 9.92	33.34	7	—13.102	...	3548	188
3833	3850	Lacaille 3549	6.7	8. 43. 9.48	36.37	4	+ 2.433	— 32. 10. 4.33	36.41	4	—13.104	...	3549	190
3834	3851	Lacaille 3560	7	8. 43. 9.98	38.50	3	+ 1.765	— 52. 14. 35.94	38.50	3	—13.104	...	3560	...
3835	3852	15 Hydra	6	8. 43. 27.73	35.15	3	+ 2.956	— 6. 33. 49.61	34.57	5	—13.124	1256	...	189
3836	3853	Lacaille 3558	7	8. 43. 28.74	39.19	7	+ 2.137	— 42. 45. 39.73	39.03	6	—13.125	...	3558	...
3837	3854	Velorum	7.8	8. 43. 30.83	36.35	4	+ 2.233	— 39. 42. 34.08	36.12	2	—13.127	...	3556	194
3838	3855	Mali	6	8. 43. 31.94	32.17	5	+ 2.555	— 27. 6. 8.32	31.42	6	—13.128	...	3553	193
3839	3856	Lacaille 3557	7.8	8. 43. 39.01	38.51	3	+ 2.267	— 38. 31. 57.05	38.51	3	—13.136	...	3557	...
3840	3857	Lacaille 3561	7.8	8. 43. 44.78	39.70	8	+ 2.156	— 42. 12. 46.26	39.63	7	—13.141	...	3561	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3841	3858	Piazzi VIII. 191	7	^{h m s} 8. 43. 53.69	32.10	7	+ 3.400	+ 17. 59. 12.08	32.22	5	-13.152	191
3842	3859	Velorum	6	8. 44. 5.46	35.16	3	+ 2.074	- 44. 41. 48.86	34.42	4	-13.166	...	3565	198
3843	3860	57 Cancri	6	8. 44. 9.56	34.37	4	+ 3.683	+ 31. 11. 55.01	34.39	4	-13.170	1255	...	192
3844	3861	Piazzi VIII. 195	8	8. 44. 28.32	36.46	3	+ 3.450	+ 20. 35. 9.33	36.38	4	-13.190	195
3845	3862	Piazzi VIII. 196	7.8	8. 44. 31.63	36.41	8	+ 3.402	+ 18. 9. 50.84	36.63	6	-13.193	196
3846	3863	Brisbane 2236	7.8	8. 44. 33.23	38.53	3	+ 2.096	- 44. 6. 31.98	38.53	3	-13.195
3847	3864	Piazzi VIII. 197	9	8. 44. 34.47	36.40	4	+ 3.342	+ 15. 1. 40.60	36.42	4	-13.196	197
3848	3865	Brisbane 2237	7.8	8. 44. 37.26	39.45	7	+ 2.143	- 42. 41. 59.77	38.98	5	-13.200
3849	3866	Lacaille 3570	7.8	8. 44. 56.81	38.24	3	+ 2.286	- 38. 1. 5.74	38.24	3	-13.222	...	3570	...
3850	3867	Lacaille 3567	8	8. 44. 56.97	38.15	3	+ 2.559	- 27. 1. 32.01	38.15	3	-13.222	...	3567	...
3851	3868	Velorum	6	8. 44. 58.01	35.18	3	+ 2.034	- 45. 54. 55.04	34.59	5	-13.223	...	3572	205
3852	3869	Piazzi VIII. 200	8	8. 45. 6.73	36.39	4	+ 3.232	+ 9. 2. 24.57	36.43	4	-13.233	200
3853	3870	Piazzi VIII. 201	9	8. 45. 6.94	36.43	4	+ 3.232	+ 9. 2. 18.05	36.20	3	-13.233	201
3854	3871	Piazzi VIII. 203	7.8	8. 45. 18.44	34.41	4	+ 3.338	+ 14. 51. 50.14	34.40	4	-13.246	203
3855	3872	Piazzi VIII. 199	7	8. 45. 19.08	35.12	3	+ 4.126	+ 46. 23. 13.70	34.39	4	-13.247	199
3856	3873	Brisbane 2242	8	8. 45. 26.81	38.13	3	+ 1.820	- 51. 16. 55.06	38.12	2	-13.255
3857	3874	Piazzi VIII. 202	6	8. 45. 37.66	35.12	3	+ 4.120	+ 46. 15. 29.29	34.43	4	-13.267	202
3858	3875	58 Cancri	6.7	8. 45. 45.75	31.91	8	+ 3.617	+ 28. 33. 7.24	32.15	5	-13.275	1258	...	204
3859	3876	Lacaille 3577	6.7	8. 45. 49.57	38.17	3	+ 2.220	- 40. 22. 9.45	38.17	3	-13.280	...	3577	...
3860	3877	Piazzi VIII. 206	7	8. 46. 4.77	32.30	9	+ 3.395	+ 17. 51. 14.30	32.19	5	-13.296	206
3861	3878	Brisbane 2247	6.7	8. 46. 11.41	38.54	3	+ 2.347	- 35. 55. 33.98	38.54	3	-13.303
3862	3879	Lacaille 3580	7.8	8. 46. 30.18	38.53	3	+ 2.288	- 38. 6. 19.17	38.21	2	-13.324	...	3580	...
3863	3880	Piazzi VIII. 208	7	8. 46. 30.51	35.14	3	+ 3.336	+ 14. 48. 22.97	34.57	5	-13.324	208
3864	3881	Brisbane 2246	8.9	8. 46. 30.68	39.44	7	+ 2.168	- 42. 7. 58.99	39.33	6	-13.324
3865	3882	16 Hydræ	4	8. 46. 40.05	34.35	45	+ 3.187	+ 6. 34. 7.12	32.49	29	-13.335	1261	...	210
3866	3883	59 Cancri	6	8. 46. 44.77	34.52	5	+ 3.734	+ 33. 32. 23.69	34.36	4	-13.340	1259	...	209
3867	3884	60 Cancri	6	8. 46. 54.55	32.23	6	+ 3.289	+ 12. 15. 6.41	32.18	5	-13.351	1262	...	211
3868	3885	Lacaille 3584	7	8. 47. 13.30	38.14	3	+ 1.975	- 47. 44. 19.04	38.14	3	-13.372	...	3584	...
3869	3886	Lacaille 3585	6.7	8. 47. 16.19	38.12	3	+ 2.012	- 46. 46. 25.89	38.12	3	-13.375	...	3585	...
3870	3887	Lacaille 3594	6	8. 47. 24.04	38.51	3	+ 1.537	- 57. 0. 54.68	38.51	3	-13.384	...	3594	...
3871	3888	17 Hydræ	5	8. 47. 24.30	35.15	3	+ 2.944	- 7. 20. 39.34	34.41	4	-13.384	1264	...	214
3872	3889	Piazzi VIII. 215	9	8. 47. 24.47	36.34	4	+ 2.944	- 7. 20. 36.52	36.42	4	-13.385	215
3873	3890	Piazzi VIII. 213	7	8. 47. 27.04	40.44	4	+ 3.398	+ 18. 6. 32.93	38.62	7	-13.387	213
3874	3891	8 Ursæ Majoris	6	8. 47. 32.82	35.19	3	+ 5.569	+ 68. 15. 50.91	34.37	4	-13.393	1257	...	207
3875	3892	Lacaille 3587	7	8. 47. 40.78	38.45	4	+ 2.242	- 39. 49. 30.87	38.45	4	-13.401	...	3587	...
3876	3893	Lacaille 3593	7	8. 47. 41.29	38.11	3	+ 1.821	- 51. 30. 28.89	38.12	3	-13.402	...	3593	...
3877	3894	Piazzi VIII. 217	7	8. 47. 51.08	35.17	3	+ 3.391	+ 17. 46. 23.86	34.42	4	-13.412	217
3878	3895	9 Ursæ Majoris	3.4	8. 47. 52.61	32.02	11	+ 4.203	+ 48. 41. 0.49	32.40	22	-13.413	1260	...	212
3879	3896	61 Cancri	6	8. 47. 56.14	35.10	3	+ 3.666	+ 30. 51. 43.24	34.38	4	-13.417	1263	...	216
3880	3897	62 Cancri	6	8. 48. 2.39	32.26	4	+ 3.356	+ 15. 57. 1.97	32.22	5	-13.424	1265	...	218

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
3881	3898	Lacaille 3596	6	h m s 8. 48. 19'05	38'12	3	+ 2'012	— 46. 53. 47'14	38'12	3	—13'443	...	3596	...
3882	3899	63 Cancri ^a	6	8. 48. 21'92	32'18	5	+ 3'360	+ 16. 12. 33'54	31'22	3	—13'446	1266	...	219
3883	3900	Lacaille 3591	7.8	8. 48. 23'06	38'49	3	+ 2'415	— 33. 30. 52'23	38'50	3	—13'448	...	3591	...
3884	3901	Mali ^d	6	8. 48. 27'42	32'23	3	+ 2'565	— 27. 3. 2'39	31'55	7	—13'453	...	3589	220
3885	3902	Lacaille 3603	7	8. 48. 40'80	38'51	3	+ 1'601	— 56. 1. 40'53	38'51	3	—13'466	...	3603	...
3886	3903	Brisbane 2266	8	8. 49. 3'66	38'15	3	+ 1'847	— 51. 4. 28'98	38'15	3	—13'491
3887	3904	64 Cancri	5.6	8. 49. 23'49	35'16	4	+ 3'715	+ 33. 3. 13'37	34'38	4	—13'514	1267	...	221
3888	3905	65 Cancri ^a	5	8. 49. 27'35	34'27	14	+ 3'291	+ 12. 29. 30'14	32'57	19	—13'518	1269	...	222
3889	3906	Lacaille 3604	7	8. 49. 32'01	38'52	3	+ 2'104	— 44. 24. 50'72	38'52	3	—13'522	...	3604	...
3890	3907	Piazzi VIII. 224	7	8. 49. 51'12	32'46	7	+ 3'407	+ 18. 46. 19'08	31'47	5	—13'542	224
3891	3908	Bradley 1268	5.6	8. 49. 54'25	38'91	7	+ 3'974	+ 42. 25. 47'86	37'44	8	—13'545	1268	...	223
3892	3909	Lacaille 3605	7	8. 49. 55'79	38'12	3	+ 2'343	— 36. 29. 33'33	38'12	3	—13'547	...	3605	...
3893	3910	Lacaille 3613	6.7	8. 50. 2'16	38'53	3	+ 1'383	— 59. 43. 40'60	38'53	3	—13'554	...	3613	...
3894	3911	Piazzi VIII. 225	6.7	8. 50. 22'08	34'37	4	+ 3'312	+ 13. 42. 34'64	34'39	4	—13'576	225
3895	3912	Lacaille 3615	9	8. 50. 40'87	39'16	1	+ 2'167	— 42. 37. 25'24	39'32	5	—13'595	...	3615	...
3896	3913	Brisbane 2278	7.8	8. 50. 43'78	38'15	3	+ 1'860	— 50. 57. 28'90	38'15	3	—13'598
3897	3914	Lacaille 3618	6.7	8. 50. 44'26	39'59	7	+ 1'522	— 57. 36. 40'34	39'50	6	—13'598	...	3618	...
3898	3915	Piazzi VIII. 227	6	8. 50. 59'51	34'39	4	+ 2'800	— 15. 30. 27'99	34'36	4	—13'615	227
3899	3916	66 Cancri	6	8. 51. 15'98	35'13	4	+ 3'706	+ 32. 53. 28'42	34'41	4	—13'633	1270	...	226
3900	3917	Carine ^c	5.6	8. 51. 18'36	38'52	3	+ 1'372	— 60. 0. 59'84	38'52	3	—13'635	...	3626	...
3901	3918	Velorum ^H	6	8. 51. 20'59	38'53	3	+ 1'813	— 52. 5. 32'79	38'53	3	—13'637	...	3620	...
3902	3919	Brisbane 2282	8	8. 51. 35'64	38'51	3	+ 2'138	— 43. 37. 55'62	38'51	3	—13'653
3903	3920	Piazzi VIII. 228	9	8. 51. 37'09	36'36	4	+ 3'039	— 1. 54. 36'52	36'39	4	—13'654	228
3904	3921	Brisbane 2285	7.8	8. 51. 37'94	38'53	3	+ 1'943	— 49. 2. 52'34	38'23	2	—13'655
3905	3922	Lacaille 3634	8.9	8. 51. 55'15	39'41	8	+ 1'338	— 60. 34. 28'17	39'41	8	—13'674	...	3634	...
3906	3923	67 Cancri	6.7	8. 51. 57'64	34'65	4	+ 3'604	+ 28. 32. 49'31	34'41	4	—13'678	1273	...	229
3907	3924	Lacaille 3619	6.7	8. 52. 15'65	38'25	3	+ 2'549	— 28. 10. 9'63	38'25	3	—13'697	...	3619	...
3908	3925	12 Ursæ Majoris ^K	4.5	8. 52. 19'38	32'21	10	+ 4'149	+ 47. 48. 9'55	32'35	18	—13'701	1272	...	230
3909	3926	68 Cancri	7	8. 52. 27'55	34'34	5	+ 3'384	+ 17. 43. 22'88	34'37	4	—13'710	1274	...	231
3910	3927	Lacaille 3628	6	8. 52. 27'65	38'17	3	+ 1'990	— 47. 56. 14'81	38'16	3	—13'710	...	3628	...
3911	3928	Piazzi VIII. 233	6.7	8. 52. 48'33	34'98	7	+ 3'179	+ 6. 16. 58'04	34'38	4	—13'732	233
3912	3929	Piazzi VIII. 235	9	8. 52. 55'73	36'31	5	+ 3'039	— 1. 55. 2'31	36'40	4	—13'740	235
3913	3930	Carine ^{b1}	5	8. 52. 56'15	33'31	15	+ 1'476	— 58. 35. 41'41	33'50	15	—13'741	...	3639	...
3914	3931	Brisbane 2294	8	8. 53. 1'26	38'44	4	+ 1'477	— 58. 35. 29'28	38'44	6	—13'745
3915	3932	69 Cancri ^V	6	8. 53. 4'82	31'75	8	+ 3'528	+ 25. 5. 45'95	31'24	5	—13'749	1275	...	234
3916	3933	Piazzi VIII. 236	8.9	8. 53. 6'52	36'47	3	+ 3'179	+ 6. 17. 43'13	36'41	4	—13'751	236
3917	3934	Lacaille 3637	7.8	8. 53. 13'41	39'43	7	+ 1'928	— 49. 36. 47'60	39'43	7	—13'759	...	3637	...
3918	3935	Piazzi VIII. 237	8	8. 53. 14'87	36'39	4	+ 3'058	— 0. 49. 58'25	36'42	4	—13'760	237
3919	3936	Lacaille 3635	5.6	8. 53. 16'69	38'11	3	+ 2'043	— 46. 35. 55'27	38'11	3	—13'762	...	3635	...
3920	3937	11 Ursæ Majoris ^{O1}	6	8. 53. 47'84	35'14	3	+ 5'419	+ 67. 31. 40'01	34'43	4	—13'795	1271	...	232

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ci}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3921	3938	Lacaille 3641	7.8	h m s 8. 53. 51.27	39.46	7	+ 2.008	— 47. 39. 2.53	39.46	7	— 13.798	...	3641	...
3922	3939	Piazzi VIII. 238	8.9	8. 53. 53.18	36.44	3	+ 2.940	— 7. 43. 39.72	36.42	4	— 13.800	238
3923	3940	Lacaille 3638	6	8. 53. 56.13	34.38	4	+ 2.240	— 40. 36. 53.69	34.35	4	— 13.804	...	3638	242
3924	3941	Lacaille 3647	8.9	8. 54. 9.93	38.23	3	+ 1.738	— 53. 59. 45.33	38.23	3	— 13.819	...	3647	...
3925	3942	Piazzi VIII. 240	9	8. 54. 11.19	38.41	8	+ 3.329	+ 14. 49. 50.83	38.40	8	— 13.820	240
3926	3943	Lacaille 3642	6.7	8. 54. 19.02	38.54	3	+ 2.321	— 37. 46. 38.70	38.54	3	— 13.828	...	3642	...
3927	3944	70 Cancri	8	8. 54. 19.08	36.45	3	+ 3.599	+ 28. 32. 45.87	36.40	4	— 13.828	1278	...	239
3928	3945	Lacaille 3646	7	8. 54. 22.23	38.20	3	+ 2.184	— 42. 31. 54.47	38.20	3	— 13.831	...	3646	...
3929	3946	Lacaille 3650	7.8	8. 54. 35.87	38.39	4	+ 1.883	— 50. 51. 49.19	38.39	4	— 13.845	...	3650	...
3930	3947	Lacaille 3648	7	8. 54. 37.53	38.52	3	+ 1.962	— 48. 55. 0.17	38.52	3	— 13.846	...	3648	...
3931	3948	Lacaille 3651	6.7	8. 55. 13.88	38.13	4	+ 2.225	— 41. 13. 11.46	38.13	4	— 13.885	...	3651	...
3932	3950	Piazzi VIII. 243	9.10	8. 55. 21.07	37.32	1	+ 3.855	+ 39. 5. 32.96	37.32	1	— 13.893	243
3933	3949	Carinae	5	8. 55. 21.16	33.61	18	+ 1.501	— 58. 27. 16.89	33.63	14	— 13.893	...	3661	...
3934	3951	Lacaille 3658	7.8	8. 55. 27.68	38.15	3	+ 1.885	— 50. 54. 41.02	38.15	3	— 13.899	...	3658	...
3935	3952	Brisbane 2313	8	8. 55. 36.27	39.63	8	+ 1.933	— 49. 47. 31.47	39.42	7	— 13.908
3936	3953	Piazzi VIII. 244	7	8. 55. 38.65	35.12	3	+ 3.268	+ 11. 30. 3.81	34.57	5	— 13.910	244
3937	3954	13 Ursæ Majoris	6	8. 55. 45.99	35.15	3	+ 5.431	+ 67. 47. 47.00	34.40	4	— 13.919	1276	...	241
3938	3955	Lacaille 3655	7.8	8. 55. 47.41	39.48	7	+ 2.299	— 38. 45. 25.59	39.48	7	— 13.920	...	3655	...
3939	3956	Piazzi VIII. 246	8	8. 55. 49.31	36.47	3	+ 2.836	— 13. 47. 19.58	36.44	4	— 13.922	246
3940	3957	Lacaille 3652	7	8. 55. 55.51	38.46	4	+ 2.626	— 24. 51. 20.55	38.46	4	— 13.928	...	3652	...
3941	3958	Piazzi VIII. 245	6	8. 56. 0.60	32.07	12	+ 3.854	+ 39. 6. 22.02	31.66	10	— 13.934	245
3942	3959	Lacaille 3663	7.8	8. 56. 6.88	39.07	7	+ 1.969	— 48. 55. 59.19	38.88	9	— 13.941	...	3663	...
3943	3960	71 Cancri	7	8. 56. 29.32	35.14	3	+ 3.385	+ 18. 2. 33.71	34.44	4	— 13.965	1281	...	248
3944	3951	Lacaille 3662	7.8	8. 56. 31.37	38.53	3	+ 2.206	— 42. 3. 30.67	38.53	3	— 13.966	...	3662	...
3945	3962	Lacaille 3667	6.7	8. 56. 37.84	38.16	3	+ 1.864	— 51. 32. 31.77	38.16	3	— 13.973	...	3667	...
3946	3963	Lacaille 3673	6.7	8. 56. 57.93	38.52	3	+ 1.391	— 60. 19. 5.13	38.52	3	— 13.995	...	3673	...
3947	3964	15 Ursæ Majoris	6	8. 57. 11.18	36.85	7	+ 4.309	+ 52. 15. 51.47	36.84	7	— 14.009	1280	...	249
3948	3965	Bradley 1283	7	8. 57. 11.64	35.16	3	+ 3.345	+ 15. 55. 46.67	34.43	4	— 14.010	1283	...	250
3949	3966	14 Ursæ Majoris	5.6	8. 57. 13.60	34.38	4	+ 5.050	+ 64. 10. 38.69	34.38	4	— 14.012	1279	...	247
3950	3967	12 Hydrae	6	8. 57. 17.16	31.98	9	+ 3.168	+ 5. 44. 48.42	31.25	5	— 14.015	1284	...	251
3951	3968	Piazzi VIII. 252	7	8. 57. 35.86	34.42	4	+ 3.343	+ 15. 52. 26.12	34.39	4	— 14.033	252
3952	3969	Lacaille 3672	7	8. 57. 45.36	38.15	3	+ 1.972	— 49. 2. 47.92	38.15	3	— 14.043	...	3672	...
3953	3970	72 Cancri	6	8. 58. 4.69	35.11	3	+ 3.629	+ 30. 18. 43.59	34.41	4	— 14.064	1285	...	253
3954	3971	Velorum	6	8. 58. 28.11	33.00	26	+ 2.071	— 46. 26. 39.09	33.19	13	— 14.088	...	3677	...
3955	3972	Piazzi VIII. 254	6	8. 58. 42.25	34.38	4	+ 3.725	+ 34. 32. 52.19	34.37	4	— 14.102	254
3956	3973	76 Cancri	5.6	8. 58. 48.28	32.15	6	+ 3.262	+ 11. 19. 40.02	32.16	6	— 14.108	1287	...	255
3957	3974	Piazzi VIII. 257	9	8. 59. 0.55	39.57	7	+ 3.333	+ 15. 22. 17.59	38.40	8	— 14.122	257
3958	3975	75 Cancri	6.7	8. 59. 3.73	32.19	5	+ 3.562	+ 27. 18. 24.76	32.19	5	— 14.125	1286	...	256
3959	3976	Lacaille 3681	7	8. 59. 6.83	39.42	8	+ 2.083	— 46. 9. 42.90	39.42	8	— 14.128	...	3681	...
3960	3977	Brisbane 2329	7.8	8. 59. 21.85	38.15	3	+ 1.865	— 51. 51. 5.41	38.15	3	— 14.144

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
3961	3978	Lacaille 3691	8	h m s 8. 59. 38.19	38.20	3	+ 1.313	— 61. 42. 2.55	38.20	3	—14.160	...	3691	...
3962	3979	Piazzi VIII. 260	8.9	8. 59. 40.48	36.39	4	+ 3.042	— 1. 48. 51.13	36.40	4	—14.162	260
3963	3980	78 Cancri	7	8. 59. 46.90	32.41	10	+ 3.382	+ 18. 7. 59.65	32.20	5	—14.168	1290	...	258
3964	3981	Volantis	5	8. 59. 49.51	31.35	8	+ 0.972	— 65. 44. 18.22	31.64	10	—14.171	...	3696	...
3965	3983	77 Cancri	5.6	8. 59. 51.66	31.98	7	+ 3.468	+ 22. 42. 29.46	31.32	5	—14.173	1289	...	259
3966	3982	79 Cancri	6	8. 59. 51.74	32.29	5	+ 3.467	+ 22. 39. 42.29	32.24	4	—14.173	1291	...	262
3967	3984	Lacaille 3689	8	8. 59. 55.32	38.23	3	+ 1.686	— 55. 41. 8.07	38.23	3	—14.177	...	3689	...
3968	3985	Lacaille 3686	8.9	9. 0. 7.85	38.46	4	+ 1.960	— 49. 37. 45.41	38.40	4	—14.191	...	3686	...
3969	3986	Lacaille 3687	8.9	9. 0. 18.54	38.22	3	+ 1.967	— 49. 29. 11.47	38.14	3	—14.202	...	3687	...
3970	3987	Lacaille 3693	7	9. 0. 23.99	38.24	3	+ 1.607	— 57. 11. 48.54	38.24	3	—14.207	...	3693	...
3971	3988	Piazzi VIII. 266	8.9	9. 0. 35.35	36.39	4	+ 2.198	— 42. 50. 24.61	36.41	4	—14.219	266
3972	3989	19 Hydræ	6	9. 0. 37.69	38.81	9	+ 2.941	— 7. 55. 34.60	38.22	10	—14.222	1292	...	264
3973	3990	Piazzi VIII. 263	6.7	9. 0. 47.98	36.13	6	+ 3.276	+ 12. 13. 54.35	34.40	4	—14.232	263
3974	3991	Lacaille 3685	5.6	9. 0. 48.40	35.14	11	+ 2.629	— 25. 11. 46.32	36.61	5	—14.232	...	3685	265
3975	3992	Brisbane 2340	7.8	9. 0. 55.84	38.22	3	+ 2.052	— 47. 15. 36.08	38.22	3	—14.240
3976	3993	16 Ursæ Majoris	6	9. 1. 13.69	35.14	3	+ 4.848	+ 62. 5. 45.21	34.42	4	—14.259	1288	...	261
3977	3994	Lacaille 3690	7	9. 1. 26.83	36.46	3	+ 2.631	— 25. 10. 29.19	36.83	6	—14.272	...	3690	268
3978	3995	20 Hydræ	6	9. 1. 31.75	32.33	4	+ 2.938	— 8. 7. 16.36	32.27	4	—14.277	1294	...	267
3979	3996	Lacaille 3692	7	9. 1. 32.86	38.20	3	+ 2.612	— 26. 6. 15.42	38.21	3	—14.278	...	3692	...
3980	3997	Brisbane 2344	8	9. 1. 34.82	38.15	3	+ 1.876	— 51. 52. 9.33	38.15	3	—14.280
3981	3998	Lacaille 3695	7	9. 1. 35.79	38.17	3	+ 2.372	— 36. 41. 46.04	38.17	3	—14.281	...	3695	...
3982	3999	Lacaille 3697	7	9. 1. 45.09	38.18	3	+ 2.167	— 43. 58. 11.84	38.18	3	—14.290	...	3697	...
3983	4006	Lacaille 3701	7	9. 1. 55.94	40.41	4	+ 1.927	— 50. 32. 58.10	39.31	6	—14.302	...	3701	...
3984	4000	Argûs	3.4	9. 1. 56.09	31.56	12	+ 2.205	— 42. 46. 12.73	31.60	9	—14.302	...	3699	1
3985	4001	Brisbane 2349	8	9. 2. 9.92	38.46	3	+ 1.540	— 58. 32. 40.71	38.38	4	—14.316
3986	4002	Lacaille 3698	8	9. 2. 31.53	36.43	4	+ 2.633	— 25. 8. 10.97	36.44	4	—14.338	...	3698	5
3987	4003	80 Cancri	6.7	9. 2. 40.23	35.09	3	+ 3.389	+ 18. 42. 55.42	34.43	4	—14.346	1296	...	3
3988	4004	Lacaille 3706	6.7	9. 2. 48.29	38.52	3	+ 1.645	— 56. 48. 4.38	38.52	3	—14.355	...	3706	...
3989	4005	Lacaille 3707	7.8	9. 2. 48.52	38.50	3	+ 1.480	— 59. 35. 56.17	38.50	3	—14.355	...	3707	...
3990	4007	Mali	6	9. 2. 57.08	33.98	6	+ 2.540	— 29. 41. 45.00	31.49	7	—14.364	...	3702	7
3991	4008	36 Lynx	6	9. 2. 58.97	34.41	4	+ 3.970	+ 43. 53. 32.73	34.38	4	—14.366	1295	...	2
3992	4009	O.P.D. — 53.2150	7.8	9. 3. 5.76	39.20	5	+ 1.805	— 53. 37. 41.28	39.19	5	—14.373
3993	4010	Brisbane 2359	7.8	9. 3. 10.13	38.94	5	+ 1.551	— 58. 29. 9.31	38.13	3	—14.378
3994	4011	81 Cancri	6.7	9. 3. 15.46	32.38	11	+ 3.333	+ 15. 39. 21.04	31.99	5	—14.383	1298	...	6
3995	4012	Brisbane 2361	8	9. 3. 25.83	39.34	6	+ 1.551	— 58. 31. 12.90	39.34	6	—14.393
3996	4013	17 Ursæ Majoris	6	9. 3. 32.69	34.80	3	+ 4.528	+ 57. 25. 9.08	34.38	4	—14.400	1293	...	4
3997	4014	Piazzi IX. 9	7	9. 3. 41.98	35.16	3	+ 2.969	— 6. 18. 30.25	34.24	2	—14.409	9
3998	4015	Bradley 1299	6	9. 4. 11.04	32.19	5	+ 3.446	+ 21. 57. 29.98	32.21	5	—14.439	1299
3999	4016	Lacaille 3715	7	9. 4. 12.67	38.50	3	+ 2.014	— 48. 45. 13.36	38.50	3	—14.441	...	3715	...
4000	4017	18 Ursæ Majoris	5	9. 4. 15.88	31.53	12	+ 4.382	+ 54. 41. 49.38	31.72	11	—14.444	1297	...	8

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ciii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4001	4018	Piazzi IX. 10	8	h m s 9. 4. 16.34	36.38	4	+ 2.970	— 6. 15. 26.10	35.82	6	—14.445	10
4002	4019	21 Hydra	6	9. 4. 17.10	32.22	5	+ 2.968	— 6. 26. 17.69	32.00	5	—14.446	1301	...	11
4003	4020	Piazzi IX. 13	7	9. 4. 25.62	36.40	4	+ 2.751	— 19. 4. 36.98	36.42	4	—14.454	13
4004	4021	Lacaille 3719	6.7	9. 4. 33.04	39.61	7	+ 2.020	— 48. 37. 12.58	39.61	7	—14.462	...	3719	...
4005	4022	Carinae	5	9. 4. 39.94	32.68	9	+ 0.232	— 71. 56. 23.80	31.81	9	—14.469	...	3736	...
4006	4023	Lacaille 3722	6.7	9. 4. 43.04	39.10	2	+ 1.912	— 51. 24. 55.74	40.20	1	—14.473	...	3722	...
4007	4024	Piazzi IX. 15	9	9. 4. 47.02	37.32	1	+ 3.145	+ 4. 29. 59.53	36.46	3	—14.476	15
4008	4025	Piazzi IX. 12	9	9. 4. 50.43	36.35	5	+ 3.517	+ 25. 41. 25.31	36.41	4	—14.480	12
4009	4026	Lacaille 3720	7.8	9. 4. 50.73	39.23	6	+ 2.221	— 42. 35. 40.10	38.72	4	—14.480	...	3720	...
4010	4027	Lacaille 3728	7	9. 5. 0.13	39.00	7	+ 1.557	— 58. 36. 7.11	39.00	7	—14.489	...	3728	...
4011	4028	Brisbane 2373	8	9. 5. 0.86	39.22	7	+ 2.221	— 42. 35. 55.14	39.05	6	—14.490
4012	4029	Bradley 1300	6	9. 5. 4.26	34.40	4	+ 3.727	+ 35. 18. 30.97	34.37	4	—14.493	1300	...	14
4013	4030	Lacaille 3723	6	9. 5. 5.58	35.17	3	+ 2.173	— 44. 11. 45.43	34.41	4	—14.494	...	3723	17
4014	4031	Piazzi IX. 16	7.8	9. 5. 11.27	36.42	4	+ 2.829	— 14. 44. 39.23	36.41	4	—14.500	16
4015	4032	Lacaille 3721	6	9. 5. 15.82	38.15	3	+ 2.335	— 38. 35. 9.71	38.15	3	—14.505	...	3721	...
4016	4033	Lacaille 3727	6.7	9. 5. 43.44	38.47	4	+ 2.121	— 45. 54. 38.27	38.47	4	—14.533	...	3727	...
4017	4034	22 Hydra	4.5	9. 5. 46.52	34.17	22	+ 3.120	+ 3. 0. 23.19	33.15	33	—14.536	1303	...	18
4018	4035	Lacaille 3725	7	9. 5. 58.20	38.23	3	+ 2.532	— 30. 23. 26.06	38.23	3	—14.548	...	3725	...
4019	4036	82 Cancri	6	9. 6. 6.74	32.51	8	+ 3.329	+ 15. 37. 16.90	32.14	6	—14.557	1304	...	20
4020	4037	Piazzi IX. 21	8	9. 6. 14.45	36.44	4	+ 2.843	— 14. 0. 58.77	36.42	4	—14.565	21
4021	4038	Brisbane 2385	6.7	9. 6. 20.06	38.26	3	+ 2.148	— 45. 10. 21.11	38.26	3	—14.570
4022	4039	Lacaille 3729	6.7	9. 6. 24.49	38.27	3	+ 2.217	— 42. 56. 16.10	38.27	3	—14.574	...	3729	...
4023	4040	Piazzi IX. 19	6	9. 6. 24.51	34.38	4	+ 4.075	+ 47. 29. 56.42	34.39	4	—14.574	19
4024	4041	Piazzi IX. 22	8	9. 6. 28.55	36.45	4	+ 3.010	— 3. 51. 37.54	36.42	4	—14.578	22
4025	4042	Carinae	5	9. 6. 37.69	34.63	12	+ 1.586	— 58. 17. 36.68	34.56	14	—14.588	...	3738	...
4026	4043	Piazzi IX. 24	7	9. 6. 48.06	34.81	6	+ 2.942	— 8. 4. 40.12	34.44	4	—14.598	24
4027	4044	Lacaille 3731	7.8	9. 6. 56.48	36.51	3	+ 2.358	— 37. 56. 17.11	36.43	4	—14.606	...	3731	26
4028	4045	Lacaille 3742	6.7	9. 7. 2.11	38.56	3	+ 1.645	— 57. 17. 36.96	38.56	3	—14.612	...	3742	...
4029	4046	Lacaille 3732	6	9. 7. 5.74	38.55	3	+ 2.259	— 41. 35. 53.32	38.55	3	—14.616	...	3732	...
4030	4047	Piazzi IX. 25	8	9. 7. 10.86	36.43	4	+ 3.396	+ 19. 29. 36.64	36.44	4	—14.621	25
4031	4048	Piazzi IX. 27	7	9. 7. 27.97	36.18	2	+ 2.942	— 8. 3. 35.60	36.42	4	—14.638	27
4032	4049	Carinae	5	9. 7. 31.20	34.98	16	+ 1.379	— 61. 38. 29.18	35.49	17	—14.642	...	3753	...
4033	4050	20 Ursae Majoris	7	9. 7. 47.47	35.13	3	+ 4.683	+ 60. 28. 10.72	34.42	4	—14.658	1302	...	23
4034	4051	Lacaille 3743	7	9. 7. 47.58	38.48	3	+ 2.105	— 46. 39. 34.91	38.48	3	—14.658	...	3743	...
4035	4052	Brisbane 2398	7.8	9. 8. 0.60	38.21	3	+ 1.869	— 52. 49. 34.88	38.21	3	—14.671
4036	4053	Lacaille 3744	6.7	9. 8. 4.03	38.14	3	+ 2.208	— 43. 27. 56.32	38.13	3	—14.674	...	3744	...
4037	4054	Lacaille 3741	7	9. 8. 5.98	38.27	3	+ 2.427	— 35. 16. 51.28	38.27	3	—14.676	...	3741	...
4038	4055	Velorum	6.7	9. 8. 15.50	36.37	5	+ 2.236	— 42. 32. 48.92	34.26	3	—14.686	...	3749	33
4039	4056	Velorum	6	9. 8. 22.76	35.15	6	+ 2.388	— 36. 55. 11.54	35.14	6	—14.693	...	3748	34
4040	4057	23 Hydra	6	9. 8. 30.22	32.27	4	+ 2.982	— 5. 40. 7.73	31.66	5	—14.700	1307	...	30

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4041	4058	38 Lyncis.....	4	h m s 9. 8. 33.22	31.40	7	s + 3.770	° ' " + 37. 29. 43.42	32.32	13	" -14.703	1305	...	29
4042	4059	Brisbane 2403	7	9. 8. 35.84	38.26	3	+ 2.230	- 42. 47. 6.22	38.26	3	-14.706
4043	4060	24 Hydra.....	6	9. 8. 36.47	33.06	6	+ 2.943	- 8. 3. 35.83	32.20	5	-14.707	1308	...	32
4044	4061	Lacaille 3760	6	9. 8. 36.76	39.33	6	+ 1.574	- 58. 44. 7.32	39.33	6	-14.707	...	3760	...
4045	4062	Lacaille 3750	6.7	9. 8. 43.50	38.56	3	+ 2.490	- 32. 38. 21.98	38.56	3	-14.713	...	3750	...
4046	4063	Piazzi IX. 28	6.7	9. 8. 50.60	35.11	3	+ 4.284	+ 53. 8. 24.64	34.45	4	-14.720	28
4047	4064	Piazzi IX. 35	7	9. 8. 53.74	32.19	6	+ 3.268	+ 12. 11. 16.69	32.17	5	-14.723	35
4048	4065	Lacaille 3751	7.8	9. 9. 1.35	39.60	8	+ 2.585	- 28. 12. 8.21	39.60	8	-14.731	...	3751	...
4049	4066	Velorum	5	9. 9. 6.98	31.69	12	+ 2.366	- 37. 53. 11.76	31.26	4	-14.736	...	3756	40
4050	4067	Velorum	6	9. 9. 9.25	35.16	3	+ 2.395	- 36. 43. 45.26	34.51	4	-14.738	...	3755	41
4051	4068	Bradley 1306	6.7	9. 9. 13.86	34.90	4	+ 4.230	+ 51. 57. 0.02	34.33	8	-14.743	1306	...	31
4052	4069	Lacaille 3758	7	9. 9. 16.75	38.15	3	+ 2.170	- 44. 52. 18.99	38.15	3	-14.746	...	3758	...
4053	4070	Lacaille 3757	7.8	9. 9. 17.53	37.10	1	+ 2.389	- 36. 56. 44.08	36.21	1	-14.746	...	3757	44
4054	4071	Piazzi IX. 39	7	9. 9. 18.46	36.38	4	+ 2.848	- 13. 53. 15.24	36.38	4	-14.747	39
4055	4072	Lacaille 3762	6	9. 9. 24.74	38.99	5	+ 1.784	- 54. 53. 19.41	39.19	6	-14.754	...	3762	...
4056	4073	25 Hydra.....	7	9. 9. 32.70	35.09	2	+ 2.892	- 11. 16. 22.57	34.45	4	-14.762	1311	...	43
4057	4074	Piazzi IX. 36	7	9. 9. 33.44	35.14	3	+ 4.230	+ 51. 59. 25.39	35.15	2	-14.763	36
4058	4075	Piazzi IX. 38	6.7	9. 9. 35.60	36.87	7	+ 3.532	+ 26. 56. 31.04	36.86	7	-14.765	38
4059	4076	83 Cancri	6	9. 9. 45.80	32.51	9	+ 3.373	+ 18. 24. 1.28	32.22	5	-14.774	1309	...	42
4060	4077	Lacaille 3764	6.7	9. 10. 17.62	38.13	3	+ 2.213	- 43. 34. 46.13	38.13	3	-14.806	...	3764	...
4061	4078	Piazzi IX. 45	8.9	9. 10. 21.46	36.43	4	+ 3.549	+ 27. 51. 24.52	36.40	4	-14.810	45
4062	4079	Lacaille 3765	6.7	9. 10. 29.21	38.19	3	+ 2.349	- 38. 42. 46.15	38.19	3	-14.818	...	3765	...
4063	4080	Piazzi IX. 46	7	9. 10. 37.84	35.14	3	+ 3.239	+ 10. 28. 50.64	34.47	4	-14.825	46
4064	4081	Lacaille 3776	6.7	9. 10. 46.50	38.22	3	+ 1.648	- 57. 42. 7.17	38.22	3	-14.834	...	3776	...
4065	4083	Lacaille 3771	7	9. 10. 55.83	38.26	3	+ 2.194	- 44. 19. 27.24	38.26	3	-14.843	...	3771	...
4066	4082	Lacaille 3777	7	9. 10. 56.06	38.53	3	+ 1.693	- 56. 53. 30.45	38.53	3	-14.843	...	3777	...
4067	4084	40 Lyncis	4.5	9. 10. 59.03	32.34	7	+ 3.703	+ 35. 5. 6.09	32.32	15	-14.846	1312	...	48
4068	4085	Lacaille 3773	7	9. 11. 2.72	38.26	3	+ 2.042	- 48. 53. 29.21	38.26	3	-14.850	...	3773	...
4069	4086	Piazzi IX. 49	7.8	9. 11. 10.61	36.46	3	+ 3.165	+ 5. 54. 32.41	36.40	4	-14.858	49
4070	4087	Bradley 1310	7	9. 11. 14.56	34.39	4	+ 4.151	+ 50. 14. 25.28	34.41	4	-14.862	1310	...	47
4071	4088	Piazzi IX. 50	7	9. 11. 20.21	34.39	4	+ 3.395	+ 19. 47. 4.48	34.43	4	-14.868	50
4072	4089	Argus	2	9. 11. 21.72	34.03	15	+ 0.729	- 69. 2. 19.09	33.79	7	-14.869	...	3791	...
4073	4090	Carinae	5.6	9. 11. 32.56	38.23	3	+ 1.699	- 56. 51. 12.02	38.23	3	-14.879	...	3782	...
4074	4091	Bradley 1313	7	9. 11. 33.93	36.56	13	+ 3.507	+ 25. 51. 52.45	36.36	8	-14.880	1313
4075	4092	Piazzi IX. 52	6.7	9. 11. 46.00	36.47	3	+ 2.830	- 15. 8. 22.16	36.40	4	-14.892	52
4076	4093	26 Hydra.....	5.6	9. 11. 49.67	32.76	6	+ 2.893	- 11. 16. 56.50	32.21	5	-14.896	1314	...	53
4077	4094	Brisbane 2426	7	9. 12. 0.15	39.21	6	+ 2.179	- 44. 56. 44.71	38.99	5	-14.906
4078	4095	Piazzi IX. 54	7	9. 12. 8.49	36.64	4	+ 3.086	+ 0. 52. 37.21	36.40	4	-14.914	54
4079	4096	Piazzi IX. 55	7.8	9. 12. 17.72	36.42	4	+ 3.292	+ 13. 48. 38.33	36.41	4	-14.923	55
4080	4097	Bradley 1316	7	9. 12. 18.04	36.41	4	+ 2.932	- 8. 54. 51.55	36.41	4	-14.923	1316	...	56

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
4081	4098	Piazzi IX. 51	6.7	h m s 9. 12. 21'24	35'20	3	+ 4'957	+ 64. 38. 38'90	34'43	4	-14'926	51
4082	4099	27 Hydræ.....	5.6	9. 12. 25'66	33'13	5	+ 2'933	- 8. 51. 35'73	32'19	5	-14'930	1317	...	57
4083	4100	VelorumK	6.7	9. 12. 36'57	38'21	3	+ 1'995	- 50. 21. 36'62	38'21	3	-14'941	...	3786	...
4084	4101	Argûs	2	9. 12. 40'48	35'17	20	+ 1'611	- 58. 35. 8'03	35'92	15	-14'945	...	3792	...
4085	4102	Piazzi IX. 37	5	9. 12. 55'31	35'85	13	+ 9'450	+ 82. 3. 0'92	35'30	10	-14'959	37
4086	4103	Lacaille 3784	7.8	9. 12. 58'06	38'16	3	+ 2'485	- 33. 24. 30'19	38'16	3	-14'962	...	3784	...
4087	4104	Piazzi IX. 59	8.9	9. 13. 7'23	38'33	6	+ 2'835	- 14. 55. 1'20	38'76	5	-14'971	59
4088	4105	Brisbane 2431	8	9. 13. 15'34	38'16	3	+ 2'109	- 47. 16. 58'75	38'16	3	-14'980
4089	4106	Lacaille 3790	6	9. 13. 45'59	34'39	4	+ 2'538	- 31. 3. 47'58	34'38	4	-15'008	...	3790	61
4090	4107	Lacaille 3795	6.7	9. 13. 52'21	38'26	1	+ 2'407	- 36. 53. 1'80	38'26	1	-15'014	...	3795	...
4091	4108	21 Ursæ Majoris	7	9. 13. 53'57	34'39	4	+ 4'325	+ 54. 43. 12'64	34'37	4	-15'015	1315	...	58
4092	4109	Bradley 1318	7.8	9. 13. 58'14	35'12	3	+ 3'502	+ 25. 52. 59'71	33'73	2	-15'020	1318	...	60
4093	4110	Brisbane 2435	7.8	9. 14. 6'64	38'72	4	+ 2'147	- 46. 15. 19'36	38'22	3	-15'029
4094	4111	Brisbane 2437	7	9. 14. 11'08	39'39	6	+ 2'203	- 44. 28. 36'98	39'50	7	-15'033
4095	4112	Mali	5	9. 14. 11'63	31'58	15	+ 2'654	- 25. 16. 0'57	31'53	7	-15'033	...	3793	63
4096	4113	Lacaille 3800	7	9. 14. 30'75	38'17	3	+ 1'833	- 54. 29. 27'98	38'17	3	-15'052	...	3800	...
4097	4114	Bradley 1319	6.7	9. 14. 30'79	35'14	3	+ 3'515	+ 26. 37. 19'92	34'43	4	-15'052	1319	...	62
4098	4115	Piazzi IX. 64	9	9. 14. 38'88	36'63	2	+ 3'137	+ 4. 12. 11'35	37'33	1	-15'060	64
4099	4116	Piazzi IX. 65	7	9. 14. 40'10	37'14	11	+ 3'137	+ 4. 12. 6'45	37'07	12	-15'061	65
4100	4117	Piazzi IX. 66	6.7	9. 14. 42'47	35'10	3	+ 3'203	+ 8. 25. 0'91	34'45	4	-15'063	66
4101	4118	Piazzi IX. 68	6.7	9. 14. 48'02	34'40	4	+ 2'930	- 9. 8. 14'30	34'40	4	-15'068	68
4102	4119	Piazzi IX. 69	7	9. 14. 59'42	32'22	6	+ 3'163	+ 5. 55. 20'62	31'83	5	-15'079	69
4103	4120	1 LeonisK	5	9. 15. 1'90	31'41	11	+ 3'519	+ 26. 53. 15'88	32'39	10	-15'082	1320	...	67
4104	4121	Brisbane 2443	8	9. 15. 4'51	38'17	3	+ 1'834	- 54. 33. 23'46	38'17	3	-15'085
4105	4122	Bradley 1321	7	9. 15. 27'52	35'45	10	+ 3'401	+ 20. 29. 42'12	36'31	8	-15'107	1321
4106	4123	Lacaille 3803	6.7	9. 15. 31'07	38'13	3	+ 2'294	- 41. 29. 32'64	38'13	3	-15'110	...	3803	...
4107	4124	Piazzi IX. 71	9.10	9. 15. 40'36	36'48	3	+ 3'001	- 4. 39. 29'29	36'41	4	-15'119	71
4108	4125	Piazzi IX. 70	8.9	9. 15. 57'76	36'39	4	+ 4'063	+ 48. 28. 49'66	36'41	4	-15'136	70
4109	4126	Lacaille 3804	5.6	9. 16. 4'22	32'28	5	+ 2'603	- 28. 7. 54'77	32'20	5	-15'142	...	3804	75
4110	4127	Lacaille 3808	6.7	9. 16. 22'89	38'19	3	+ 2'186	- 45. 20. 47'31	38'19	3	-15'161	...	3808	...
4111	4129	Brisbane 2455	8.9	9. 16. 23'27	38'18	3	+ 1'835	- 54. 42. 3'09	38'18	3	-15'161
4112	4128	Piazzi IX. 74	7	9. 16. 23'90	32'21	3	+ 3'345	+ 17. 17. 34'34	32'17	5	-15'162	74
4113	4130	Lacaille 3818	7.8	9. 16. 30'33	38'41	4	+ 1'474	- 61. 17. 35'31	38'41	4	-15'167	...	3818	...
4114	4131	Piazzi IX. 76	9	9. 16. 44'28	36'47	3	+ 3'149	+ 4. 59. 32'89	36'40	4	-15'180	76
4115	4132	Lacaille 3813	6.7	9. 16. 49'41	38'17	3	+ 1'833	- 54. 48. 57'37	38'17	3	-15'185	...	3813	...
4116	4133	CarinæK	6	9. 16. 59'00	38'19	3	+ 1'451	- 61. 42. 12'86	38'19	3	-15'194	...	3823	...
4117	4134	ArgûsK	3	9. 17. 0'37	32'04	10	+ 1'857	- 54. 18. 33'76	31'50	7	-15'196	...	3816	...
4118	4135	Lacaille 3812	7	9. 17. 7'63	38'14	3	+ 2'414	- 37. 3. 9'37	38'14	3	-15'203	...	3812	...
4119	4136	28 HydræA	6	9. 17. 9'00	32'32	5	+ 3'005	- 4. 24. 36'72	32'25	5	-15'205	1326	...	77
4120	4137	Piazzi IX. 80	9	9. 17. 15'64	36'48	3	+ 2'985	- 5. 41. 46'98	36'40	4	-15'210	80

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835'0.	Bradley.	Lacaille.	Piazzi.
4121	4138	Brisbane 2463	8	h m s 9. 17. 18'86	38'20	3	+ 1'555	- 60. 7. 42'30	38'20	3	-15'213
4122	4139	Piazzi IX. 79	8	9. 17. 28'15	36'47	3	+ 3'345	+ 17. 24. 29'58	36'42	4	-15'222	79
4123	4140	Lacaille 3820	6'7	9. 17. 35'42	38'21	3	+ 2'120	- 47. 34. 56'25	38'21	3	-15'229	...	3820	...
4124	4141	Lacaille 3821	6'7	9. 17. 42'31	38'22	3	+ 2'164	- 46. 12. 12'81	38'22	3	-15'235	...	3821	...
4125	4142	Lacaille 3815	7'8	9. 17. 44'13	38'15	3	+ 2'375	- 38. 43. 4'24	38'15	3	-15'237	...	3815	...
4126	4143	Brisbane 2468	7	9. 17. 45'86	40'43	4	+ 1'952	- 52. 10. 51'73	39'55	8	-15'239
4127	4144	41 Lynds	6	9. 17. 49'09	35'14	3	+ 3'982	+ 46. 19. 9'49	34'41	4	-15'242	1325	...	78
4128	4145	Piazzi IX. 84	7'8	9. 17. 53'45	35'12	3	+ 3'305	+ 15. 0. 54'00	34'42	4	-15'245	84
4129	4146	Piazzi IX. 85	6'7	9. 17. 58'09	35'16	3	+ 3'061	- 0. 45. 15'82	34'37	4	-15'250	85
4130	4147	Brisbane 2473	8	9. 18. 8'94	39'48	7	+ 2'605	- 28. 16. 16'49	39'48	7	-15'260
4131	4148	Brisbane 2472	8	9. 18. 10'84	38'91	4	+ 2'258	- 43. 10. 35'35	39'14	3	-15'262
4132	4149	23 Ursæ Majoris	4	9. 18. 26'40	33'47	12	+ 4'832	+ 63. 46. 37'94	32'95	13	-15'276	1323	...	81
4133	4150	Lacaille 3830	6'7	9. 18. 28'61	38'26	3	+ 2'001	- 51. 1. 50'69	38'26	3	-15'278	...	3830	...
4134	4151	Lacaille 3831	7	9. 18. 55'39	38'56	3	+ 2'259	- 43. 16. 10'07	38'48	4	-15'304	...	3831	...
4135	4152	Lacaille 3829	7	9. 19. 4'11	38'55	3	+ 2'587	- 29. 19. 26'55	38'55	3	-15'313	...	3829	...
4136	4153	22 Ursæ Majoris	6	9. 19. 8'58	34'38	4	+ 5'884	+ 72. 55. 49'47	34'31	8	-15'317	1322	...	83
4137	4154	29 Hydre	6'7	9. 19. 9'92	35'13	3	+ 2'943	- 8. 30. 40'80	34'43	4	-15'318	1327	...	87
4138	4155	30 Hydre	2	9. 19. 28'79	33'36	78	+ 2'952	- 7. 56. 48'84	32'84	121	-15'330	1330	...	89
4139	4156	Lacaille 3833	6'7	9. 19. 33'84	38'51	3	+ 2'612	- 28. 4. 33'89	38'51	3	-15'341	...	3833	...
4140	4157	2 Leonis	6'7	9. 19. 37'00	32'23	5	+ 3'220	+ 9. 46. 17'06	32'17	5	-15'344	1328	...	88
4141	4158	Lacaille 3834	7'8	9. 19. 41'26	38'56	3	+ 2'509	- 33. 11. 3'07	38'56	3	-15'347	...	3834	...
4142	4159	3 Leonis	6'7	9. 19. 41'77	32'27	6	+ 3'207	+ 8. 54. 13'42	32'22	5	-15'348	1329	...	90
4143	4160	24 Ursæ Majoris	5	9. 19. 45'30	34'71	7	+ 5'509	+ 70. 32. 53'52	31'19	5	-15'351	1324	...	86
4144	4161	Lacaille 3847	7	9. 19. 54'94	39'48	7	+ 1'521	- 60. 56. 15'88	39'39	10	-15'360	...	3847	...
4145	4162	Lacaille 3836	6'7	9. 19. 58'98	35'15	3	+ 2'356	- 39. 47. 25'17	34'40	4	-15'364	...	3836	93
4146	4163	Lacaille 3839	7	9. 20. 2'99	38'55	3	+ 2'311	- 41. 32. 21'17	38'55	3	-15'368	...	3839	...
4147	4164	Lacaille 3842	7	9. 20. 6'05	38'13	3	+ 1'900	- 53. 45. 12'39	38'13	3	-15'371	...	3842	...
4148	4165	Brisbane 2488	7	9. 20. 13'84	38'57	3	+ 2'150	- 47. 2. 50'79	38'57	3	-15'378
4149	4166	Brisbane 2490	7'8	9. 20. 27'91	38'55	3	+ 2'257	- 43. 31. 37'32	38'55	3	-15'391
4150	4167	Lacaille 3849	7'8	9. 20. 39'43	38'59	3	+ 1'930	- 53. 7. 39'15	38'59	3	-15'402	...	3849	...
4151	4168	7 Leonis Minoris	6	9. 20. 43'69	35'17	3	+ 3'658	+ 34. 22. 33'26	34'45	4	-15'406	1331	...	92
4152	4169	31 Hydre	5'6	9. 20. 46'49	32'18	5	+ 3'041	- 2. 3. 6'99	33'33	7	-15'409	1334	...	94
4153	4170	Piazzi IX. 95	8'9	9. 20. 46'60	36'15	3	+ 3'042	- 2. 2. 1'38	36'64	2	-15'409	95
4154	4171	Lacaille 3841	7	9. 20. 47'96	39'37	6	+ 2'488	- 34. 17. 32'55	39'37	6	-15'410	...	3841	...
4155	4172	Lacaille 3851	7'8	9. 20. 52'07	39'38	6	+ 2'035	- 50. 27. 41'63	39'38	6	-15'414	...	3851	...
4156	4173	Velorum	6	9. 20. 56'46	38'53	3	+ 1'950	- 52. 39. 57'58	38'53	3	-15'417	...	3854	...
4157	4174	Piazzi IX. 96	6'7	9. 21. 2'52	35'17	3	+ 3'050	- 1. 29. 16'93	34'47	4	-15'424	96
4158	4175	Lacaille 3852	7'8	9. 21. 8'88	38'48	3	+ 2'124	- 47. 58. 47'73	38'48	3	-15'430	...	3852	...
4159	4176	Lacaille 3866	7	9. 21. 20'50	38'21	3	+ 1'517	- 61. 14. 26'71	38'21	3	-15'440	...	3866	...
4160	4177	8 Leonis Minoris	6	9. 21. 28'60	35'19	3	+ 3'688	+ 35. 49. 41'04	34'40	4	-15'448	1333	...	97

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
4161	4178	Lacaille 3862	7	h m s 9. 21. 37'93	38'13	3	+ 1'915	— 53. 38. 15'52	38'13	3	—15'457	...	3862	...
4162	4179	Piazzi IX. 91	Var.	9. 21. 40'57	34'39	4	+ 5'833	+ 72. 48. 44'57	35'26	1	—15'459	91
4163	4180	25 Ursæ Majoris	3	9. 21. 47'00	31'44	6	+ 4'179	+ 52. 25. 29'68	31'88	8	—15'465	1332	...	98
4164	4181	Piazzi IX. 99	7	9. 22. 0'35	35'14	3	+ 4'091	+ 50. 9. 38'37	34'50	4	—15'477	99
4165	4182	Lacaille 3877	7	9. 22. 13'39	38'72	4	+ 1'666	— 58. 51. 52'06	38'72	4	—15'489	...	3877	...
4166	4183	4 Leonis	4'5	9. 22. 17'74	32'44	12	+ 3'444	+ 23. 41. 28'64	31'92	7	—15'494	1335	...	100
4167	4184	Lacaille 3859	7	9. 22. 22'38	35'13	4	+ 2'660	— 25. 52. 24'41	34'41	4	—15'498	...	3859	101
4168	4185	Lacaille 3867	8	9. 22. 25'94	38'20	3	+ 2'230	— 44. 46. 48'94	38'20	3	—15'501	...	3867	...
4169	4186	Antlia	6	9. 22. 26'45	35'11	3	+ 2'473	— 35. 13. 57'83	34'64	5	—15'501	...	3861	103
4170	4187	Brisbane 2507	8	9. 22. 31'55	38'20	3	+ 2'230	— 44. 46. 58'15	38'20	3	—15'506
4171	4188	Lacaille 3876	7'8	9. 22. 35'05	38'24	3	+ 1'955	— 52. 47. 59'31	38'27	3	—15'509	...	3876	...
4172	4189	Lacaille 3860	6	9. 22. 35'55	35'13	4	+ 2'661	— 25. 52. 10'70	34'59	5	—15'510	...	3860	105
4173	4190	Piazzi IX. 102	8'9	9. 22. 40'97	36'40	4	+ 2'999	— 4. 56. 33'43	36'17	3	—15'515	102
4174	4191	5 Leonis	5	9. 23. 2'78	32'59	12	+ 3'253	+ 12. 1. 35'17	32'69	14	—15'536	1338	...	106
4175	4192	6 Leonis	6	9. 23. 6'48	34'16	9	+ 3'228	+ 10. 26. 20'70	31'86	5	—15'539	1339	...	108
4176	4193	Carina	5	9. 23. 9'29	34'76	13	+ 1'322	— 64. 13. 0'43	35'67	9	—15'542	...	3890	...
4177	4194	9 Leonis Minoris	6	9. 23. 21'30	35'21	2	+ 3'713	+ 37. 12. 47'54	34'44	4	—15'552	1337	...	107
4178	4195	26 Ursæ Majoris	5'6	9. 23. 28'28	35'16	3	+ 4'183	+ 52. 46. 48'07	34'46	4	—15'559	1336	...	104
4179	4196	32 Hydræ	6	9. 23. 34'20	32'17	7	+ 3'066	— 0. 27. 38'88	32'18	6	—15'564	1341	...	110
4180	4197	Brisbane 2514	7	9. 23. 34'63	38'19	3	+ 2'279	— 43. 14. 18'01	38'19	3	—15'565
4181	4198	Piazzi IX. 109	5	9. 23. 37'68	36'41	4	+ 3'541	+ 29. 5. 39'67	36'58	5	—15'568	109
4182	4199	Lacaille 3883	8	9. 23. 40'59	39'42	8	+ 2'136	— 47. 59. 35'76	39'42	8	—15'571	...	3883	...
4183	4200	Antlia	6'7	9. 23. 42'36	35'13	7	+ 2'562	— 31. 9. 57'76	34'39	4	—15'572	...	3880	113
4184	4201	10 Leonis Minoris	5	9. 24. 5'47	32'34	6	+ 3'709	+ 37. 7. 31'38	32'20	10	—15'593	1340	...	111
4185	4202	Piazzi IX. 114	8	9. 24. 9'44	36'41	4	+ 3'110	+ 2. 35. 28'72	36'49	3	—15'597	114
4186	4203	Argus	4'5	9. 24. 12'56	32'24	11	+ 2'373	— 39. 44. 53'99	31'55	8	—15'600	...	3885	116
4187	4204	Brisbane 2520	7	9. 24. 23'82	38'22	3	+ 2'237	— 44. 50. 58'38	38'22	3	—15'610
4188	4205	Lacaille 3894	6'7	9. 24. 27'74	38'21	3	+ 2'043	— 50. 47. 43'49	38'21	3	—15'614	...	3894	...
4189	4206	Antlia	6'7	9. 24. 28'94	36'64	4	+ 2'565	— 31. 8. 52'69	34'33	5	—15'615	...	3884	117
4190	4207	Lacaille 3901	6'7	9. 24. 38'44	39'14	9	+ 1'524	— 61. 33. 12'00	39'13	9	—15'623	...	3901	...
4191	4208	Piazzi IX. 115	5'6	9. 24. 44'59	34'42	4	+ 3'784	+ 40. 20. 56'81	34'49	4	—15'629	115
4192	4209	Lacaille 3892	6'7	9. 25. 5'32	38'25	1	+ 2'629	— 27. 54. 14'72	38'25	3	—15'648	...	3892	...
4193	4210	Lacaille 3897	7'8	9. 25. 21'34	38'18	3	+ 2'169	— 47. 13. 42'38	38'18	3	—15'662	...	3897	...
4194	4211	Lacaille 3896	7	9. 25. 22'19	38'21	3	+ 2'414	— 38. 12. 46'25	38'21	3	—15'663	...	3896	...
4195	4212	Lacaille 3907	6'7	9. 25. 24'32	39'13	10	+ 1'524	— 61. 38. 20'82	39'13	10	—15'665	...	3907	...
4196	4213	11 Leonis Minoris	6	9. 25. 44'26	38'19	7	+ 3'692	+ 36. 33. 4'97	37'47	8	—15'683	1343	...	118
4197	4214	Lacaille 3900	6	9. 25. 46'68	35'18	3	+ 2'375	— 39. 55. 21'78	34'40	4	—15'686	...	3900	122
4198	4215	Piazzi IX. 119	9	9. 25. 54'55	36'41	4	+ 3'203	+ 8. 55. 2'59	36'40	4	—15'693	119
4199	4216	Piazzi IX. 120	7	9. 26. 1'77	34'41	4	+ 3'270	+ 13. 23. 8'71	34'39	4	—15'700	120
4200	4217	Brisbane 2534	8	9. 26. 4'16	38'23	3	+ 2'165	— 47. 28. 6'52	38'23	3	—15'702

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
4201	4218	Velorum.....N	5	9. 26. 12'70	34'31	19	+ 1'822	— 56. 18. 32'42	34'08	18	—15'710	...	3910	...
4202	4219	33 Hydræ.....	6	9. 26. 18'66	32'27	5	+ 2'996	— 5. 10. 56'90	31'97	5	—15'716	1344	...	123
4203	4220	Piazzi IX. 112	6'7	9. 26. 25'67	35'22	3	+ 7'296	+ 78. 52. 42'80	34'44	4	—15'722	112
4204	4221	7 Leonis	6'7	9. 26. 51'49	32'17	8	+ 3'296	+ 15. 6. 43'68	32'00	5	—15'744	1345	...	125
4205	4222	Lacaille 3912.....	8	9. 26. 51'87	39'17	5	+ 1'830	— 56. 15. 42'02	39'01	6	—15'744	...	3912	...
4206	4223	Piazzi IX. 124.....	6'7	9. 26. 54'23	36'42	4	+ 3'588	+ 31. 53. 48'90	36'40	4	—15'746	124
4207	4224	Lacaille 3916.....	7	9. 27. 22'57	38'26	3	+ 1'931	— 54. 6. 10'06	38'26	3	—15'772	...	3916	...
4208	4225	27 Ursæ Majoris	6	9. 27. 34'95	35'56	7	+ 5'770	+ 72. 59. 42'11	34'42	4	—15'783	1342	...	121
4209	4226	Lacaille 3921	7'8	9. 27. 45'03	39'08	9	+ 1'832	— 56. 21. 54'26	39'21	6	—15'792	...	3921	...
4210	4227	Lacaille 3919	8'9	9. 27. 48'30	39'69	8	+ 2'123	— 49. 1. 32'63	39'48	7	—15'796	...	3919	...
4211	4228	8 Leonis	6'7	9. 27. 55'86	32'39	9	+ 3'326	+ 17. 10. 23'50	32'22	5	—15'802	1347	...	127
4212	4229	Lacaille 3927	7'8	9. 27. 59'51	38'22	3	+ 1'658	— 59. 47. 38'98	38'22	3	—15'806	...	3927	...
4213	4230	Lacaille 3913.....	7	9. 28. 0'28	38'23	3	+ 2'525	— 33. 38. 4'49	38'23	3	—15'806	...	3913	...
4214	4231	42 Lynceis	6	9. 28. 2'05	35'13	3	+ 3'787	+ 40. 58. 33'44	34'44	4	—15'808	1346	...	126
4215	4232	9 Leonis	7	9. 28. 22'81	32'23	6	+ 3'462	+ 25. 24. 24'84	32'26	5	—15'826	1348	...	128
4216	4233	Velorum.....L	6'7	9. 28. 25'88	38'21	3	+ 2'075	— 50. 31. 25'53	38'21	3	—15'829	...	3925	...
4217	4234	10 Leonis	5'6	9. 28. 29'83	32'32	6	+ 3'181	+ 7. 34. 18'18	31'84	5	—15'833	1349	...	130
4218	4235	Piazzi IX. 129	6'7	9. 28. 39'85	35'14	3	+ 3'861	+ 43. 53. 6'80	34'28	4	—15'842	129
4219	4236	Lacaille 3920	7'8	9. 28. 44'59	38'23	3	+ 2'658	— 26. 47. 16'39	38'23	3	—15'846	...	3920	...
4220	4237	11 Leonis	7	9. 29. 0'45	32'23	5	+ 3'293	+ 15. 5. 21'23	32'20	5	—15'861	1350	...	132
4221	4238	Brisbane 2558	8'9	9. 29. 4'55	39'34	13	+ 2'158	— 48. 9. 21'08	39'13	14	—15'865
4222	4239	Piazzi IX. 131	8'9	9. 29. 4'96	36'38	4	+ 3'561	+ 30. 53. 28'57	36'41	4	—15'865	131
4223	4240	Piazzi IX. 134	8'9	9. 29. 10'13	36'53	5	+ 3'107	+ 2. 25. 56'19	36'42	4	—15'869	134
4224	4241	Lacaille 3943	7'8	9. 29. 10'99	38'22	3	+ 1'661	— 59. 53. 49'71	38'22	3	—15'870	...	3943	...
4225	4242	Brisbane 2560	8'9	9. 29. 21'07	39'39	10	+ 2'152	— 48. 23. 48'76	39'30	9	—15'879
4226	4243	Lacaille 3935.....	7'8	9. 29. 22'20	38'25	3	+ 2'298	— 43. 27. 12'33	38'25	3	—15'880	...	3935	...
4227	4244	Piazzi IX. 133	7	9. 29. 28'38	34'42	4	+ 3'665	+ 35. 58. 57'32	34'45	4	—15'885	133
4228	4245	Piazzi IX. 135	6'7	9. 29. 38'64	34'43	4	+ 3'386	+ 21. 2. 14'15	34'40	4	—15'894	135
4229	4246	Carinæ.....h	5	9. 29. 39'71	32'81	16	+ 1'741	— 58. 29. 47'31	33'36	11	—15'895	...	3949	...
4230	4247	12 Leonis	6'7	9. 29. 42'80	35'19	3	+ 3'471	+ 26. 6. 21'54	34'48	4	—15'898	1351	...	136
4231	4248	34 Hydræ	7	9. 29. 46'23	35'21	3	+ 2'948	— 8. 41. 9'25	34'50	4	—15'901	1353	...	140
4232	4249	Piazzi IX. 138	8	9. 29. 47'03	36'40	4	+ 3'109	+ 2. 34. 37'85	36'18	3	—15'902	138
4233	4250	2 Sextantis.....	5'6	9. 29. 50'70	32'24	6	+ 3'149	+ 5. 23. 25'60	31'45	6	—15'905	1352	...	139
4234	4251	Piazzi IX. 137	7	9. 29. 57'90	34'42	4	+ 3'665	+ 36. 4. 34'65	34'41	4	—15'911	137
4235	4252	Lacaille 3938	7'8	9. 30. 2'78	38'24	3	+ 2'612	— 29. 28. 20'00	38'24	3	—15'916	...	3938	...
4236	4253	Lacaille 3939	6	9. 30. 4'03	35'10	2	+ 2'575	— 31. 26. 24'19	34'61	5	—15'917	...	3939	142
4237	4254	Lacaille 3942	7	9. 30. 16'38	38'26	3	+ 2'631	— 29. 3. 49'31	38'26	3	—15'928	...	3942	...
4238	4255	Piazzi IX. 141	7	9. 30. 19'38	34'41	4	+ 3'275	+ 14. 3. 10'41	34'42	4	—15'930	141
4239	4256	Lacaille 3950	7	9. 30. 26'96	38'21	3	+ 2'170	— 48. 0. 47'59	38'21	3	—15'937	...	3950	...
4240	4257	Brisbane 2574	8	9. 30. 35'10	38'21	3	+ 2'078	— 50. 46. 36'15	38'21	3	—15'944

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4241	4258	Lacaille 3946	7	h m s 9. 30. 36.65	38.13	3	+ 2.497	— 35. 21. 26.81	38.13	2	—15.945	...	3946	...
4242	4259	Velorum	5.6	9. 30. 55.49	38.25	3	+ 2.153	— 48. 37. 5.79	38.25	3	—15.962	...	3952	...
4243	4260	35 Hydræ.....	5	9. 31. 25.69	31.70	13	+ 3.066	— 0. 23. 51.02	32.39	12	—15.989	1356	...	144
4244	4261	Velorum.....	6	9. 31. 34.76	35.23	3	+ 2.333	— 42. 26. 56.54	34.44	4	—15.997	...	3956	149
4245	4262	Lacaille 3961	7.8	9. 31. 42.40	39.18	3	+ 2.005	— 52. 55. 42.79	39.18	3	—16.003	...	3961	...
4246	4263	Piazzi IX. 146	6.7	9. 31. 42.95	38.64	6	+ 2.930	— 9. 58. 11.76	38.99	7	—16.004	146
4247	4264	37 Hydræ.....	6.7	9. 31. 43.99	35.16	3	+ 2.932	— 9. 49. 39.47	34.39	4	—16.005	1358	...	147
4248	4265	43 Lynceis	6.7	9. 31. 45.13	35.12	3	+ 3.760	+ 40. 30. 18.76	34.38	4	—16.006	1354	...	143
4249	4266	Piazzi IX. 145.....	7	9. 31. 48.35	36.43	4	+ 3.576	+ 32. 1. 23.74	36.67	2	—16.009	145
4250	4267	Lacaille 3959	7	9. 32. 0.76	38.51	3	+ 2.423	— 38. 52. 10.92	38.51	3	—16.020	...	3959	...
4251	4268	Lacaille 3964	8	9. 32. 7.32	38.21	3	+ 2.178	— 48. 1. 52.35	38.21	3	—16.026	...	3964	...
4252	4269	13 Leonis	6	9. 32. 7.92	32.19	6	+ 3.476	+ 26. 39. 35.35	31.66	5	—16.027	1357	...	148
4253	4270	Lacaille 3973	7.8	9. 32. 14.84	39.37	6	+ 1.408	— 64. 12. 48.16	39.48	7	—16.033	...	3973	...
4254	4271	Bradley 1361	7	9. 32. 17.06	35.21	4	+ 2.930	— 10. 1. 30.13	34.46	8	—16.035	1361	...	152
4255	4272	14 Leonis	4	9. 32. 20.28	33.38	15	+ 3.223	+ 10. 38. 20.61	32.48	21	—16.038	1360	...	151
4256	4273	38 Hydræ	5	9. 32. 23.90	32.32	11	+ 2.878	— 13. 35. 13.54	31.59	8	—16.041	1362	...	154
4257	4274	13 Leonis Minoris.....	6.7	9. 32. 44.72	35.18	3	+ 3.651	+ 35. 50. 34.80	34.40	4	—16.058	1359	...	153
4258	4275	Piazzi IX. 155.....	8	9. 33. 2.39	36.40	4	+ 3.550	+ 30. 51. 34.20	36.42	4	—16.074	155
4259	4276	Lacaille 3967	7	9. 33. 6.59	38.24	3	+ 2.607	— 30. 10. 37.92	38.24	3	—16.078	...	3967	...
4260	4277	28 Ursæ Majoris	6.7	9. 33. 8.18	35.24	3	+ 4.741	+ 64. 24. 23.26	34.38	4	—16.079	1355	...	150
4261	4278	Piazzi IX. 156.....	7	9. 33. 24.26	35.21	3	+ 2.935	— 9. 45. 20.96	34.50	4	—16.094	156
4262	4279	Brisbane 2595	7	9. 33. 37.42	38.54	3	+ 2.202	— 47. 29. 35.30	38.54	3	—16.105
4263	4280	Brisbane 2596	7.8	9. 33. 45.54	38.53	3	+ 2.045	— 52. 11. 56.73	38.23	2	—16.113
4264	4281	15 Leonis.....	6	9. 33. 51.95	34.40	4	+ 3.545	+ 30. 43. 43.99	34.41	4	—16.119	1365	...	157
4265	4282	Lacaille 3979	7	9. 34. 0.27	38.56	3	+ 1.977	— 54. 0. 31.72	38.56	3	—16.125	...	3979	...
4266	4283	Brisbane 2599	7.8	9. 34. 4.69	38.25	3	+ 1.822	— 57. 32. 10.88	38.25	2	—16.129
4267	4284	Piazzi IX. 158.....	7	9. 34. 7.63	32.51	9	+ 3.376	+ 20. 56. 36.52	32.00	5	—16.132	158
4268	4285	Lacaille 3975	7	9. 34. 21.28	38.25	3	+ 2.563	— 32. 38. 54.42	38.29	3	—16.143	...	3975	...
4269	4286	Lacaille 3976	6.7	9. 34. 39.54	38.58	3	+ 2.623	— 29. 33. 19.64	38.58	3	—16.160	...	3976	...
4270	4287	16 Leonis	6	9. 34. 44.44	31.93	7	+ 3.281	+ 14. 46. 20.93	31.26	5	—16.165	1366	...	160
4271	4288	Bradley 1364	6	9. 34. 46.67	34.42	4	+ 4.333	+ 57. 52. 49.73	34.43	4	—16.167	1364	...	159
4272	4289	Carina.....	5.6	9. 34. 46.75	38.21	3	+ 1.668	— 60. 34. 59.71	38.21	3	—16.167	...	3987	...
4273	4290	Lacaille 3989	7.8	9. 34. 48.38	38.23	3	+ 1.467	— 63. 44. 44.37	38.22	3	—16.168	...	3989	...
4274	4291	Piazzi IX. 161	9	9. 34. 53.26	36.39	4	+ 3.119	+ 3. 22. 41.99	36.43	4	—16.171	161
4275	4292	Lacaille 3988	7	9. 35. 30.11	38.13	3	+ 1.978	— 54. 14. 7.64	38.13	3	—16.203	...	3988	...
4276	4293	Stone 5251	8.9	9. 35. 37.65	40.39	4	+ 2.277	— 45. 14. 46.24	40.39	4	—16.210
4277	4294	Lacaille 3990	6	9. 35. 38.16	39.59	8	+ 1.848	— 57. 14. 7.95	39.50	7	—16.210	...	3990	...
4278	4295	Lacaille 3983	7	9. 35. 44.34	38.57	3	+ 2.526	— 34. 45. 5.02	38.56	3	—16.215	...	3983	...
4279	4296	Piazzi IX. 163.....	7	9. 35. 52.30	34.78	3	+ 3.426	+ 24. 13. 46.24	34.42	4	—16.221	163
4280	4297	14 Leonis Minoris	6.7	9. 36. 7.04	34.38	4	+ 3.882	+ 45. 52. 31.85	34.38	4	—16.233	1367	...	162

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4281	4298	Brisbane 2623	8	h m s 9. 36. 19.72	38.24	3	s + 2.013	° ' " - 53. 28. 2.65	38.23	3	" -16.244
4282	4299	Lacaille 3994	7	9. 36. 22.38	38.13	3	+ 1.974	- 54. 27. 49.87	38.13	3	-16.246	...	3994	...
4283	4300	17 Leonis	3	9. 36. 28.34	32.75	22	+ 3.430	+ 24. 31. 49.24	32.82	39	-16.251	1368	...	164
4284	4301	Antlia	6	9. 36. 51.22	32.22	5	+ 2.673	- 27. 1. 2.62	31.27	5	-16.272	...	3991	166
4285	4302	Piazzi IX. 165	7	9. 36. 58.85	35.85	7	+ 3.376	+ 21. 14. 42.41	36.41	4	-16.278	165
4286	4303	Piazzi IX. 167	8	9. 37. 2.07	36.65	2	+ 2.756	- 21. 59. 52.80	36.18	3	-16.281	167
4287	4304	Lacaille 4000	8	9. 37. 20.87	38.17	3	+ 1.955	- 55. 4. 55.72	38.17	3	-16.296	...	4000	...
4288	4305	Lacaille 3995	7.8	9. 37. 25.81	36.43	4	+ 2.677	- 26. 52. 27.63	36.47	3	-16.300	...	3995	170
4289	4306	18 Leonis	6	9. 37. 29.64	32.19	6	+ 3.246	+ 12. 33. 59.54	32.20	5	-16.303	1370	...	168
4290	4307	Lacaille 3998	7	9. 37. 35.97	38.51	3	+ 2.129	- 50. 28. 28.56	38.51	3	-16.309	...	3998	...
4291	4308	Lacaille 4001	7.8	9. 37. 38.45	38.21	3	+ 2.027	- 53. 19. 21.39	38.23	3	-16.311	...	4001	...
4292	4309	Piazzi IX. 171	7	9. 37. 52.50	36.50	3	+ 3.107	+ 2. 32. 43.24	36.44	4	-16.324	171
4293	4310	15 Leonis Minoris	6.7	9. 37. 54.68	34.39	4	+ 3.899	+ 46. 47. 5.53	34.38	4	-16.326	1369	...	169
4294	4311	Piazzi IX. 172	7.8	9. 38. 2.82	36.40	5	+ 3.106	+ 2. 28. 38.28	36.59	5	-16.332	172
4295	4312	Velorum	7	9. 38. 6.67	38.22	3	+ 2.037	- 53. 8. 18.05	38.22	3	-16.336	...	4003	...
4296	4313	Lacaille 3997	7.8	9. 38. 7.25	38.16	3	+ 2.634	- 29. 26. 47.30	38.16	3	-16.336	...	3997	...
4297	4314	Brisbane 2638	9	9. 38. 11.29	39.59	5	+ 2.127	- 50. 36. 45.94	40.51	3	-16.339
4298	4315	Piazzi IX. 173	6.7	9. 38. 27.49	38.28	8	+ 3.375	+ 21. 21. 53.09	37.03	7	-16.354	173
4299	4316	Lacaille 4004	7.8	9. 38. 30.81	38.24	3	+ 2.219	- 47. 47. 34.84	38.24	3	-16.357	...	4004	...
4300	4317	19 Leonis	7	9. 38. 33.45	33.10	10	+ 3.241	+ 12. 19. 39.14	32.97	9	-16.359	1372	...	175
4301	4318	Bradley 1373	7	9. 38. 40.73	35.12	2	+ 3.239	+ 12. 11. 24.17	34.42	4	-16.365	1373	...	176
4302	4319	Lacaille 4002	7	9. 38. 58.38	38.22	3	+ 2.687	- 26. 30. 52.99	38.22	3	-16.380	...	4002	...
4303	4320	29 Ursæ Majoris	4.5	9. 39. 11.61	31.82	5	+ 4.397	+ 59. 48. 35.27	33.12	16	-16.390	1371	...	174
4304	4321	Lacaille 4011	7.8	9. 39. 19.31	38.21	3	+ 2.298	- 45. 9. 13.79	38.21	3	-16.397	...	4011	...
4305	4322	Brisbane 2650	7.8	9. 39. 26.45	38.24	3	+ 2.357	- 42. 55. 15.61	38.24	3	-16.402
4306	4323	Lacaille 4024	7	9. 39. 39.90	38.22	3	+ 1.897	- 56. 48. 36.21	38.22	3	-16.415	...	4024	...
4307	4324	Lacaille 4023	7.8	9. 39. 41.88	38.20	3	+ 2.034	- 53. 29. 24.03	38.20	3	-16.416	...	4023	...
4308	4325	Lacaille 4014	7.8	9. 39. 49.00	39.48	7	+ 2.300	- 45. 9. 29.84	39.48	7	-16.422	...	4014	...
4309	4326	Lacaille 4012	7	9. 39. 51.47	38.25	3	+ 2.620	- 30. 30. 27.63	38.25	3	-16.424	...	4012	...
4310	4327	3 Sextantis	7	9. 40. 0.94	35.13	3	+ 2.985	- 6. 29. 0.46	34.43	4	-16.432	1376	...	178
4311	4328	Lacaille 4016	8.9	9. 40. 2.29	38.24	3	+ 2.461	- 38. 33. 41.20	38.24	3	-16.433	...	4016	...
4312	4329	16 Leonis Minoris	7	9. 40. 4.17	34.39	4	+ 3.725	+ 40. 23. 43.19	34.39	4	-16.435	1374	...	177
4313	4330	Lacaille 4022	6	9. 40. 4.94	34.39	4	+ 2.332	- 43. 59. 42.45	34.40	4	-16.435	...	4022	182
4314	4331	Piazzi IX. 180	8	9. 40. 21.74	36.43	4	+ 2.984	- 6. 33. 20.13	36.43	4	-16.449	180
4315	4332	20 Leonis	7	9. 40. 35.32	32.05	7	+ 3.380	+ 21. 56. 40.83	32.01	5	-16.460	1377	...	181
4316	4333	Carinae	5	9. 40. 42.87	34.50	15	+ 1.651	- 61. 44. 56.44	34.49	15	-16.467	...	4033	...
4317	4334	Piazzi IX. 183	8	9. 40. 47.32	36.43	4	+ 3.433	+ 25. 19. 30.60	36.44	4	-16.470	183
4318	4335	30 Ursæ Majoris	5	9. 40. 49.59	32.16	13	+ 4.155	+ 54. 49. 50.94	32.07	12	-16.473	1375	...	179
4319	4336	Lacaille 4032	7	9. 40. 52.86	38.14	3	+ 1.850	- 58. 2. 11.96	38.14	3	-16.476	...	4032	...
4320	4337	Brisbane 2668	8	9. 40. 58.97	38.14	3	+ 1.838	- 58. 17. 18.53	38.14	3	-16.480

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4321	4338	Pinzzi IX. 184	7	h m s 9. 41. 0.67	36.42	4	+ 3.232	+ 11. 52. 27.28	36.40	4	-16.482	184
4322	4339	4 Sextantis	6	9. 41. 54.85	35.47	10	+ 3.140	+ 5. 6. 45.54	35.85	9	-16.527	1380	...	186
4323	4340	21 Leonis	7	9. 41. 56.19	35.15	3	+ 3.242	+ 12. 36. 35.21	34.45	4	-16.528	1379	...	185
4324	4341	23 Leonis	7	9. 42. 5.94	38.01	7	+ 3.258	+ 13. 50. 1.77	37.42	8	-16.536	1381	...	188
4325	4342	Piazzi IX. 189	7	9. 42. 20.09	35.16	3	+ 3.677	+ 38. 41. 3.70	34.46	4	-16.547	189
4326	4343	5 Sextantis	6.7	9. 42. 29.03	35.14	3	+ 2.984	- 6. 36. 46.87	34.48	4	-16.555	191
4327	4344	22 Leonis	6	9. 42. 30.26	32.21	5	+ 3.427	+ 25. 10. 16.31	31.68	5	-16.556	1382	...	190
4328	4345	Lacaille 4037	6.7	9. 42. 36.35	38.22	3	+ 2.375	- 42. 43. 2.71	38.22	3	-16.560	...	4037	...
4329	4346	Brisbane 2681	7	9. 42. 52.98	38.16	3	+ 2.535	- 35. 30. 5.79	38.16	3	-16.574
4330	4347	Piazzi IX. 192	8.9	9. 42. 54.81	36.40	4	+ 3.058	- 1. 5. 4.16	36.39	4	-16.576	192
4331	4348	6 Sextantis	6	9. 42. 55.17	32.24	6	+ 3.026	- 3. 28. 24.82	31.82	5	-16.576	1385	...	193
4332	4349	Argus	3.4	9. 42. 58.52	32.01	9	+ 1.508	- 64. 18. 32.99	31.18	6	-16.579	...	4051	...
4333	4350	Piazzi IX. 195	6.7	9. 43. 8.31	34.40	4	+ 3.001	- 5. 24. 56.90	34.38	4	-16.587	195
4334	4351	Lacaille 4049	7	9. 43. 15.35	38.17	3	+ 1.973	- 55. 38. 48.11	38.17	3	-16.593	...	4049	...
4335	4352	Lacaille 4045	7.8	9. 43. 16.22	39.19	6	+ 2.455	- 39. 24. 8.33	39.19	6	-16.594	...	4045	...
4336	4353	24 Leonis	3	9. 43. 22.02	32.09	11	+ 3.451	+ 26. 46. 48.50	32.50	21	-16.598	1384	...	194
4337	4354	Piazzi IX. 187	7	9. 43. 26.56	36.87	7	+ 5.631	+ 73. 39. 27.89	37.45	8	-16.601	187
4338	4355	39 Hydæ	5	9. 43. 32.54	32.08	10	+ 2.884	- 14. 4. 33.32	31.47	6	-16.607	1388	...	196
4339	4356	Velorum	6	9. 43. 33.04	35.11	3	+ 2.323	- 44. 57. 54.60	34.43	4	-16.607	...	4047	198
4340	4357	Brisbane 2687	8	9. 43. 33.16	38.16	3	+ 2.537	- 35. 29. 38.18	38.18	3	-16.607
4341	4358	7 Sextantis	7	9. 43. 41.49	32.27	5	+ 3.114	+ 3. 13. 13.62	32.23	5	-16.613	1386	...	197
4342	4359	Brisbane 2690	8.9	9. 43. 46.56	38.22	3	+ 1.808	- 59. 22. 4.56	38.22	3	-16.618
4343	4360	Lacaille 4046	8	9. 43. 49.78	38.19	3	+ 2.627	- 30. 44. 28.16	38.19	3	-16.621	...	4046	...
4344	4361	Brisbane 2691	8	9. 44. 1.51	38.23	3	+ 2.186	- 49. 51. 17.73	38.23	3	-16.630
4345	4362	Brisbane 2692	7.8	9. 44. 3.99	38.24	4	+ 2.217	- 48. 50. 58.78	38.24	4	-16.632
4346	4363	8 Sextantis	6	9. 44. 20.45	32.31	6	+ 2.976	- 7. 19. 51.81	32.19	5	-16.645	1389	...	200
4347	4364	Lacaille 4053	7	9. 44. 22.90	38.23	3	+ 2.295	- 46. 9. 57.25	38.24	3	-16.647	...	4053	...
4348	4365	Brisbane 2698	8.9	9. 44. 40.75	38.20	3	+ 1.808	- 59. 29. 39.37	38.20	3	-16.662
4349	4366	31 Ursæ Majoris	6	9. 44. 54.22	34.39	4	+ 3.977	+ 50. 35. 40.14	34.46	3	-16.673	1387	...	199
4350	4367	Lacaille 4055	6.7	9. 44. 56.93	38.26	3	+ 2.318	- 45. 25. 28.88	38.26	3	-16.676	...	4055	...
4351	4368	Piazzi IX. 203	7	9. 45. 15.22	36.40	4	+ 2.953	- 9. 7. 47.22	36.40	4	-16.690	203
4352	4369	Brisbane 2703	7.8	9. 45. 17.37	38.15	3	+ 2.311	- 45. 44. 28.01	38.15	2	-16.692
4353	4370	Lacaille 4057	6	9. 45. 19.14	38.15	3	+ 2.310	- 45. 46. 34.75	38.15	2	-16.693	...	4057	...
4354	4371	Piazzi IX. 202	7	9. 45. 22.18	34.53	5	+ 3.187	+ 8. 50. 59.18	34.39	4	-16.696	202
4355	4372	Piazzi IX. 204	8	9. 45. 26.04	38.96	5	+ 3.146	+ 5. 43. 28.41	41.25	1	-16.699	204
4356	4373	9 Sextantis	7	9. 45. 29.16	35.00	14	+ 3.146	+ 5. 43. 8.36	35.59	12	-16.701	1390	...	205
4357	4374	Lacaille 4056	7	9. 45. 35.26	35.14	3	+ 2.702	- 26. 33. 45.98	38.14	3	-16.705	...	4056	...
4358	4375	Piazzi IX. 201	6.7	9. 45. 39.75	35.12	3	+ 4.265	+ 58. 11. 55.87	34.42	4	-16.709	201
4359	4376	Brisbane 2706	7.8	9. 45. 40.59	38.24	3	+ 1.804	- 59. 45. 30.08	38.24	3	-16.710
4360	4377	Brisbane 2707	8	9. 46. 0.68	38.21	3	+ 2.033	- 54. 36. 44.12	38.21	3	-16.727

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
4361	4378	Lacaille 4060	7	9. 46. 0.89	38.26	3	+ 2.061	- 53. 52. 55.49	38.26	3	-16.727	...	4060	...
4362	4379	Lacaille 4061	7	9. 46. 3.95	38.57	3	+ 1.861	- 58. 39. 8.43	38.49	4	-16.729	...	4061	...
4363	4380	Piazzi IX. 206	8.9	9. 46. 11.22	36.42	4	+ 3.175	+ 7. 56. 50.90	36.41	4	-16.735	206
4364	4381	Lacaille 4066	6.7	9. 46. 17.29	39.22	6	+ 1.688	- 61. 58. 25.14	39.22	6	-16.740	...	4066	...
4365	4382	Lacaille 4058	6.7	9. 46. 40.41	38.29	3	+ 2.694	- 27. 13. 22.70	38.29	3	-16.758	...	4058	...
4366	4383	Brisbane 2717	7.8	9. 46. 42.25	38.89	4	+ 2.314	- 45. 54. 43.83	38.81	3	-16.759
4367	4384	Lacaille 4059	5.6	9. 46. 44.08	38.31	3	+ 2.727	- 25. 9. 32.13	38.31	3	-16.761	...	4059	...
4368	4385	Brisbane 2716	7.8	9. 46. 45.77	38.17	3	+ 2.605	- 32. 27. 35.43	38.17	3	-16.762
4369	4386	18 Leonis Minoris	6.7	9. 46. 49.61	35.09	3	+ 3.552	+ 33. 9. 43.98	34.58	5	-16.766	1391	...	207
4370	4387	Brisbane 2719	7.8	9. 46. 57.06	38.59	3	+ 2.422	- 41. 32. 2.32	38.58	3	-16.771
4371	4388	Brisbane 2718	7.8	9. 47. 2.61	39.61	7	+ 2.433	- 41. 4. 20.99	40.50	3	-16.776
4372	4389	Brisbane 2721	8.9	9. 47. 3.26	38.21	3	+ 2.038	- 54. 40. 46.82	38.21	3	-16.777
4373	4390	Piazzi IX. 210	7.8	9. 47. 9.22	36.48	3	+ 2.940	- 10. 15. 25.05	36.44	4	-16.781	210
4374	4391	Piazzi IX. 208	7.8	9. 47. 11.65	36.43	4	+ 3.181	+ 8. 27. 24.56	36.41	4	-16.784	208
4375	4392	Lacaille 4067	7	9. 47. 22.43	38.21	3	+ 2.043	- 54. 35. 54.18	38.21	3	-16.792	...	4067	...
4376	4393	19 Leonis Minoris	5.6	9. 47. 32.99	34.42	4	+ 3.726	+ 41. 50. 14.02	34.40	4	-16.801	1392	...	209
4377	4394	Bradley 1393	6	9. 47. 40.86	32.16	6	+ 3.197	+ 9. 42. 42.91	31.99	5	-16.806	1393	...	212
4378	4395	Lacaille 4070	6.7	9. 47. 47.88	38.54	3	+ 2.192	- 50. 22. 12.14	38.54	3	-16.812	...	4070	...
4379	4396	Lacaille 4068	6.7	9. 47. 48.42	34.67	4	+ 2.355	- 44. 30. 23.02	34.40	4	-16.813	...	4068	213
4380	4397	Lacaille 4069	7.8	9. 47. 59.82	38.19	5	+ 2.321	- 45. 51. 36.20	38.15	3	-16.822	...	4069	...
4381	4398	Brisbane 2727	7.8	9. 48. 1.42	38.50	3	+ 2.601	- 32. 54. 45.75	38.50	3	-16.823
4382	4399	Brisbane 2725	7.8	9. 48. 2.06	38.17	3	+ 2.607	- 32. 35. 2.81	38.17	3	-16.824
4383	4400	Piazzi IX. 211	7	9. 48. 11.94	35.14	3	+ 4.203	+ 57. 15. 27.13	34.45	4	-16.832	211
4384	4401	Brisbane 2730	9	9. 48. 18.64	39.34	6	+ 1.730	- 61. 33. 33.95	39.34	6	-16.837
4385	4402	Lacaille 4073	8	9. 48. 42.24	39.69	6	+ 2.471	- 39. 39. 21.77	39.59	5	-16.855	...	4073	...
4386	4403	Lacaille 4075	6.7	9. 48. 43.74	38.21	3	+ 2.225	- 49. 27. 55.93	38.21	3	-16.856	...	4075	...
4387	4404	Piazzi IX. 214	8.9	9. 48. 56.27	36.42	4	+ 3.495	+ 30. 19. 3.81	36.44	4	-16.866	214
4388	4405	Lacaille 4072	7	9. 48. 57.83	38.51	3	+ 2.649	- 30. 18. 40.61	38.51	3	-16.867	...	4072	...
4389	4406	Brisbane 2736	8.9	9. 49. 10.25	39.62	7	+ 1.750	- 61. 20. 26.57	39.53	9	-16.877
4390	4407	26 Leonis	7	9. 49. 13.05	35.19	3	+ 3.278	+ 16. 0. 17.05	34.46	4	-16.879	1394	...	215
4391	4408	Brisbane 2737	6.7	9. 49. 14.70	38.60	3	+ 1.933	- 57. 38. 35.88	38.60	3	-16.880
4392	4409	Piazzi IX. 219	7.8	9. 49. 20.09	36.54	5	+ 3.057	- 1. 9. 33.59	36.21	3	-16.884	219
4393	4410	27 Leonis	5.6	9. 49. 20.37	32.29	10	+ 3.242	+ 13. 13. 42.04	31.61	5	-16.884	1395	...	216
4394	4411	Bradley 1396	6	9. 49. 23.01	32.22	6	+ 3.187	+ 9. 5. 53.04	31.48	7	-16.886	1396	...	218
4395	4412	Lacaille 4077	6.7	9. 49. 23.86	38.17	3	+ 2.610	- 32. 38. 17.54	38.17	3	-16.887	...	4077	...
4396	4413	Piazzi IX. 220	8	9. 49. 24.91	36.42	4	+ 3.057	- 1. 9. 47.17	36.45	4	-16.888	220
4397	4414	Lacaille 4076	6.7	9. 49. 27.38	38.61	3	+ 2.709	- 26. 41. 40.80	38.61	3	-16.890	...	4076	...
4398	4415	Brisbane 2740	8.9	9. 49. 35.42	38.22	3	+ 1.907	- 58. 16. 21.79	38.22	3	-16.897
4399	4416	Piazzi IX. 217	7.8	9. 49. 51.03	35.17	3	+ 4.058	+ 53. 54. 45.84	34.38	4	-16.909	217
4400	4417	Lacaille 4082	7.8	9. 49. 51.71	38.61	3	+ 2.586	- 34. 2. 38.93	38.61	3	-16.909	...	4082	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4401	4418	Piazzi IX. 221	6	^{h m s} 9. 50. 4.42	35.13	3	^s + 3.494	^{° ' "} + 30. 25. 55.04	34.43	4	" -16.919	221
4402	4419	Piazzi IX. 222	7.8	9. 50. 11.49	36.41	4	+ 3.145	+ 5. 35. 40.91	36.40	4	-16.925	222
4403	4420	Brisbane 2744	7.8	9. 50. 15.18	38.55	3	+ 1.926	- 57. 57. 36.35	38.55	3	-16.927
4404	4421	Lacaille 4085	7	9. 50. 17.78	38.24	3	+ 2.201	- 50. 33. 14.39	38.24	3	-16.929	...	4085	...
4405	4422	Brisbane 2746	7.8	9. 50. 26.55	38.22	3	+ 1.911	- 58. 19. 33.37	38.22	3	-16.937
4406	4423	Brisbane 2747	7	9. 50. 40.50	38.14	3	+ 2.748	- 24. 20. 48.53	38.14	3	-16.948
4407	4424	Brisbane 2750	8	9. 51. 0.67	38.47	3	+ 2.079	- 54. 17. 59.39	38.47	3	-16.963
4408	4425	Lacaille 4090	7.8	9. 51. 1.01	38.19	3	+ 2.249	- 49. 5. 16.57	38.19	3	-16.964	...	4090	...
4409	4426	Argus	4	9. 51. 4.79	33.41	16	+ 2.098	- 53. 47. 6.55	33.52	14	-16.967	...	4093	...
4410	4427	Lacaille 4091	7.8	9. 51. 8.43	38.27	3	+ 2.259	- 48. 46. 22.00	38.27	3	-16.970	...	4091	...
4411	4428	12 Sextantis	6.7	9. 51. 9.46	35.52	10	+ 3.124	+ 4. 10. 13.03	36.15	13	-16.971	223
4412	4429	Lacaille 4094	7	9. 51. 13.01	38.55	3	+ 2.165	- 51. 51. 19.08	38.55	3	-16.973	...	4094	...
4413	4430	Lacaille 4089	7	9. 51. 19.96	38.31	3	+ 2.685	- 28. 31. 9.87	38.30	3	-16.978	...	4089	...
4414	4431	Lacaille 4092	6.7	9. 51. 23.68	38.58	3	+ 2.292	- 47. 37. 45.70	38.58	3	-16.981	...	4092	...
4415	4432	20 Leonis Minoris	6	9. 51. 28.63	36.86	7	+ 3.529	+ 32. 43. 53.11	36.89	7	-16.985	1397	...	224
4416	4433	29 Leonis	4.5	9. 51. 29.28	33.10	18	+ 3.182	+ 8. 49. 56.47	32.20	10	-16.986	1398	...	225
4417	4434	Antlia	6	9. 51. 47.91	34.36	4	+ 2.573	- 35. 6. 14.15	34.41	4	-17.001	...	4095	227
4418	4435	Lacaille 4100	9	9. 52. 3.64	38.19	3	+ 2.019	- 56. 4. 46.48	38.19	3	-17.013	...	4100	...
4419	4436	Piazzi IX. 226	7	9. 52. 7.16	34.40	4	+ 3.936	+ 50. 40. 11.15	34.43	4	-17.016	226
4420	4437	Lacaille 4098	8	9. 52. 38.14	38.50	3	+ 2.655	- 30. 33. 42.41	38.50	3	-17.041	...	4098	...
4421	4438	Piazzi IX. 228	7.8	9. 52. 38.18	36.41	4	+ 3.043	- 2. 24. 1.22	36.40	4	-17.041	228
4422	4439	Lacaille 4101	7.8	9. 52. 51.38	38.23	3	+ 2.388	- 44. 10. 3.84	38.23	3	-17.050	...	4101	...
4423	4440	Lacaille 4104	7.8	9. 52. 53.93	38.45	4	+ 1.794	- 61. 8. 48.96	38.53	3	-17.052	...	4104	...
4424	4441	Brisbane 2768	8.9	9. 53. 6.52	38.18	3	+ 2.724	- 26. 21. 58.89	38.18	2	-17.063
4425	4442	Lacaille 4109	7.8	9. 53. 17.02	38.52	3	+ 1.762	- 61. 47. 57.16	38.52	3	-17.070	...	4109	...
4426	4443	Piazzi IX. 229	6	9. 53. 35.69	35.11	3	+ 4.061	+ 54. 41. 9.45	34.44	4	-17.085	229
4427	4444	Piazzi IX. 230	6.7	9. 53. 36.18	32.16	6	+ 3.366	+ 22. 44. 31.19	32.21	5	-17.085	230
4428	4445	Lacaille 4108	8	9. 53. 46.11	38.54	3	+ 1.981	- 57. 20. 23.03	38.54	3	-17.093	...	4108	...
4429	4446	Piazzi IX. 231	7	9. 53. 49.78	34.40	4	+ 2.922	- 12. 6. 25.34	34.48	3	-17.095	231
4430	4447	Lacaille 4112	8.9	9. 54. 4.14	39.09	9	+ 1.784	- 61. 31. 45.76	39.10	10	-17.106	...	4112	...
4431	4448	Brisbane 2777	7.8	9. 54. 19.48	39.76	7	+ 2.514	- 38. 39. 36.32	39.76	7	-17.118
4432	4449	Piazzi IX. 232	6	9. 54. 33.44	33.88	10	+ 2.918	- 12. 30. 15.55	34.21	8	-17.129	232
4433	4450	Lacaille 4114	7.8	9. 54. 45.52	38.29	3	+ 2.253	- 49. 41. 12.04	38.29	3	-17.139	...	4114	...
4434	4451	Piazzi IX. 234	8	9. 54. 46.52	36.40	4	+ 3.203	+ 10. 41. 37.47	36.43	4	-17.140	234
4435	4452	Brisbane 2784	7.8	9. 54. 48.40	38.57	3	+ 1.883	- 59. 42. 18.29	38.57	3	-17.141
4436	4453	Lacaille 4111	7	9. 54. 49.19	38.13	3	+ 2.614	- 33. 22. 55.41	38.13	1	-17.142	...	4111	...
4437	4454	Lacaille 4118	7	9. 54. 58.93	38.15	3	+ 2.037	- 56. 9. 21.01	38.15	3	-17.148	...	4118	...
4438	4455	Piazzi IX. 235	7.8	9. 55. 3.59	36.40	4	+ 3.130	+ 4. 45. 53.42	36.43	4	-17.152	235
4439	4456	Piazzi IX. 237	7	9. 55. 18.02	32.36	8	+ 3.224	+ 12. 25. 24.53	32.19	5	-17.162	237
4440	4457	Piazzi IX. 233	7	9. 55. 18.57	35.63	4	+ 4.120	+ 56. 33. 57.74	34.43	4	-17.162	233

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A. 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4441	4458	Lacaille 4115	7	9. 55. 27.38	38.17	3	+ 2.676	- 29. 47. 4.54	38.17	3	-17.169	...	4115	...
4442	4459	Lacaille 4129	6.7	9. 55. 29.30	38.20	3	+ 2.073	- 55. 18. 15.77	38.20	3	-17.171	...	4129	...
4443	4460	Brisbane 2797	8.9	9. 55. 34.40	39.48	7	+ 1.832	- 60. 58. 20.86	39.53	6	-17.175
4444	4461	13 Sextantis	7	9. 55. 35.59	32.24	6	+ 3.120	+ 4. 0. 4.57	32.24	5	-17.176	1400	...	238
4445	4462	Brisbane 2791	8	9. 55. 39.99	38.22	3	+ 1.903	- 59. 26. 5.91	38.22	2	-17.180
4446	4463	Lacaille 4123	7	9. 55. 41.92	38.54	3	+ 2.170	- 52. 34. 16.19	38.54	3	-17.181	...	4123	...
4447	4464	Piazzi IX. 236	8	9. 55. 42.21	36.42	4	+ 4.113	+ 56. 27. 23.77	36.44	4	-17.181	236
4448	4465	Brisbane 2792	8.9	9. 55. 49.63	39.22	6	+ 1.901	- 59. 30. 5.90	39.22	6	-17.186
4449	4466	Lacaille 4130	8	9. 56. 6.20	38.21	3	+ 2.117	- 54. 12. 37.43	38.21	3	-17.198	...	4130	...
4450	4467	Lacaille 4120	7.8	9. 56. 8.22	38.24	3	+ 2.635	- 32. 26. 35.23	38.24	3	-17.199	...	4120	...
4451	4468	Lacaille 4119	7.8	9. 56. 8.74	38.18	3	+ 2.735	- 26. 6. 52.37	38.18	3	-17.200	...	4119	...
4452	4469	Lacaille 4127	8	9. 56. 11.52	40.19	3	+ 2.306	- 48. 4. 4.50	40.19	3	-17.203	...	4127	...
4453	4470	Brisbane 2800	8.9	9. 56. 14.20	38.21	3	+ 2.119	- 54. 11. 16.02	38.21	3	-17.204
4454	4471	Piazzi IX. 239	7	9. 56. 21.19	35.68	6	+ 3.178	+ 8. 47. 14.53	34.38	4	-17.209	239
4455	4472	Lacaille 4133	7.8	9. 56. 22.74	38.54	3	+ 2.032	- 56. 33. 24.31	38.24	2	-17.210	...	4133	...
4456	4473	Piazzi IX. 240	7	9. 56. 43.25	32.13	7	+ 3.276	+ 16. 33. 23.69	32.22	5	-17.227	240
4457	4474	Lacaille 4138	6.7	9. 56. 45.54	38.23	4	+ 1.903	- 59. 37. 37.74	38.22	3	-17.229	...	4138	...
4458	4475	Lacaille 4131	6.7	9. 56. 49.53	38.57	3	+ 2.367	- 45. 50. 24.37	38.57	3	-17.231	...	4131	...
4459	4476	Brisbane 2808	8	9. 56. 51.51	39.23	6	+ 2.078	- 55. 27. 42.38	39.23	6	-17.233
4460	4477	Lacaille 4137	9	9. 57. 4.63	38.49	3	+ 2.221	- 51. 15. 8.18	38.49	3	-17.242	...	4137	...
4461	4478	40 Hydræ	5.6	9. 57. 5.59	32.30	3	+ 2.923	- 12. 16. 2.43	32.16	5	-17.243	1402	...	241
4462	4479	Lacaille 4132	6.7	9. 57. 20.31	39.45	5	+ 2.719	- 27. 23. 28.30	39.58	6	-17.253	...	4132	...
4463	4480	Brisbane 2810	9	9. 57. 27.76	38.27	2	+ 1.980	- 58. 2. 2.03	38.58	3	-17.260
4464	4481	21 Leonis Minoris	5	9. 57. 40.47	31.60	12	+ 3.567	+ 36. 2. 42.07	31.61	5	-17.269	1401	...	242
4465	4482	Lacaille 4145	7.8	9. 57. 42.41	39.37	7	+ 1.923	- 59. 22. 57.08	39.80	5	-17.270	...	4145	...
4466	4483	Lacaille 4134	7	9. 57. 43.06	39.58	6	+ 2.720	- 27. 23. 55.25	39.67	7	-17.271	...	4134	...
4467	4484	Lacaille 4148	7	9. 57. 47.40	38.60	3	+ 1.827	- 61. 21. 37.46	38.60	3	-17.273	...	4148	...
4468	4485	Brisbane 2818	7	9. 57. 56.57	38.93	3	+ 2.327	- 47. 38. 59.04	38.92	3	-17.280
4469	4486	Piazzi IX. 243	8	9. 57. 57.12	36.46	3	+ 3.123	+ 4. 16. 39.85	36.43	4	-17.281	243
4470	4487	Lacaille 4140	6.7	9. 58. 7.66	38.93	3	+ 2.587	- 35. 35. 5.52	38.93	3	-17.288	...	4140	...
4471	4488	14 Sextantis	6	9. 58. 9.68	32.33	2	+ 3.148	+ 6. 24. 46.66	32.19	5	-17.289	1404	...	244
4472	4489	Lacaille 4141	6.7	9. 58. 14.36	34.41	4	+ 2.614	- 34. 5. 0.82	34.41	4	-17.293	...	4141	247
4473	4490	Lacaille 4142	7	9. 58. 18.02	38.95	3	+ 2.639	- 32. 35. 28.65	38.95	3	-17.295	...	4142	...
4474	4491	Lacaille 4147	7	9. 58. 18.28	39.74	4	+ 2.236	- 51. 0. 0.86	40.27	3	-17.296	...	4147	...
4475	4492	30 Leonis	3.4	9. 58. 19.73	32.07	7	+ 3.286	+ 17. 33. 51.51	32.40	7	-17.297	1403	...	245
4476	4493	Lacaille 4151	7.8	9. 58. 20.93	38.70	2	+ 1.927	- 59. 24. 8.07	38.70	2	-17.298	...	4151	...
4477	4494	Lacaille 4144	7	9. 58. 22.73	39.69	5	+ 2.476	- 41. 22. 24.91	39.69	5	-17.299	...	4144	...
4478	4495	Lacaille 4143	7	9. 58. 22.73	38.92	3	+ 2.680	- 30. 5. 26.69	38.92	3	-17.299	...	4143	...
4479	4496	Lacaille 4153	6.7	9. 58. 30.05	39.19	1	+ 1.847	- 61. 5. 11.76	39.19	1	-17.305	...	4153	...
4480	4497	Piazzi IX. 246	6	9. 58. 42.85	34.67	4	+ 3.501	+ 32. 24. 37.22	34.46	4	-17.315	246

MADRAS GENERAL CATALOGUE OF STARS FOR 1885.0.

1627

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
4481	4498	Lacaille 4150	6.7	9. 58. 44.94	38.54	3	+ 2.232	- 51. 13. 35.47	38.44	4	-17.316	...	4150	...
4482	4499	Lacaille 4152	7	9. 58. 49.35	38.57	3	+ 2.252	- 50. 30. 54.45	38.57	3	-17.319	...	4152	...
4483	4500	Brisbane 2835	7.8	9. 58. 52.70	39.30	2	+ 2.139	- 54. 9. 6.25	39.30	2	-17.322
4484	4501	31 LeonisA	5	9. 59. 8.64	32.17	12	+ 3.200	+ 10. 48. 15.47	31.33	4	-17.333	1405	...	248
4485	4502	Lacaille 4155	6.7	9. 59. 19.20	39.16	6	+ 2.072	- 56. 5. 55.30	39.16	6	-17.341	...	4155	...
4486	4503	... Piazzi IX. 249	7.8	9. 59. 25.25	35.15	3	+ 3.225	+ 12. 47. 58.33	34.44	4	-17.345	249
4487	4504	15 Sextantis	5	9. 59. 29.50	34.12	15	+ 3.077	+ 0. 25. 53.58	36.74	6	-17.348	1407	...	250
4488	4505	32 Leonisa	1	9. 59. 34.74	33.44	94	+ 3.224	+ 12. 46. 13.94	33.13	161	-17.353	1406	...	251
4489	4506	Lacaille 4156	6.7	9. 59. 58.78	38.91	3	+ 2.235	- 51. 23. 13.79	38.60	5	-17.370	...	4156	...
4490	4507	16 Sextantis	6	10. 0. 36.09	32.23	6	+ 3.154	+ 6. 58. 35.30	31.31	5	-17.398	1409	...	253
4491	4508	Lacaille 4161	7	10. 0. 36.72	38.47	3	+ 2.271	- 50. 16. 29.65	38.47	3	-17.399	...	4161	...
4492	4509	Piazzi IX. 255	7	10. 0. 46.40	35.18	3	+ 3.194	+ 10. 23. 53.92	34.51	4	-17.404	253
4493	4510	Lacaille 4160	7	10. 0. 55.05	38.22	3	+ 2.580	- 36. 31. 46.19	38.22	3	-17.412	...	4160	...
4494	4511	Piazzi IX. 254	6.7	10. 1. 0.38	35.16	3	+ 3.658	+ 41. 28. 8.70	34.55	4	-17.415	254
4495	4512	Brisbane 2847	8	10. 1. 2.09	39.36	6	+ 2.231	- 51. 43. 55.95	39.36	6	-17.416
4496	4513	Lacaille 4159	6.7	10. 1. 7.13	38.23	3	+ 2.350	- 47. 27. 24.55	38.23	3	-17.420	...	4159	...
4497	4516	Lacaille 4162	7.8	10. 1. 10.20	38.53	3	+ 2.621	- 34. 12. 32.84	38.53	3	-17.421	...	4162	...
4498	4514	33 Leonis	7	10. 1. 47.04	35.16	3	+ 3.268	+ 16. 30. 55.97	34.63	3	-17.448	256
4499	4515	17 Sextantis	6	10. 1. 55.74	33.21	4	+ 2.984	- 7. 36. 1.13	32.35	10	-17.455	1410	...	1
4500	4517	Lacaille 4165	7.8	10. 2. 14.52	38.51	3	+ 2.661	- 32. 2. 27.29	38.51	3	-17.469	...	4165	...
4501	4518	Lacaille 4167	6.7	10. 2. 25.56	38.31	3	+ 2.612	- 35. 3. 0.80	38.31	3	-17.477	...	4167	...
4502	4519	41 Hydraλ	4.5	10. 2. 32.83	32.15	11	+ 2.939	- 11. 32. 29.49	31.48	7	-17.481	1412	...	2
4503	4520	Lacaille 4171	7	10. 2. 36.57	38.23	3	+ 2.357	- 47. 30. 3.53	38.23	3	-17.485	...	4171	...
4504	4521	Lacaille 4174	7	10. 2. 39.74	38.48	3	+ 2.048	- 57. 23. 29.30	38.48	3	-17.486	...	4174	...
4505	4522	VelorumQ	5.6	10. 2. 41.74	38.22	3	+ 2.263	- 51. 0. 17.75	38.22	3	-17.488	...	4172	...
4506	4523	18 Sextantis	6	10. 2. 43.71	33.19	6	+ 2.984	- 7. 36. 25.39	33.31	3	-17.489	1413	...	5
4507	4524	34 Leonis	6	10. 2. 45.21	32.28	6	+ 3.237	+ 14. 10. 0.32	34.09	8	-17.490	1411	...	3
4508	4525	Piazzi X. 4	8	10. 2. 45.68	36.40	4	+ 3.221	+ 12. 50. 47.99	36.40	4	-17.491	4
4509	4526	Lacaille 4179	7	10. 2. 47.71	38.31	3	+ 1.871	- 61. 24. 54.86	38.31	3	-17.492	...	4179	...
4510	4527	Bradley 1414	6	10. 3. 3.45	32.25	6	+ 2.996	- 6. 30. 22.24	32.24	5	-17.503	1414	...	6
4511	4528	Lacaille 4176	7	10. 3. 14.47	38.59	3	+ 2.382	- 46. 38. 18.66	38.59	3	-17.511	...	4176	...
4512	4529	Brisbane 2864	8	10. 3. 26.46	39.61	7	+ 2.060	- 57. 13. 58.01	39.48	10	-17.520
4513	4530	Lacaille 4177	6.7	10. 3. 38.62	38.63	3	+ 2.562	- 38. 6. 4.69	38.54	3	-17.529	...	4177	...
4514	4531	Lacaille 4180	7	10. 3. 42.76	38.58	3	+ 2.370	- 47. 12. 15.38	38.58	3	-17.532	...	4180	...
4515	4532	... Brisbane 2867	8	10. 3. 44.62	38.57	3	+ 1.965	- 59. 36. 27.80	38.56	3	-17.533
4516	4533	19 Sextantis	7	10. 4. 13.03	32.20	7	+ 3.133	+ 5. 25. 39.15	32.16	4	-17.554	1417	...	7
4517	4534	... Piazzi IX. 252	6	10. 4. 22.62	36.02	5	+ 10.585	+ 85. 4. 56.07	34.45	4	-17.559	252
4518	4535	Lacaille 4185	7	10. 4. 30.83	38.17	3	+ 2.644	- 33. 31. 13.99	38.17	3	-17.566	...	4185	...
4519	4536	... Lacaille 4183	6.7	10. 4. 31.68	38.24	3	+ 2.732	- 27. 47. 37.83	38.24	3	-17.566	...	4183	...
4520	4537	... Brisbane 2874	7	10. 4. 39.09	38.49	3	+ 2.629	- 34. 30. 48.41	38.19	2	-17.571

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4521	4538	Lacaille 4188	8	h m s 10. 4. 55.90	39.47	7	+ 2.547	— 39. 10. 55.35	39.69	6	—17.583	...	4188	...
4522	4539	Piazzi X. 8	6.7	10. 5. 3.99	35.19	3	+ 2.986	— 7. 37. 49.57	35.23	1	—17.589	8
4523	4540	Piazzi X. 11	8	10. 5. 13.43	35.09	3	+ 3.024	— 4. 16. 18.55	35.21	1	—17.596	11
4524	4541	Lacaille 4190	8	10. 5. 18.95	38.51	3	+ 2.721	— 28. 41. 13.56	38.51	3	—17.600	...	4190	...
4525	4542	Piazzi X. 10	7	10. 5. 24.43	32.23	6	+ 3.331	+ 21. 59. 12.44	32.22	5	—17.603	10
4526	4543	Piazzi X. 15	7.8	10. 5. 28.18	35.09	3	+ 3.023	— 4. 24. 19.46	34.56	4	—17.606	15
4527	4544	20 Sextantis	7	10. 5. 32.40	37.65	6	+ 2.998	— 6. 34. 15.33	36.92	7	—17.608	1419	...	16
4528	4545	Piazzi X. 13	7	10. 5. 34.50	35.17	3	+ 3.267	+ 16. 57. 14.37	34.51	4	—17.610	13
4529	4546	22 Leonis Minoris	6	10. 5. 36.55	35.11	3	+ 3.476	+ 32. 17. 0.84	34.54	4	—17.611	1418	...	12
4530	4547	Lacaille 4193	6	10. 5. 44.51	39.17	2	+ 2.757	— 26. 13. 3.57	39.16	2	—17.618	...	4193	...
4531	4548	21 Sextantis	6	10. 5. 55.15	31.72	8	+ 2.992	— 7. 10. 39.93	31.67	5	—17.623	1420	...	17
4532	4549	Lacaille 4197	7.8	10. 5. 56.43	38.18	3	+ 2.188	— 54. 10. 19.18	38.18	3	—17.625	...	4197	...
4533	4550	Brisbane 2886	8.9	10. 5. 56.76	38.21	3	+ 1.922	— 60. 57. 22.37	38.21	3	—17.626
4534	4551	32 Ursæ Majoris	6.7	10. 5. 57.44	38.04	7	+ 4.501	+ 65. 55. 39.10	36.96	7	—17.627	1415	...	9
4535	4552	Lacaille 4201	6.7	10. 6. 2.63	38.48	3	+ 2.080	— 57. 14. 52.43	38.48	3	—17.630	...	4201	...
4536	4553	Lacaille 4196	7	10. 6. 7.88	37.97	9	+ 2.670	— 32. 13. 11.24	37.00	7	—17.633	...	4196	18
4537	4554	Brisbane 2890	7.8	10. 6. 29.46	38.22	3	+ 2.388	— 47. 6. 18.15	38.23	3	—17.648
4538	4555	Lacaille 4207	8	10. 6. 29.70	38.21	3	+ 1.938	— 60. 43. 42.18	38.21	3	—17.649	...	4207	...
4539	4556	Lacaille 4202	7.8	10. 6. 45.31	38.21	3	+ 2.548	— 39. 31. 52.43	38.21	3	—17.659	...	4202	...
4540	4557	23 Leonis Minoris	6	10. 6. 50.81	35.21	3	+ 3.440	+ 30. 7. 44.59	34.43	4	—17.663	1422	...	19
4541	4558	Lacaille 4204	7.8	10. 6. 55.02	38.21	3	+ 2.550	— 39. 29. 41.79	38.21	3	—17.666	...	4204	...
4542	4559	Velorum	6	10. 7. 1.57	38.57	3	+ 2.307	— 50. 25. 0.74	38.57	3	—17.670	...	4206	...
4543	4560	24 Leonis Minoris	7	10. 7. 6.15	35.16	3	+ 3.430	+ 29. 30. 16.57	34.77	4	—17.673	1423	...	21
4544	4561	33 Ursæ Majoris	3.4	10. 7. 6.95	31.59	11	+ 3.677	+ 43. 44. 5.29	33.18	50	—17.674	1421	...	20
4545	4562	Lacaille 4208	7	10. 7. 9.31	38.24	3	+ 2.293	— 50. 56. 27.74	38.24	2	—17.676	...	4208	...
4546	4563	Piazzi X. 23	6	10. 7. 16.46	32.40	6	+ 3.284	+ 18. 33. 30.89	32.24	5	—17.680	23
4547	4564	35 Leonis	6.7	10. 7. 23.25	35.15	3	+ 3.357	+ 24. 19. 12.20	35.21	3	—17.684	1424	...	24
4548	4566	Brisbane 2898	7	10. 7. 27.17	38.58	3	+ 2.504	— 41. 59. 30.75	38.58	3	—17.687
4549	4565	Lacaille 4217	6.7	10. 7. 27.26	38.58	3	+ 2.019	— 59. 6. 11.08	38.58	3	—17.687	...	4217	...
4550	4567	Lacaille 4215	7	10. 7. 27.58	38.23	3	+ 2.145	— 55. 46. 15.15	38.23	3	—17.687	...	4215	...
4551	4568	36 Leonis	4.5	10. 7. 30.04	32.37	14	+ 3.356	+ 24. 14. 11.79	32.27	13	—17.690	1425	...	25
4552	4569	37 Leonis	6	10. 7. 48.72	32.42	7	+ 3.235	+ 14. 32. 54.03	31.85	5	—17.703	1426	...	27
4553	4570	Velorum	4	10. 7. 49.35	31.75	12	+ 2.519	— 41. 18. 25.94	32.24	10	—17.703	...	4212	29
4554	4571	Brisbane 2906	7	10. 7. 57.72	38.21	3	+ 2.515	— 41. 33. 58.69	38.21	3	—17.709
4555	4572	Lacaille 4224	7	10. 7. 59.44	38.21	3	+ 1.947	— 60. 50. 34.40	38.21	3	—17.710	...	4224	...
4556	4573	Lacaille 4216	6.7	10. 8. 7.93	38.17	3	+ 2.621	— 35. 41. 59.09	38.17	3	—17.715	...	4216	...
4557	4574	Lacaille 4221	8	10. 8. 8.26	38.46	4	+ 2.298	— 50. 59. 49.67	38.46	4	—17.715	...	4221	...
4558	4575	39 Leonis	6	10. 8. 9.14	35.26	3	+ 3.350	+ 23. 55. 49.81	34.63	3	—17.716	1427	...	28
4559	4576	Piazzi X. 26	6	10. 8. 20.95	35.16	3	+ 4.753	+ 69. 34. 22.23	34.46	4	—17.724	26
4560	4577	Lacaille 4222	6.7	10. 8. 36.77	35.28	3	+ 2.504	— 42. 17. 28.84	34.54	4	—17.736	...	4222	32

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
4561	4578	Piazzi X. 31	6.7	h m s 10. 8. 47.35	37.71	6	+ 3.693	+ 44. 53. 1.92	36.94	7	-17.742	31
4562	4579	Lacaille 4229	7	10. 9. 10.53	39.22	6	+ 2.211	- 54. 9. 19.77	39.22	6	-17.758	...	4229	...
4563	4580	Lacaille 4228	7.8	10. 9. 19.29	38.28	3	+ 2.348	- 49. 21. 25.10	38.28	3	-17.764	...	4228	...
4564	4581	Piazzi X. 30	8	10. 9. 24.46	36.62	2	+ 4.754	+ 69. 45. 6.99	36.71	2	-17.767	30
4565	4582	22 Sextantis	6	10. 9. 26.05	32.21	6	+ 2.993	- 7. 14. 50.72	32.19	5	-17.768	1428	...	33
4566	4583	Piazzi X. 34	7.8	10. 9. 34.74	36.40	4	+ 3.220	+ 13. 26. 41.62	36.43	4	-17.775	34
4567	4584	Argus	4.5	10. 9. 48.52	34.09	11	+ 1.442	- 69. 13. 12.63	35.24	9	-17.784	...	4243	...
4568	4585	Piazzi X. 35	8	10. 9. 51.06	35.17	3	+ 3.068	- 0. 25. 15.16	34.52	4	-17.786	35
4569	4586	Piazzi X. 14	8	10. 10. 0.78	37.73	6	+ 10.479	+ 85. 14. 5.54	36.46	4	-17.791	14
4570	4587	Piazzi X. 22	6	10. 10. 13.34	36.78	6	+ 8.391	+ 83. 23. 29.51	36.41	6	-17.801	22
4571	4588	Lacaille 4241	7	10. 10. 25.44	39.53	7	+ 2.044	- 59. 4. 58.77	39.53	7	-17.809	...	4241	...
4572	4589	Lacaille 4234	6	10. 10. 34.47	34.23	13	+ 2.743	- 28. 10. 10.94	32.22	5	-17.815	...	4234	39
4573	4590	Lacaille 4237	6.7	10. 10. 37.43	38.65	4	+ 2.436	- 46. 0. 46.56	38.65	4	-17.817	...	4237	...
4574	4591	40 Leonis	6	10. 10. 44.92	32.32	5	+ 3.299	+ 20. 18. 18.93	32.24	5	-17.822	1431	...	36
4575	4592	Piazzi X. 37	8	10. 10. 50.59	36.43	4	+ 3.310	+ 21. 13. 44.90	36.84	3	-17.826	37
4576	4593	41 Leonis	2	10. 10. 51.90	32.76	28	+ 3.303	+ 20. 40. 23.41	33.00	40	-17.827	1432	...	38
4577	4594	Brisbane 2931	7.8	10. 11. 0.67	38.47	3	+ 2.402	- 47. 35. 43.51	38.47	3	-17.833
4578	4595	Bradley 1430	6.7	10. 11. 8.96	35.31	3	+ 3.636	+ 42. 40. 30.08	34.43	4	-17.838	1430	...	40
4579	4596	Piazzi X. 41	6.7	10. 11. 13.72	35.09	3	+ 3.026	- 4. 16. 42.15	34.55	4	-17.841	41
4580	4597	Lacaille 4242	6.7	10. 11. 23.53	38.17	3	+ 2.629	- 35. 58. 51.65	38.17	3	-17.848	...	4242	...
4581	4598	Lacaille 4244	7	10. 11. 27.45	38.21	3	+ 2.545	- 40. 50. 41.65	38.21	3	-17.850	...	4244	...
4582	4599	Piazzi X. 43	8.9	10. 11. 33.37	36.70	2	+ 2.746	- 28. 8. 8.83	36.45	4	-17.854	43
4583	4600	Carinae	5	10. 11. 35.28	33.98	15	+ 1.995	- 60. 30. 35.56	34.33	12	-17.855	...	4249	...
4584	4601	Lacaille 4245	7	10. 11. 50.50	38.25	3	+ 2.665	- 33. 47. 35.39	38.25	3	-17.866	...	4245	...
4585	4602	Bradley 1429	6	10. 12. 8.31	35.21	3	+ 4.460	+ 66. 23. 48.63	34.45	4	-17.877	1429	...	42
4586	4603	Brisbane 2937	8.9	10. 12. 9.08	38.22	3	+ 2.325	- 50. 55. 16.95	38.22	3	-17.878
4587	4604	Bradley 1433	6.7	10. 12. 20.50	35.12	3	+ 3.618	+ 42. 3. 50.10	34.53	4	-17.885	1433	...	44
4588	4605	34 Ursæ Majoris	3	10. 12. 28.22	32.12	7	+ 3.623	+ 42. 19. 33.69	32.71	14	-17.891	1434	...	45
4589	4606	23 Sextantis	6	10. 12. 31.03	32.25	4	+ 3.105	+ 3. 7. 0.73	32.19	5	-17.892	1435	...	46
4590	4607	Lacaille 4251	7	10. 12. 32.75	38.55	3	+ 2.355	- 49. 53. 27.39	38.55	3	-17.893	...	4251	...
4591	4608	Lacaille 4256	7	10. 12. 38.21	39.48	7	+ 2.200	- 55. 17. 26.75	39.31	9	-17.897	...	4256	...
4592	4609	Brisbane 2942	8	10. 12. 40.09	38.57	3	+ 2.472	- 44. 49. 16.09	38.56	3	-17.898
4593	4610	Brisbane 2946	8.9	10. 12. 43.59	38.23	3	+ 2.204	- 55. 12. 23.66	38.63	5	-17.900
4594	4611	Lacaille 4250	7	10. 12. 48.99	38.28	2	+ 2.691	- 32. 18. 7.77	38.56	3	-17.904	...	4250	...
4595	4612	42 Leonis	6	10. 12. 57.53	31.79	6	+ 3.242	+ 15. 48. 17.44	31.93	7	-17.909	1436	...	47
4596	4613	Brisbane 2947	7.8	10. 12. 57.99	38.76	9	+ 2.206	- 55. 11. 47.10	38.42	5	-17.909
4597	4614	Lacaille 4252	6.7	10. 13. 7.79	38.57	3	+ 2.711	- 30. 59. 18.22	38.57	3	-17.916	...	4252	...
4598	4615	Lacaille 4258	6.7	10. 13. 10.18	38.58	3	+ 2.425	- 47. 8. 2.69	38.58	3	-17.917	...	4258	...
4599	4617	Lacaille 4261	7.8	10. 13. 25.59	38.53	3	+ 2.338	- 50. 44. 29.04	38.45	4	-17.928	...	4261	...
4600	4616	Velorum	6.7	10. 13. 25.62	38.57	3	+ 2.240	- 54. 12. 9.77	38.57	3	-17.928	...	4263	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4601	4618	26 Leonis Minoris	6.7	10. 13. 31.08	35.20	3	+ 3.508	+ 36. 2. 51.04	34.48	4	-17.931	1437	...	48
4602	4619	... Piazzi X. 50	8.9	10. 13. 31.51	36.42	4	+ 3.271	+ 18. 20. 41.67	36.45	4	-17.931	50
4603	4620	... Piazzi X. 51	6.7	10. 13. 31.81	35.16	3	+ 3.176	+ 9. 47. 38.02	34.43	4	-17.932	51
4604	4621	... Lacaille 4260	6.7	10. 13. 33.94	38.24	3	+ 2.433	- 46. 52. 17.46	38.24	3	-17.933	...	4260	...
4605	4622	27 Leonis Minoris	6.7	10. 13. 35.01	35.15	2	+ 3.487	+ 34. 44. 16.92	34.54	4	-17.934	1438	...	49
4606	4623	... Piazzi X. 52	7	10. 13. 37.57	35.17	3	+ 3.072	+ 0. 4. 40.49	34.55	4	-17.935	52
4607	4624	... Lacaille 4257	7	10. 13. 39.30	38.60	3	+ 2.799	- 24. 32. 40.77	38.60	3	-17.936	...	4257	...
4608	4625	... Brisbane 2959	7.8	10. 13. 54.60	39.60	8	+ 2.164	- 56. 40. 47.68	39.65	7	-17.946
4609	4626	... Brisbane 2960	8	10. 14. 0.29	38.16	3	+ 2.740	- 29. 6. 36.15	38.16	3	-17.950
4610	4627	... Lacaille 4264	7	10. 14. 4.19	38.24	3	+ 2.438	- 46. 44. 16.34	38.24	3	-17.952	...	4264	...
4611	4628	... Piazzi X. 53	7	10. 14. 20.47	35.23	3	+ 3.422	+ 30. 26. 50.01	34.45	4	-17.963	53
4612	4629	43 Leonis	6	10. 14. 22.24	35.43	9	+ 3.149	+ 7. 22. 39.12	35.22	8	-17.964	1441	...	54
4613	4630	... Brisbane 2965	8	10. 14. 23.71	40.29	3	+ 2.081	- 59. 3. 28.37	40.29	3	-17.965
4614	4631	... Brisbane 2964	7	10. 14. 26.25	38.98	8	+ 2.089	- 58. 49. 39.72	38.97	8	-17.967
4615	4632	... Brisbane 2968	8	10. 14. 36.01	38.55	3	+ 2.181	- 56. 20. 27.27	38.55	3	-17.973
4616	4633	28 Leonis Minoris	5.6	10. 14. 38.20	35.17	3	+ 3.481	+ 34. 33. 0.81	34.55	4	-17.974	1440	...	55
4617	4634	... Velorum	5	10. 14. 47.28	35.22	20	+ 2.219	- 55. 12. 52.98	35.57	18	-17.980	...	4272	...
4618	4635	... Lacaille 4266	8	10. 14. 48.09	37.50	6	+ 2.747	- 28. 43. 41.93	37.16	5	-17.981	...	4266	56
4619	4636	24 Sextantis	7	10. 15. 1.62	37.74	6	+ 3.072	- 0. 4. 8.85	36.92	7	-17.990	1442	...	57
4620	4637	25 Sextantis	6.7	10. 15. 5.97	35.28	3	+ 3.038	- 3. 14. 33.24	34.44	4	-17.993	1443	...	59
4621	4638	... Brisbane 2975	8	10. 15. 13.96	38.21	3	+ 2.140	- 57. 39. 15.08	38.21	2	-17.998
4622	4639	... Velorum	4.5	10. 15. 15.78	32.14	11	+ 2.562	- 40. 49. 21.17	32.39	11	-17.999	...	4271	61
4623	4640	... Piazzi X. 58	7.8	10. 15. 31.30	35.26	3	+ 3.866	+ 53. 27. 26.62	34.55	4	-18.009	58
4624	4641	... Piazzi X. 60	7	10. 15. 34.45	35.10	3	+ 3.191	+ 11. 25. 13.82	34.54	4	-18.011	60
4625	4642	... Lacaille 4273	6.7	10. 15. 39.85	37.92	4	+ 2.742	- 29. 19. 48.29	38.48	3	-18.015	...	4273	...
4626	4643	29 Leonis Minoris	6.7	10. 16. 12.51	35.20	3	+ 3.501	+ 36. 15. 44.06	34.48	4	-18.037	1444	...	62
4627	4644	... Lacaille 4282	7.8	10. 16. 14.15	40.27	6	+ 2.156	- 57. 26. 7.15	40.93	9	-18.038	...	4282	...
4628	4645	... Lacaille 4278	6.7	10. 16. 16.39	35.29	3	+ 2.629	- 37. 10. 30.16	34.54	4	-18.039	...	4278	66
4629	4646	... Antlia	6.7	10. 16. 21.03	37.98	6	+ 2.750	- 28. 49. 1.37	37.39	11	-18.042	...	4277	65
4630	4647	30 Leonis Minoris	4.5	10. 16. 26.20	32.08	10	+ 3.475	+ 34. 38. 1.70	32.47	21	-18.045	1445	...	63
4631	4648	... Brisbane 2985	9	10. 16. 32.51	39.24	7	+ 2.104	- 58. 55. 26.77	39.14	11	-18.048
4632	4649	44 Leonis	6	10. 16. 33.20	35.18	17	+ 3.171	+ 9. 37. 14.88	35.43	14	-18.048	64
4633	4650	... Brisbane 2983	8.9	10. 16. 33.59	39.39	5	+ 2.019	- 61. 1. 3.37	39.35	7	-18.049
4634	4651	... Piazzi X. 68	Neb.	10. 16. 49.91	36.44	4	+ 2.885	- 17. 48. 30.90	38.34	6	-18.053	68
4635	4652	... Piazzi X. 67	6.7	10. 16. 53.68	36.60	7	+ 3.171	+ 9. 36. 41.62	36.46	4	-18.062	67
4636	4653	... Brisbane 2988	8.9	10. 17. 4.13	38.24	3	+ 2.014	- 61. 14. 28.96	38.24	3	-18.069
4637	4654	... Bradley 1447	6	10. 17. 29.89	35.13	3	+ 3.009	- 6. 13. 52.49	34.43	4	-18.085	1447	...	71
4638	4655	... Piazzi X. 70	6.7	10. 17. 40.07	35.16	3	+ 3.600	+ 42. 26. 29.36	34.57	4	-18.093	70
4639	4656	... Brisbane 2996	9	10. 17. 46.14	40.27	6	+ 2.036	- 60. 53. 0.48	39.86	5	-18.095
4640	4657	... Lacaille 4286	7	10. 17. 47.88	38.47	4	+ 2.761	- 28. 21. 31.89	38.52	3	-18.096	...	4286	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
4641	4658	Lacaille 4292	8	10. 17. 49.55	38.54	3	+ 2.136	- 58. 22. 24.70	38.54	3.	-18.097	...	4292	...
4642	4659	Lacaille 4291	7.8	10. 17. 50.16	38.60	3	+ 2.180	- 57. 7. 11.90	38.60	3..	-18.097	...	4291	...
4643	4660	Brisbane 2997	9	10. 18. 3.00	38.53	3	+ 2.127	- 58. 40. 45.21	38.53	3	-18.106
4644	4661	35 Ursæ Majoris	7	10. 18. 5.30	35.21	3	+ 4.393	+ 66. 28. 6.57	34.45	4	-18.107	69
4645	4662	42. Hydræ	4	10. 18. 6.91	32.78	9	+ 2.907	- 15. 59. 47.04	32.26	10...	-18.109	1451	...	74
4646	4663	26 Sextantis	6	10. 18. 11.56	35.19	16	+ 3.070	- 0. 9. 5.01	32.71	6.	-18.112	1450	...	73
4647	4664	Lacaille 4289	6	10. 18. 13.07	38.60	3	+ 2.561	- 41. 37. 48.43	38.60	3	-18.113	...	4289	...
4648	4665	31 Leonis Minoris	4.5	10. 18. 19.20	34.16	12	+ 3.513	+ 37. 32. 59.23	34.05	13..	-18.117	1448	...	72
4649	4666	Lacaille 4294	7.8	10. 18. 19.32	38.58	3	+ 2.297	- 53. 29. 14.64	38.58	3	-18.117	...	4294	...
4650	4667	27 Sextantis	6	10. 18. 26.90	31.98	7	+ 3.036	- 3. 33. 3.71	32.23	5.	-18.121	1452	...	75
4651	4668	Lacaille 4293	7	10. 18. 27.16	38.61	3	+ 2.406	- 49. 16. 11.80	38.61	3	-18.121	...	4293	...
4652	4669	Brisbane 3003	7.8	10. 18. 36.63	38.62	3	+ 2.106	- 59. 21. 23.32	38.62	3..	-18.127
4653	4670	Brisbane 3004	7.8	10. 18. 43.01	38.23	2	+ 2.052	- 60. 43. 2.04	38.70	2.	-18.131
4654	4671	45. Leonis	6	10. 18. 55.79	32.25	6	+ 3.181	+ 10. 36. 4.41	32.16	5	-18.139	1453	...	76
4655	4672	Lacaille 4300	6.7	10. 19. 1.64	38.48	3	+ 2.168	- 57. 44. 28.49	38.40	4	-18.144	...	4300	...
4656	4673	Piazzi X. 77	7	10. 19. 9.59	36.65	10	+ 3.072	- 0. 7. 29.83	34.32	3	-18.149	77
4657	4674	Lacaille 4295	7	10. 19. 12.37	38.60	3	+ 2.619	- 38. 31. 27.85	38.60	3	-18.150	...	4295	...
4658	4675	Brisbane 3009	7	10. 19. 19.05	38.68	2	+ 2.161	- 58. 2. 10.42	38.68	2	-18.155
4659	4676	Lacaille 4302	7.8	10. 19. 28.41	38.24	3	+ 2.286	- 54. 9. 16.49	38.24	3	-18.160	...	4302	...
4660	4677	Piazzi X. 81	8.9	10. 19. 34.10	36.18	3	+ 3.054	- 1. 52. 29.04	36.43	4	-18.162	81
4661	4678	Antliæ	4.5	10. 19. 36.62	32.10	9	+ 2.741	- 30. 13. 47.87	32.25	12	-18.164	...	4298	82
4662	4679	Piazzi X. 79	6.7	10. 19. 42.61	35.26	3	+ 3.407	+ 30. 34. 6.91	34.54	4	-18.168	79
4663	4680	Brisbane 3013	7	10. 19. 51.12	38.26	3	+ 2.320	- 53. 3. 15.42	38.26	3	-18.173
4664	4681	Brisbane 3014	7	10. 19. 54.66	38.62	3	+ 2.470	- 46. 49. 10.27	38.62	3	-18.176
4665	4682	Piazzi X. 83	6.7	10. 19. 58.86	35.18	3	+ 3.225	+ 15. 11. 2.88	34.59	5	-18.178	83
4666	4683	36 Ursæ Majoris	5	10. 20. 0.80	31.69	9	+ 3.936	+ 56. 49. 24.37	32.49	13	-18.180	1454	...	80
4667	4684	Bradley 1456	6	10. 20. 22.38	34.75	9	+ 3.044	- 2. 54. 3.77	35.20	8	-18.195	1456
4668	4685	32. Leonis Minoris	6.7	10. 20. 27.11	35.20	3	+ 3.540	+ 39. 45. 59.34	34.55	4	-18.196	1455	...	84
4669	4686	Piazzi X. 85	7	10. 20. 27.43	34.78	3	+ 3.181	+ 10. 59. 51.95	34.59	5	-18.196	85
4670	4687	Brisbane 3017	6.7	10. 20. 28.18	38.23	3	+ 2.297	- 54. 2. 23.09	38.23	3	-18.197
4671	4688	Lacaille 4303	7	10. 20. 40.76	38.63	3	+ 2.539	- 43. 30. 8.41	38.63	3	-18.203	...	4303	...
4672	4689	Brisbane 3019	7.8	10. 20. 48.65	39.58	8	+ 2.216	- 56. 46. 3.86	39.49	7	-18.209
4673	4690	Bradley 1446	6	10. 20. 50.79	35.23	3	+ 5.417	+ 76. 33. 32.40	34.43	4	-18.210	1446	...	78
4674	4691	29 Sextantis	6	10. 21. 5.90	35.64	10	+ 3.054	- 1. 53. 49.46	32.25	5	-18.219	1457	...	86
4675	4692	Carinæ	5	10. 21. 6.74	32.23	6	+ 1.221	- 73. 11. 37.46	31.25	4	-18.220	...	4319	...
4676	4693	Brisbane 3021	8.9	10. 21. 14.26	40.39	9	+ 2.442	- 48. 25. 45.82	40.85	12	-18.225
4677	4694	Velorum	6	10. 21. 16.94	38.49	3	+ 2.219	- 56. 47. 56.48	38.92	4	-18.227	...	4310	...
4678	4695	Lacaille 4305	6.7	10. 21. 17.57	38.58	3	+ 2.440	- 48. 33. 47.81	38.58	3	-18.228	...	4305	...
4679	4696	Brisbane 3026	8	10. 21. 31.61	38.52	3	+ 2.060	- 61. 10. 31.70	38.52	3	-18.233
4680	4697	Lacaille 4307	7	10. 21. 48.21	39.47	6	+ 2.650	- 37. 13. 1.36	39.47	6	-18.244	...	4307	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4681	4698	Carinae	5	h m s 10. 21. 50.22	38.17	5	+ 2.187	— 57. 53. 55.37	38.19	3	—18.245	...	4314	...
4682	4699	30 Sextantis	6	10. 21. 51.57	32.38	4	+ 3.074	+ 0. 12. 24.16	31.71	5	—18.246	1459	...	87
4683	4700	Lacaille 4306	5.6	10. 21. 52.27	33.21	6	+ 2.767	— 28. 49. 20.40	32.24	5	—18.247	...	4306	90
4684	4701	31 Sextantis	7	10. 21. 59.45	33.24	6	+ 3.101	+ 2. 59. 42.83	32.23	5	—18.251	1460	...	89
4685	4702	Piazzi X. 92	9	10. 22. 0.07	37.33	7	+ 2.718	— 32. 33. 57.24	36.45	4	—18.252	92
4686	4703	Antliae	6	10. 22. 0.14	33.26	6	+ 2.755	— 29. 45. 53.25	34.61	8	—18.252	...	4309	91
4687	4704	Piazzi X. 88	8	10. 22. 24.55	36.48	3	+ 3.845	+ 54. 25. 56.00	36.44	4	—18.267	88
4688	4705	33 Leonis Minoris	6.7	10. 22. 28.19	35.16	3	+ 3.433	+ 33. 13. 23.88	34.54	4	—18.269	1461	...	93
4689	4706	Lacaille 4320	7	10. 22. 36.52	39.39	6	+ 2.243	— 56. 23. 28.86	39.38	6	—18.274	...	4320	...
4690	4707	Bradley 1462	6.7	10. 22. 43.19	35.10	3	+ 3.007	— 6. 47. 37.93	34.43	4	—18.278	1462	...	94
4691	4708	Brisbane 3036	7.8	10. 22. 58.10	38.24	3	+ 2.118	— 60. 3. 8.79	38.27	2	—18.286
4692	4709	Lacaille 4323	9	10. 23. 6.85	38.21	3	+ 2.167	— 58. 46. 9.16	38.21	3	—18.293	...	4323	...
4693	4710	Lacaille 4317	7.8	10. 23. 7.95	38.30	3	+ 2.809	— 25. 38. 24.09	38.30	3	—18.294	...	4317	...
4694	4711	Lacaille 4328	8.9	10. 23. 9.59	39.19	4	+ 2.053	— 61. 42. 25.85	38.17	2	—18.296	...	4328	...
4695	4712	Piazzi X. 95	7	10. 23. 20.11	35.38	4	+ 3.835	+ 54. 20. 41.98	34.53	4	—18.300	95
4696	4713	46 Leonis	6	10. 23. 23.08	32.26	5	+ 3.218	+ 14. 58. 54.00	32.78	5	—18.302	1463	...	97
4697	4714	Lacaille 4325	8	10. 23. 30.97	38.55	3	+ 2.316	— 54. 8. 3.24	38.55	3	—18.307	...	4325	...
4698	4715	Piazzi X. 96	8	10. 23. 38.61	36.19	5	+ 3.723	+ 50. 1. 36.89	36.59	5	—18.311	96
4699	4716	32 Sextantis	7	10. 23. 44.19	32.23	6	+ 3.124	+ 5. 29. 21.35	32.25	4	—18.314	1466	...	98
4700	4717	Lacaille 4327	7	10. 23. 54.29	38.61	3	+ 2.555	— 43. 31. 24.21	38.76	2	—18.320	...	4327	...
4701	4718	Brisbane 3048	7.8	10. 23. 57.40	38.56	3	+ 2.593	— 41. 22. 33.23	38.56	3	—18.322
4702	4719	Lacaille 4326	7	10. 24. 3.72	38.60	3	+ 2.701	— 34. 16. 48.81	38.60	3	—18.327	...	4326	...
4703	4720	34 Leonis Minoris	6	10. 24. 3.91	35.18	3	+ 3.464	+ 35. 50. 8.40	34.44	4	—18.327	1465	...	99
4704	4721	Lacaille 4329	7	10. 24. 4.26	38.56	3	+ 2.593	— 41. 23. 2.33	38.56	3	—18.327	...	4329	...
4705	4722	47 Leonis	4	10. 24. 7.10	33.00	13	+ 3.169	+ 10. 9. 10.94	32.21	10	—18.329	1467	...	102
4706	4723	Piazzi X. 100	7	10. 24. 14.44	35.21	2	+ 3.718	+ 49. 57. 21.37	34.55	4	—18.332	100
4707	4724	37 Ursae Majoris	5	10. 24. 28.44	32.27	8	+ 3.936	+ 57. 55. 44.77	32.34	11	—18.341	1464	...	101
4708	4725	Piazzi X. 103	8	10. 24. 35.24	36.52	3	+ 2.845	— 22. 45. 18.47	36.52	3	—18.344	103
4709	4726	43 Hydrae	7	10. 24. 40.05	35.23	3	+ 2.916	— 16. 6. 29.92	34.55	4	—18.347	104
4710	4727	Lacaille 4333	7	10. 24. 40.51	39.66	5	+ 2.557	— 43. 38. 20.31	39.66	5	—18.347	...	4333	...
4711	4728	Lacaille 4337	7.8	10. 24. 47.94	38.21	3	+ 2.118	— 60. 30. 43.94	38.21	3	—18.352	...	4337	...
4712	4729	Velorum	6.7	10. 24. 54.39	37.18	5	+ 2.548	— 44. 13. 26.98	40.23	2	—18.355	...	4334	106
4713	4730	Piazzi X. 107	6.7	10. 24. 55.64	37.71	6	+ 2.548	— 44. 13. 13.59	36.80	11	—18.356	107
4714	4731	Velorum	7	10. 24. 58.10	38.49	3	+ 2.360	— 52. 52. 43.20	38.49	3	—18.358	...	4336	...
4715	4732	Brisbane 3061	8	10. 24. 58.36	40.42	6	+ 2.236	— 57. 12. 13.11	40.87	8	—18.358
4716	4733	Piazzi X. 108	8	10. 25. 19.39	36.43	4	+ 2.730	— 32. 31. 16.98	36.19	3	—18.371	108
4717	4734	Piazzi X. 105	7	10. 25. 24.53	35.16	3	+ 3.568	+ 42. 45. 30.87	34.45	4	—18.374	105
4718	4735	Lacaille 4339	6.7	10. 25. 29.82	38.58	3	+ 2.559	— 43. 46. 13.01	38.51	4	—18.377	...	4339	...
4719	4736	Brisbane 3065	8	10. 25. 39.99	38.61	3	+ 2.577	— 42. 46. 49.29	38.61	3	—18.382
4720	4737	Velorum	6	10. 25. 59.76	35.10	3	+ 2.517	— 46. 9. 20.46	34.47	4	—18.394	...	4344	113

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxi}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4721	4738	Piazzi X. 109	7	h m s 10. 26. 3.00	35.21	3	+ 3.778	+ 52. 57. 34.24	34.46	4	-18.396	109
4722	4739	Lacaille 4340	8	10. 26. 7.78	38.54	3	+ 2.806	- 26. 29. 59.84	38.54	3	-18.399	...	4340	...
4723	4740	Carina	4	10. 26. 10.33	32.02	11	+ 2.118	- 60. 50. 19.07	31.84	12	-18.400	...	4348	...
4724	4741	44 Hydre	6	10. 26. 10.59	32.23	5	+ 2.847	- 22. 53. 49.51	32.19	5	-18.400	1471	...	111
4725	4742	48 Leonis	5.6	10. 26. 11.54	31.59	7	+ 3.145	+ 7. 48. 2.30	32.23	5	-18.401	1468	...	110
4726	4743	Brisbane 3063	8	10. 26. 11.77	39.25	5	+ 2.230	- 57. 41. 53.71	39.24	5	-18.401
4727	4744	Lacaille 4345	7	10. 26. 14.45	38.56	3	+ 2.635	- 39. 23. 18.23	38.56	3	-18.402	...	4345	...
4728	4745	49 Leonis	6	10. 26. 22.58	32.33	5	+ 3.161	+ 9. 30. 2.76	32.21	4	-18.407	1469	...	112
4729	4746	Brisbane 3075	9	10. 26. 25.20	38.21	3	+ 2.187	- 59. 1. 4.83	38.21	3	-18.409
4730	4747	Brisbane 3077	9	10. 26. 33.34	39.42	6	+ 2.503	- 47. 0. 38.17	39.42	6	-18.413
4731	4748	Brisbane 3076	6.7	10. 26. 38.21	40.07	13	+ 2.230	- 57. 49. 6.88	40.36	15	-18.415
4732	4749	35 Leonis Minoris	6.7	10. 26. 51.97	35.19	3	+ 3.473	+ 37. 10. 46.14	34.53	4	-18.424	1470	...	114
4733	4750	Lacaille 4347	6.7	10. 26. 53.45	38.63	3	+ 2.681	- 36. 32. 15.35	38.63	3	-18.425	...	4347	...
4734	4751	Lacaille 4355	8	10. 26. 56.04	38.18	3	+ 2.184	- 59. 15. 55.25	38.18	3	-18.427	...	4355	...
4735	4752	Piazzi X. 115	8	10. 27. 8.68	36.44	4	+ 2.731	- 32. 54. 52.76	36.44	4	-18.434	115
4736	4753	Lacaille 4349	7	10. 27. 11.50	39.10	5	+ 2.762	- 30. 29. 32.55	39.31	6	-18.435	...	4349	...
4737	4754	Lacaille 4356	7	10. 27. 12.47	40.44	6	+ 2.250	- 57. 20. 26.93	40.04	5	-18.436	...	4356	...
4738	4755	Brisbane 3084	8	10. 27. 21.14	38.57	3	+ 2.211	- 58. 34. 10.72	38.57	3	-18.441
4739	4756	Piazzi X. 116	7	10. 27. 27.55	35.24	3	+ 3.145	+ 7. 53. 31.23	34.48	4	-18.446	116
4740	4757	Lacaille 4358	6	10. 27. 53.77	38.61	3	+ 2.653	- 38. 42. 43.31	38.61	3	-18.460	...	4358	...
4741	4758	Lacaille 4362	8.9	10. 28. 2.84	38.49	3	+ 2.549	- 45. 2. 45.77	38.65	2	-18.466	...	4362	...
4742	4759	Hydre	6	10. 28. 13.65	32.25	6	+ 2.927	- 15. 29. 31.60	31.69	5	-18.473	1474	...	118
4743	4760	Lacaille 4366	6.7	10. 28. 14.08	38.17	3	+ 2.164	- 60. 8. 11.96	38.17	3	-18.473	...	4366	...
4744	4762	36 Leonis Minoris	6.7	10. 28. 29.59	35.12	2	+ 3.435	+ 34. 55. 54.09	34.55	4	-18.481	1473	...	117
4745	4763	... Brisbane 3093	7	10. 28. 47.17	39.33	6	+ 2.279	- 56. 49. 29.93	39.16	5	-18.490
4746	4764	Lacaille 4363	7	10. 28. 53.19	38.26	2	+ 2.798	- 27. 55. 9.51	38.26	2	-18.493	...	4363	...
4747	4765	Piazzi X. 119	7	10. 28. 54.77	35.18	3	+ 3.242	+ 18. 8. 0.83	34.69	6	-18.495	119
4748	4766	Lacaille 4364	8.9	10. 28. 58.18	37.18	7	+ 2.811	- 26. 48. 12.67	37.33	7	-18.497	...	4364	120
4749	4767	Lacaille 4369	7	10. 28. 59.25	38.54	3	+ 2.490	- 48. 22. 40.25	38.54	3	-18.497	...	4369	...
4750	4768	Lacaille 4365	7	10. 29. 2.21	38.30	3	+ 2.744	- 32. 25. 5.39	38.30	3	-18.499	...	4365	...
4751	4761	Gould 14473	8	10. 29.	+ 2.443	- 50. 34. 35.30	39.22	4	-18.499
4752	4769	Carina	6.7	10. 29. 16.17	38.90	4	+ 2.287	- 56. 42. 17.91	38.89	4	-18.507	...	4373	...
4753	4770	37 Leonis Minoris	4	10. 29. 24.87	31.82	14	+ 3.404	+ 32. 49. 50.53	33.25	16	-18.513	1475	...	121
4754	4771	Brisbane 3105	7	10. 29. 25.69	38.14	2	+ 2.269	- 57. 20. 24.94	38.14	3	-18.513
4755	4772	Lacaille 4370	6	10. 29. 29.85	32.28	6	+ 2.815	- 26. 33. 33.51	32.21	5	-18.515	...	4370	123
4756	4773	Lacaille 4375	7	10. 29. 32.96	38.18	4	+ 2.269	- 57. 22. 17.02	38.18	4	-18.516	...	4375	...
4757	4774	Lacaille 4371	7	10. 29. 36.16	38.55	3	+ 2.764	- 30. 54. 31.52	38.55	3	-18.518	...	4371	...
4758	4775	38 Leonis Minoris	6.7	10. 29. 39.82	35.18	2	+ 3.484	+ 38. 46. 1.75	34.53	4	-18.520	1477	...	122
4759	4776	Brisbane 3108	7.8	10. 29. 44.13	38.56	3	+ 2.533	- 46. 24. 5.58	38.56	3	-18.522
4760	4777	50 Leonis	6.7	10. 30. 3.11	32.37	7	+ 3.228	+ 16. 59. 1.82	32.19	5	-18.534	1478	...	125

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4761	4778	Carinae ^{f1}	7	10. 30. 10.92	38.21	3	+ 2.232	- 58. 42. 31.83	38.21	3	-18.538	...	4380	...
4762	4779	Lacaille 4374	7	10. 30. 12.63	38.57	3	+ 2.716	- 34. 51. 55.18	38.57	3	-18.540	...	4374	...
4763	4780	Lacaille 4377	7.8	10. 30. 13.38	38.57	3	+ 2.601	- 42. 40. 9.87	38.57	3	-18.540	...	4377	...
4764	4781	Lacaille 4383	8	10. 30. 20.60	38.22	3	+ 2.245	- 58. 20. 10.83	38.22	3	-18.544	...	4383	...
4765	4782	Velorum ^p	5	10. 30. 23.37	32.23	12	+ 2.519	- 47. 22. 14.59	31.42	5	-18.545	...	4378	...
4766	4783	Brisbane 3117	8	10. 30. 27.69	38.22	3	+ 2.247	- 58. 18. 49.36	38.22	3	-18.547
4767	4784	Hydra ^{q3}	5	10. 30. 32.97	32.01	11	+ 2.926	- 16. 1. 20.78	32.34	11	-18.549	1479	...	127
4768	4785	38 Ursae Majoris	6	10. 30. 35.89	37.75	6	+ 4.246	+ 66. 34. 38.83	36.95	7	-18.551	1476	...	124
4769	4786	Lacaille 4381	6.7	10. 30. 38.33	38.23	3	+ 2.398	- 53. 0. 2.08	38.23	3	-18.552	...	4381	...
4770	4787	Piazzi X. 128	7	10. 31. 2.99	35.09	3	+ 3.158	+ 9. 41. 59.72	34.48	5	-18.567	128
4771	4788	Piazzi X. 130	8	10. 31. 6.67	36.42	4	+ 2.920	- 16. 43. 14.00	36.43	4	-18.569	130
4772	4789	Piazzi X. 126	5	10. 31. 8.13	32.64	5	+ 4.456	+ 69. 56. 8.89	31.29	5	-18.570	126
4773	4790	Lacaille 4388	6.7	10. 31. 10.82	38.32	3	+ 2.267	- 57. 52. 42.12	38.32	3	-18.571	...	4388	...
4774	4791	39 Leonis Minoris	6.7	10. 31. 12.33	35.20	3	+ 3.345	+ 28. 22. 56.79	34.64	5	-18.572	1480	...	129
4775	4792	Lacaille 4386	6.7	10. 31. 36.37	38.33	3	+ 2.621	- 41. 53. 47.96	38.33	3	-18.584	...	4386	...
4776	4793	Lacaille 4390	6.7	10. 31. 38.78	38.60	3	+ 2.315	- 56. 24. 3.12	38.60	3	-18.586	...	4390	...
4777	4794	Lacaille 4387	7	10. 31. 48.14	38.35	3	+ 2.710	- 35. 49. 13.76	38.35	3	-18.591	...	4387	...
4778	4795	Brisbane 3125	7.8	10. 32. 13.75	38.62	3	+ 2.124	- 62. 11. 55.42	38.62	3	-18.606
4779	4796	Carinae ^{f2}	5.6	10. 32. 29.12	38.22	3	+ 2.264	- 58. 19. 33.58	38.22	3	-18.614	...	4396	...
4780	4797	Lacaille 4397	7.8	10. 32. 30.25	39.37	8	+ 2.262	- 58. 24. 19.07	39.22	9	-18.614	...	4397	...
4781	4798	Brisbane 3134	8.9	10. 32. 41.96	38.81	5	+ 2.264	- 58. 24. 43.73	38.94	4	-18.620
4782	4799	Lacaille 4401	7	10. 32. 42.85	38.62	3	+ 2.278	- 57. 57. 35.71	38.62	3	-18.620	...	4401	...
4783	4800	Velorum ^X	5.6	10. 32. 45.70	38.27	3	+ 2.369	- 54. 44. 50.14	38.27	3	-18.622	...	4398	...
4784	4801	Piazzi X. 132	9	10. 32. 50.31	36.42	4	+ 3.203	+ 14. 50. 15.31	36.44	4	-18.624	132
4785	4802	Brisbane 3136	7.8	10. 32. 51.51	38.27	3	+ 2.370	- 54. 45. 3.31	38.27	3	-18.625
4786	4803	Piazzi X. 131	6	10. 32. 55.30	35.15	3	+ 3.389	+ 32. 33. 29.69	34.54	4	-18.628	131
4787	4804	33 Sextantis	6	10. 33. 0.77	32.23	6	+ 3.064	- 0. 52. 34.65	31.69	5	-18.631	1482	...	134
4788	4805	Lacaille 4404	7.8	10. 33. 11.77	38.54	3	+ 2.452	- 51. 25. 33.62	38.54	3	-18.636	...	4404	...
4789	4806	Brisbane 3139	7.8	10. 33. 11.97	38.21	3	+ 2.555	- 46. 18. 7.61	38.21	3	-18.636
4790	4807	39 Ursae Majoris	6.7	10. 33. 14.95	35.19	4	+ 3.864	+ 58. 3. 45.57	35.18	3	-18.638	1481	...	133
4791	4808	Lacaille 4399	7	10. 33. 20.43	38.24	3	+ 2.728	- 34. 52. 59.16	38.24	3	-18.642	...	4399	...
4792	4809	Lacaille 4408	8.9	10. 33. 22.32	38.17	3	+ 2.213	- 60. 7. 39.91	38.18	2	-18.643	...	4408	...
4793	4810	Piazzi X. 135	6.7	10. 33. 49.01	35.14	6	+ 3.600	+ 47. 4. 6.70	34.54	4	-18.656	135
4794	4812	40 Leonis Minoris	5.6	10. 33. 57.54	31.60	7	+ 3.324	+ 27. 11. 24.70	32.22	5	-18.660	1483	...	136
4795	4813	Lacaille 4407	7	10. 33. 58.48	38.24	3	+ 2.731	- 34. 52. 14.79	38.24	3	-18.661	...	4407	...
4796	4814	34 Sextantis	6	10. 34. 5.96	35.89	15	+ 3.110	+ 4. 26. 35.30	35.86	9	-18.665	1484	...	138
4797	4815	Piazzi X. 137	7.8	10. 34. 17.22	35.15	5	+ 3.597	+ 47. 4. 18.25	34.47	4	-18.671	137
4798	4816	Brisbane 3152	9.10	10. 34. 17.55	38.22	2	+ 2.269	- 58. 41. 2.68	38.54	3	-18.672
4799	4817	Bradley 1485	5.6	10. 34. 26.08	32.26	5	+ 3.290	+ 24. 3. 0.51	32.23	5	-18.675	1485	...	139
4800	4818	Brisbane 3154	7	10. 34. 28.35	38.47	3	+ 2.319	- 57. 4. 30.21	38.47	3	-18.677

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Mean Dec., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
4801	4819	Lacaille 4413.....	7	h m s 10. 34. 33'88	39'66	7	+ 2'586	— 44. 54. 34'33	39'66	7	—18'680	...	4413	...
4802	4820	Piazzi X. 140.....	8	10. 34. 36'11	36'44	4	+ 3'119	+ 5. 31. 44'95	36'47	4	—18'681	140
4803	4821	35 Sextantis.....	7	10. 34. 46'66	32'30	5	+ 3'120	+ 5. 36. 40'91	32'25	5	—18'687	1487	...	141
4804	4822	Brisbane 3155.....	9	10. 34. 48'41	40'56	3	+ 2'681	— 38. 50. 1'57	39'71	6	—18'688
4805	4823	Lacaille 4420.....	7.8	10. 34. 57'39	38'69	4	+ 2'261	— 59. 6. 46'02	38'59	5	—18'692	...	4420	...
4806	4824	Lacaille 4422.....	7.8	10. 35. 0'44	38'22	3	+ 2'271	— 58. 48. 58'66	38'22	3	—18'694	...	4422	...
4807	4825	Lacaille 4415.....	6	10. 35. 4'62	35'09	3	+ 2'771	— 31. 51. 13'54	34'46	4	—18'697	...	4415	143
4808	4826	Brisbane 3163.....	7.8	10. 35. 16'65	38'21	3	+ 2'566	— 46. 21. 30'07	38'21	3	—18'703
4809	4827	40 Ursa Majoris.....	7	10. 35. 36'16	35'21	3	+ 3'836	+ 57. 47. 4'29	34'55	4	—18'713	1486	...	142
4810	4828	Lacaille 4419.....	7	10. 35. 37'06	38'56	3	+ 2'784	— 30. 53. 41'14	38'56	3	—18'713	...	4419	...
4811	4829	41 Ursa Majoris.....	6.7	10. 35. 58'65	35'13	3	+ 3'846	+ 58. 14. 1'84	34'52	4	—18'726	1488	...	144
4812	4830	Lacaille 4426.....	7.8	10. 36. 9'61	38'57	3	+ 2'696	— 38. 11. 44'41	38'57	3	—18'731	...	4426	...
4813	4831	Lacaille 4433.....	7.8	10. 36. 9'98	38'61	3	+ 2'362	— 56. 0. 54'32	38'61	3	—18'731	...	4433	...
4814	4832	Lacaille 4435.....	6.7	10. 36. 18'84	38'30	6	+ 2'297	— 58. 21. 11'69	38'28	5	—18'736	...	4435	...
4815	4833	Lacaille 4440.....	5	10. 36. 24'18	35'07	13	+ 2'111	— 63. 36. 16'33	35'35	9	—18'738	...	4440	...
4816	4834	36 Sextantis.....	6	10. 36. 39'43	35'17	6	+ 3'100	+ 3. 21. 14'36	32'26	5	—18'746	1491	...	147
4817	4835	42 Leonis Minoris.....	4.5	10. 36. 40'33	32'20	6	+ 3'364	+ 31. 32. 56'74	33'16	25	—18'747	1490	...	145
4818	4836	Piazzi X. 146.....	8	10. 36. 42'54	36'43	4	+ 3'363	+ 31. 29. 35'39	36'20	2	—18'748	146
4819	4837	Brisbane 3179.....	8.9	10. 36. 45'16	38'37	1	+ 2'727	— 35. 57. 45'55	38'37	1	—18'749
4820	4838	Lacaille 4443.....	7.8	10. 36. 51'41	38'18	3	+ 2'246	— 60. 7. 25'77	38'18	3	—18'752	...	4443	...
4821	4839	Piazzi X. 148.....	7	10. 36. 56'68	35'19	3	+ 3'142	+ 8. 22. 46'94	34'58	3	—18'755	148
4822	4840	Lacaille 4445.....	7.8	10. 36. 58'07	38'18	3	+ 2'241	— 60. 18. 19'64	38'18	3	—18'756	...	4445	...
4823	4841	Argus.....	2.3	10. 37. 5'46	32'55	18	+ 2'121	— 63. 31. 54'04	33'91	14	—18'760	...	4447	...
4824	4842	Lacaille 4437.....	7	10. 37. 6'75	38'23	4	+ 2'727	— 36. 3. 54'26	38'28	4	—18'761	...	4437	...
4825	4843	Lacaille 4438.....	8	10. 37. 10'70	38'28	2	+ 2'712	— 37. 16. 41'14	38'28	2	—18'763	...	4438	...
4826	4844	Lacaille 4446.....	5.6	10. 37. 16'50	38'32	3	+ 2'264	— 59. 42. 11'92	38'32	3	—18'765	...	4446	...
4827	4845	Piazzi X. 151.....	8	10. 37. 19'64	36'42	4	+ 2'812	— 28. 49. 10'05	36'48	4	—18'767	151
4828	4846	37 Sextantis.....	6	10. 37. 30'07	32'46	12	+ 3'132	+ 7. 14. 27'24	33'29	13	—18'772	1493	...	150
4829	4847	51 Leonis.....	6	10. 37. 30'66	35'65	10	+ 3'241	+ 19. 45. 33'55	39'12	7	—18'773	1492	...	149
4830	4848	Brisbane 3186.....	9	10. 37. 31'25	38'55	3	+ 2'402	— 54. 55. 22'54	38'55	3	—18'773
4831	4849	Lacaille 4448.....	7.8	10. 37. 33'92	40'35	9	+ 2'281	— 59. 15. 11'97	39'37	6	—18'774	...	4448	...
4832	4850	Lacaille 4449.....	8	10. 37. 35'94	38'54	3	+ 2'299	— 58. 41. 2'08	38'24	2	—18'775	...	4449	...
4833	4851	52 Leonis.....	6	10. 37. 40'21	34'13	12	+ 3'199	+ 15. 3. 50'76	38'70	6	—18'778	1494	...	152
4834	4852	Brisbane 3190.....	8.9	10. 37. 47'33	38'54	3	+ 2'300	— 58. 42. 43'46	38'24	2	—18'781
4835	4853	Lacaille 4451.....	7.8	10. 38. 2'78	39'25	6	+ 2'289	— 59. 7. 42'49	39'25	6	—18'790	...	4451	...
4836	4854	Piazzi X. 153.....	7.8	10. 38. 15'16	35'13	3	+ 3'824	+ 58. 10. 57'90	34'58	5	—18'796	153
4837	4855	Lacaille 4453.....	7	10. 38. 33'23	38'51	3	+ 2'580	— 46. 35. 37'00	38'51	3	—18'805	...	4453	...
4838	4856	Argus.....	2	10. 38. 40'98	32'28	12	+ 2'304	— 58. 49. 7'81	31'33	5	—18'809	...	4457	...
4839	4857	38 Sextantis.....	7	10. 38. 44'30	40'48	4	+ 3'131	+ 7. 12. 54'14	40'48	4	—18'811	1495	...	154
4840	4858	Hydra.....	6	10. 38. 47'43	32'23	6	+ 2'935	— 16. 25. 42'76	32'25	5	—18'813	1496	...	155

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4841	4859	Brisbane 3199	7.8	h m s 10. 38. 49.65	38.53	3	+ 2.411	— 54. 55. 32.30	38.53	3	—18.814
4842	4860	Piazzi X. 156	8	10. 38. 51.95	36.19	5	+ 2.949	— 14. 51. 52.49	36.44	4	—18.815	156
4843	4861	Brisbane 3200	6.7	10. 38. 52.86	38.47	3	+ 2.854	— 25. 10. 58.46	38.47	3	—18.815
4844	4862	Lacaille 4459	7	10. 39. 17.60	36.81	6	+ 2.652	— 42. 19. 21.91	36.23	7	—18.828	...	4459	158
4845	4863	Brisbane 3202	8.9	10. 39. 19.19	38.21	3	+ 2.318	— 58. 32. 28.69	38.21	3	—18.828
4846	4864	Piazzi X. 157	7.8	10. 39. 20.83	35.20	3	+ 3.530	+ 44. 47. 54.25	34.44	4	—18.829	157
4847	4865	Brisbane 3204	8	10. 39. 26.07	38.22	3	+ 2.317	— 58. 37. 19.68	38.22	3	—18.832
4848	4866	Piazzi X. 159	7.8	10. 39. 30.85	35.23	2	+ 2.948	— 14. 45. 23.21	34.45	4	—18.834	159
4849	4867	Lacaille 4462	7.8	10. 39. 39.51	38.54	3	+ 2.521	— 50. 11. 2.20	38.54	3	—18.839	...	4462	...
4850	4868	Argus	3	10. 39. 41.38	33.49	16	+ 2.552	— 48. 33. 1.57	34.26	9	—18.839	...	4461	...
4851	4869	Brisbane 3207	8.9	10. 39. 47.79	38.21	3	+ 2.325	— 58. 27. 11.79	38.21	3	—18.843
4852	4870	43 Leonis Minoris	6	10. 39. 50.25	35.24	3	+ 3.339	+ 30. 17. 12.96	34.55	4	—18.844	1497	...	160
4853	4871	Lacaille 4464	7	10. 39. 58.16	38.47	4	+ 2.287	— 59. 44. 7.88	38.47	4	—18.848	...	4464	...
4854	4872	Lacaille 4465	8.9	10. 40. 0.41	38.57	3	+ 2.244	— 61. 4. 26.64	38.57	3	—18.849	...	4465	...
4855	4873	Velorum	6	10. 40. 19.39	38.33	3	+ 2.400	— 55. 53. 21.37	38.33	3	—18.858	...	4468	...
4856	4874	53 Leonis	6	10. 40. 34.84	33.07	10	+ 3.164	+ 11. 25. 0.02	32.24	5	—18.866	1500	...	162
4857	4875	39 Sextantis	7	10. 40. 41.76	35.09	2	+ 3.006	— 8. 13. 44.96	34.46	4	—18.870	1502	...	165
4858	4876	Brisbane 3217	7.8	10. 40. 42.48	38.32	3	+ 2.388	— 56. 27. 26.12	38.31	3	—18.871
4859	4877	44 Leonis Minoris	6	10. 40. 48.76	33.14	6	+ 3.322	+ 28. 50. 35.18	32.02	5	—18.874	1501	...	164
4860	4878	40 Sextantis	6	10. 40. 55.38	33.09	6	+ 3.047	— 3. 9. 11.80	32.20	4	—18.876	1503	...	166
4861	4879	42 Ursæ Majoris	6	10. 40. 57.59	35.25	3	+ 3.861	+ 60. 11. 38.61	34.47	4	—18.878	1498	...	161
4862	4880	43 Ursæ Majoris	6	10. 40. 57.77	35.21	3	+ 3.780	+ 57. 27. 12.83	34.53	4	—18.878	1499	...	163
4863	4881	Brisbane 3220	7	10. 41. 2.01	38.75	4	+ 2.387	— 56. 35. 58.10	38.61	3	—18.880
4864	4882	Lacaille 4469	7	10. 41. 8.37	38.61	3	+ 2.842	— 27. 2. 52.82	38.61	3	—18.883	...	4469	...
4865	4883	Brisbane 3224	9	10. 41. 16.80	38.27	2	+ 2.300	— 59. 44. 56.43	38.27	2	—18.887
4866	4884	Lacaille 4479	7.8	10. 41. 19.00	38.54	3	+ 2.323	— 59. 0. 22.32	38.54	3	—18.888	...	4479	...
4867	4885	Hydræ	4	10. 41. 29.36	32.29	7	+ 2.949	— 15. 19. 56.01	31.31	5	—18.894	1504	...	167
4868	4886	Lacaille 4478	7	10. 41. 32.76	38.52	3	+ 2.593	— 46. 52. 52.57	38.52	3	—18.896	...	4478	...
4869	4887	Lacaille 4484	6.7	10. 41. 39.22	38.21	3	+ 2.325	— 59. 2. 58.26	38.21	3	—18.900	...	4484	...
4870	4888	Lacaille 4480	7.8	10. 41. 51.47	38.58	3	+ 2.719	— 38. 18. 1.95	38.58	3	—18.905	...	4480	...
4871	4889	Piazzi X. 168	8	10. 41. 57.82	36.44	4	+ 3.008	— 8. 7. 8.37	36.55	3	—18.907	168
4872	4890	Brisbane 3233	7	10. 42. 1.44	38.62	3	+ 2.390	— 56. 48. 9.72	38.34	2	—18.908
4873	4891	41 Sextantis	6	10. 42. 1.70	34.29	10	+ 3.009	— 8. 1. 32.02	34.10	9	—18.908	1505	...	169
4874	4892	Lacaille 4481	7.8	10. 42. 2.90	38.29	3	+ 2.677	— 41. 29. 51.87	38.29	3	—18.909	...	4481	...
4875	4893	Brisbane 3236	7.8	10. 42. 12.44	38.32	3	+ 2.321	— 59. 21. 12.44	38.32	3	—18.914
4876	4894	Lacaille 4483	6.7	10. 42. 17.21	35.29	3	+ 2.781	— 33. 11. 13.62	34.52	4	—18.916	...	4483	173
4877	4895	Piazzi X. 172	7	10. 42. 25.41	35.28	3	+ 3.107	+ 4. 27. 46.49	34.55	4	—18.921	172
4878	4896	Brisbane 3238	8.9	10. 42. 25.58	38.23	3	+ 2.345	— 58. 34. 33.50	38.23	3	—18.921
4879	4897	Piazzi X. 170	7.8	10. 42. 32.90	35.16	2	+ 3.670	+ 53. 26. 22.97	34.65	8	—18.923	170
4880	4898	Piazzi X. 171	7	10. 42. 35.45	35.11	3	+ 3.668	+ 53. 22. 46.03	34.26	1	—18.924	171

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
4881	4899	Piazzi X. 174	7	10. 42. 40.80	38.03	7	+ 3.010	- 8. 1. 1.07	41.20	1	-18.927	174
4882	4900	Lacaille 4488	7	10. 42. 46.48	35.31	3	+ 2.785	- 32. 58. 0.84	34.72	5	-18.930	...	4488	175
4883	4901	Lacaille 4493	7.8	10. 42. 53.86	38.56	3	+ 2.353	- 58. 27. 7.51	38.56	3	-18.934	...	4493	...
4884	4902	Hydra..... ^{1/2}	7	10. 43. 1.88	35.32	3	+ 2.933	- 17. 27. 33.64	34.68	5	-18.938	1507	...	176
4885	4903	Piazzi X. 178	8	10. 43. 22.33	36.42	4	+ 3.010	- 7. 59. 33.14	36.45	4	-18.948	178
4886	4904	44 Ursa Majoris	6	10. 43. 31.92	35.19	3	+ 3.708	+ 55. 27. 33.00	34.58	4	-18.953	1506	...	177
4887	4905	Piazzi X. 179	8.9	10. 43. 34.54	36.43	4	+ 3.136	+ 8. 20. 10.35	36.53	3	-18.954	179
4888	4906	45 Leonis Minoris	7	10. 43. 46.00	35.18	3	+ 3.311	+ 28. 44. 13.49	34.45	4	-18.958	180
4889	4907	46 Leonis Minoris	4.5	10. 44. 3.77	31.93	12	+ 3.378	+ 35. 6. 7.43	33.38	15	-18.968	1509	...	181
4890	4908	45 Ursa Majoris	5	10. 44. 27.22	31.93	12	+ 3.491	+ 44. 3. 58.56	31.72	5	-18.979	1510	...	182
4891	4909	Brisbane 3248	7.8	10. 44. 28.16	38.18	3	+ 2.349	- 59. 5. 2.30	38.20	2	-18.979
4892	4910	Lacaille 4496	6.7	10. 44. 42.95	38.18	3	+ 2.588	- 48. 16. 54.23	38.18	3	-18.986	...	4496	...
4893	4911	Brisbane 3251	8.9	10. 44. 49.02	38.21	3	+ 2.359	- 58. 52. 13.59	38.21	3	-18.989
4894	4912	Lacaille 4501	6.7	10. 45. 4.76	38.27	3	+ 2.426	- 56. 23. 53.03	38.27	3	-18.996	...	4501	...
4895	{ 4913 4914 }	Lacaille 4500	7	10. 45. 8.75	39.41	10	+ 2.476	- 54. 15. 51.69	39.41	10	-18.997	...	4500	...
4896	4915	Lacaille 4499	8.9	10. 45. 16.17	38.51	3	+ 2.639	- 45. 20. 31.60	38.51	3	-19.000	...	4499	...
4897	4916	Brisbane 3257	7.8	10. 45. 17.85	39.15	10	+ 2.399	- 57. 32. 28.38	39.49	7	-19.002
4898	4917	Lacaille 4498	6.7	10. 45. 21.76	38.46	3	+ 2.776	- 34. 36. 49.35	38.46	3	-19.003	...	4498	...
4899	4918	Hydra..... ^{7/8}	5.6	10. 45. 25.64	38.12	11	+ 2.923	- 19. 15. 8.60	37.28	13	-19.006	1513	...	183
4900	4919	48 Leonis Minoris	6.7	10. 45. 43.52	35.20	2	+ 3.283	+ 26. 22. 1.82	34.63	3	-19.015	1512	...	185
4901	4920	Brisbane 3262	7.8	10. 45. 45.01	38.19	3	+ 2.407	- 57. 22. 37.91	38.19	3	-19.016
4902	4922	47 Leonis Minoris	6.7	10. 45. 46.73	35.21	4	+ 3.369	+ 34. 54. 48.10	34.45	4	-19.017	1511	...	184
4903	4921	Lacaille 4507	6	10. 45. 46.77	38.27	3	+ 2.432	- 56. 21. 55.27	38.27	3	-19.017	...	4507	...
4904	4923	Lacaille 4506	7.8	10. 46. 2.43	38.29	3	+ 2.813	- 31. 27. 0.26	38.29	3	-19.023	...	4506	...
4905	4924	Lacaille 4505	7.8	10. 46. 4.82	38.30	3	+ 2.866	- 25. 52. 11.70	38.30	3	-19.024	...	4505	...
4906	4925	Piazzi X. 186	7	10. 46. 11.87	35.22	3	+ 3.122	+ 6. 43. 26.73	34.55	4	-19.027	186
4907	4926	Brisbane 3268	6.7	10. 46. 19.80	38.53	3	+ 2.770	- 35. 34. 49.00	38.53	3	-19.030
4908	4928	Piazzi X. 189	7.8	10. 46. 25.67	36.60	7	+ 2.924	- 19. 21. 28.37	34.27	3	-19.034	189
4909	4927	Brisbane 3270	7.8	10. 46. 25.86	38.51	3	+ 2.423	- 56. 56. 48.55	38.51	3	-19.034
4910	4929	Bradley 1514	6	10. 46. 34.85	35.24	3	+ 3.360	+ 34. 23. 7.90	34.69	5	-19.038	1514	...	187
4911	4930	Lacaille 4511	7.8	10. 46. 36.72	39.45	5	+ 2.559	- 50. 37. 22.76	39.26	4	-19.040	...	4511	...
4912	4931	54 Leonis	4.5	10. 46. 40.06	32.17	11	+ 3.274	+ 25. 37. 38.73	32.25	17	-19.041	1515	...	190
4913	4932	Piazzi X. 188	7	10. 46. 41.02	35.23	3	+ 3.517	+ 46. 38. 51.43	34.46	4	-19.041	188
4914	4933	Brisbane 3272	7.8	10. 46. 42.69	39.35	5	+ 2.399	- 58. 1. 3.58	40.25	3	-19.042
4915	4934	Piazzi X. 191	7	10. 46. 47.89	36.45	4	+ 3.462	+ 42. 53. 25.31	36.45	4	-19.045	191
4916	4935	Carinae	5	10. 46. 49.11	33.73	15	+ 2.401	- 57. 58. 44.67	31.22	5	-19.046	...	4515	...
4917	4936	Lacaille 4517	7	10. 47. 0.90	38.60	3	+ 2.746	- 37. 52. 40.49	38.60	3	-19.050	...	4517	...
4918	4937	49 Leonis Minoris	7	10. 47. 8.38	35.14	2	+ 3.216	+ 19. 1. 50.70	34.58	4	-19.053	1516	...	192
4919	4938	55 Leonis.....	5	10. 47. 13.23	32.21	5	+ 3.084	+ 1. 36. 54.35	32.21	5	-19.055	1517	...	193
4920	4939	Piazzi X. 195	8.9	10. 47. 21.17	36.44	4	+ 3.135	+ 8. 33. 29.07	36.52	3	-19.059	195

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4921	4940	Piazzi X. 194	6.7	h m s 10. 47. 22.91	35.97	5	+ 3.251	+ 23. 13. 46.48	34.52	4	-19.061	194
4922	4941	56. Leonis	7	10. 47. 27.27	32.35	5	+ 3.124	+ 7. 3. 51.18	32.32	5	-19.063	1519	...	196
4923	4942	50 Leonis Minoris	6	10. 47. 36.60	32.39	3	+ 3.278	+ 26. 22. 45.40	33.41	6	-19.066	1518	...	197
4924	4943	Brisbane 3282	8.9	10. 47. 41.30	38.53	3	+ 2.318	- 61. 9. 54.37	38.53	3	-19.069
4925	4944	57. Leonis	7	10. 47. 42.67	33.21	5	+ 3.081	+ 1. 18. 41.55	33.24	3	-19.070	1520	...	198
4926	4945	Lacaille 4522	7	10. 47. 43.88	38.55	3	+ 2.485	- 54. 44. 30.12	38.54	3	-19.071	...	4522	...
4927	4946	Lacaille 4523	7	10. 47. 45.42	38.62	3	+ 2.508	- 53. 40. 58.19	38.77	2	-19.072	...	4523	...
4928	4947	Lacaille 4520	7.8	10. 48. 0.46	38.35	3	+ 2.698	- 42. 8. 34.20	38.35	3	-19.077	...	4520	...
4929	4948	Lacaille 4524	6.7	10. 48. 2.24	38.20	3	+ 2.329	- 60. 56. 55.67	38.20	3	-19.077	...	4524	...
4930	4949	Lacaille 4519	6.7	10. 48. 4.01	38.78	4	+ 2.825	- 30. 54. 25.95	38.35	2	-19.078	...	4519	...
4931	4950	Brisbane 3287	8	10. 48. 14.91	38.73	2	+ 2.549	- 51. 46. 30.16	38.73	2	-19.083
4932	4951	Lacaille 4525	7.8	10. 48. 27.11	38.61	3	+ 2.523	- 53. 12. 5.49	38.61	3	-19.089	...	4525	...
4933	4952	Lacaille 4530	6.7	10. 48. 43.44	38.48	3	+ 2.373	- 59. 38. 32.96	38.48	3	-19.097	...	4530	...
4934	4953	Brisbane 3292	7	10. 48. 55.53	38.51	3	+ 2.631	- 47. 12. 43.25	38.51	3	-19.102
4935	4954	Lacaille 4527	5	10. 49. 2.55	32.26	12	+ 2.773	- 36. 15. 6.18	31.27	5	-19.105	...	4527	199
4936	4955	Brisbane 3294	7	10. 49. 30.41	38.48	3	+ 2.445	- 57. 10. 19.38	38.48	3	-19.117
4937	4956	Brisbane 3296	7.8	10. 49. 35.55	38.13	2	+ 2.384	- 59. 34. 23.91	38.49	3	-19.119
4938	4957	Piazzi X. 200	6.7	10. 49. 47.68	35.18	3	+ 3.223	+ 20. 30. 13.00	34.55	4	-19.125	200
4939	4958	Piazzi X. 201	8	10. 49. 49.73	36.44	4	+ 3.238	+ 22. 23. 23.99	36.44	4	-19.126	201
4940	4959	Lacaille 4537	7.8	10. 49. 51.45	38.48	3	+ 2.769	- 36. 57. 43.59	38.48	3	-19.126	...	4537	...
4941	4960	Lacaille 4536	8	10. 50. 4.69	38.23	3	+ 2.352	- 60. 49. 44.49	38.23	3	-19.132	...	4536	...
4942	4961	47 Ursæ Majoris	6	10. 50. 12.04	35.19	3	+ 3.424	+ 41. 18. 35.26	34.47	4	-19.135	1522	...	202
4943	4962	Lacaille 4534	7.8	10. 50. 15.46	38.25	3	+ 2.671	- 44. 59. 43.66	38.22	3	-19.136	...	4534	...
4944	4963	Piazzi X. 203	7	10. 50. 18.93	35.20	3	+ 3.373	+ 36. 58. 36.48	34.56	4	-19.138	203
4945	4964	Lacaille 4535	7.8	10. 50. 27.62	38.22	3	+ 2.723	- 41. 9. 28.38	38.22	3	-19.142	...	4535	...
4946	4965	Piazzi X. 204	8	10. 50. 55.59	36.43	4	+ 3.148	+ 10. 48. 46.59	36.45	4	-19.155	204
4947	4966	Brisbane 3305	7.8	10. 50. 57.95	38.53	3	+ 2.769	- 37. 19. 14.27	38.53	3	-19.155
4948	4967	Piazzi X. 205	7	10. 51. 3.59	35.21	3	+ 3.160	+ 12. 35. 9.21	34.45	4	-19.157	205
4949	4968	Lacaille 4542	7	10. 51. 6.49	38.18	3	+ 2.417	- 58. 51. 4.89	38.18	3	-19.158	...	4542	...
4950	4969	Lacaille 4541	7.8	10. 51. 7.87	38.20	3	+ 2.509	- 54. 54. 7.60	38.20	3	-19.159	...	4541	...
4951	4970	Brisbane 3309	8	10. 51. 20.03	38.26	2	+ 2.806	- 33. 59. 38.24	38.26	2	-19.164
4952	4971	Lacaille 4540	6	10. 51. 26.88	35.09	3	+ 2.818	- 32. 51. 10.53	34.46	4	-19.168	...	4540	208
4953	4972	49 Ursæ Majoris	6	10. 51. 34.24	35.22	3	+ 3.403	+ 40. 5. 46.18	34.52	4	-19.170	1524	...	206
4954	4973	7 Crateris	a 4	10. 51. 44.63	32.28	12	+ 2.949	- 17. 25. 19.20	31.33	5	-19.176	1525	...	209
4955	4974	Brisbane 3316	7.8	10. 51. 44.74	38.13	2	+ 2.465	- 57. 6. 34.76	38.13	2	-19.176
4956	4975	48 Ursæ Majoris	β 2	10. 51. 50.05	32.91	5	+ 3.682	+ 57. 15. 53.47	32.37	11	-19.178	1523	...	207
4957	4976	Lacaille 4547	6.7	10. 52. 1.09	39.21	7	+ 2.560	- 52. 39. 27.43	39.21	7	-19.182	...	4547	...
4958	4977	58 Leonis	α 5	10. 52. 2.24	32.28	11	+ 3.103	+ 4. 30. 5.91	31.29	5	-19.183	1526	...	210
4959	4978	Lacaille 4543	7	10. 52. 3.02	38.56	3	+ 2.806	- 34. 15. 37.35	38.56	3	-19.183	...	4543	...
4960	4979	59 Leonis	c 5.6	10. 52. 11.61	32.11	7	+ 3.120	+ 6. 59. 9.46	32.22	5	-19.187	1527	...	211

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
4961	4980	Brisbane 3319	8	h m s 10. 52. 19.91	38.24	3	+ 2.442	— 58. 17. 10.85	38.24	3	—19.190
4962	4981	Lacaille 4549	6.7	10. 52. 30.47	38.30	3	+ 2.711	— 42. 55. 26.72	38.30	3	—19.195	...	4549	...
4963	4982	Lacaille 4550	6	10. 52. 35.98	35.11	3	+ 2.731	— 41. 20. 30.09	34.57	4	—19.196	...	4550	215
4964	4983	Piazzi X. 212	7	10. 52. 36.99	35.24	3	+ 3.078	+ 0. 55. 51.24	34.55	4	—19.196	212
4965	4984	Lacaille 4556	7	10. 52. 37.17	38.24	3	+ 2.389	— 60. 26. 16.29	38.24	3	—19.196	...	4556	...
4966	4985	Lacaille 4554	7.8	10. 52. 40.50	38.23	3	+ 2.562	— 52. 48. 19.12	38.27	2	—19.198	...	4554	...
4967	4986	Piazzi X. 213	8.9	10. 52. 42.36	38.45	8	+ 3.182	+ 15. 54. 30.47	38.30	9	—19.199	213
4968	4987	Lacaille 4552	6.7	10. 52. 51.57	35.26	3	+ 2.840	— 30. 57. 36.40	34.51	4	—19.204	...	4552	216
4969	4988	Lacaille 4557	7	10. 52. 58.09	38.31	3	+ 2.597	— 50. 56. 2.94	38.31	3	—19.206	...	4557	...
4970	4989	Lacaille 4560	7.8	10. 53. 5.57	38.74	2	+ 2.360	— 61. 36. 1.93	38.60	3	—19.209	...	4560	...
4971	4990	Piazzi X. 214	7	10. 53. 6.90	35.23	3	+ 3.812	+ 62. 32. 35.58	34.49	4	—19.209	214
4972	4991	Lacaille 4558	7	10. 53. 17.90	38.60	3	+ 2.754	— 39. 36. 53.21	38.60	3	—19.215	...	4558	...
4973	4992	Lacaille 4561	7.8	10. 53. 22.57	39.17	1	+ 2.598	— 51. 3. 46.61	38.27	2	—19.217	...	4561	...
4974	4993	61 Leonis	5.6	10. 53. 24.97	32.30	6	+ 3.061	— 1. 35. 51.64	31.81	8	—19.218	1530	...	218
4975	4994	50 Ursæ Majoris	1.2	10. 53. 28.68	32.80	31	+ 3.812	+ 62. 38. 23.25	33.02	66	—19.220	1528	...	217
4976	4995	Lacaille 4562	7	10. 53. 29.40	38.61	3	+ 2.578	— 52. 13. 41.49	38.61	3	—19.220	...	4562	...
4977	4996	60 Leonis	5	10. 53. 30.61	32.95	14	+ 3.219	+ 21. 3. 46.95	31.35	6	—19.220	1529	...	219
4978	4997	Brisbane 3335	8.9	10. 53. 34.98	39.23	6	+ 2.458	— 58. 5. 56.93	39.23	...	—19.222
4979	4998	Lacaille 4563	7.8	10. 53. 39.05	38.57	3	+ 2.597	— 51. 11. 25.99	38.27	2	—19.223	...	4563	...
4980	4999	Piazzi X. 220	7.8	10. 53. 56.80	36.44	4	+ 3.139	+ 10. 3. 30.99	36.45	4	—19.231	220
4981	5000	Piazzi X. 221	8	10. 54. 6.10	36.46	4	+ 3.077	+ 0. 47. 27.21	36.45	4	—19.234	221
4982	5001	Brisbane 3341	8	10. 54. 22.02	38.57	3	+ 2.514	— 55. 52. 54.38	38.57	3	—19.241
4983	5002	Bradley 1531	6	10. 54. 26.06	32.23	6	+ 2.888	— 25. 56. 23.56	32.27	5	—19.242	1531	4565	222
4984	5003	Piazzi X. 223	7.8	10. 54. 33.74	35.19	3	+ 3.061	— 1. 44. 54.73	34.57	4	—19.245	223
4985	5004	Brisbane 3343	8	10. 54. 37.93	38.59	3	+ 2.738	— 41. 36. 43.50	38.59	3	—19.248
4986	5005	Piazzi X. 225	7	10. 54. 48.19	34.93	9	+ 3.072	+ 0. 8. 19.95	35.23	8	—19.252	225
4987	5006	Piazzi X. 224	7	10. 54. 50.92	35.17	3	+ 3.260	+ 26. 39. 39.26	34.52	4	—19.254	224
4988	5007	Brisbane 3345	7	10. 54. 53.31	38.22	3	+ 2.418	— 60. 9. 48.81	38.22	3	—19.255
4989	5008	62 Leonis	6	10. 55. 9.94	35.05	7	+ 3.078	+ 0. 53. 8.66	33.27	9	—19.260	1533	...	227
4990	5009	51 Ursæ Majoris	6	10. 55. 19.44	35.76	4	+ 3.375	+ 39. 7. 42.48	35.00	4	—19.265	1532	...	226
4991	5010	Lacaille 4570	7	10. 55. 20.05	38.61	3	+ 2.885	— 26. 37. 52.21	38.61	3	—19.266	...	4570	...
4992	5011	Lacaille 4571	7.8	10. 55. 25.13	38.56	3	+ 2.848	— 31. 4. 21.12	38.56	3	—19.268	...	4571	...
4993	5012	Piazzi X. 229	6.7	10. 55. 28.50	35.21	3	+ 3.101	+ 4. 31. 33.63	34.21	3	—19.269	229
4994	5013	Piazzi X. 228	8	10. 55. 32.25	36.45	4	+ 3.374	+ 39. 8. 2.52	36.54	3	—19.269	228
4995	5014	Piazzi X. 230	8	10. 55. 34.32	36.52	3	+ 3.077	+ 0. 51. 24.44	36.48	4	—19.270	230
4996	5015	Brisbane 3352	9	10. 55. 37.70	38.21	3	+ 2.551	— 54. 33. 33.83	38.21	3	—19.272
4997	5016	Piazzi X. 232	7	10. 55. 53.04	35.26	3	+ 3.070	— 0. 23. 23.97	34.56	4	—19.279	232
4998	5017	Piazzi X. 231	7.8	10. 55. 53.19	36.95	4	+ 3.161	+ 13. 33. 17.56	36.51	4	—19.279	231
4999	5018	Lacaille 4572	7	10. 56. 3.61	38.64	3	+ 2.837	— 32. 33. 20.11	38.64	3	—19.282	...	4572	...
5000	5019	Piazzi X. 233	8	10. 56. 18.99	35.09	3	+ 3.062	— 1. 37. 27.01	34.51	4	—19.289	233

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
5001	5020	Brisbane 3356	7.8	h m s 10. 56. 19'24	39'44	6	+ 2'438	— 59. 56. 15'22	39'68	5	—19'289
5002	5021	Lacaille 4579	7	10. 56. 21'16	38'55	3	+ 2'436	— 60. 1. 25'42	38'71	2	—19'290	...	4579	...
5003	5022	51 Leonis Minoris	7.8	10. 56. 26'36	35'81	3	+ 3'251	+ 26. 5. 36'20	34'64	3	—19'292	1534	...	234
5004	5023	Gould 15137	7	10. 56. 27'79	42'33	3	+ 2'415	— 60. 52. 55'54	40'66	5	—19'292
5005	5024	Lacaille 4577	7.8	10. 56. 29'50	38'58	3	+ 2'629	— 50. 27. 55'58	38'58	3	—19'293	...	4577	...
5006	5025	63 Leonis	4.5	10. 56. 30'25	34'09	15	+ 3'125	+ 8. 13. 34'28	32'01	15	—19'293	1535	...	236
5007	5026	Lacaille 4575	7.8	10. 56. 32'49	38'98	3	+ 2'808	— 35. 50. 3'32	38'98	3	—19'294	...	4575	...
5008	5027	Brisbane 3363	8	10. 56. 33'84	38'65	3	+ 2'634	— 50. 8. 33'00	38'65	3	—19'294
5009	5028	Brisbane 3365	7	10. 56. 48'57	39'49	6	+ 2'747	— 41. 47. 22'89	39'49	6	—19'300
5010	5029	Piazzi X. 235	7.8	10. 56. 49'48	35'33	3	+ 3'632	+ 56. 58. 51'70	34'54	4	—19'301	235
5011	5030	Lacaille 4581	7	10. 56. 53'57	38'70	3	+ 2'584	— 53. 18. 36'60	38'70	3	—19'303	...	4581	...
5012	5031	Brisbane 3369	7.8	10. 56. 58'93	39'76	4	+ 2'494	— 57. 52. 40'22	39'76	4	—19'305
5013	5032	Lacaille 4585	6	10. 57. 2'75	38'47	3	+ 2'512	— 57. 4. 3'00	38'47	3	—19'306	...	4585	...
5014	5033	Lacaille 4584	6	10. 57. 7'25	39'02	3	+ 2'686	— 46. 47. 32'68	39'02	3	—19'307	...	4584	...
5015	5034	Lacaille 4580	6	10. 57. 7'57	39'01	3	+ 2'819	— 34. 55. 0'17	39'01	3	—19'307	...	4580	...
5016	5035	Brisbane 3373	7.8	10. 57. 16'84	39'63	6	+ 2'606	— 52. 13. 14'05	39'63	6	—19'311
5017	5036	Lacaille 4582	7	10. 57. 18'18	38'55	3	+ 2'867	— 29. 32. 50'02	38'55	3	—19'312	...	4582	...
5018	5037	Hydra	5	10. 57. 23'75	32'20	16	+ 2'893	— 26. 24. 17'31	31'46	5	—19'314	1536	4583	237
5019	5038	Hydra	5.6	10. 57. 58'51	32'23	3	+ 2'895	— 26. 23. 50'49	31'86	5	—19'328	1538	4587	240
5020	5039	Piazzi X. 238	7.8	10. 58. 1'39	35'95	7	+ 3'175	+ 16. 4. 21'78	35'38	4	—19'329	238
5021	5040	Piazzi X. 239	8	10. 58.	+ 3'123	+ 8. 1. 37'22	37'37	3	—19'329	239
5022	5041	Piazzi X. 241	7	10. 58. 6'61	35'25	3	+ 3'089	+ 2. 46. 17'95	34'78	2	—19'331	241
5023	5042	52 Leonis Minoris	7	10. 58. 12'01	35'11	3	+ 3'249	+ 26. 25. 40'97	34'57	4	—19'334	1537	...	242
5024	5043	Brisbane 3386	7	10. 58. 14'56	38'59	3	+ 2'762	— 41. 1. 1'86	38'59	3	—19'335
5025	5044	Lacaille 4591	7	10. 58. 18'52	38'61	3	+ 2'697	— 46. 33. 8'89	38'61	3	—19'336	...	4591	...
5026	5045	65 Leonis	5.6	10. 58. 29'29	31'64	7	+ 3'090	+ 2. 50. 59'50	31'37	5	—19'340	1539	...	243
5027	5046	Piazzi X. 244	7.8	10. 58. 36'25	36'45	4	+ 3'141	+ 11. 6. 10'58	36'44	4	—19'343	244
5028	5047	Lacaille 4593	7	10. 58. 42'16	38'85	2	+ 2'885	— 27. 50. 9'74	38'85	2	—19'345	...	4593	...
5029	5048	64 Leonis	6.7	10. 58. 49'10	35'23	3	+ 3'231	+ 24. 12. 52'10	34'52	4	—19'348	1540	...	245
5030	5049	Lacaille 4596	7	10. 58. 57'55	38'96	3	+ 2'871	— 29. 39. 44'36	38'96	3	—19'351	...	4596	...
5031	5050	Lacaille 4601	7	10. 59. 7'79	38'25	3	+ 2'653	— 50. 4. 1'98	38'25	3	—19'355	...	4601	...
5032	5051	Brisbane 3394	8	10. 59. 14'84	40'28	6	+ 2'617	— 52. 22. 53'48	40'76	8	—19'358
5033	5052	Piazzi X. 246	7.8	10. 59. 18'90	38'46	8	+ 3'572	+ 55. 2. 35'96	38'77	7	—19'359	246
5034	5053	Brisbane 3398	9.10	10. 59. 26'65	38'64	3	+ 2'624	— 52. 3. 37'06	38'64	3	—19'363
5035	5054	Lacaille 4604	7	10. 59. 30'55	38'57	3	+ 2'518	— 57. 47. 6'51	38'57	3	—19'364	...	4604	...
5036	5055	Lacaille 4603	6	10. 59. 39'57	35'15	3	+ 2'761	— 41. 44. 59'86	34'23	3	—19'367	...	4603	248
5037	5056	Carina	6	10. 59. 48'76	38'58	3	+ 2'432	— 61. 32. 1'12	40'05	5	—19'372	...	4611	...
5038	5057	Piazzi X. 250	7	10. 59. 51'24	37'40	6	+ 3'072	— 1. 0. 39'53	36'42	4	—19'372	250
5039	5058	67 Leonis	6	10. 59. 57'08	33'19	9	+ 3'238	+ 25. 32. 59'48	33'27	9	—19'374	1541	...	249
5040	5059	... Piazzi X. 251	7	10. 59. 57'37	36'41	4	+ 3'185	+ 18. 5. 59'90	36'43	4	—19'374	251

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5041	5060	Lacaille 4606	6.7	h m s II. 0. 4.45	40.24	3	+ 2.878	— 29. 16. 37.19	40.24	3	—19.376	...	4606	...
5042	5061	Piazzi X. 247	6.7	II. 0. 6.90	35.80	5	+ 3.565	+ 54. 59. 54.12	34.56	4	—19.377	247
5043	5062	Lacaille 4610	7	II. 0. 7.41	39.87	5	+ 2.692	— 47. 44. 59.30	40.78	8	—19.377	...	4610	...
5044	5063	Piazzi X. 252	6.7	II. 0. 13.50	35.21	3	+ 3.334	+ 37. 12. 9.84	34.47	4	—19.380	252
5045	5064	Lacaille 4609	7	II. 0. 18.97	38.65	3	+ 2.881	— 29. 4. 48.18	38.65	3	—19.382	...	4609	...
5046	5065	52 Ursæ Majoris	3.4	II. 0. 21.48	31.70	7	+ 3.421	+ 45. 23. 30.98	33.00	18	—19.383	1542	...	253
5047	5066	Piazzi X. 254	7	II. 0. 22.52	35.22	3	+ 3.405	+ 44. 6. 2.44	34.57	4	—19.384	254
5048	5067	Lacaille 4614	7	II. 0. 42.74	38.25	2	+ 2.884	— 28. 51. 15.57	38.25	2	—19.390	...	4614	...
5049	5068	Bradley 1544	5	II. 0. 45.65	32.27	12	+ 2.896	— 27. 11. 16.30	31.29	5	—19.391	1544	4615	256
5050	5069	66 Leonis	7	II. 0. 48.45	32.10	7	+ 3.069	— 0. 26. 24.80	32.20	5	—19.392	1543	...	255
5051	5070	Lacaille 4619	7	II. 0. 55.14	38.48	3	+ 2.643	— 51. 30. 55.16	38.48	3	—19.395	...	4619	...
5052	5071	Carinae	6	II. 1. 34.16	38.26	2	+ 2.531	— 58. 4. 59.90	38.26	2	—19.409	...	4627	...
5053	5072	Lacaille 4626	7.8	II. 1. 35.55	38.57	3	+ 2.569	— 56. 10. 24.81	38.57	3	—19.410	...	4626	...
5054	5073	Carinae	6.7	II. 1. 44.12	38.84	3	+ 2.464	— 61. 3. 17.22	39.20	2	—19.413	...	4629	...
5055	5074	Piazzi X. 257	7	II. 1. 53.94	35.69	4	+ 3.552	+ 55. 2. 29.04	35.81	5	—19.417	257
5056	5075	Piazzi XI. 1	7.8	II. 1. 56.10	35.24	3	+ 3.124	+ 8. 47. 7.80	34.56	4	—19.418	1
5057	5076	Brisbane 3423	8	II. 1. 57.75	38.55	3	+ 2.476	— 60. 40. 0.25	38.55	3	—19.418
5058	5077	Lacaille 4623	6.7	II. 1. 58.07	35.09	3	+ 2.867	— 31. 28. 23.19	34.52	4	—19.419	...	4623	2
5059	5078	Brisbane 3421	6	II. 2. 1.66	38.49	3	+ 2.887	— 28. 54. 3.04	38.49	3	—19.420
5060	5079	Lacaille 4634	7	II. 2. 26.17	38.53	3	+ 2.618	— 53. 49. 19.10	38.53	3	—19.429	...	4634	...
5061	5080	Brisbane 3428	7	II. 2. 31.88	39.52	7	+ 2.838	— 35. 12. 7.18	39.72	6	—19.431
5062	5081	Brisbane 3429	8	II. 2. 37.99	38.26	3	+ 2.543	— 57. 56. 41.20	38.26	3	—19.433
5063	5082	Lacaille 4633	7.8	II. 2. 40.38	35.10	3	+ 2.868	— 31. 40. 9.81	34.58	4	—19.433	...	4633	3
5064	5083	Piazzi XI. 4	7	II. 3. 4.46	32.10	8	+ 3.162	+ 15. 17. 42.67	31.38	5	—19.442	4
5065	5084	Piazzi XI. 5	7	II. 3. 10.52	36.42	4	+ 3.326	+ 37. 47. 13.72	36.59	5	—19.446	5
5066	5085	Lacaille 4636	7	II. 3. 11.34	38.55	3	+ 2.698	— 48. 45. 31.95	38.55	3	—19.446	...	4636	...
5067	5086	Brisbane 3432	7.8	II. 3. 11.87	38.22	3	+ 2.839	— 35. 19. 49.75	38.22	3	—19.446
5068	5087	II Crateris	4	II. 3. 33.15	32.45	10	+ 2.941	— 21. 55. 36.63	32.28	10	—19.452	1545	...	6
5069	5088	Brisbane 3437	8	II. 3. 42.24	38.30	3	+ 2.519	— 59. 29. 24.91	38.30	3	—19.455
5070	5089	Brisbane 3439	7	II. 3. 49.10	39.51	7	+ 2.561	— 57. 33. 39.86	40.47	4	—19.457
5071	5090	Lacaille 4639	6.7	II. 3. 55.97	39.39	6	+ 2.915	— 25. 54. 41.27	39.38	6	—19.461	...	4639	...
5072	5091	Brisbane 3440	8	II. 3. 57.51	39.40	7	+ 2.696	— 49. 16. 27.50	39.44	6	—19.461
5073	5092	Brisbane 3441	8	II. 4. 3.03	38.59	3	+ 2.633	— 53. 39. 45.67	38.59	3	—19.463
5074	5093	Piazzi XI. 7	7.8	II. 4. 3.64	35.13	2	+ 3.513	+ 53. 44. 50.43	34.48	4	—19.463	7
5075	5094	Lacaille 4642	7	II. 4. 18.68	39.42	6	+ 2.875	— 31. 32. 18.93	39.42	6	—19.469	...	4642	...
5076	5095	Lacaille 4641	7	II. 4. 20.14	38.21	3	+ 2.895	— 28. 53. 12.84	38.24	3	—19.470	...	4641	...
5077	5096	O. P. D. — 59°. 3156	7	II. 4. 31.75	39.28	6	+ 2.528	— 59. 28. 56.76	39.28	6	—19.473
5078	5097	Lacaille 4644	6.7	II. 4. 35.13	38.49	3	+ 2.748	— 45. 22. 16.62	38.49	3	—19.474	...	4644	...
5079	5098	Brisbane 3447	7	II. 4. 38.62	40.47	6	+ 2.528	— 59. 32. 53.84	40.72	7	—19.475
5080	5099	Brisbane 3450	7	II. 4. 56.17	38.24	3	+ 2.572	— 57. 31. 40.32	38.24	3	—19.482

{cxxx}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5081	5100	Piazzi XI. 9	7	h m s 11. 5. 0'40	35'21	3	+ 3'194	+ 21. 1. 50'29	34'49	4	-19'483	9
5082	5101	Piazzi XI. 8	7.8	11. 5. 1'33	36'68	4	+ 3'507	+ 53. 50. 42'81	34'57	4	-19'483	8
5083	5102	Lacaille 4649	6	11. 5. 3'31	38'55	3	+ 2'717	- 48. 12. 23'44	38'55	3	-19'484	...	4649	...
5084	5103	Lacaille 4646	7	11. 5. 9'53	38'25	3	+ 2'920	- 25. 34. 9'94	38'29	3	-19'486	...	4646	...
5085	5104	69 Leonis	5.6	11. 5. 18'81	31'38	9	+ 3'076	+ 0. 49. 37'37	32'22	5	-19'490	1547	...	11
5086	5105	68 Leonis	3	11. 5. 19'49	32'01	7	+ 3'196	+ 21. 25. 35'67	32'75	33	-19'491	1546	...	10
5087	5106	Lacaille 4650	6.7	11. 5. 26'66	38'56	3	+ 2'711	- 48. 50. 24'16	38'56	3	-19'492	...	4650	...
5088	5107	Piazzi XI. 12	6.7	11. 5. 27'28	32'24	7	+ 3'122	+ 8. 57. 45'66	32'24	5	-19'493	12
5089	5108	Carina	6	11. 5. 32'61	38'36	2	+ 2'539	- 59. 25. 16'82	38'36	2	-19'494	...	4652	...
5090	5109	70 Leonis	3	11. 5. 34'46	33'26	13	+ 3'164	+ 16. 19. 49'34	33'01	15	-19'495	1548	...	13
5091	5110	Lacaille 4653	7	11. 5. 48'12	38'73	4	+ 2'709	- 49. 13. 33'80	38'73	4	-19'499	...	4653	...
5092	5111	Piazzi XI. 15	8.9	11. 5. 52'58	36'38	5	+ 3'082	+ 1. 47. 2'84	36'49	4	-19'502	15
5093	5112	Piazzi XI. 16	7.8	11. 5. 58'24	35'15	2	+ 2'983	- 15. 59. 28'29	34'52	4	-19'503	16
5094	5113	Piazzi XI. 14	7	11. 5. 59'45	35'16	3	+ 3'320	+ 38. 28. 33'84	34'55	4	-19'504	14
5095	5114	Piazzi XI. 17	8	11. 6. 4'53	36'51	3	+ 3'147	+ 13. 31. 9'69	36'23	1	-19'506	17
5096	5115	Taylor 5115	12	11. 6. 11'28	42'33	3	+ 2'524	- 60. 25. 0'24	42'33	2	-19'509
5097	5116	Lacaille 4656	7	11. 6. 16'05	38'57	3	+ 2'669	- 52. 20. 11'33	38'57	3	-19'510	...	4656	...
5098	5117	Brisbane 3472	7.8	11. 6. 21'30	38'63	3	+ 2'690	- 50. 54. 17'53	38'63	3	-19'511
5099	5118	Lacaille 4661	6.7	11. 6. 24'27	38'61	3	+ 2'562	- 58. 43. 20'43	38'61	3	-19'512	...	4661	...
5100	5119	72 Leonis	5.6	11. 6. 25'09	32'24	6	+ 3'210	+ 23. 59. 36'92	32'25	5	-19'512	1549	...	18
5101	5120	Lacaille 4659	7	11. 6. 26'12	38'63	3	+ 2'676	- 51. 57. 22'50	38'63	3	-19'513	...	4659	...
5102	5121	Lacaille 4660	7	11. 6. 31'89	38'68	3	+ 2'732	- 47. 42. 13'72	38'68	3	-19'515	...	4660	...
5103	5122	Lacaille 4665	7	11. 7. 7'38	38'62	3	+ 2'878	- 32. 25. 18'93	38'62	3	-19'526	...	4665	...
5104	5123	73 Leonis	5.6	11. 7. 13'65	32'31	4	+ 3'149	+ 14. 12. 24'18	32'26	5	-19'529	1550	...	20
5105	5124	Piazzi XI. 21	7	11. 7. 19'00	35'56	3	+ 3'145	+ 13. 30. 45'39	35'33	9	-19'530	21
5106	5125	Piazzi XI. 22	6	11. 7. 20'49	32'42	7	+ 3'146	+ 13. 44. 48'45	32'20	5	-19'531	22
5107	5126	Piazzi XI. 19	6.7	11. 7. 21'88	35'22	3	+ 3'440	+ 50. 22. 28'84	34'56	4	-19'531	19
5108	5127	Lacaille 4670	7.8	11. 7. 42'24	39'21	6	+ 2'817	- 40. 9. 34'36	39'21	6	-19'538	...	4670	...
5109	5128	Lacaille 4671	7.8	11. 7. 48'47	38'58	3	+ 2'803	- 41. 43. 8'99	38'58	3	-19'540	...	4671	...
5110	5129	Brisbane 3485	8	11. 7. 53'44	38'27	2	+ 2'601	- 57. 21. 40'78	38'27	2	-19'542
5111	5130	Brisbane 3487	8	11. 8. 3'38	39'64	3	+ 2'604	- 57. 16. 58'26	40'69	5	-19'545
5112	5131	74 Leonis	5	11. 8. 16'62	32'22	13	+ 3'058	- 2. 45. 6'76	31'59	6	-19'549	1551	...	23
5113	5132	Lacaille 4673	6.7	11. 8. 20'13	39'05	7	+ 2'820	- 40. 7. 21'54	38'71	4	-19'551	...	4673	...
5114	5145	Brisbane 3505	8.9	11. 8. 21'40	40'31	2	+ 2'847	- 36. 55. 39'33	39'29	4	-19'551
5115	5133	Lacaille 4674	7	11. 8. 24'60	38'54	3	+ 2'873	- 33. 46. 9'41	38'53	3	-19'552	...	4674	...
5116	5134	Lacaille 4677	7.8	11. 8. 27'15	38'63	3	+ 2'622	- 56. 27. 25'79	38'63	3	-19'553	...	4677	...
5117	5135	Brisbane 3495	7.8	11. 8. 29'08	38'64	3	+ 2'611	- 57. 5. 34'01	38'64	3	-19'553
5118	5136	Brisbane 3496	7.8	11. 8. 29'91	38'65	3	+ 2'919	- 27. 13. 52'68	38'65	3	-19'554
5119	5137	Brisbane 3499	7.8	11. 8. 37'44	38'66	3	+ 2'658	- 54. 18. 37'67	38'66	3	-19'556
5120	5138	Brisbane 3500	8	11. 8. 45'12	38'57	3	+ 2'663	- 54. 3. 8'73	38'57	3	-19'558

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5121	5139	75 Leonis	5.6	h m s 11. 8. 48.04	32.37	7	+ 3.087	+ 2. 55. 1.30	32.22	5	-19.559	1552	...	24
5122	5140	Lacaille 4678	6.7	11. 8. 48.61	38.67	3	+ 2.776	- 44. 59. 1.08	38.67	3	-19.559	...	4678	...
5123	5141	Piazzi XI. 25	7	11. 8. 53.65	35.09	2	+ 3.231	+ 28. 15. 43.74	34.57	4	-19.561	25
5124	5142	Piazzi XI. 26	7.8	11. 9. 1.27	36.20	3	+ 3.289	+ 36. 20. 34.29	36.41	4	-19.563	26
5125	5143	Lacaille 4680	7	11. 9. 1.72	38.54	3	+ 2.846	- 37. 30. 1.02	38.54	3	-19.564	...	4680	...
5126	5144	Piazzi XI. 27	7	11. 9. 19.95	37.72	6	+ 3.347	+ 43. 13. 4.32	36.94	7	-19.570	27
5127	5146	53 Ursæ Majoris	4	11. 9. 22.17	32.27	6	+ 3.258	+ 32. 27. 23.76	33.19	20	-19.570	1553	...	28
5128	5147	54 Ursæ Majoris	4	11. 9. 32.88	32.23	4	+ 3.269	+ 33. 59. 36.08	32.68	10	-19.573	1554	...	29
5129	5148	Lacaille 4691	7	11. 9. 34.44	38.53	3	+ 2.672	- 53. 52. 28.16	38.53	3	-19.573	...	4691	...
5130	5149	Lacaille 4687	7	11. 9. 40.16	38.65	3	+ 2.885	- 32. 37. 54.73	38.65	3	-19.575	...	4687	...
5131	5150	Lacaille 4688	7.8	11. 9. 42.82	38.19	3	+ 2.881	- 33. 50. 14.54	38.19	3	-19.576	...	4688	...
5132	5151	Piazzi XI. 31	7	11. 9. 44.36	36.42	4	+ 3.138	+ 12. 53. 12.30	36.43	4	-19.577	31
5133	5152	Piazzi XI. 30	7	11. 9. 49.66	35.21	3	+ 3.286	+ 36. 23. 22.09	34.59	4	-19.579	30
5134	5153	Piazzi XI. 32	7	11. 9. 50.16	37.73	6	+ 3.051	- 4. 9. 36.77	36.94	7	-19.579	32
5135	5154	Lacaille 4695	7	11. 10. 3.66	38.82	2	+ 2.593	- 58. 52. 13.02	38.82	2	-19.583	...	4695	...
5136	5155	55 Ursæ Majoris	5	11. 10. 7.11	33.05	14	+ 3.306	+ 39. 5. 21.22	33.26	6	-19.584	1555	...	33
5137	5156	Piazzi XI. 35	8	11. 10. 22.99	36.49	3	+ 3.042	- 6. 0. 29.10	36.54	3	-19.590	35
5138	5157	76 Leonis	6	11. 10. 26.96	32.13	7	+ 3.085	+ 2. 33. 15.33	31.89	5	-19.591	1556	...	36
5139	5158	Lacaille 4696	7.8	11. 10. 34.37	40.46	7	+ 2.608	- 58. 18. 27.28	40.72	7	-19.593	...	4696	...
5140	5159	Lacaille 4699	7.8	11. 10. 39.90	40.69	8	+ 2.608	- 58. 20. 10.92	40.87	9	-19.595	...	4699	...
5141	5160	Piazzi XI. 37	7	11. 10. 40.89	37.20	5	+ 3.305	+ 39. 0. 18.12	36.46	6	-19.595	37
5142	5161	Lacaille 4697	7	11. 10. 42.75	38.47	3	+ 2.756	- 47. 53. 13.11	38.47	3	-19.596	...	4697	...
5143	5162	Piazzi XI. 34	7	11. 10. 42.96	35.26	3	+ 3.778	+ 68. 0. 15.33	34.58	4	-19.596	34
5144	5163	12 Crateris	3.4	11. 11. 5.90	32.77	6	+ 3.002	- 13. 53. 13.23	31.94	6	-19.603	1557	...	38
5145	5164	Lacaille 4703	7	11. 11. 19.55	40.07	5	+ 2.839	- 39. 35. 57.30	40.07	5	-19.607	...	4703	...
5146	5165	Lacaille 4702	7	11. 11. 22.45	38.34	3	+ 2.925	- 27. 34. 26.10	38.34	3	-19.608	...	4702	...
5147	5166	Piazzi XI. 39	8	11. 11. 22.93	36.42	4	+ 3.043	- 5. 59. 48.63	36.41	6	-19.609	39
5148	5167	Brisbane 3524	7.8	11. 11. 26.20	38.62	3	+ 2.634	- 57. 17. 8.77	39.86	7	-19.610
5149	5168	Brisbane 3526	7.8	11. 11.	+ 2.636	- 57. 15. 9.86	42.27	2	-19.612
5150	5169	Lacaille 4705	6.7	11. 11. 43.78	38.32	2	+ 2.928	- 27. 17. 9.75	38.67	3	-19.615	...	4705	...
5151	5170	Piazzi XI. 40	7	11. 11. 45.75	35.11	2	+ 3.164	+ 18. 12. 50.17	34.57	4	-19.615	40
5152	5171	Lacaille 4707	6.7	11. 12. 16.94	38.34	3	+ 2.929	- 27. 25. 51.63	38.36	2	-19.626	...	4707	...
5153	5172	Piazzi XI. 41	7	11. 12. 29.07	35.14	3	+ 3.100	+ 5. 47. 2.35	34.54	4	-19.629	41
5154	5173	Lacaille 4709	7.8	11. 12. 30.19	38.34	3	+ 2.905	- 31. 11. 59.67	38.35	3	-19.629	...	4709	...
5155	5174	Brisbane 3532	8	11. 12. 35.21	38.88	5	+ 2.645	- 57. 15. 10.54	38.66	3	-19.630
5156	5175	77 Leonis	4	11. 12. 37.63	34.25	12	+ 3.105	+ 6. 55. 56.50	32.30	10	-19.631	1558	...	42
5157	5176	Brisbane 3534	7.8	11. 12. 43.29	38.62	3	+ 2.629	- 58. 17. 10.16	38.62	3	-19.633
5158	5177	Lacaille 4711	7	11. 12. 44.77	38.31	3	+ 2.800	- 44. 49. 33.08	38.31	3	-19.634	...	4711	...
5159	5178	Piazzi XI. 44	7	11. 12. 57.82	35.09	3	+ 3.108	+ 7. 32. 16.62	34.53	4	-19.637	44
5160	5179	Piazzi XI. 43	6.7	11. 12. 59.07	35.22	3	+ 3.662	+ 65. 13. 53.95	34.56	4	-19.638	43

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5161	5180	Piazzi XI. 45	8	h m s 11. 12. 59.39	36.46	4	+ 3.095	+ 4. 50. 25.63	36.51	4	-19.638	45
5162	5181	Lacaille 4713	7.8	11. 13. 11.62	38.33	3	+ 2.885	- 34. 37. 21.34	38.33	3	-19.641	...	4713	...
5163	5182	Lacaille 4715	8	11. 13. 21.43	38.55	3	+ 2.802	- 44. 59. 1.40	38.55	3	-19.645	...	4715	...
5164	5183	Centauri	4	11. 13. 30.72	32.38	12	+ 2.706	- 53. 35. 19.47	32.28	10	-19.647	...	4717	...
5165	5184	56 Ursæ Majoris	6	11. 13. 44.68	35.22	3	+ 3.334	+ 44. 23. 11.76	34.58	4	-19.652	1559	...	46
5166	5185	Brisbane 3549	7	11. 14. 21.35	39.40	6	+ 2.607	- 60. 19. 29.28	39.40	6	-19.663
5167	5186	Piazzi XI. 47	7.8	11. 14. 33.93	36.21	3	+ 3.095	+ 5. 2. 26.24	36.43	4	-19.666	47
5168	5187	Lacaille 4723	6.7	11. 14. 35.63	38.58	3	+ 2.820	- 43. 44. 25.61	38.58	3	-19.667	...	4723	...
5169	5188	Piazzi XI. 48	7	11. 14. 43.16	35.09	3	+ 3.106	+ 7. 29. 27.01	34.47	4	-19.668	48
5170	5189	Piazzi XI. 49	7.8	11. 14. 45.53	35.22	3	+ 2.978	- 19. 43. 16.75	34.58	4	-19.669	49
5171	5190	Piazzi XI. 51	8	11. 14. 50.74	36.49	3	+ 2.886	- 35. 20. 16.68	36.70	5	-19.671	51
5172	5191	Piazzi XI. 50	7	11. 14. 51.08	31.37	7	+ 3.077	+ 1. 2. 12.15	32.22	4	-19.671	50
5173	5192	Brisbane 3552	6	11. 14. 51.91	38.14	2	+ 2.659	- 57. 40.	-19.672
5174	5193	Brisbane 3553	7.8	11. 14. 52.29	38.27	3	+ 2.661	- 57. 28. 48.58	38.23	6	-19.672
5175	5194	13 Crateris	6	11. 15. 11.55	32.09	6	+ 2.988	- 17. 52. 27.70	32.20	4	-19.676	1561	...	53
5176	5195	Lacaille 4728	5.6	11. 15. 14.29	36.51	3	+ 2.889	- 35. 15. 37.58	34.49	4	-19.677	...	4728	55
5177	5196	78 Leonis	4	11. 15. 19.24	33.40	14	+ 3.124	+ 11. 26. 14.76	32.49	18	-19.679	1560	...	54
5178	5197	Piazzi XI. 52	7	11. 15. 23.42	36.43	4	+ 3.375	+ 49. 30. 37.10	36.48	4	-19.680	52
5179	5198	Lacaille 4733	7.8	11. 15. 24.18	38.55	3	+ 2.668	- 57. 24. 40.22	38.70	4	-19.680	...	4733	...
5180	5199	79 Leonis	5.6	11. 15. 34.44	32.40	7	+ 3.082	+ 2. 18. 45.11	32.23	5	-19.683	1562	...	56
5181	5200	Lacaille 4734	6.7	11. 15. 39.82	38.35	2	+ 2.693	- 55. 52. 32.06	38.35	2	-19.684	...	4734	...
5182	5201	Lacaille 4732	7.8	11. 15. 46.02	38.37	3	+ 2.947	- 26. 3. 16.06	38.36	3	-19.686	...	4732	...
5183	5202	Piazzi XI. 57	7	11. 15. 48.72	36.04	8	+ 2.891	- 35. 11. 2.69	36.94	4	-19.687	57
5184	5203	Brisbane 3559	9.10	11. 15. 53.66	38.26	2	+ 2.664	- 57. 53. 0.12	38.26	2	-19.688
5185	5204	Brisbane 3561	7.8	11. 16. 13.52	38.63	5	+ 2.675	- 57. 21. 42.07	38.29	3	-19.693
5186	5205	14 Crateris	5	11. 16. 16.92	34.40	15	+ 3.028	- 9. 57. 18.96	35.10	10	-19.695	1563	...	58
5187	5206	Piazzi XI. 60	6.7	11. 16. 25.43	32.14	17	+ 3.128	+ 12. 20. 9.61	32.11	6	-19.697	60
5188	5207	Lacaille 4736	7	11. 16. 29.77	39.39	6	+ 2.847	- 41. 45. 51.11	39.39	6	-19.698	...	4736	...
5189	5208	Lacaille 4735	7.8	11. 16. 29.82	38.35	3	+ 2.906	- 33. 22. 48.83	38.36	3	-19.698	...	4735	...
5190	5209	Piazzi XI. 59	6.7	11. 16. 36.00	35.21	3	+ 3.456	+ 56. 45. 14.02	34.57	4	-19.701	59
5191	5210	15 Crateris	4	11. 16. 38.85	32.27	7	+ 2.996	- 16. 46. 44.11	31.91	10	-19.701	1564	...	62
5192	5211	Piazzi XI. 61	7	11. 16. 40.56	35.93	7	+ 3.101	+ 6. 38. 44.02	35.04	5	-19.702	61
5193	5212	Brisbane 3570	8.9	11. 16. 59.02	38.46	3	+ 2.683	- 57. 16. 34.94	38.57	3	-19.707
5194	5214	81 Leonis	6	11. 16. 59.92	32.34	6	+ 3.150	+ 17. 21. 45.64	32.26	6	-19.707	1565	...	64
5195	5213	Piazzi XI. 63	7.8	11. 16. 59.98	35.16	3	+ 3.203	+ 27. 39. 9.48	34.59	4	-19.707	63
5196	5215	82 Leonis	7	11. 17. 10.52	32.38	5	+ 3.090	+ 4. 12. 31.94	32.28	5	-19.709	1566	...	65
5197	5216	Piazzi XI. 66	8	11. 17. 11.57	36.68	2	+ 3.101	+ 6. 39. 19.44	36.25	3	-19.710	66
5198	5217	80 Leonis	7	11. 17. 21.35	32.24	4	+ 3.093	+ 4. 46. 4.26	32.50	5	-19.713	1567	...	67
5199	5218	Lacaille 4739	6	11. 17. 30.61	35.12	2	+ 2.898	- 35. 9. 29.55	34.53	4	-19.715	...	4739	68
5200	5219	Lacaille 4740	7	11. 17. 34.79	38.28	3	+ 2.888	- 36. 50. 28.05	38.28	3	-19.716	...	4740	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
5201	5220	Brisbane 3569	8	h m s 11. 17. 38'05	39'41	6	+ 2'853	— 41. 45. 59'45	39'41	6	—19'717
5202	5221	Piazzi XI. 69	7	11. 17. 45'37	35'28	3	+ 3'113	+ 9. 33. 59'39	34'60	4	—19'719	69
5203	5222	Lacaille 4743	7'8	11. 17. 52'79	38'56	3	+ 2'828	— 44. 58. 27'06	38'56	3	—19'721	...	4743	...
5204	5223	83 Leonis	6'7	11. 18. 24'03	37'76	6	+ 3'088	+ 3. 54. 41'34	36'39	11	—19'729	1568	...	70
5205	5224	Piazzi XI. 71	7	11. 18. 25'14	37'76	6	+ 3'088	+ 3. 54. 17'40	39'10	5	—19'730	71
5206	5225	Brisbane 3578	8'9	11. 18. 35'12	39'33	9	+ 2'681	— 58. 26. 47'63	39'34	9	—19'732
5207	5226	Brisbane 3580	9'10	11. 18. 45'45	38'21	3	+ 2'703	— 57. 1. 9'55	38'21	3	—19'734
5208	5227	16 Crateris	6	11. 18. 51'38	34'38	10	+ 3'024	— 11. 27. 2'68	32'22	5	—19'737	1569	...	72
5209	5228	Lacaille 4748	6'7	11. 19. 7'62	38'27	3	+ 2'766	— 52. 15. 15'38	38'27	3	—19'741	...	4748	...
5210	5229	Piazzi XI. 73	6'7	11. 19. 11'92	36'60	3	+ 3'024	— 11. 31. 34'73	34'61	3	—19'742	73
5211	5230	Lacaille 4751	6'7	11. 19. 12'43	39'24	9	+ 2'658	— 60. 12. 30'74	39'25	9	—19'742	...	4751	...
5212	5231	84 Leonis	4	11. 19. 27'18	31'94	13	+ 3'087	+ 3. 45. 50'18	32'27	18	—19'746	1570	...	76
5213	5232	Piazzi XI. 75	6'7	11. 19. 27'22	35'24	3	+ 3'126	+ 12. 52. 50'39	34'50	4	—19'746	75
5214	5233	Piazzi XI. 77	7	11. 19. 28'12	32'40	6	+ 3'069	— 0. 47. 33'30	32'54	4	—19'746	77
5215	5234	Lacaille 4749	7	11. 19. 28'32	38'30	2	+ 2'963	— 24. 57. 18'73	38'33	3	—19'746	...	4749	...
5216	5235	Piazzi XI. 74	6'7	11. 19. 35'19	35'30	3	+ 3'526	+ 62. 40. 28'48	34'61	4	—19'747	74
5217	5236	Brisbane 3586	7'8	11. 19. 36'39	38'24	3	+ 2'658	— 60. 27. 45'08	38'24	3	—19'748
5218	5237	Piazzi XI. 78	7	11. 19. 36'92	35'26	4	+ 3'072	+ 0. 0. 37'71	34'60	4	—19'748	78
5219	5238	Piazzi XI. 79	7'8	11. 19. 57'60	35'28	2	+ 3'087	+ 3. 41. 37'04	34'55	4	—19'753	79
5220	5239	Brisbane 3588	7'8	11. 20. 7'55	38'34	3	+ 2'903	— 36. 10. 42'68	38'34	3	—19'756
5221	5240	57 Ursæ Majoris	6	11. 20. 9'71	35'29	3	+ 3'268	+ 40. 14. 37'77	34'59	4	—19'756	1571	...	80
5222	5241	Brisbane 3590	8	11. 20. 16'39	38'27	3	+ 2'678	— 59. 35. 21'40	38'27	3	—19'758
5223	5242	Brisbane 3591	7	11. 20. 20'30	38'49	3	+ 2'707	— 57. 46. 14'73	38'49	3	—19'759
5224	5243	Brisbane 3592	7'8	11. 20. 31'80	39'42	6	+ 2'788	— 51. 8. 37'64	39'42	6	—19'762
5225	5244	Brisbane 3593	7'8	11. 20. 33'84	38'59	3	+ 2'844	— 44. 52. 2'71	38'59	3	—19'763
5226	5245	Lacaille 4754	6	11. 20. 39'28	35'88	4	+ 2'868	— 41. 46. 0'96	35'31	5	—19'764	...	4754	81
5227	5246	Piazzi XI. 82	7	11. 20. 58'10	35'23	4	+ 3'072	+ 0. 3. 29'91	34'61	4	—19'769	82
5228	5247	Lacaille 4756	7	11. 20. 58'76	38'30	3	+ 2'760	— 53. 58. 30'12	38'30	3	—19'769	...	4756	...
5229	5248	Brisbane 3597	7'8	11. 21. 1'44	38'21	3	+ 2'720	— 57. 14. 4'01	38'21	3	—19'769
5230	5249	85 Leonis	6	11. 21. 5'85	32'06	8	+ 3'138	+ 16. 19. 26'61	32'24	5	—19'771	1573	...	83
5231	5250	Piazzi XI. 84	7'8	11. 21. 7'31	35'32	2	+ 3'090	+ 4. 41. 15'99	34'59	4	—19'771	84
5232	5251	Piazzi XI. 85	7	11. 21. 8'69	35'32	3	+ 3'106	+ 8. 30. 30'24	35'28	4	—19'771	85
5233	5252	Brisbane 3598	9'10	11. 21. 12'52	40'60	7	+ 2'719	— 57. 29. 9'89	41'10	10	—19'772
5234	5253	Lacaille 4758	6'7	11. 21. 28'18	38'52	4	+ 2'957	— 27. 7. 18'53	38'52	4	—19'775	...	4758	...
5235	5254	1 Draconis	3'4	11. 21. 31'03	33'66	11	+ 3'694	+ 70. 14. 26'70	32'77	10	—19'776	1572	...	86
5236	5255	Brisbane 3601	7	11. 21. 31'46	38'13	3	+ 2'716	— 57. 53. 1'81	38'13	2	—19'776
5237	5256	58 Ursæ Majoris	6	11. 21. 34'89	35'34	3	+ 3'288	+ 44. 4. 40'29	34'55	4	—19'777	1574	...	87
5238	5257	Lacaille 4760	6'7	11. 21. 40'88	38'22	3	+ 2'901	— 37. 32. 53'24	38'22	3	—19'778	...	4760	...
5239	5258	Brisbane 3605	7'8	11. 21. 46'10	38'21	3	+ 2'731	— 56. 55. 28'22	38'21	3	—19'779
5240	5259	86 Leonis	6	11. 21. 52'09	32'25	5	+ 3'150	+ 19. 19. 3'84	31'41	3	—19'781	1575	...	88

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
5241	5260	87 Leonis	4'5	h m s 11. 21. 53'17	32'14	12	+ 3'064	— 2. 5. 40'11	32'26	11	—19'781	1576	...	89
5242	5261	Brisbane 3607	7'8	11. 22. 5'87	38'30	3	+ 2'861	— 43. 46. 58'18	38'30	3	—19'785
5243	5262	Lacaille 4764	7'8	11. 22. 8'03	38'32	3	+ 2'803	— 50. 45. 31'48	38'32	3	—19'785	...	4764	...
5244	5263	Piazzi XI. 90	7'8	11. 22. 11'32	35'30	3	+ 3'195	+ 29. 21. 36'25	34'63	4	—19'786	90
5245	5264	Brisbane 3611	8	11. 22. 18'80	38'59	3	+ 2'767	— 54. 21. 16'02	38'59	3	—19'787
5246	5265	Piazzi XI. 91	8	11. 22. 27'29	36'42	4	+ 3'050	— 5. 48. 35'87	36'42	4	—19'789	91
5247	5266	Piazzi XI. 92	7	11. 22. 54'67	35'22	3	+ 3'087	+ 3. 58. 17'87	34'51	4	—19'795	92
5248	5267	Lacaille 4768	7'8	11. 22. 57'88	38'61	3	+ 2'885	— 41. 1. 0'86	38'61	3	—19'796	...	4768	...
5249	5268	Brisbane 3617	7'8	11. 23. 10'97	38'13	3	+ 2'731	— 57. 54. 7'46	38'13	3	—19'800
5250	5269	88 Leonis	7	11. 23. 13'17	38'27	7	+ 3'130	+ 15. 16. 57'65	37'53	8	—19'800	1577	...	93
5251	5270	Brisbane 3623	7'8	11. 23. 14'24	39'45	5	+ 2'865	— 44. 3. 31'03	39'28	6	—19'801
5252	5271	Brisbane 3624	7'8	11. 23. 28'39	38'33	2	+ 2'869	— 43. 43. 6'61	38'35	3	—19'803
5253	5272	Piazzi XI. 94	7	11. 23. 33'25	32'30	8	+ 3'051	— 5. 33. 23'83	31'38	5	—19'805	94
5254	5273	Brisbane 3626	7'8	11. 23. 39'51	38'34	3	+ 2'867	— 43. 49. 46'45	38'31	3	—19'806
5255	5274	Lacaille 4771	7	11. 23. 44'37	39'11	8	+ 2'702	— 60. 22. 7'86	39'11	8	—19'807	...	4771	...
5256	5275	Piazzi XI. 95	6'7	11. 24. 6'11	36'75	5	+ 2'959	— 28. 21. 34'46	36'44	4	—19'813	95
5257	5276	Bradley 1578	5'6	11. 24. 6'54	33'12	7	+ 2'959	— 28. 21. 28'41	32'21	5	—19'813	1578	4770	96
5258	5277	Lacaille 4774	6	11. 24. 10'24	38'60	6	+ 2'732	— 58. 31. 56'55	38'60	6	—19'814	...	4774	...
5259	5278	Lacaille 4772	7	11. 24. 12'50	38'26	3	+ 2'971	— 25. 50. 15'82	38'26	3	—19'814	...	4772	...
5260	5279	Brisbane 3634	8	11. 24. 14'87	38'26	3	+ 2'716	— 59. 41. 47'64	38'26	3	—19'815
5261	5280	Piazzi XI. 97	8	11. 24. 19'92	36'42	4	+ 2'952	— 30. 3. 40'91	36'45	4	—19'816	97
5262	5281	Piazzi XI. 98	7	11. 24. 24'67	34'45	8	+ 3'047	— 6. 55. 0'61	31'41	5	—19'817	98
5263	5282	Bradley 1579	5'6	11. 24. 45'51	35'21	3	+ 2'953	— 30. 10. 36'91	34'49	4	—19'821	1579	4776	99
5264	5283	Lacaille 4778	6	11. 24. 46'96	35'09	3	+ 2'903	— 39. 31. 43'91	34'53	4	—19'821	...	4778	101
5265	5284	Piazzi XI. 100	7'8	11. 24. 51'10	35'12	3	+ 3'087	+ 4. 16. 23'00	34'61	4	—19'823	100
5266	5285	Hydra	4	11. 24. 54'21	32'08	12	+ 2'950	— 30. 56. 43'02	32'33	17	—19'823	1580	4779	103
5267	5286	Lacaille 4781	7	11. 24. 57'07	41'17	8	+ 2'736	— 58. 48. 25'75	40'99	7	—19'824	...	4781	...
5268	5287	Piazzi XI. 102	8	11. 25. 6'45	35'23	3	+ 3'309	+ 49. 28. 46'71	34'59	4	—19'827	102
5269	5288	Piazzi XI. 104	8	11. 25. 14'47	36'20	3	+ 3'052	— 5. 37. 36'34	36'45	4	—19'828	104
5270	5289	Lacaille 4783	7'8	11. 25. 19'97	38'29	3	+ 2'801	— 53. 24. 53'33	38'28	3	—19'830	...	4783	...
5271	5290	Lacaille 4785	6	11. 25. 35'63	35'09	3	+ 2'906	— 39. 40. 39'00	34'53	4	—19'832	...	4785	105
5272	5291	89 Leonis	6	11. 25. 55'30	32'06	11	+ 3'086	+ 3. 58. 35'76	31'96	6	—19'836	1582	...	106
5273	5293	Piazzi XI. 108	7'8	11. 25. 58'11	36'53	3	+ 3'056	— 4. 37. 0'82	36'88	3	—19'837	108
5274	5292	Brisbane 3650	8'9	11. 25. 58'18	38'21	3	+ 2'770	— 56. 44. 3'67	38'21	3	—19'837
5275	5294	90 Leonis	6	11. 26. 6'94	32'26	5	+ 3'135	+ 17. 42. 29'19	32'24	5	—19'840	1583	...	109
5276	5295	2 Draconis	6	11. 26. 17'02	37'71	3	+ 3'618	+ 70. 14. 22'63	38'44	8	—19'841	1581	...	107
5277	5296	Bradley 1584	6	11. 26. 29'27	37'09	8	+ 2'950	— 31. 57. 26'86	36'95	7	—19'844	1584	4788	110
5278	5297	Brisbane 3653	7'8	11. 26. 29'56	40'47	5	+ 2'750	— 58. 46. 15'61	40'47	5	—19'844
5279	5298	Brisbane 3654	8'9	11. 26. 37'96	38'21	3	+ 2'776	— 56. 42. 57'37	38'21	3	—19'846
5280	5299	Lacaille 4790	7'8	11. 26. 53'44	38'29	3	+ 2'962	— 29. 48. 48'08	38'27	3	—19'849	...	4790	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxxxv}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5281	5300	Lacaille 4794	6	h m s 11. 26. 57.85	38.29	3	+ 2.814	— 53. 21. 14.54	38.28	3	— 19.850	...	4794	...
5282	5301	Brisbane 3658	7.8	11. 27. 13.18	38.29	3	+ 2.825	— 52. 19. 53.32	38.29	3	— 19.852
5283	5302	Lacaille 4796	6.7	11. 27. 17.28	38.31	2	+ 2.872	— 46. 27. 40.04	38.28	3	— 19.853	...	4796	...
5284	5303	Piazzi XI. 111	6	11. 27. 36.03	31.57	5	+ 3.175	+ 28. 41. 33.97	32.28	6	— 19.857	111
5285	5304	Lacaille 4798	8	11. 27. 39.24	38.27	3	+ 2.747	— 59. 58. 55.49	38.27	3	— 19.858	...	4798	...
5286	5305	Piazzi XI. 112	9	11. 27. 40.44	36.44	4	+ 2.946	— 33. 52. 30.54	36.42	4	— 19.858	112
5287	5306	Brisbane 3662	8	11. 27. 44.69	38.31	3	+ 2.850	— 49. 48. 42.96	38.34	3	— 19.859
5288	5307	Brisbane 3663	6	11. 27. 57.41	38.25	3	+ 2.874	— 46. 43. 40.38	38.25	3	— 19.862
5289	5308	Lacaille 4801	6	11. 28. 4.32	38.13	2	+ 2.746	— 60. 22. 28.11	38.13	2	— 19.863	...	4801	...
5290	5309	Lacaille 4799	8	11. 28. 4.93	38.34	3	+ 2.852	— 49. 49. 52.56	38.34	3	— 19.863	...	4799	...
5291	5310	Piazzi XI. 113	7	11. 28. 5.31	35.13	3	+ 3.095	+ 7. 1. 25.91	34.60	4	— 19.863	113
5292	5311	Lacaille 4809	8	11. 28. 7.31	39.43	6	+ 2.742	— 60. 39. 58.43	39.24	8	— 19.864	...	4809	...
5293	5312	Brisbane 3667	7.8	11. 28. 9.07	38.25	3	+ 2.871	— 47. 19. 3.86	38.31	3	— 19.864
5294	5313	Brisbane 3668	8	11. 28. 9.72	40.38	2	+ 2.742	— 60. 39.	— 19.864
5295	5314	Centauri	λ 4	11. 28. 12.83	33.54	17	+ 2.723	— 62. 6. 30.44	34.08	11	— 19.865	...	4804	...
5296	5315	21 Crateris	θ 4	11. 28. 19.02	32.03	11	+ 3.043	— 8. 53. 25.89	32.13	11	— 19.866	1585	...	114
5297	5316	Bradley 1587	6	11. 28. 24.76	35.64	4	+ 2.954	— 32. 39. 19.79	34.37	3	— 19.867	1587	4800	115
5298	5317	Lacaille 4802	7.8	11. 28. 27.18	38.60	3	+ 2.943	— 35. 12. 32.96	38.60	3	— 19.867	...	4802	...
5299	5318	91 Leonis	v 4.5	11. 28. 30.17	32.32	6	+ 3.072	+ 0. 5. 10.88	32.29	14	— 19.868	1586	...	116
5300	5319	Lacaille 4805	7	11. 28. 31.79	37.72	6	+ 2.950	— 33. 44. 22.18	37.01	7	— 19.868	...	4805	117
5301	5320	Lacaille 4810	6.7	11. 28. 42.82	38.47	3	+ 2.755	— 60. 8. 26.60	38.47	3	— 19.871	...	4810	...
5302	5321	Piazzi XI. 118	6.7	11. 28. 44.43	35.29	3	+ 2.998	— 22. 2. 17.38	34.52	4	— 19.871	118
5303	5322	Piazzi XI. 119	7	11. 28. 48.21	35.29	3	+ 3.095	+ 7. 10. 55.26	34.62	4	— 19.872	119
5304	5323	Brisbane 3679	7.8	11. 28. 49.63	38.59	3	+ 2.748	— 60. 45. 10.38	39.30	5	— 19.872
5305	5324	Lacaille 4808	6	11. 28. 51.01	35.31	3	+ 2.958	— 32. 4. 21.50	34.55	4	— 19.872	...	4808	120
5306	5325	Lacaille 4807 ..	7	11. 28. 52.17	39.85	7	+ 2.930	— 38. 2. 49.24	40.06	5	— 19.872	...	4807	...
5307	5326	Brisbane 3680	8	11. 28. 57.60	38.24	2	+ 2.930	— 38. 4. 59.48	38.95	3	— 19.874
5308	5327	Piazzi XI. 121	6.7	11. 29. 22.97	35.28	3	+ 3.187	+ 32. 47. 39.80	35.22	4	— 19.879	121
5309	5328	Lacaille 4816	6	11. 29. 25.11	39.38	6	+ 2.759	— 60. 22. 16.20	39.38	6	— 19.879	...	4816	...
5310	5329	59 Ursæ Majoris	5.6	11. 29. 31.57	35.29	3	+ 3.246	+ 44. 32. 22.90	34.71	5	— 19.880	1588	...	122
5311	5330	Brisbane 3683	8	11. 29. 32.10	38.35	2	+ 2.838	— 52. 49. 29.67	38.35	2	— 19.880
5312	5331	Brisbane 3682	7.8	11. 29. 32.80	38.61	3	+ 2.886	— 46. 23. 31.98	38.61	3	— 19.880
5313	5332	Lacaille 4812	7	11. 29. 35.98	35.32	3	+ 2.969	— 30. 18. 11.77	34.55	4	— 19.881	...	4812	124
5314	5333	Lacaille 4815	7	11. 29. 36.01	38.55	4	+ 2.884	— 46. 50. 9.95	38.63	3	— 19.881	...	4815	...
5315	5334	60 Ursæ Majoris	6	11. 29. 40.18	35.24	3	+ 3.266	+ 47. 44. 52.75	35.27	2	— 19.882	1589	...	123
5316	5335	Lacaille 4817	7	11. 29. 50.94	38.66	3	+ 2.775	— 59. 27. 8.07	38.66	3	— 19.884	...	4817	...
5317	5336	Brisbane 3686	7.8	11. 29. 51.82	38.62	3	+ 2.761	— 60. 34. 19.82	38.62	3	— 19.884
5318	5337	Brisbane 3687	7.8	11. 29. 56.34	38.50	3	+ 2.768	— 60. 4. 12.85	38.50	3	— 19.885
5319	5338	1 Virginis	ω 6.7	11. 29. 57.08	32.34	10	+ 3.100	+ 9. 2. 48.67	31.41	4	— 19.885	1590	...	125
5320	5339	Piazzi XI. 126	7	11. 29. 58.59	32.24	6	+ 3.067	— 1. 31. 24.09	31.73	5	— 19.886	126

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5321	5340	Lacaille 4818	7	h m s 11. 30. 10.87	36.42	4	+ 2.961	— 32. 41. 33.17	36.43	4	—19.888	...	4818	127
5322	5341	24 Crateris	5.6	11. 30. 17.73	33.26	9	+ 3.034	— 12. 17. 38.19	32.97	8	—19.890	1591	...	128
5323	5342	Brisbane 3688	7	11. 30.	+ 2.935	— 38. 26. 42.71	40.12	5	—19.890
5324	5343	Lacaille 4834	6	11. 30. 27.13	38.25	5	+ 2.763	— 60. 54. 50.26	38.28	3	—19.891	...	4834	...
5325	5344	Lacaille 4825	7.8	11. 30. 41.30	38.68	3	+ 2.932	— 39. 23. 22.71	38.68	3	—19.894	...	4825	...
5326	5345	Brisbane 3694	8	11. 30. 48.21	38.55	4	+ 2.890	— 46. 56. 15.78	38.63	3	—19.895
5327	5346	Piazzi XI. 130	7	11. 31. 7.78	35.23	2	+ 3.036	— 12. 15. 50.73	36.73	4	—19.899	130
5328	5347	Piazzi XI. 129	7.8	11. 31. 8.95	35.22	3	+ 3.406	+ 63. 18. 41.01	34.62	4	—19.899	129
5329	5348	Lacaille 4832	7.8	11. 31. 21.40	38.59	3	+ 2.817	— 56. 49. 35.12	38.59	3	—19.901	...	4832	...
5330	5349	Brisbane 3697	8.9	11. 31. 25.91	38.61	3	+ 2.870	— 50. 30. 41.27	38.61	3	—19.902
5331	5350	Lacaille 4833	7.8	11. 31. 34.99	35.32	3	+ 2.960	— 34. 4. 4.78	34.61	4	—19.904	...	4833	131
5332	5351	Brisbane 3701	8	11. 31. 51.23	38.19	3	+ 2.778	— 60. 53. 8.26	38.19	3	—19.906
5333	5352	Lacaille 4841	7.8	11. 31. 55.25	38.22	3	+ 2.880	— 49. 34. 22.59	38.22	3	—19.907	...	4841	...
5334	5353	Piazzi XI. 132	7	11. 31. 56.51	35.32	3	+ 3.077	+ 1. 51. 58.17	34.52	4	—19.907	132
5335	5354	Bradley 1594	6	11. 32. 1.92	37.49	7	+ 2.963	— 33. 49. 50.37	36.31	7	—19.908	1594	4839	133
5336	5355	Gould 15949	10	11. 32. 4.27	39.27	3	+ 2.911	— 44. 39. 57.25	39.27	3	—19.909
5337	5356	92 Leonis	5.6	11. 32. 11.92	31.83	6	+ 3.138	+ 22. 16. 7.25	31.38	5	—19.910	1592	...	134
5338	5357	61 Ursæ Majoris	6	11. 32. 20.75	37.79	6	+ 3.185	+ 35. 7. 57.16	37.27	6	—19.912	1593	...	135
5339	5358	Lacaille 4846	7	11. 32. 46.19	38.58	3	+ 2.861	— 53. 3. 13.76	38.75	2	—19.916	...	4846	...
5340	5359	Piazzi XI. 136	7	11. 32. 50.09	35.09	2	+ 3.027	— 15. 46. 3.84	34.60	4	—19.917	136
5341	5360	62 Ursæ Majoris	7	11. 32. 57.38	37.69	6	+ 3.173	+ 32. 39. 32.34	37.58	6	—19.918	1596	...	138
5342	5361	Lacaille 4845	7.8	11. 32. 57.59	39.01	4	+ 2.987	— 28. 17. 30.15	39.67	5	—19.918	...	4845	...
5343	5362	Piazzi XI. 137	7.8	11. 32. 59.34	38.66	5	+ 3.214	+ 42. 9. 10.63	38.39	6	—19.919	137
5344	5363	Lacaille 4851	7.8	11. 33. 4.25	38.54	3	+ 2.859	— 53. 38. 4.75	38.54	3	—19.920	...	4851	...
5345	5364	Lacaille 4856	6	11. 33. 7.78	38.25	3	+ 2.788	— 61. 10. 33.64	38.25	3	—19.921	...	4856	...
5346	5365	3 Draconis	6	11. 33. 11.82	35.34	3	+ 3.452	+ 67. 39. 27.34	34.56	4	—19.921	1595	...	139
5347	5366	Lacaille 4849	7	11. 33. 12.06	38.57	3	+ 2.964	— 34. 41. 21.89	38.57	3	—19.921	...	4849	...
5348	5367	Lacaille 4853	7.8	11. 33. 15.53	38.32	3	+ 2.941	— 40. 5. 55.40	38.32	3	—19.921	...	4853	...
5349	5368	Bradley 1597	6	11. 33. 30.71	38.11	7	+ 2.977	— 31. 34. 57.62	37.01	7	—19.924	1597	4857	141
5350	5369	Piazzi XI. 142	8	11. 33. 31.37	36.42	4	+ 3.011	— 21. 44. 19.72	36.41	4	—19.924	142
5351	5370	Piazzi XI. 140	7	11. 33. 32.07	35.26	3	+ 3.108	+ 13. 12. 18.36	34.55	4	—16.925	140
5352	5371	Piazzi XI. 143	7.8	11. 33. 34.54	37.71	6	+ 2.978	— 31. 34. 11.28	38.51	5	—19.925	143
5353	5372	Piazzi XI. 144	6	11. 33. 41.24	35.27	3	+ 3.087	+ 5. 39. 36.37	34.70	5	—19.926	144
5354	5373	Piazzi XI. 145	7	11. 33. 44.65	35.21	3	+ 3.018	— 19. 22. 36.95	34.60	4	—19.927	145
5355	5374	Lacaille 4860	7.8	11. 34. 3.85	38.31	3	+ 2.817	— 59. 18. 59.78	38.31	3	—19.930	...	4860	...
5356	5375	Lacaille 4861	7.8	11. 34. 22.89	38.31	3	+ 2.845	— 56. 39. 3.90	38.31	3	—19.933	...	4861	...
5357	5376	Brisbane 3731	8	11. 34. 46.99	38.31	2	+ 2.823	— 59. 30. 24.98	38.31	3	—19.937
5358	5377	Piazzi XI. 146	7	11. 34. 51.65	35.16	4	+ 3.207	+ 42. 38. 15.21	34.56	4	—19.937	146
5359	5378	Piazzi XI. 147	7.8	11. 35. 11.36	37.68	6	+ 3.139	+ 24. 55. 32.13	37.02	7	—19.941	147
5360	5379	Lacaille 4863	6	11. 35. 15.39	38.17	3	+ 2.966	— 36. 16. 26.69	38.17	3	—19.941	...	4863	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
5361	5380	Piazzi XI. 148	6.7	h m s 11. 35. 29'64	31'38	7	+ 3'058	— 5. 45. 35'77	32'06	5	—19'944	148
5362	5381	Brisbane 3736	7.8	11. 35. 32'63	38'22	3	+ 2'892	— 51. 42. 18'51	38'22	3	—19'944
5363	5382	Brisbane 3738	7	11. 35. 37'17	39'34	6	+ 2'874	— 54. 16. 52'18	39'54	5	—19'945
5364	5383	Piazzi XI. 149	7.8	11. 35. 37'23	35'24	3	+ 3'142	+ 26. 7. 56'19	34'55	4	—19'945	149
5365	5384	Lacaille 4868	6	11. 35. 41'26	38'25	3	+ 2'810	— 61. 34. 27'11	38'25	3	—19'946	...	4868	...
5366	5385	Lacaille 4869	7	11. 36. 2'75	38'57	3	+ 2'810	— 61. 57. 44'96	38'57	3	—19'949	...	4869	...
5367	5386	27 Crateris	4	11. 36. 24'60	31'71	14	+ 3'029	— 17. 26. 1'57	32'10	20	—19'952	1598	...	150
5368	5387	Lacaille 4872	6.7	11. 36. 32'83	39'63	7	+ 2'919	— 48. 13. 40'36	39'63	7	—19'953	...	4872	...
5369	5388	2 Virginis	5	11. 36. 46'67	32'01	13	+ 3'094	+ 9. 10. 27'95	32'07	8	—19'955	1599	...	151
5370	5389	Brisbane 3747	8	11. 36. 52'01	38'61	3	+ 2'883	— 54. 32. 47'63	38'61	3	—19'956
5371	5390	Lacaille 4875	7	11. 36. 53'79	38'13	2	+ 2'907	— 50. 39. 20'46	38'46	3	—19'956	...	4875	...
5372	5391	Lacaille 4876	6	11. 37. 7'10	38'18	3	+ 2'923	— 48. 9. 16'11	38'18	3	—19'958	...	4876	...
5373	5392	63 Ursæ Majoris	4	11. 37. 18'63	31'79	6	+ 3'223	+ 48. 41. 38'11	31'31	5	—19'959	1600	...	152
5374	5393	3 Virginis	4.5	11. 37. 22'54	32'23	13	+ 3'089	+ 7. 27. 14'90	33'57	8	—19'960	1601	...	153
5375	5394	Brisbane 3751	8	11. 37. 35'42	39'27	6	+ 2'922	— 48. 56. 2'64	39'27	6	—19'962
5376	5395	Lacaille 4878	6	11. 37. 35'69	36'89	6	+ 2'943	— 44. 46. 29'01	36'29	7	—19'963	...	4878	154
5377	5396	Brisbane 3752	9	11. 37. 41'62	38'22	3	+ 2'907	— 51. 46. 26'75	38'22	3	—19'964
5378	5397	Brisbane 3753	7.8	11. 37. 47'36	40'33	6	+ 2'923	— 49. 1. 57'63	40'61	7	—19'965
5379	5398	Lacaille 4881	7	11. 38. 4'19	38'25	2	+ 3'007	— 27. 2. 51'30	38'30	3	—19'967	...	4881	...
5380	5399	Piazzi XI. 155	9	11. 38. 18'89	36'21	2	+ 3'108	+ 15. 55. 2'63	36'42	4	—19'969	155
5381	5400	Piazzi XI. 156	6.7	11. 38. 27'74	35'17	2	+ 3'129	+ 24. 38. 11'95	34'52	4	—19'970	156
5382	5401	Brisbane 3764	10	11. 38. 34'04	39'26	3	+ 2'862	— 50. 18. 26'02	39'26	3	—19'971
5383	5402	Lacaille 4885	5.6	11. 38. 34'21	38'26	2	+ 2'853	— 60. 15. 42'40	38'59	3	—19'971	...	4885	...
5384	5404	Lacaille 4887	7	11. 38. 39'64	38'35	3	+ 2'969	— 39. 36. 9'46	38'36	3	—19'972	...	4887	...
5385	5403	Lacaille 4888	8	11. 38. 39'74	38'64	3	+ 2'846	— 61. 9. 48'63	38'64	3	—19'972	...	4888	...
5386	5405	Brisbane 3767	7	11. 38. 46'11	39'43	6	+ 2'845	— 61. 22. 43'07	39'43	6	—19'973
5387	5406	Piazzi XI. 157	8	11. 39. 4'78	35'28	3	+ 3'221	+ 50. 44. 15'46	35'30	3	—19'975	157
5388	5407	Brisbane 3770	7	11. 39. 9'23	38'51	3	+ 3'001	— 30. 20. 17'02	38'51	3	—19'975
5389	5408	Lacaille 4892	6.7	11. 39. 17'93	38'59	3	+ 2'887	— 56. 46. 52'49	38'59	3	—19'976	...	4892	...
5390	5409	4 Virginis	5.6	11. 39. 26'28	32'09	6	+ 3'091	+ 9. 9. 42'65	32'08	5	—19'978	1602	...	158
5391	5410	93 Leonis	4	11. 39. 28'20	32'62	12	+ 3'118	+ 21. 8. 6'71	31'41	4	—19'978	1603	...	159
5392	5411	Lacaille 4895	7.8	11. 39. 49'55	38'36	3	+ 2'992	— 34. 18. 21'46	38'36	3	—19'980	...	4895	...
5393	5412	Bradley 1604	6	11. 40. 8'80	35'09	4	+ 3'103	+ 15. 12. 1'56	34'54	4	—19'983	1604	...	160
5394	5413	Lacaille 4898	6	11. 40. 26'18	32'27	6	+ 3'017	— 25. 49. 56'10	32'22	5	—19'985	...	4898	161
5395	5414	Piazzi XI. 162	8	11. 40. 28'93	36'67	4	+ 3'103	+ 15. 25. 23'20	34'55	4	—19'985	162
5396	5415	94 Leonis	2.3	11. 40. 38'39	33'08	32	+ 3'103	+ 15. 29. 39'56	33'19	64	—19'986	1605	...	163
5397	5416	Brisbane 3782	9	11. 41. 3'00	39'44	6	+ 2'960	— 45. 18. 21'48	39'55	7	—19'989
5398	5417	Piazzi XI. 164	6	11. 41. 6'26	35'24	3	+ 3'152	+ 35. 50. 53'26	34'53	4	—19'990	164
5399	5418	Lacaille 4901	7.8	11. 41. 8'53	38'26	3	+ 2'904	— 56. 46. 30'84	38'26	3	—19'990	...	4901	...
5400	5419	Brisbane 3785	6.7	11. 41. 16'40	38'36	2	+ 2'962	— 45. 9. 3'01	38'36	2	—19'991

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5401	5420	Brisbane 3786	7.8	^{h m s} II. 41. 22.59	38.31	3	+ 2.888	— 59. 30. 35.46	38.31	3	—19.992
5402	5421	Brisbane 3789	8	II. 41. 44.64	38.30	3	+ 2.985	— 39. 21. 34.40	38.30	3	—19.994
5403	5422	Lacaille 4904	6.7	II. 41. 55.16	38.49	3	+ 2.943	— 50. 47. 0.16	38.49	3	—19.995	...	4904	...
5404	5423	Piazzi XI. 165	8	II. 41. 56.35	36.42	4	+ 3.176	+ 44. 34. 37.23	36.42	4	—19.996	165
5405	5424	5 Virginis	3.4	II. 42. 6.00	32.91	16	+ 3.077	+ 2. 41. 41.68	32.19	20	—19.997	1606	...	166
5406	5425	Lacaille 4905	7	II. 42. 18.00	38.49	3	+ 3.021	— 26. 21. 38.99	38.49	3	—19.998	...	4905	...
5407	5426	Lacaille 4908	6.7	II. 42. 25.29	38.22	3	+ 2.881	— 61. 43. 57.78	38.22	3	—19.999	...	4908	...
5408	5427	Piazzi XI. 167	6	II. 42. 36.29	31.39	6	+ 3.064	— 4. 24. 58.67	31.56	5	—20.000	167
5409	5428	Brisbane 3795	9	II. 42. 37.73	38.68	5	+ 2.916	— 56. 54. 52.05	38.26	3	—20.001
5410	5429	Lacaille 4910	5.6	II. 42. 55.50	35.22	3	+ 2.975	— 44. 15. 20.55	34.59	4	—20.003	...	4910	168
5411	5430	Lacaille 4911	6.7	II. 42. 58.47	38.63	3	+ 2.980	— 43. 0. 55.40	38.63	3	—20.003	...	4911	...
5412	5431	Lacaille 4914	7	II. 43. 8.81	39.36	7	+ 2.895	— 60. 55. 45.35	39.46	5	—20.004	...	4914	...
5413	5432	Lacaille 4913	6	II. 43. 21.82	38.37	3	+ 3.016	— 29. 54. 15.88	38.37	3	—20.005	...	4913	...
5414	5433	Brisbane 3803	7.8	II. 43. 25.17	38.75	2	+ 2.993	— 39. 23. 22.54	38.75	2	—20.005
5415	5434	Lacaille 4918	8	II. 43. 51.94	38.61	3	+ 2.945	— 53. 29. 32.30	38.61	3	—20.008	...	4918	...
5416	5435	Piazzi XI. 169	8	II. 43. 59.86	36.42	4	+ 3.100	+ 16. 46. 7.71	36.41	4	—20.009	169
5417	5436	Brisbane 3806	9	II. 44. 1.89	38.26	3	+ 2.929	— 56. 52. 59.59	39.10	5	—20.009
5418	5437	Lacaille 4922	5.6	II. 44. 2.55	39.28	6	+ 2.934	— 56. 4. 17.05	38.15	2	—20.009	...	4922	...
5419	5438	Lacaille 4921	7.8	II. 44. 5.57	38.62	3	+ 2.960	— 50. 23. 46.51	38.62	3	—20.009	...	4921	...
5420	5439	Piazzi XI. 170	7	II. 44. 15.93	35.21	3	+ 3.099	+ 16. 21. 24.56	34.52	4	—20.011	170
5421	5440	Piazzi XI. 171	7.8	II. 44. 26.83	35.23	3	+ 3.095	+ 14. 20. 21.03	34.62	4	—20.012	171
5422	5441	Bradley 1607	4	II. 44. 35.59	31.85	11	+ 3.014	— 32. 59. 25.59	31.32	6	—20.013	1607	4923	172
5423	5443	Piazzi XI. 173	8	II. 45. 1.26	36.43	4	+ 3.068	— 2. 57. 59.36	36.42	4	—20.015	173
5424	5444	64 Ursæ Majoris	2	II. 45. 6.93	32.79	32	+ 3.194	+ 54. 36. 42.95	32.95	54	—20.016	1608	...	174
5425	5445	Lacaille 4926	6	II. 45. 8.31	37.91	6	+ 3.014	— 34. 8. 52.15	37.11	7	—20.016	...	4926	175
5426	5446	Piazzi XI. 176	7.8	II. 45. 13.83	35.29	3	+ 3.131	+ 34. 32. 2.14	35.29	3	—20.016	176
5427	5447	Piazzi XI. 177	8	II. 45. 22.39	36.47	4	+ 3.095	+ 14. 56. 52.12	36.24	4	—20.017	177
5428	5448	Piazzi XI. 178	7	II. 45. 23.89	35.24	3	+ 3.074	+ 1. 28. 11.52	34.54	4	—20.017	178
5429	5449	Piazzi XI. 179	7	II. 45. 26.37	35.31	3	+ 3.068	— 2. 51. 25.35	34.97	3	—20.017	179
5430	5450	Piazzi XI. 180	7	II. 45. 36.83	36.47	4	+ 3.080	+ 5. 47. 46.50	36.57	3	—20.018	180
5431	5442	Lacaille 4931	6.7	II. 45. 59.43	38.23	3	+ 2.948	— 56. 29. 32.84	38.23	3	—20.020	...	4931	...
5432	5451	Piazzi XI. 181	7.8	II. 46. 4.72	35.31	3	+ 3.168	+ 49. 51. 17.55	34.56	4	—20.020	181
5433	5452	Lacaille 4932	7	II. 46. 10.55	38.29	3	+ 3.012	— 36. 50. 1.88	38.29	3	—20.021	...	4932	...
5434	5453	Brisbane 3821	7	II. 46. 11.65	39.56	7	+ 3.002	— 41. 7. 39.00	39.56	7	—20.021
5435	5454	Lacaille 4933	7	II. 46. 19.28	38.34	3	+ 3.035	— 24. 47. 56.63	38.34	3	—20.022	...	4933	...
5436	5455	Piazzi XI. 182	7	II. 46. 23.74	36.29	3	+ 3.071	— 0. 31. 11.08	36.92	7	—20.022	182
5437	5456	65 Ursæ Majoris	7.8	II. 46. 29.23	36.94	9	+ 3.158	+ 47. 23. 40.53	37.02	8	—20.022	1609	...	183
5438	5457	Bradley 1610	Var.	II. 46. 34.93	37.78	6	+ 3.157	+ 47. 23. 16.32	38.37	7	—20.023	1610	...	184
5439	5458	6 Virginis	6	II. 46. 35.08	31.61	8	+ 3.085	+ 9. 21. 41.37	31.75	5	—20.023	1611	...	185
5440	5459	Lacaille 4936	7	II. 46. 43.30	38.58	3	+ 2.961	— 55. 10. 10.19	38.58	3	—20.024	...	4936	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
5441	5460	Piazzi XI. 186	9'10	11. 46. 53'50	36'53	4	+ 3'094	+ 16. 1. 43'03	36'32	3	-20'024	186
5442	5461	Piazzi XI. 187	8	11. 46. 57'54	36'31	3	+ 3'075	+ 2. 0. 57'32	36'28	3	-20'025	187
5443	5462	Piazzi XI. 188	7	11. 47. 0'49	35'28	3	+ 3'067	- 4. 12. 57'59	34'58	4	-20'025	188
5444	5463	95 Leonis	Var.	11. 47. 10'86	35'15	3	+ 3'094	+ 16. 33. 53'64	34'65	4	-20'026	1613	...	189
5445	5464	Brisbane 3831	7'8	11. 47. 13'56	38'51	3	+ 2'975	- 52. 19. 14'73	38'51	3	-20'026
5446	5465	Bradley 1614	6	11. 47. 17'65	34'23	9	+ 3'033	- 27. 33. 28'51	33'94	8	-20'027	1614	4940	191
5447	5466	66 Ursa Majoris	6'7	11. 47. 18'67	35'22	3	+ 3'188	+ 57. 31. 0'36	34'60	4	-20'027	1612	...	190
5448	5467	Piazzi XI. 192	6'7	11. 47. 27'83	35'10	4	+ 3'126	+ 36. 15. 31'95	35'25	3	-20'027	192
5449	5468	Lacaille 4941	7	11. 47. 33'78	38'34	3	+ 3'014	- 38. 46. 12'85	38'34	3	-20'028	...	4941	...
5450	5469	30 Crateris	6	11. 47. 37'01	32'29	5	+ 3'051	- 16. 13. 55'49	31'39	1	-20'028	1615	...	193
5451	5470	Piazzi XI. 194	7'8	11. 47. 43'10	36'51	4	+ 3'093	+ 16. 38. 56'20	37'28	3	-20'029	194
5452	5471	Piazzi XI. 195	6'7	11. 47. 45'97	35'09	2	+ 3'125	+ 36. 21. 56'15	34'56	4	-20'029	195
5453	5472	Piazzi XI. 196	7	11. 47. 58'04	35'21	3	+ 3'091	+ 15. 6. 19'21	34'63	4	-20'030	196
5454	5473	Lacaille 4942	7'8	11. 48. 22'27	39'65	3	+ 3'031	- 31. 20. 57'56	39'65	3	-20'032	...	4942	...
5455	5474	Gould 16300	8	11. 48. 23'92	39'65	3	+ 3'031	- 31. 20. 57'26	40'28	2	-20'032
5456	5475	Piazzi XI. 197	7'8	11. 48. 25'80	36'42	4	+ 3'086	+ 11. 26. 47'02	36'54	4	-20'032	197
5457	5476	Lacaille 4943	7	11. 48. 26'67	38'62	3	+ 3'002	- 46. 9. 17'39	38'56	3	-20'032	...	4943	...
5458	5477	Lacaille 4945	7	11. 48. 41'92	38'65	3	+ 3'030	- 32. 23. 49'61	38'65	3	-20'034	...	4945	...
5459	5478	Lacaille 4944	7'8	11. 48. 45'22	38'59	3	+ 2'990	- 51. 10. 52'32	38'59	3	-20'034	...	4944	...
5460	5479	Lacaille 4948	7'8	11. 49. 8'05	38'24	3	+ 3'041	- 26. 8. 4'10	38'24	2	-20'036	...	4948	...
5461	5480	Lacaille 4950	7'8	11. 49. 9'05	38'65	3	+ 3'023	- 37. 34. 42'33	38'65	3	-20'036	...	4950	...
5462	5481	Piazzi XI. 198	9'10	11. 49. 10'21	36'47	4	+ 3'092	+ 17. 20. 57'44	36'51	4	-20'036	198
5463	5482	Piazzi XI. 199	7	11. 49. 14'50	35'22	3	+ 3'093	+ 18. 23. 10'32	34'53	4	-20'036	199
5464	5483	Piazzi XI. 201	7	11. 49. 17'86	36'53	4	+ 3'081	+ 7. 53. 45'05	36'44	4	-20'037	201
5465	5484	Piazzi XI. 200	7'8	11. 49. 21'93	35'23	3	+ 3'083	+ 9. 54. 26'19	34'62	4	-20'037	200
5466	5485	Lacaille 4951	7	11. 49. 25'63	38'63	3	+ 2'958	- 61. 31. 47'58	38'63	3	-20'037	...	4951	...
5467	5486	Lacaille 4952	7'8	11. 49. 31'10	38'62	3	+ 2'968	- 59. 32. 1'14	38'62	3	-20'037	...	4952	...
5468	5487	Piazzi XI. 202	7	11. 49. 37'64	35'27	3	+ 3'112	+ 33. 11. 42'26	34'53	4	-20'037	202
5469	5488	Lacaille 4954	7'8	11. 49. 42'72	38'66	3	+ 2'984	- 55. 56. 47'42	38'66	3	-20'038	...	4954	...
5470	5489	Bradley 1616	7	11. 49. 46'51	32'46	7	+ 3'077	+ 4. 24. 2'55	32'24	5	-20'038	1616	...	203
5471	5490	Lacaille 4959	6	11. 49. 57'09	38'63	3	+ 2'987	- 55. 23. 56'17	38'63	3	-20'039	...	4959	...
5472	5491	Lacaille 4957	7	11. 49. 59'05	38'36	1	+ 3'023	- 40. 1. 47'82	38'38	2	-20'039	...	4957	...
5473	5492	Piazzi XI. 204	7	11. 50. 0'80	35'28	3	+ 3'138	+ 48. 40. 58'26	34'61	4	-20'039	204
5474	5493	Piazzi XI. 205	8'9	11. 50. 3'12	36'88	3	+ 3'077	+ 5. 15. 40'70	36'42	4	-20'039	205
5475	5494	Brisbane 3852	9	11. 50. 19'47	38'65	3	+ 3'000	- 51. 50. 58'31	38'65	3	-20'040
5476	5495	Piazzi XI. 206	7'8	11. 50. 21'79	35'29	3	+ 3'058	- 13. 56. 41'10	35'29	2	-20'040	206
5477	5496	Lacaille 4961	7'8	11. 50. 30'57	38'64	3	+ 3'046	- 24. 59. 22'66	38'64	3	-20'041	...	4961	...
5478	5497	Piazzi XI. 207	6'7	11. 50. 37'00	35'24	3	+ 3'073	+ 1. 26. 53'29	34'58	4	-20'041	207
5479	5498	Lacaille 4966	6	11. 50. 50'48	38'66	3	+ 3'007	- 50. 46. 42'02	38'66	3	-20'041	...	4966	...
5480	5499	Lacaille 4967	7'8	11. 50. 58'47	38'59	3	+ 3'043	- 29. 8. 33'01	38'59	3	-20'042	...	4967	...

{cxl}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5481	5500	Lacaille 4969	7	h m s 11. 51. 4.98	38.57	3	+ 2.994	— 56. 14. 56.92	38.57	3	—20.042	...	4969	...
5482	5501	Lacaille 4972	7	11. 51. 7.70	38.68	3	+ 2.975	— 61. 54. 46.66	38.68	3	—20.042	...	4972	...
5483	5502	Brisbane 3860	7.8	11. 51. 8.70	39.70	7	+ 3.037	— 34. 23. 25.31	39.70	7	—20.042
5484	5503	Lacaille 4971	7.8	11. 51. 12.41	38.39	2	+ 3.019	— 45. 42. 49.81	38.39	2	—20.043	...	4971	...
5485	5504	Brisbane 3864	8	11. 51. 22.10	38.27	3	+ 2.986	— 59. 53. 5.73	38.27	3	—20.043
5486	5505	7 Virginis	5.6	11. 51. 30.03	32.14	8	+ 3.076	+ 4. 34. 28.10	32.38	7	—20.043	1617	...	208
5487	5506	Piazzi XI. 209	7	11. 51. 37.50	35.30	3	+ 3.090	+ 20. 20. 19.94	34.55	4	—20.044	209
5488	5507	Brisbane 3869	7	11. 51. 47.16	39.64	7	+ 3.026	— 43. 56. 30.45	39.64	7	—20.044
5489	5508	Piazzi XI. 210	8.9	11. 52. 8.00	36.48	4	+ 3.152	+ 60. 16. 16.42	36.47	4	—20.045	210
5490	5509	8 Virginis	5	11. 52. 25.03	31.73	22	+ 3.078	+ 7. 32. 3.66	32.95	19	—20.046	1618	...	211
5491	5510	Brisbane 3873	7.8	11. 52. 25.37	39.68	7	+ 3.022	— 48. 38. 59.90	39.68	7	—20.046
5492	5511	31 Crateris	5.6	11. 52. 25.52	33.35	6	+ 3.057	— 18. 44. 26.25	31.42	2	—20.046	1619	...	212
5493	5512	Piazzi XI. 213	7	11. 52. 35.04	34.54	10	+ 3.071	— 0. 50. 38.92	32.25	4	—20.046	213
5494	5513	Piazzi XI. 214	7	11. 52. 43.64	35.22	3	+ 3.075	+ 4. 33. 7.12	34.40	2	—20.047	214
5495	5514	Piazzi XI. 215	8	11. 53. 1.18	36.26	3	+ 3.077	+ 7. 25. 28.58	36.47	4	—20.048	215
5496	5515	Lacaille 4977	7	11. 53. 7.48	38.23	3	+ 3.011	— 56. 35. 3.77	38.23	3	—20.048	...	4977	...
5497	5516	1 Comæ	6	11. 53. 16.71	31.56	5	+ 3.089	+ 23. 0. 49.92	32.26	4	—20.049	1620	...	216
5498	5517	Lacaille 4978	7	11. 53. 20.02	38.59	3	+ 3.038	— 40. 54. 36.16	38.59	3	—20.049	...	4978	...
5499	5518	Lacaille 4979	7	11. 53. 23.56	38.60	3	+ 3.046	— 33. 43. 56.56	38.60	3	—20.049	...	4979	...
5500	5519	67 Ursæ Majoris	6	11. 53. 42.37	35.13	3	+ 3.107	+ 43. 57. 38.46	34.54	4	—20.050	1621	...	217
5501	5520	Brisbane 3879	8	11. 53. 51.48	38.65	3	+ 3.027	— 51. 36. 40.91	38.63	3	—20.051
5502	5521	Lacaille 4982	7.8	11. 54. 1.31	38.31	3	+ 3.008	— 61. 29. 42.80	38.31	3	—20.051	...	4982	...
5503	5522	Piazzi XI. 218	7	11. 54. 5.70	37.72	6	+ 3.106	+ 44. 1. 31.99	37.05	7	—20.051	218
5504	5523	Lacaille 4983	8	11. 54. 7.52	38.74	2	+ 3.022	— 55. 38. 30.62	38.62	3	—20.051	...	4983	...
5505	5524	Lacaille 4986	8	11. 54. 32.21	38.31	3	+ 3.014	— 61. 15. 27.13	38.31	3	—20.052	...	4986	...
5506	5525	Piazzi XI. 219	7.8	11. 54. 33.59	36.68	4	+ 3.060	— 21. 14. 4.07	34.53	4	—20.052	219
5507	5526	Brisbane 3888	8	11. 54. 35.71	38.66	3	+ 3.053	— 30. 46. 19.37	38.66	3	—20.052
5508	5527	Lacaille 4987	7	11. 54. 36.19	38.23	3	+ 3.025	— 56. 20. 29.49	38.23	3	—20.052	...	4987	...
5509	5528	Lacaille 4988	7.8	11. 54. 38.70	38.56	3	+ 3.036	— 48. 44. 7.22	38.56	3	—20.053	...	4988	...
5510	5529	Lacaille 4989	7	11. 54. 41.17	38.67	3	+ 3.038	— 47. 16. 33.44	38.67	3	—20.053	...	4989	...
5511	5530	Lacaille 4992	6	11. 55. 8.54	37.93	6	+ 3.047	— 41. 30. 35.58	32.19	7	—20.054	...	4992	220
5512	5531	Piazzi XI. 221	7	11. 55. 9.60	35.26	3	+ 3.070	— 4. 33. 36.46	34.53	4	—20.054	221
5513	5532	Piazzi XI. 222	7	11. 55. 19.18	32.03	10	+ 3.074	+ 6. 28. 50.50	32.24	5	—20.054	222
5514	5533	Brisbane 3895	8	11. 55. 21.15	39.44	5	+ 3.030	— 56. 49. 25.19	39.44	5	—20.054
5515	5534	Lacaille 4994	7.8	11. 55. 21.83	38.66	3	+ 3.035	— 53. 47. 37.42	38.66	3	—20.054	...	4994	...
5516	5535	Piazzi XI. 223	7.8	11. 55. 34.36	35.24	3	+ 3.081	+ 19. 44. 15.39	34.61	4	—20.055	223
5517	5537	2 Comæ	6	11. 55. 49.19	32.27	6	+ 3.082	+ 22. 22. 41.89	32.07	5	—20.055	1622	...	224
5518	5536	Lacaille 4998	7	11. 55. 49.24	38.18	3	+ 3.035	— 56. 29. 42.24	38.18	3	—20.055	...	4998	...
5519	5538	Piazzi XI. 225	8	11. 55. 50.30	36.42	4	+ 3.063	— 20. 7. 9.90	36.41	4	—20.055	225
5520	5539	Piazzi XI. 226	7	11. 56. 15.51	35.27	3	+ 3.079	+ 17. 11. 17.22	34.55	4	—20.055	226

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
5521	5540	Piazzi X. 227	7	11. 56. 16.27	35.28	3	+ 3.074	+ 4. 29. 35.76	34.63	4	-20.055	227
5522	5541	Lacaille 5001	7	11. 56. 18.24	38.31	3	+ 3.037	- 58. 20. 3.79	38.31	3	-20.055	...	5001	...
5523	5542	9 Virginis	4.5	11. 56. 48.27	33.89	11	+ 3.075	+ 9. 38. 58.58	32.74	29	-20.055	1623	...	228
5524	5543	Lacaille 5008	7.8	11. 56. 52.16	38.57	3	+ 3.051	- 49. 21. 6.79	38.57	3	-20.055	...	5008	...
5525	5544	Lacaille 5007	8	11. 56. 53.05	38.64	3	+ 3.052	- 48. 5. 16.84	38.64	3	-20.055	...	5007	...
5526	5545	Piazzi XI. 229	8	11. 56. 59.27	36.42	4	+ 3.078	+ 18. 12. 35.10	36.42	4	-20.055	229
5527	5546	Lacaille 5014	7	11. 57. 31.52	38.50	3	+ 3.053	- 53. 20. 24.70	38.50	3	-20.055	...	5014	...
5528	5547	Piazzi XI. 230	7	11. 57. 33.18	32.03	4	+ 3.072	- 2. 12. 43.44	31.41	3	-20.055	230
5529	5548	Lacaille 5022	7	11. 57. 38.33	38.60	3	+ 3.064	- 32. 2. 0.81	38.60	3	-20.055	...	5022	...
5530	5549	Piazzi XI. 231	7	11. 57. 49.10	35.21	3	+ 3.067	- 21. 52. 41.63	34.57	4	-20.055	231
5531	5550	Piazzi XI. 232	7.8	11. 57. 55.37	35.22	3	+ 3.085	+ 47. 12. 13.69	34.64	4	-20.056	232
5532	5551	Lacaille 5021	7.8	11. 58. 9.98	39.77	6	+ 3.064	- 36. 56. 29.31	39.77	6	-20.057	...	5021	...
5533	5552	Orucis	4.5	11. 58. 20.20	31.29	5	+ 3.053	- 63. 41. 34.92	31.36	6	-20.057	...	5023	...
5534	5553	Piazzi XI. 233	7	11. 58. 23.05	35.28	3	+ 3.087	+ 58. 31. 10.95	34.57	4	-20.057	233
5535	5554	Piazzi XI. 234	7	11. 58. 34.17	35.13	2	+ 3.069	- 22. 50. 54.85	34.61	4	-20.057	234
5536	5555	Piazzi XI. 235	7	11. 58. 44.38	35.31	3	+ 3.074	+ 13. 54. 21.40	34.55	4	-20.057	235
5537	5556	Piazzi XI. 236	7	11. 58. 45.20	35.31	3	+ 3.073	+ 10. 34. 55.05	34.96	5	-20.057	236
5538	5557	Piazzi XI. 237	7	11. 58. 48.29	35.32	3	+ 3.072	- 5. 50. 51.33	34.54	4	-20.057	237
5539	5558	Lacaille 5025	8	11. 58. 53.32	38.30	3	+ 3.066	- 42. 19. 41.07	38.30	3	-20.057	...	5025	...
5540	5559	Lacaille 5027	8	11. 59. 3.36	38.31	3	+ 3.067	- 44. 39. 47.84	38.31	3	-20.058	...	5027	...
5541	5560	Piazzi XI. 238	7	11. 59. 10.21	35.33	3	+ 3.073	+ 14. 26. 9.07	35.27	3	-20.058	238
5542	5561	Piazzi XI. 239	6.7	11. 59. 33.95	35.35	3	+ 3.072	+ 1. 32. 28.72	34.54	4	-20.058	239
5543	5562	Lacaille 5030	7.8	11. 59. 34.19	39.51	7	+ 3.069	- 49. 50. 42.15	39.44	10	-20.058	...	5030	...
5544	5563	Lacaille 5029	6	11. 59. 34.31	38.23	3	+ 3.069	- 49. 44. 32.85	38.23	3	-20.058	...	5029	...
5545	5564	Lacaille 5031	7	11. 59. 43.82	38.34	3	+ 3.070	- 47. 46. 24.48	38.34	3	-20.058	...	5031	...
5546	5565	Centauri	3	11. 59. 50.48	33.49	15	+ 3.071	- 49. 48. 13.78	32.66	21	-20.058	...	5033	...
5547	5566	Lacaille 5034	7.8	11. 59. 50.95	37.46	6	+ 3.072	- 33. 45. 21.78	36.44	4	-20.058	...	5034	240
5548	5567	Lacaille 5032	7.8	11. 59. 51.44	39.76	5	+ 3.070	- 59. 55. 43.63	39.35	8	-20.058	...	5032	...
5549	5568	1 Corvi	4.5	11. 59. 55.03	32.67	25	+ 3.072	- 23. 48. 30.00	32.54	19	-20.058	1624	5035	241
5550	5569	Piazzi XI. 242	8.9	12. 0. 3.86	37.74	6	+ 3.072	+ 49. 53. 12.39	37.67	7	-20.058	242
5551	5570	Lacaille 5036	6.7	12. 0. 23.43	36.94	6	+ 3.074	- 43. 24. 18.97	36.19	8	-20.058	...	5036	243
5552	5571	Lacaille 5037	6	12. 0. 24.24	38.50	3	+ 3.074	- 40. 18. 44.61	38.50	3	-20.058	...	5037	...
5553	5572	Piazzi XI. 244	6.7	12. 0. 32.03	35.29	3	+ 3.068	+ 50. 6. 13.02	34.56	4	-20.058	244
5554	5573	Piazzi XI. 245	7	12. 0. 47.48	35.24	3	+ 3.071	+ 18. 6. 19.30	35.28	3	-20.058	245
5555	5574	Brisbane 3942	6	12. 1. 13.40	40.02	5	+ 3.080	- 50. 51. 55.92	39.70	4	-20.058
5556	5575	10 Virginis	6	12. 1. 14.22	32.04	8	+ 3.072	+ 2. 49. 30.64	32.23	5	-20.058	1625	...	246
5557	5576	Lacaille 5043	6.7	12. 1. 32.64	35.11	3	+ 3.078	- 33. 47. 8.01	34.67	3	-20.057	...	5043	247
5558	5577	11 Virginis	7	12. 1. 38.93	32.53	8	+ 3.071	+ 6. 43. 28.65	32.24	5	-20.057	1627	...	249
5559	5578	2 Corvi	4	12. 1. 39.15	32.22	9	+ 3.076	- 21. 42. 7.60	33.30	6	-20.057	1626	...	248
5560	5579	Piazzi XII. 1	7	12. 1. 59.32	35.15	3	+ 3.077	- 24. 2. 23.87	34.65	4	-20.057	1

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835°0.	Mean Dec., 1835°0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
5561	5580	Lacaille 5045	6.7	12. 2. 1°67	38°25	3	+ 3°081	- 36. 57. 1°39	38°25	3	-20°057	...	5045	...
5562	5581	Brisbane 3946	8	12. 2. 5°35	38°32	3	+ 3°081	- 35. 55. 0°47	38°32	3	-20°057
5563	5582	3 Comæ	6.7	12. 2. 6°76	35°28	3	+ 3°068	+ 17. 43. 39°96	34°58	4	-20°057	1628	...	2
5564	5583	Lacaille 5048	7	12. 2. 22°31	38°34	3	+ 3°079	- 27. 8. 54°83	38°34	3	-20°057	...	5048	...
5565	5584	Piazzi XII. 3	6.7	12. 2. 22°49	35°21	3	+ 3°065	+ 28. 12. 1°35	34°60	4	-20°057	3
5566	5585	Lacaille 5051	7	12. 2. 29°68	38°31	4	+ 3°097	- 60. 21. 30°02	38°32	3	-20°057	...	5051	...
5567	5586	Lacaille 5049	7	12. 2. 29°71	38°31	3	+ 3°086	- 44. 30. 18°20	38°31	3	-20°057	...	5049	...
5568	5587	3 Corvi	6	12. 2. 35°05	35°57	7	+ 3°078	- 22. 41. 1°04	32°26	6	-20°056	1629	...	4
5569	5588	Brisbane 3951	6	12. 2. 52°94	38°23	3	+ 3°088	- 43. 21. 43°99	38°23	3	-20°056
5570	5589	Lacaille 5053	7.8	12. 2. 59°48	39°59	7	+ 3°093	- 50. 26. 17°91	39°59	7	-20°056	...	5053	...
5571	5590	Centauri.....p	4	12. 3. 3°87	33°48	14	+ 3°094	- 51. 26. 58°90	33°96	7	-20°056	...	5055	...
5572	5591	Piazzi XII. 5	7	12. 3. 11°60	35°31	3	+ 3°082	- 29. 41. 12°17	34°56	4	-20°056	5
5573	5592	Piazzi XII. 6	6.7	12. 3. 13°93	35°29	3	+ 3°071	+ 4. 58. 26°53	35°06	4	-20°056	6
5574	5593	4 Comæ	6	12. 3. 28°49	32°39	6	+ 3°062	+ 26. 47. 24°43	32°29	5	-20°056	1630	...	7
5575	5594	68 Ursæ Majoris	7	12. 3. 29°24	35°31	3	+ 3°040	+ 57. 58. 22°08	34°54	4	-20°056	1631	...	8
5576	5595	5 Comæ	6	12. 3. 45°67	32°29	4	+ 3°064	+ 21. 27. 41°28	32°40	5	-20°055	1632	...	9
5577	5596	Lacaille 5058	7.8	12. 3. 47°29	38°34	3	+ 3°109	- 59. 9. 0°31	38°34	3	-20°055	...	5058	...
5578	5597	Brisbane 3960	8	12. 4. 11°88	38°63	3	+ 3°112	- 58. 44. 14°53	38°63	3	-20°055
5579	5598	Brisbane 3961	8	12. 4. 14°81	38°30	3	+ 3°090	- 36. 36. 32°14	38°30	3	-20°055
5580	5599	Bradley 1634	5	12. 4. 22°13	32°40	8	+ 2°946	+ 78. 32. 0°43	32°31	5	-20°055	1634	...	10
5581	5600	Piazzi XII. 11	7	12. 4. 49°25	35°32	3	+ 3°066	+ 12. 26. 4°90	34°51	4	-20°054	11
5582	5601	Lacaille 5065	7.8	12. 4. 51°64	38°33	3	+ 3°094	- 38. 0. 38°96	38°33	3	-20°054	...	5065	...
5583	5602	Piazzi XII. 12	7	12. 4. 56°01	35°25	3	+ 3°055	+ 31. 11. 58°25	34°54	4	-20°054	12
5584	5603	12 Virginis.....	6	12. 5. 1°72	32°00	6	+ 3°066	+ 11. 10. 57°76	32°23	5	-20°053	1635	...	13
5585	5604	Piazzi XII. 14	7.8	12. 5. 7°03	36°44	4	+ 3°083	- 20. 42. 59°62	36°44	4	-20°053	14
5586	5605	Lacaille 5067	8	12. 5. 9°55	39°53	6	+ 3°086	- 26. 24. 12°10	39°53	6	-20°053	...	5067	...
5587	5606	Lacaille 5068	7.8	12. 5. 21°79	38°28	3	+ 3°116	- 54. 33. 49°75	38°28	3	-20°052	...	5068	...
5588	5607	Lacaille 5069	5.6	12. 5. 26°87	35°13	3	+ 3°104	- 44. 48. 22°07	34°61	4	-20°052	...	5069	15
5589	5608	Piazzi XII. 16	7	12. 5. 30°34	35°22	3	+ 3°070	+ 3. 10. 44°92	34°56	4	-20°052	16
5590	5609	Brisbane 3970	8	12. 5. 32°48	38°29	3	+ 3°124	- 57. 57. 32°25	38°29	3	-20°052
5591	5610	Brisbane 3971	7.8	12. 5. 35°93	38°57	3	+ 3°115	- 53. 0. 18°26	38°57	3	-20°052
5592	5611	Piazzi XII. 17	7	12. 5. 48°45	36°44	4	+ 3°075	- 4. 48. 14°91	36°45	4	-20°051	17
5593	5612	Crucis.....8	3	12. 6. 26°06	34°91	21	+ 3°132	- 57. 49. 51°32	34°37	16	-20°050	...	5075	...
5594	5613	Lacaille 5076	7.8	12. 6. 26°39	38°20	3	+ 3°104	- 40. 13. 4°91	38°20	3	-20°050	...	5076	...
5595	5614	Piazzi XII. 18	6.7	12. 6. 29°01	35°23	3	+ 3°086	- 19. 55. 32°54	34°61	4	-20°050	18
5596	5615	1 Canum Venaticum	6	12. 6. 30°66	35°37	3	+ 3°019	+ 54. 21. 9°64	34°31	3	-20°050	1636	...	19
5597	5616	Brisbane 3977	7	12. 6. 34°33	38°46	4	+ 3°092	- 28. 19. 5°69	38°46	4	-20°050
5598	5617	Piazzi XII. 20	7	12. 6. 50°13	35°11	3	+ 3°059	+ 17. 49. 29°33	34°63	4	-20°049	20
5599	5618	Lacaille 5077	7	12. 6. 58°71	38°29	3	+ 3°107	- 40. 59. 16°15	38°29	3	-20°048	...	5077	...
5600	5619	Piazzi XII. 21	7	12. 7. 1°32	35°15	2	+ 3°081	- 13. 9. 13°95	34°57	4	-20°048	21

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5601	5620	69 Ursæ Majoris.....	3	h m s 12. 7. 13.34	32.31	8	+ 3.005	+ 57. 56. 58.39	32.37	12	-20.048	1637	...	22
5602	5621	Lacaille 5078	7	12. 7. 14.07	38.21	3	+ 3.128	- 53. 8. 15.83	38.21	3	-20.048	...	5078	...
5603	5622	Piazzi XII. 23	9.10	12. 7. 17.96	36.45	4	+ 3.063	+ 11. 47. 7.10	36.47	4	-20.047	23
5604	5623	4 Corvi	3	12. 7. 19.84	32.69	9	+ 3.085	- 16. 37. 30.95	32.09	5	-20.047	1638	...	24
5605	5624	Piazzi XII. 25	7.8	12. 7. 20.65	35.21	3	+ 3.082	- 12. 53. 55.84	34.64	4	-20.047	25
5606	5625	6 Comæ	5	12. 7. 37.27	32.72	12	+ 3.060	+ 15. 49. 5.47	33.30	9	-20.046	1639	...	26
5607	5626	2 Canum Venaticum	6.7	12. 7. 50.33	35.28	3	+ 3.032	+ 41. 34. 44.31	34.64	4	-20.045	1640	...	27
5608	5627	7 Comæ	5	12. 7. 59.29	32.76	9	+ 3.051	+ 24. 51. 48.46	33.43	10	-20.045	1641	...	28
5609	5628	Piazzi XII. 29	5	12. 8. 11.74	35.35	3	+ 3.040	+ 33. 59. 1.17	35.26	3	-20.045	29
5610	5629	Lacaille 5086	7.8	12. 8. 54.96	39.55	5	+ 3.130	- 48. 0. 22.98	40.34	7	-20.042	...	5086	...
5611	5630	Lacaille 5087	7.8	12. 9. 8.27	38.29	3	+ 3.154	- 56. 56. 0.02	38.29	3	-20.042	...	5087	...
5612	5631	Lacaille 5088	7	12. 9. 11.78	38.33	3	+ 3.110	- 35. 10. 35.62	38.33	3	-20.041	...	5088	...
5613	5632	Piazzi XII. 30	8	12. 9. 13.88	36.47	4	+ 3.057	+ 15. 21. 41.10	36.48	4	-20.041	30
5614	5633	Brisbane 3991	7.8	12. 9. 16.34	38.27	3	+ 3.168	- 60. 33. 9.34	38.27	3	-20.041
5615	5634	Lacaille 5089	7	12. 9. 27.46	38.34	3	+ 3.141	- 51. 23. 22.46	38.34	3	-20.041	...	5089	...
5616	5635	Piazzi XII. 31	7.8	12. 9. 31.73	35.31	3	+ 3.070	+ 2. 29. 34.53	34.53	4	-20.040	31
5617	5636	Piazzi XII. 32	7	12. 9. 41.78	35.87	10	+ 3.075	- 3. 2. 18.02	36.45	4	-20.040	32
5618	5637	Piazzi XII. 34	8	12. 9. 41.94	36.46	4	+ 3.052	+ 19. 21. 9.54	36.47	4	-20.040	34
5619	5638	Piazzi XII. 33	7	12. 9. 42.01	37.06	1	+ 3.075	- 3. 1. 56.66	34.61	4	-20.040	33
5620	5639	Piazzi XII. 36	7.8	12. 10. 3.36	35.43	2	+ 3.063	+ 8. 58. 53.51	34.62	4	-20.039	36
5621	5640	Piazzi XII. 35	7	12. 10. 3.51	35.40	2	+ 3.080	- 7. 58. 58.55	35.40	1	-20.039	35
5622	5641	Piazzi XII. 37	7	12. 10. 11.33	39.31	6	+ 3.033	+ 33. 39. 57.19	37.75	7	-20.038	37
5623	5642	13 Virginis	6	12. 10. 12.96	33.38	18	+ 3.072	+ 0. 7. 49.96	32.24	5	-20.038	1643	...	38
5624	5643	Lacaille 5092	7	12. 10. 13.96	38.34	3	+ 3.155	- 54. 13. 32.59	38.34	3	-20.038	...	5092	...
5625	5644	Piazzi XII. 39	7	12. 10. 42.42	35.24	3	+ 3.040	+ 26. 55. 32.21	34.63	4	-20.036	39
5626	5645	Piazzi XII. 40	7	12. 10. 45.91	38.20	5	+ 3.052	+ 17. 28. 18.52	37.02	7	-20.036	40
5627	5646	14 Virginis	6.7	12. 10. 51.08	33.09	8	+ 3.081	- 7. 59. 46.62	33.55	12	-20.035	1644	...	41
5628	5647	Lacaille 5097	7.8	12. 10. 56.25	38.36	3	+ 3.111	- 31. 40. 20.48	38.36	3	-20.035	...	5097	...
5629	5648	Lacaille 5094	8	12. 10. 58.45	38.31	3	+ 3.192	- 61. 56. 17.48	38.31	3	-20.035	...	5094	...
5630	5649	8 Comæ	6	12. 10. 58.88	32.39	6	+ 3.044	+ 23. 57. 6.50	32.27	3	-20.035	1645	...	42
5631	5650	9 Comæ	6.7	12. 11. 13.17	36.82	4	+ 3.036	+ 29. 4. 45.64	34.60	4	-20.034	1646	...	43
5632	5651	Bradley 1650	6.7	12. 11. 22.17	39.85	6	+ 2.804	+ 76. 4. 37.40	38.94	9	-20.034	1650	...	45
5633	5652	15 Virginis	3.4	12. 11. 27.99	33.53	10	+ 3.072	+ 0. 15. 3.05	32.34	22	-20.033	1647	...	44
5634	5653	Lacaille 5102	7	12. 11. 28.51	38.22	3	+ 3.122	- 36. 52. 50.76	38.22	3	-20.033	...	5102	...
5635	5654	10 Comæ	6	12. 11. 32.18	33.50	8	+ 3.035	+ 29. 22. 52.50	33.32	9	-20.032	1648	...	46
5636	5655	Bradley 1649	6.7	12. 11. 38.95	36.74	4	+ 3.111	- 21. 15. 25.35	34.43	3	-20.032	1649	...	47
5637	5656	3 Canum Venaticum	5.6	12. 11. 39.44	35.28	3	+ 2.991	+ 49. 54. 0.76	34.32	3	-20.032	1651	...	48
5638	5657	Piazzi XII. 49	7.8	12. 11. 42.37	35.30	3	+ 3.054	+ 16. 46. 20.63	34.44	2	-20.031	49
5639	5658	16 Virginis	5.6	12. 11. 58.40	32.87	10	+ 3.067	+ 4. 13. 57.93	32.36	7	-20.030	1652	...	50
5640	5659	Piazzi XII. 52	6.7	12. 12. 0.42	35.24	2	+ 3.037	+ 26. 55. 1.61	34.56	4	-20.030	52

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5641	5660	5 Corvi	5.6	h m s 12. 12. 1.54	35.35	8	+ 3.099	— 21. 17. 52.39	32.42	5	—20.030	1653	...	51
5642	5661	Lacaille 5106	8	12. 12. 11.16	38.27	2	+ 3.147	— 46. 32. 19.45	38.27	2	—20.029	...	5106	...
5643	5662	11 Comæ	5	12. 12. 22.64	32.42	11	+ 3.048	+ 18. 42. 17.92	31.41	5	—20.028	1654	...	53
5644	5663	Lacaille 5108	7.8	12. 12. 24.61	38.60	3	+ 3.204	— 61. 21. 57.07	38.60	3	—20.028	...	5108	...
5645	5664	Piazzi XII. 54	6	12. 12. 25.16	33.13	6	+ 3.088	— 12. 38. 59.19	33.28	5	—20.028	54
5646	5665	Lacaille 5109	7	12. 12. 25.16	38.67	3	+ 3.136	— 41. 38. 42.91	38.66	3	—20.028	...	5109	...
5647	5666	Piazzi XII. 55	7	12. 12. 26.91	35.21	3	+ 3.051	+ 16. 27. 26.44	35.27	3	—20.028	55
5648	5667	Orionis	4	12. 12. 30.64	35.13	13	+ 3.196	— 59. 29. 21.84	35.41	9	—20.027	...	5110	...
5649	5668	70 Ursæ Majoris	6	12. 12. 49.56	35.27	2	+ 2.949	+ 58. 47. 0.44	34.54	4	—20.026	1655	...	56
5650	5669	Lacaille 5114	8	12. 13. 1.19	38.62	3	+ 3.159	— 49. 1. 58.72	38.62	3	—20.025	...	5114	...
5651	5670	Piazzi XII. 57	7	12. 13. 52.89	35.31	3	+ 3.033	+ 25. 41. 23.40	35.30	3	—20.021	57
5652	5671	Lacaille 5120	6	12. 13. 55.89	39.62	6	+ 3.196	— 56. 45. 34.21	40.30	11	—20.021	...	5120	...
5653	5672	17 Virginis	6	12. 14. 8.87	32.42	7	+ 3.064	+ 6. 13. 25.70	32.24	5	—20.019	1657	...	58
5654	5673	12 Comæ	5	12. 14. 12.18	32.25	15	+ 3.030	+ 26. 45. 43.82	31.98	5	—20.019	1658	...	59
5655	5674	Piazzi XII. 60	7.8	12. 14. 22.23	35.24	3	+ 3.040	+ 21. 3. 55.05	34.27	3	—20.018	60
5656	5675	Lacaille 5125	7.8	12. 14. 25.66	35.13	2	+ 3.109	— 23. 57. 22.95	34.67	4	—20.018	...	5125	61
5657	5676	Piazzi XII. 62	9	12. 14. 37.74	36.45	4	+ 3.046	+ 17. 9. 36.36	36.44	4	—20.017	62
5658	5677	Brisbane 4030	7	12. 14. 37.77	38.18	3	+ 3.224	— 63. 42. 49.03	38.18	3	—20.017
5659	5678	Piazzi XII. 63	7	12. 14. 40.99	35.32	3	+ 3.081	— 6. 23. 1.65	34.57	4	—20.017	63
5660	5679	Brisbane 4033	8	12. 14. 42.76	38.62	3	+ 3.146	— 40. 55. 52.36	38.62	3	—20.017
5661	5680	6 Corvi	5.6	12. 14. 46.60	32.32	6	+ 3.110	— 23. 55. 27.11	32.26	6	—20.016	1659	5127	64
5662	5681	Piazzi XII. 65	7	12. 14. 46.86	35.34	3	+ 3.078	— 4. 3. 26.64	34.64	4	—20.016	65
5663	5682	Lacaille 5128	7	12. 14. 55.22	38.34	3	+ 3.141	— 38. 23. 10.31	38.34	3	—20.015	...	5128	...
5664	5683	Centauri	5.6	12. 14. 55.59	35.15	3	+ 3.132	— 34. 29. 49.37	34.31	3	—20.015	...	5129	66
5665	5684	Lacaille 5130	6.7	12. 15. 3.87	38.34	2	+ 3.140	— 37. 59. 46.19	38.34	2	—20.015	...	5130	...
5666	5685	Lacaille 5131	7	12. 15. 9.94	38.34	3	+ 3.122	— 29. 25. 9.98	38.34	3	—20.014	...	5131	...
5667	5686	Lacaille 5135	7.8	12. 15. 34.56	38.61	3	+ 3.168	— 46. 27. 27.86	38.61	3	—20.011	...	5135	...
5668	5687	4 Canum Venaticum	6.7	12. 15. 38.74	35.39	2	+ 2.976	+ 43. 27. 25.85	34.38	3	—20.011	1660	...	67
5669	5688	Piazzi XII. 68	7	12. 15. 46.16	39.09	6	+ 3.026	+ 26. 46. 0.38	37.72	8	—20.010	68
5670	5689	Piazzi XII. 69	7	12. 15. 51.60	35.43	2	+ 3.087	— 9. 33. 42.80	34.38	3	—20.010	69
5671	5690	5 Canum Venaticum	5.6	12. 15. 58.63	35.39	2	+ 2.951	+ 52. 28. 37.22	34.33	3	—20.009	1662	...	71
5672	5691	13 Comæ	5	12. 16. 1.49	32.40	11	+ 3.025	+ 27. 0. 52.36	31.59	6	—20.009	1661	...	70
5673	5692	Piazzi XII. 72	7.8	12. 16. 7.14	36.57	5	+ 3.064	+ 5. 14. 49.11	36.46	4	—20.009	72
5674	5693	Piazzi XII. 73	8	12. 16. 14.89	38.72	7	+ 3.062	+ 5. 57. 44.06	38.72	7	—20.008	73
5675	5694	Lacaille 5140	7.8	12. 16. 19.95	38.30	3	+ 3.175	— 47. 23. 39.08	38.30	3	—20.007	...	5140	...
5676	5695	Lacaille 5141	7	12. 16. 25.47	38.31	3	+ 3.157	— 41. 35. 54.84	38.31	3	—20.007	...	5141	...
5677	5696	Centauri	6.7	12. 16. 42.19	35.18	3	+ 3.138	— 34. 16. 15.92	34.62	4	—20.004	...	5142	74
5678	5697	Piazzi XII. 75	6	12. 16. 56.60	35.26	2	+ 3.026	+ 24. 50. 35.65	34.60	4	—20.003	75
5679	5698	71 Ursæ Majoris	6.7	12. 17. 8.05	35.29	3	+ 2.914	+ 57. 41. 34.39	34.42	3	—20.002	1663	...	76
5680	5699	Lacaille 5147	4	12. 17. 24.12	33.02	7	+ 3.264	— 62. 12. 24.10	37.21	3	—20.000	...	5147	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxlv}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5681	5700	Crucis	1	h m s 12. 17. 28.91	34.26	16	+ 3.265	— 62. 11. 4.36	33.95	19	—20.000	...	5148	...
5682	5701	Piazzi XII. 77	7.8	12. 17. 29.90	36.27	3	+ 3.063	+ 5. 6. 50.61	36.47	4	—20.000	77
5683	5702	Lacaille 5150	6.7	12. 17. 39.44	38.34	3	+ 3.197	— 50. 32. 8.55	38.34	3	—19.998	...	5150	...
5684	5703	6 Canum Venaticum ..	5.6	12. 17. 42.17	35.21	3	+ 2.986	+ 39. 56. 5.11	35.27	3	—19.998	1664	...	79
5685	5704	Piazzi XII. 78	6.7	12. 17. 42.60	35.30	3	+ 3.041	+ 16. 46. 40.46	34.57	4	—19.998	78
5686	5705	Lacaille 5151	7.8	12. 18. 6.01	38.61	3	+ 3.206	— 51. 47. 18.25	38.61	3	—19.995	...	5151	...
5687	5706	Lacaille 5153	7.8	12. 18. 7.00	38.37	3	+ 3.189	— 47. 49. 42.87	38.37	3	—19.995	...	5153	...
5688	5707	14 Comæ	5	12. 18. 8.48	32.34	5	+ 3.016	+ 28. 10. 57.72	32.31	5	—19.995	1665	...	81
5689	5708	Lacaille 5154	6.7	12. 18. 11.13	35.79	4	+ 3.138	— 31. 54. 52.77	34.55	4	—19.994	...	5154	80
5690	5709	Lacaille 5155	7.8	12. 18. 18.56	38.65	3	+ 3.223	— 54. 49. 15.58	38.65	3	—19.994	...	5155	...
5691	5710	Lacaille 5156	7	12. 18. 27.56	38.62	3	+ 3.240	— 57. 24. 12.31	38.62	3	—19.993	...	5156	...
5692	5711	72 Ursæ Majoris	7	12. 18. 37.10	35.28	3	+ 2.911	+ 56. 4. 21.30	35.13	5	—19.992	1668	...	83
5693	5712	Piazzi XII. 82	8	12. 18. 41.44	36.48	4	+ 3.138	— 31. 51. 45.87	36.69	2	—19.991	82
5694	5713	15 Comæ	5	12. 18. 42.58	32.25	6	+ 3.011	+ 29. 11. 11.16	32.33	5	—19.991	1666	...	84
5695	5714	16 Comæ	4.5	12. 18. 43.75	32.17	9	+ 3.015	+ 27. 44. 24.57	32.72	16	—19.990	1667	...	85
5696	5715	Lacaille 5161	7.8	12. 19. 7.38	38.60	3	+ 3.272	— 60. 50. 44.59	38.60	3	—19.988	...	5161	...
5697	5716	Centauri	5	12. 19. 9.26	35.28	17	+ 3.202	— 49. 18. 57.73	37.18	18	—19.988	...	5162	...
5698	5717	Piazzi XII. 86	9	12. 19. 14.52	37.33	3	+ 3.062	+ 5. 19. 51.52	38.61	4	—19.987	86
5699	5718	Piazzi XII. 87	6	12. 19. 16.36	35.31	3	+ 3.104	— 15. 43. 6.59	34.54	4	—19.987	87
5700	5719	Piazzi XII. 90	7	12. 19. 17.50	37.19	3	+ 3.010	+ 29. 1. 27.35	37.76	7	—19.987	90
5701	5720	Lacaille 5163	7.8	12. 19. 18.00	38.60	3	+ 3.274	— 60. 52. 53.24	38.60	3	—19.987	...	5163	...
5702	5721	Piazzi XII. 88	6.7	12. 19. 18.71	35.32	3	+ 3.053	+ 9. 31. 31.04	34.69	4	—19.987	88
5703	5722	Piazzi XII. 89	8	12. 19. 19.58	38.14	6	+ 3.078	— 1. 27. 49.36	39.70	3	—19.987	89
5704	5723	Piazzi XII. 91	6.7	12. 19. 24.01	32.31	4	+ 3.079	— 3. 42. 4.51	32.24	5	—19.986	91
5705	5724	Brisbane 4066	7.8	12. 19. 27.78	38.65	3	+ 3.087	— 7. 45. 43.47	38.82	2	—19.986
5706	5725	Lacaille 5175	7	12. 19. 37.15	38.61	3	+ 3.238	— 55. 29. 2.78	38.61	3	—19.985	...	5175	...
5707	5726	Lacaille 5164	4	12. 19. 37.71	32.15	6	+ 3.162	— 38. 7. 36.48	31.85	4	—19.985	...	5164	92
5708	5727	73 Ursæ Majoris	7	12. 19. 41.96	35.15	3	+ 2.898	+ 56. 37. 34.12	34.71	3	—19.984	1670	...	93
5709	5728	Lacaille 5165	8	12. 19. 46.17	38.60	3	+ 3.279	— 60. 57. 27.25	38.60	3	—19.984	...	5165	...
5710	5729	Piazzi XII. 94	8.9	12. 19. 50.89	36.50	4	+ 3.038	+ 16. 31. 54.20	38.09	4	—19.983	94
5711	5730	Piazzi XII. 95	7	12. 19. 54.18	32.91	9	+ 3.061	+ 5. 18. 39.89	32.26	6	—19.983	95
5712	5731	Brisbane 4070	8	12. 20. 5.92	38.65	3	+ 3.210	— 49. 44. 4.03	38.65	3	—19.981
5713	5732	Lacaille 5167	7.8	12. 20. 24.93	38.30	3	+ 3.152	— 33. 55. 11.70	38.30	3	—19.979	...	5167	...
5714	5733	Bradley 1671	8	12. 20. 29.69	36.46	4	+ 3.012	+ 26. 48. 49.09	36.32	2	—19.978	1671	...	96
5715	5734	Brisbane 4072	8.9	12. 20. 38.43	38.37	2	+ 3.265	— 58. 6. 34.97	38.37	2	—19.977
5716	5735	17 Comæ	5.6	12. 20. 39.85	34.18	9	+ 3.011	+ 26. 49. 36.61	32.28	5	—19.977	1673	...	97
5717	5736	Piazzi XII. 98	7	12. 20. 42.29	35.61	4	+ 3.075	— 1. 30. 54.84	35.95	3	—19.976	98
5718	5737	Lacaille 5178	7	12. 20. 51.16	38.62	3	+ 3.250	— 55. 36. 44.34	38.62	3	—19.975	...	5178	...
5719	5738	Piazzi XII. 99	7.8	12. 21. 5.07	35.24	2	+ 3.060	+ 5. 44. 59.35	34.62	4	—19.973	99
5720	5739	Lacaille 5173	6.7	12. 21. 9.50	38.60	3	+ 3.178	— 40. 49. 19.86	38.60	3	—19.973	...	5173	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5721	5740	Lacaille 5172	7	h m s 12. 21. 9.73	38.52	3	+ 3.286	— 60. 4. 37.00	38.52	3	— 19.973	...	5172	...
5722	5742	Lacaille 5174	7.8	12. 21. 11.65	38.61	3	+ 3.183	— 42. 0. 59.80	38.61	3	— 19.972	...	5174	...
5723	5741	18 Comæ	6	12. 21. 11.78	35.63	9	+ 3.014	+ 25. 1. 19.27	35.61	8	— 19.972	1674	...	100
5724	5743	7 Corvi	3	12. 21. 20.19	31.63	3	+ 3.107	— 15. 35. 46.19	32.17	15	— 19.971	1675	...	101
5725	5744	20 Comæ	6.7	12. 21. 25.53	35.32	3	+ 3.022	+ 21. 48. 38.74	34.65	3	— 19.970	1676	...	102
5726	5745	Piazzi XII. 103	7	12. 21. 27.15	35.29	3	+ 3.037	+ 15. 33. 47.34	34.65	4	— 19.970	103
5727	5746	Piazzi XII. 104	6.7	12. 21. 34.93	33.35	6	+ 3.100	— 12. 28. 38.85	32.40	5	— 19.969	104
5728	5747	Piazzi XII. 105	6	12. 21. 40.26	36.47	4	+ 3.125	— 22. 46. 59.80	36.51	4	— 19.969	105
5729	5748	Crucis	2.3	12. 22. 3.85	35.69	11	+ 3.264	— 56. 11. 19.74	35.58	9	— 19.965	...	5180	...
5730	5749	B. A. C. 4218	6	12. 22. 10.87	33.35	5	+ 3.048	+ 10. 37. 49.86	33.29	5	— 19.964
5731	5751	74 Ursæ Majoris	6	12. 22. 12.97	35.39	3	+ 2.854	+ 59. 18. 52.97	34.77	5	— 19.964	1678	...	107
5732	5750	7 Canum Venaticum	6.7	12. 22. 13.12	35.30	2	+ 2.904	+ 52. 26. 50.95	34.54	4	— 19.964	1677	...	106
5733	5752	Piazzi XII. 108	7	12. 22. 22.77	35.33	3	+ 3.079	— 3. 8. 54.71	34.30	3	— 19.963	108
5734	5753	Brisbane 4084	7.8	12. 22. 30.16	38.59	3	+ 3.184	— 40. 35. 33.49	38.59	3	— 19.962
5735	5754	Lacaille 5185	7	12. 22. 30.58	38.67	3	+ 3.286	— 58. 30. 41.37	38.67	3	— 19.962	...	5185	...
5736	5755	Musæ	4	12. 22. 42.91	33.20	5	+ 3.461	— 71. 13. 16.46	33.17	4	— 19.959	...	5184	...
5737	5756	21 Comæ	5.6	12. 22. 45.70	33.83	8	+ 3.009	+ 25. 28. 47.09	32.24	5	— 19.959	1679	...	109
5738	5757	Brisbane 4087	7.8	12. 22. 48.35	38.62	3	+ 3.279	— 57. 22. 43.38	38.62	3	— 19.959
5739	5758	4 Draconis	6	12. 22. 49.63	35.40	2	+ 2.704	+ 70. 6. 58.79	34.61	4	— 19.958	1680	...	110
5740	5759	Lacaille 5190	7.8	12. 23. 4.02	39.58	8	+ 3.265	— 55. 13. 5.64	39.45	9	— 19.956	...	5190	...
5741	5760	Lacaille 5189	7	12. 23. 9.32	38.36	3	+ 3.186	— 40. 8. 31.67	38.36	3	— 19.955	...	5189	...
5742	5761	Piazzi XII. 111	6.7	12. 23. 10.29	32.59	5	+ 3.082	— 4. 8. 32.33	33.32	5	— 19.955	111
5743	5762	Piazzi XII. 112	6.7	12. 23. 14.44	35.39	3	+ 3.108	— 14. 48. 5.4	34.59	4	— 19.955	112
5744	5763	Piazzi XII. 113	7.8	12. 23. 17.37	36.28	2	+ 3.045	+ 11. 11. 2.82	37.37	2	— 19.954	113
5745	5764	Piazzi XII. 114	8	12. 23. 19.18	36.51	4	+ 3.040	+ 13. 2. 22.78	36.26	3	— 19.954	114
5746	5765	Lacaille 5192	7.8	12. 23. 29.46	38.67	3	+ 3.141	— 26. 39. 16.35	38.67	3	— 19.953	...	5192	...
5747	5766	8 Corvi	4.5	12. 23. 34.92	31.35	5	+ 3.110	— 15. 16. 52.82	31.72	6	— 19.952	1681	...	115
5748	5767	Brisbane 4095	7.8	12. 24. 11.29	38.66	3	+ 3.288	— 56. 48. 18.37	38.66	3	— 19.946
5749	5768	Lacaille 5199	8	12. 24. 14.82	38.32	3	+ 3.239	— 49. 44. 27.14	38.33	2	— 19.946	...	5199	...
5750	5769	Lacaille 5197	8	12. 24. 15.14	38.64	3	+ 3.267	— 54. 4. 8.98	38.64	3	— 19.946	...	5197	...
5751	5770	Lacaille 5200	7.8	12. 24. 38.21	39.50	7	+ 3.195	— 40. 30. 6.66	39.34	6	— 19.942	...	5200	...
5752	5771	20 Virginis	6	12. 24. 41.61	34.81	10	+ 3.044	+ 11. 12. 25.75	32.29	4	— 19.942	1682	...	116
5753	5772	Brisbane 4100	8	12. 24. 53.54	38.80	2	+ 3.280	— 55. 13. 2.29	38.66	3	— 19.940
5754	5773	Piazzi XII. 117	8	12. 25. 9.26	36.70	2	+ 3.133	— 22. 35. 55.93	36.28	3	— 19.937	117
5755	5774	Piazzi XII. 118	7	12. 25. 10.50	35.13	3	+ 3.050	+ 8. 35. 16.22	34.61	4	— 19.937	118
5756	5775	21 Virginis	5.6	12. 25. 16.27	32.16	6	+ 3.094	— 8. 32. 26.32	32.26	6	— 19.936	1683	...	119
5757	5776	22 Comæ	6	12. 25. 20.54	33.78	8	+ 3.003	+ 25. 11. 38.50	33.33	5	— 19.936	1684	...	120
5758	5777	Piazzi XII. 121	7	12. 25. 26.14	36.05	6	+ 3.134	— 22. 38. 9.69	35.06	5	— 19.935	121
5759	5778	Piazzi XII. 122	6.7	12. 25. 30.13	35.15	3	+ 2.971	+ 34. 9. 35.52	34.64	4	— 19.934	122
5760	5779	Piazzi XII. 124	7	12. 25. 39.44	36.51	4	+ 2.970	+ 34. 17. 45.31	36.47	4	— 19.932	124

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxlvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5761	5780	9 Corvi	β 2.3	h m s 12. 25. 44.16	31.31	5	+ 3.134	- 22. 29. 0.63	31.94	7	-19.931	1685	...	123
5762	5781	Lacaille 5207	5.6	12. 25. 48.73	38.18	3	+ 3.216	- 43. 45. 9.90	38.18	3	-19.931	...	5207	...
5763	5782	8 Canum Venaticum ...	β 4.5	12. 25. 53.79	31.60	4	+ 2.935	+ 42. 15. 15.77	32.33	5	-19.930	1686	...	126
5764	5783	Piazzi XII. 125	7	12. 25. 56.48	35.22	2	+ 3.073	- 0. 29. 50.38	34.58	4	-19.930	125
5765	5784	Piazzi XII. 127	7	12. 26. 6.83	35.13	3	+ 3.049	+ 8. 38. 50.20	34.63	4	-19.927	127
5766	5785	Lacaille 5208	7	12. 26. 9.77	38.18	3	+ 3.345	- 60. 49. 45.58	38.18	3	-19.927	...	5208	...
5767	5786	Lacaille 5209	7	12. 26. 14.97	38.18	3	+ 3.347	- 60. 55. 39.08	38.18	3	-19.926	...	5209	...
5768	5787	5 Draconis	κ 3.4	12. 26. 23.69	31.93	3	+ 2.633	+ 70. 41. 53.84	31.35	6	-19.925	1689	...	129
5769	5788	Piazzi XII. 128	7	12. 26. 32.55	36.68	4	+ 3.000	+ 25. 8. 2.96	34.33	2	-19.924	128
5770	5789	23 Comæ	4.5	12. 26. 37.57	32.79	9	+ 3.005	+ 23. 32. 18.80	32.19	5	-19.923	130
5771	5790	Bradley 1687	7	12. 26. 49.56	36.47	4	+ 3.017	+ 19. 17. 10.68	36.49	4	-19.921	1687	...	132
5772	5791	24 Comæ	5.6	12. 26. 50.88	33.59	7	+ 3.017	+ 19. 17. 11.08	32.24	5	-19.921	1688	...	133
5773	5792	Lacaille 5211	6	12. 26. 54.55	35.25	3	+ 3.204	- 40. 6. 41.37	34.61	4	-19.920	...	5211	131
5774	5793	Lacaille 5212	7.8	12. 27. 6.50	38.30	3	+ 3.270	- 51. 30. 27.95	38.30	3	-19.918	...	5212	...
5775	5794	Musæ	α 4	12. 27. 26.27	31.96	6	+ 3.472	- 68. 13. 30.47	31.66	6	-19.914	...	5213	...
5776	5795	6 Draconis	6	12. 27. 42.45	35.28	5	+ 2.606	+ 70. 55. 54.88	34.54	4	-19.912	1691	...	135
5777	5796	Lacaille 5216	7	12. 27. 43.68	38.30	3	+ 3.260	- 49. 25. 29.49	38.30	3	-19.911	...	5216	...
5778	5797	Lacaille 5218	7	12. 27. 46.75	38.28	3	+ 3.200	- 38. 24. 58.96	38.28	3	-19.910	...	5218	...
5779	5798	Piazzi XII. 134	8	12. 27. 57.90	36.48	4	+ 3.117	- 15. 28. 30.95	36.52	4	-19.908	134
5780	5799	25 Virginis	γ 6.7	12. 28. 17.82	31.97	5	+ 3.086	- 4. 55. 16.89	32.95	5	-19.904	1690	...	136
5781	5800	Brisbane 4117	8	12. 28. 18.40	38.30	3	+ 3.327	- 57. 10. 46.40	38.30	3	-19.904
5782	5801	Brisbane 4118	7.8	12. 28. 35.48	38.30	3	+ 3.328	- 56. 57. 26.57	38.30	3	-19.902
5783	5802	25 Comæ	6	12. 28. 41.77	33.18	6	+ 3.018	+ 17. 59. 59.21	33.33	5	-19.901	1692	...	137
5784	5803	Centauri	τ 5	12. 28. 42.94	32.36	10	+ 3.255	- 47. 37. 55.25	31.40	5	-19.900	...	5222	...
5785	5804	Piazzi XII. 138	9	12. 28. 43.85	36.50	4	+ 3.027	+ 15. 9. 42.92	36.45	4	-19.900	138
5786	5805	Bradley 1693	7	12. 28. 45.76	35.15	3	+ 3.043	+ 9. 42. 23.44	34.61	4	-19.900	1693	...	139
5787	5806	Lacaille 5223	7.8	12. 28. 54.75	39.61	7	+ 3.312	- 55. 1. 20.48	39.48	6	-19.898	...	5223	...
5788	5808	Lacaille 5225	5.6	12. 28. 58.33	32.28	6	+ 3.155	- 26. 13. 32.31	32.27	5	-19.897	...	5225	140
5789	5809	Brisbane 4127	8.9	12. 29. 16.02	38.30	3	+ 3.250	- 46. 12. 23.34	38.31	3	-19.894
5790	5810	Piazzi XII. 141	7.8	12. 29. 24.79	35.21	3	+ 3.054	+ 5. 53. 43.41	34.56	4	-19.892	141
5791	5811	Brisbane 4130	7.8	12. 29. 48.75	38.28	3	+ 3.210	- 38. 29. 2.21	38.28	3	-19.888
5792	5812	Piazzi XII. 144	7	12. 29. 56.92	35.28	3	+ 2.564	+ 71. 5. 37.63	34.63	4	-19.887	144
5793	5807	Piazzi XII. 142	7	12. 29. 57.66	32.53	7	+ 3.063	+ 2. 45. 51.82	33.36	6	-19.887	142
5794	5813	Piazzi XII. 143	6.7	12. 30. 14.78	32.53	6	+ 3.083	- 3. 27. 53.28	33.44	5	-19.883	143
5795	5814	Piazzi XII. 145	7	12. 30. 16.78	35.11	3	+ 3.026	+ 14. 42. 56.44	34.57	4	-19.883	145
5796	5815	Lacaille 5229	6	12. 30. 17.54	39.32	6	+ 3.172	- 29. 30. 48.49	40.43	3	-19.882	...	5229	...
5797	5816	Lacaille 5230	6.7	12. 30. 39.12	38.26	2	+ 3.169	- 28. 37. 43.49	38.37	1	-19.878	...	5230	...
5798	5817	26 Virginis	χ 4	12. 30. 44.31	35.51	13	+ 3.094	- 7. 5. 9.94	38.74	6	-19.877	1694	...	146
5799	5818	9 Canum Venaticum	6.7	12. 30. 48.81	39.19	7	+ 2.912	+ 41. 46. 59.15	39.13	10	-19.876	1696	...	150
5800	5819	Piazzi XII. 148	7	12. 30. 50.21	35.26	3	+ 2.994	+ 23. 34. 7.82	34.61	4	-19.876	148

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5801	5820	Piazzi XII. 147	6	12. 30. 52.04	36.24	1	+ 3.094	- 7. 7. 20.14	36.47	4	-19.876	147
5802	5821	26 Comae	6	12. 30. 54.56	33.29	6	+ 3.000	+ 21. 58. 14.98	32.25	5	-19.875	1095	...	151
5803	5822	Lacaille 5231	5	12. 30. 58.36	31.53	10	+ 3.218	- 39. 4. 42.23	31.66	4	-19.874	...	5231	140
5804	5823	Piazzi XII. 152	7	12. 31. 0.42	35.25	3	+ 3.088	- 5. 11. 31.59	34.59	4	-19.874	152
5805	5824	Lacaille 5238	7.8	12. 32. 10.60	38.34	3	+ 3.248	- 43. 11. 40.07	38.33	2	-19.860	...	5238	..
5806	5825	Lacaille 5242	6.7	12. 32. 20.98	35.13	3	+ 3.262	- 45. 14. 29.87	34.57	4	-19.858	...	5242	153
5807	5826	Piazzi XII. 154	7.8	12. 32. 25.45	37.67	8	+ 3.026	+ 13. 37. 22.18	37.78	6	-19.857	154
5808	5827	Centauri	3	12. 32. 27.44	31.34	7	+ 3.282	- 48. 3. 9.02	31.92	7	-19.856	...	5243	...
5809	5828	Lacaille 5244	7.8	12. 32. 29.08	38.66	3	+ 3.168	- 27. 0. 4.27	38.66	3	-19.856	...	5244	...
5810	5829	Lacaille 5241	5.6	12. 32. 30.32	39.60	4	+ 3.384	- 58. 46. 44.62	40.32	10	-19.856	...	5241	...
5811	5830	Lacaille 5246	7.8	12. 32. 50.27	38.66	3	+ 3.333	- 53. 51. 19.27	38.66	3	-19.852	...	5246	...
5812	5831	Brisbane 4155	7.8	12. 32. 50.52	39.97	5	+ 3.275	- 46. 41. 58.95	40.36	..6	-19.852
5813	5832	Lacaille 5245	7.8	12. 32. 57.85	38.60	3	+ 3.405	- 60. 6. 43.28	38.60	3	-19.850	...	5245	...
5814	5833	Piazzi XII. 155	7	12. 33. 2.38	35.28	3	+ 2.955	+ 31. 20. 34.78	34.61	4	-19.849	155
5815	5834	27 Virginis	6	12. 33. 15.70	33.40	6.	+ 3.033	+ 11. 19. 57.80	32.26	5	-19.847	1697	...	156
5816	5835	29 Virginis	4	12. 33. 18.20	35.04	15	+ 3.074	- 0. 32. 37.39	32.33	5	-19.846	1698	...	157
5817	5836	29 Virginis	4	12. 33. 18.35	32.30	4	+ 3.074	- 0. 32. 34.27	32.39	3	-19.846	1699	...	158
5818	5837	Lacaille 5248	7.8	12. 33. 22.94	38.31	3	+ 3.336	- 53. 37. 58.26	38.31	3..	-19.845	...	5248	...
5819	5838	28 Virginis	6	12. 33. 26.29	32.56	5	+ 3.094	- 6. 35. 30.26	32.29	5	-19.845	1700	...	159
5820	5839	Lacaille 5250	5.6	12. 33. 29.69	38.68	3	+ 3.287	- 47. 54. 22.68	38.39	2	-19.844	...	5250	...
5821	5840	Lacaille 5249	6.7	12. 33. 30.62	38.28	3	+ 3.350	- 55. 2. 26.96	38.28	3	-19.844	...	5249	...
5822	5841	30 Virginis	5	12. 33. 31.90	32.35	6	+ 3.034	+ 11. 8. 46.18	32.89	6.	-19.844	1701	...	160
5823	5842	31 Virginis	6	12. 33. 35.60	36.22	8	+ 3.046	+ 7. 42. 49.28	36.22	8	-19.843	1702	...	161
5824	5843	Lacaille 5251	6.7	12. 33. 49.12	38.28	3	+ 3.355	- 55. 16. 13.23	38.28	3	-19.840	...	5251	...
5825	5844	Lacaille 5253	7	12. 34. 2.68	38.70	3	+ 3.389	- 57. 59. 49.32	38.70	3	-19.837	...	5253	...
5826	5845	Piazzi XII. 162	7	12. 34. 18.56	37.74	6	+ 2.935	+ 34. 35. 57.80	37.02	7	-19.834	162
5827	5846	Piazzi XII. 163	6.7	12. 34. 19.56	35.32	3	+ 2.670	+ 63. 37. 10.22	34.63	4	-19.834	163
5828	5847	Piazzi XII. 164	7	12. 34. 27.33	36.48	4	+ 2.859	+ 46. 46. 59.98	36.49	4	-19.833	164
5829	5848	Lacaille 5254	7	12. 34. 28.11	38.83	2	+ 3.236	- 39. 16. 18.64	38.69	3	-19.832	...	5254	...
5830	5849	Piazzi XII. 165	7.8	12. 34. 32.78	36.29	3	+ 2.960	+ 29. 16. 2.24	36.46	4	-19.831	165
5831	5850	Lacaille 5258	7	12. 34. 55.96	38.73	3	+ 3.224	- 36. 47. 37.86	38.90	..2	-19.826	...	5258	...
5832	5851	Piazzi XII. 166	7	12. 34. 56.45	35.31	3	+ 3.032	+ 11. 0. 30.19	35.64	4	-19.826	166
5833	5852	Lacaille 5260	7	12. 35. 4.57	38.99	3	+ 3.217	- 35. 26. 38.91	38.99	3	-19.824	...	5260	...
5834	5853	Piazzi XII. 167	8.9	12. 35. 7.50	36.59	3	+ 3.059	+ 3. 31. 33.66	36.33	3.	-19.823	167
5835	5854	B. D. + 26° 2383	6.7	12. 35. 10.07	38.32	7	+ 2.968	+ 27. 1. 56.42	37.63	8	-19.822
5836	5855	Lacaille 5259	7.8	12. 35. 10.97	38.98	3	+ 3.380	- 56. 22. 52.56	38.82	2	-19.822	...	5259	...
5837	5856	Lacaille 5263	6	12. 35. 14.11	32.44	5	+ 3.178	- 27. 25. 0.98	32.25	5	-19.821	...	5263	168
5838	5857	Lacaille 5262	7.8	12. 35. 22.67	39.03	3	+ 3.347	- 53. 10. 51.49	39.03	3	-19.820	...	5262	...
5839	5858	Lacaille 5264	7.8	12. 35. 34.73	38.53	3	+ 3.418	- 59. 10. 17.11	38.53	3	-19.817	...	5264	...
5840	5859	Brisbane 4175	8	12. 35. 35.26	40.29	4	+ 3.335	- 51. 51. 2.80	40.29	4	-19.817

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5841	5860	Piazzi XII. 170	7.8	h m s 12. 35. 43.33	36.60	5	+ 3.079	— 1. 56. 14.49	36.47	4	—19.814	170
5842	5861	Crucis	6.7	12. 36. 0.03	38.60	3	+ 3.435	— 60. 4. 27.33	38.60	3	—19.811	...	5265	...
5843	5862	Musca	4	12. 36. 15.44	31.73	7	+ 3.573	— 67. 12. 15.86	31.32	6	—19.808	...	5267	...
5844	5863	Lacaille 5272	7.8	12. 36. 44.40	39.34	5	+ 3.363	— 53. 42. 31.01	39.34	5	—19.800	...	5272	...
5845	5864	Lacaille 5273	6.7	12. 36. 57.23	38.37	3	+ 3.385	— 55. 35. 3.70	38.36	3	—19.798	...	5273	...
5846	5865	10 Canum Venaticum	6	12. 37. 9.94	35.24	3	+ 2.890	+ 40. 10. 34.53	34.57	4	—19.795	1705	...	171
5847	5866	32 Virginis	6.7	12. 37. 16.98	35.27	3	+ 3.039	+ 8. 34. 35.16	34.62	4	—19.793	1704	...	172
5848	5867	Brisbane 4185	8.9	12. 37. 33.58	38.32	3	+ 3.301	— 46. 22. 37.91	38.32	3	—19.789
5849	5868	Lacaille 5274	7.8	12. 37. 58.67	38.37	3	+ 3.441	— 59. 10. 43.49	38.36	3	—19.783	...	5274	...
5850	5869	33 Virginis	6	12. 37. 59.77	32.99	8	+ 3.031	+ 10. 27. 49.21	31.60	5	—19.783	1706	...	173
5851	5870	Piazzi XII. 174	8.9	12. 38. 5.62	36.46	4	+ 3.072	+ 0. 4. 54.06	36.50	4	—19.782	174
5852	5871	Piazzi XII. 175	7	12. 38. 7.17	36.74	4	+ 3.032	+ 10. 11. 22.32	34.58	4	—19.781	175
5853	5872	Crucis	2	12. 38. 8.36	33.34	12	+ 3.437	— 58. 47. 7.60	33.22	17	—19.781	...	5277	...
5854	5873	Piazzi XII. 176	8	12. 38. 13.42	36.47	4	+ 3.071	+ 0. 14. 25.94	36.47	4	—19.780	176
5855	5874	27 Comae	6	12. 38. 24.14	31.40	7	+ 3.002	+ 17. 28. 48.71	32.29	5	—19.777	177
5856	5875	Piazzi XII. 179	7	12. 38. 25.73	37.78	6	+ 2.968	+ 25. 3. 25.59	37.02	7	—19.777	179
5857	5876	Brisbane 4192	8	12. 38. 26.39	38.34	3	+ 3.439	— 58. 41. 27.15	38.34	3	—19.777
5858	5877	Piazzi XII. 178	7.8	12. 38. 27.90	35.22	3	+ 3.099	— 6. 53. 41.13	34.91	4	—19.776	178
5859	5878	Piazzi XII. 180	6	12. 38. 39.73	35.29	3	+ 3.045	+ 6. 51. 20.44	35.30	4	—19.774	180
5860	5879	Piazzi XII. 181	7	12. 38. 42.23	35.35	3	+ 3.032	+ 9. 58. 1.98	34.57	4	—19.774	181
5861	5880	34 Virginis	6	12. 38. 55.26	32.02	6	+ 3.020	+ 12. 51. 41.14	32.28	5	—19.770	1707	...	182
5862	5881	Piazzi XII. 183	6.7	12. 39. 2.26	31.95	8	+ 3.093	— 5. 23. 51.59	32.34	5	—19.769	183
5863	5882	Lacaille 5281	7.8	12. 39. 9.23	38.34	3	+ 3.290	— 43. 49. 1.15	38.34	3	—19.767	...	5281	...
5864	5883	35 Virginis	6	12. 39. 27.50	31.88	7	+ 3.054	+ 4. 28. 30.54	32.38	5	—19.762	1708	...	184
5865	5884	Lacaille 5285	6.7	12. 39. 39.37	38.36	3	+ 3.188	— 26. 41. 34.53	38.36	3	—19.759	...	5285	...
5866	5885	Piazzi XII. 185	7	12. 39. 52.00	35.31	3	+ 2.964	+ 24. 59. 52.00	35.33	2	—19.756	185
5867	5886	28 Comae	6.7	12. 39. 58.28	35.15	3	+ 3.011	+ 14. 27. 23.41	34.56	4	—19.754	1709	...	186
5868	5887	Piazzi XII. 187	7.8	12. 40. 6.31	35.35	3	+ 2.986	+ 20. 13. 26.35	34.67	4	—19.753	187
5869	5888	Lacaille 5287	7	12. 40. 17.28	38.31	3	+ 3.369	— 52. 27. 39.70	38.34	3	—19.750	...	5287	...
5870	5889	Lacaille 5289	7.8	12. 40. 19.55	38.30	3	+ 3.268	— 39. 52. 30.68	38.30	3	—19.749	...	5289	...
5871	5890	Lacaille 5286	7.8	12. 40. 25.42	38.30	3	+ 3.508	— 61. 44. 30.54	38.34	3	—19.748	...	5286	...
5872	5891	Lacaille 5288	7.8	12. 40. 30.45	38.20	3	+ 3.471	— 59. 29. 55.68	38.24	2	—19.746	...	5288	...
5873	5892	Piazzi XII. 188	7	12. 40. 32.51	38.17	7	+ 3.018	+ 13. 0. 16.01	37.93	7	—19.745	188
5874	5893	29 Comae	6	12. 40. 38.02	32.06	6	+ 3.009	+ 15. 1. 31.36	32.26	6	—19.744	1710	...	189
5875	5894	7 Draconis	6	12. 40. 47.93	39.21	7	+ 2.495	+ 67. 41. 30.85	39.45	11	—19.742	1713	...	190
5876	5895	Brisbane 4206	7.8	12. 41. 4.19	38.31	3	+ 3.443	— 57. 16. 4.04	38.35	3	—19.738
5877	5896	11 Canum Venaticum	7	12. 41. 5.10	35.37	3	+ 2.794	+ 49. 22. 1.71	34.64	4	—19.738	1712	...	191
5878	5897	Brisbane 4207	7.8	12. 41. 13.12	38.32	3	+ 3.322	— 46. 19. 15.45	38.32	3	—19.736
5879	5898	30 Comae	6	12. 41. 14.50	32.42	5	+ 2.942	+ 28. 27. 8.51	32.44	5	—19.735	1711	...	192
5880	5899	Lacaille 5294	7	12. 41. 34.65	38.62	3	+ 3.380	— 51. 53. 12.97	38.62	3	—19.729	...	5294	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazz.
				h m s			s	° ' "			"			
5881	5900	Lacaille 5293	6	12. 41. 34'99	38'20	3	+ 3'481	- 59. 25. 45'84	38'24	3	-19'729	...	5293	...
5882	5901	Piazz XII. 193	7	12. 41. 35'51	35'28	3	+ 3'100	- 6. 43. 55'93	35'32	4	-19'729	193
5883	5902	Lacaille 5296	6	12. 41. 45'42	35'36	3	+ 3'230	- 33. 5. 53'52	34'62	4	-19'727	...	5296	194
5884	5903	Piazz XII. 195	7	12. 41. 58'35	35'27	3	+ 3'042	+ 7. 7. 40'92	35'31	3	-19'723	195
5885	5904	Piazz XII. 196	6'7	12. 42. 48'54	32'12	6	+ 3'113	- 9. 26. 19'36	32'29	4	-19'710	196
5886	5905	Lacaille 5298	7	12. 42. 50'01	38'61	3	+ 3'340	- 47. 11. 44'90	38'61	3	-19'709	...	5298	...
5887	5906	Lacaille 5300	7	12. 42. 53'48	38'67	3	+ 3'272	- 38. 46. 49'02	38'82	2	-19'708	...	5300	...
5888	5907	Piazz XII. 197	7	12. 42. 58'90	35'15	3	+ 3'241	- 34. 11. 0'51	34'59	4	-19'707	197
5889	5908	Piazz XII. 198	7	12. 43. 2'90	35'11	3	+ 2'982	+ 20. 3. 35'12	34'76	5	-19'706	198
5890	5909	Lacaille 5304	6'7	12. 43. 9'88	38'66	3	+ 3'193	- 25. 50. 26'04	38'66	3	-19'705	...	5304	...
5891	5910	37 Virginis	6	12. 43. 13'18	32'29	6	+ 3'055	+ 3. 57. 18'30	32'36	5	-19'704	1714	...	199
5892	5911	Brisbane 4220	8	12. 43. 23'59	38'63	3	+ 3'390	- 51. 37. 56'49	38'63	3	-19'700
5893	5912	Lacaille 5305	7	12. 43. 34'54	38'64	3	+ 3'420	- 54. 3. 17'14	38'64	3	-19'697	...	5305	...
5894	5913	Lacaille 5303	7'8	12. 43. 35'48	38'32	4	+ 3'500	- 59. 25. 50'25	38'32	3	-19'697	...	5303	...
5895	5914	Brisbane 4221	8	12. 43. 36'28	39'24	1	+ 3'505	- 59. 42. 31'49	38'15	1	-19'697
5896	5915	31 Comæ	5'6	12. 43. 39'26	32'33	6	+ 2'935	+ 28. 26. 24'06	32'37	5	-19'696	1715	...	200
5897	5916	Piazz XII. 201	8	12. 43. 44'68	36'11	8	+ 2'979	+ 20. 3. 57'94	36'78	7	-19'694	201
5898	5917	Piazz XII. 202	7	12. 43. 44'84	37'36	1	+ 2'979	+ 20. 4. 14'73	34'42	1	-19'694	202
5899	5918	Lacaille 5308	6	12. 43. 49'10	38'63	3	+ 3'355	- 48. 2. 38'71	38'63	3	-19'693	...	5308	...
5900	5919	Lacaille 5306	7	12. 43. 51'54	39'25	2	+ 3'593	- 59. 27. 32'22	39'24	1	-19'692	...	5306	...
5901	5920	Piazz XII. 203	10	12. 43. 52'83	36'48	4	+ 2'974	+ 21. 4. 8'68	36'46	4	-19'692	203
5902	5921	32 Comæ	7	12. 43. 59'82	35'30	4	+ 2'989	+ 17. 58. 22'93	35'29	2	-19'690	1716	...	204
5903	5922	Orucis	7	12. 44. 1'84	38'13	1	+ 3'505	- 59. 28. 40'33	38'13	2	-19'690	...	5309	...
5904	5923	33 Comæ	7	12. 44. 10'22	35'30	3	+ 2'989	+ 18. 0. 30'16	34'66	3	-19'688	1717	...	206
5905	5924	Brisbane 4231	8'9	12. 44. 12'84	38'56	4	+ 3'506	- 59. 26. 16'92	38'63	3	-19'687
5906	5925	Lacaille 5312	5	12. 44. 19'66	31'93	13	+ 3'282	- 39. 16. 47'84	31'41	3	-19'684	...	5312	205
5907	5926	Lacaille 5313	8	12. 44. 24'70	38'73	3	+ 3'305	- 42. 10. 40'48	38'73	3	-19'683	...	5313	...
5908	5927	Piazz XII. 207	7	12. 44. 30'98	35'34	3	+ 3'137	- 14. 4. 8'45	35'34	1	-19'681	207
5909	5928	Lacaille 5314	7	12. 44. 40'17	39'04	3	+ 3'479	- 57. 31. 59'72	39'04	3	-19'679	...	5314	...
5910	5929	Piazz XII. 209	10	12. 44. 44'12	36'48	4	+ 2'787	+ 47. 40. 27'34	36'48	4	-19'678	209
5911	5930	38 Virginis	6	12. 44. 44'67	32'28	7	+ 3'084	- 2. 39. 17'31	32'26	5	-19'677	1718	...	208
5912	5931	Brisbane 4235	8	12. 44. 48'05	38'63	3	+ 3'387	- 50. 28. 8'50	38'63	3	-19'676
5913	5932	Lacaille 5317	5	12. 44. 57'51	33'48	14	+ 3'462	- 56. 16. 48'92	34'01	8	-19'674	...	5317	...
5914	5933	Brisbane 4238	6'7	12. 44. 58'77	38'55	3	+ 3'463	- 56. 16. 15'20	38'55	3	-19'673
5915	5934	Piazz XII. 211	7'8	12. 45. 1'54	35'25	3	+ 2'935	+ 27. 41. 44'91	34'41	2	-19'672	211
5916	5935	39 Virginis	7	12. 45. 3'04	35'31	3	+ 3'109	- 8. 9. 53'24	34'57	4	-19'672	210
5917	5936	35 Comæ	5	12. 45. 19'07	32'35	11	+ 2'965	+ 22. 8. 35'54	31'97	5	-19'670	1719	...	212
5918	5937	41 Virginis	6	12. 45. 33'11	32'39	3	+ 3'010	+ 13. 18. 59'89	32'28	5	-19'664	1720	...	213
5919	5938	40 Virginis	5'6	12. 45. 46'85	32'36	5	+ 3'112	- 8. 38. 28'12	32'33	6	-19'660	1721	...	214
5920	5939	Lacaille 5319	6	12. 45. 49'04	39'06	3	+ 3'322	- 43. 14. 42'87	39'06	3	-19'659	...	5319	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{eli}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
5921	5940	Piazzi XII. 217	7	12. 45. 53.47	35.25	3	+ 2.933	+ 27. 40. 38.38	34.60	5...	-19.658	217
5922	5941	Piazzi XII. 216	9.10	12. 45. 53.95	36.51	4	+ 3.103	- 6. 42. 44.77	36.30	3	-19.658	216
5923	5942	Lacaille 5320	7	12. 45. 56.69	35.28	3	+ 3.307	- 41. 23. 39.68	34.57	4	-19.657	...	5320	215
5924	5943	.. Lacaille 5322	6	12. 46. 8.83	35.28	3	+ 3.313	- 42. 1. 6.25	34.60	4	-19.653	..	5322	218
5925	5944	Lacaille 5321	7	12. 46. 17.43	38.89	2	+ 3.469	- 55. 56. 23.61	38.89	2	-19.650	...	5321	...
5926	5945	Lacaille 5324	10	12. 46. 41.71	40.42	3	+ 3.453	- 54. 39. 57.24	38.40	1	-19.644	...	5324	...
5927	5946	77 Urse Majoris	3	12. 46. 44.65	31.57	6	+ 2.657	+ 56. 51. 22.67	31.39	5	-19.643	1722	...	220
5928	5947	... B. A. O. 4336	7	12. 46. 50.70	33.35	1	+ 3.030	+ 8. 46. 56.53	33.35	2	-19.641
5929	5948	Piazzi XII. 219	7	12. 46. 53.87	35.28	2	+ 3.089	- 3. 36. 38.36	34.62	4	-19.640	219
5930	5949	Taylor 5949	10	12. 47. 4.64	38.40	1	+ 3.457	- 54. 44. 30.18	41.37	2	-19.636
5931	5950	Piazzi XII. 221	7.8	12. 47. 14.16	36.31	3	+ 3.012	+ 12. 23. 32.69	36.51	4	-19.634	221
5932	5951	Piazzi XII. 222	8.9	12. 47. 14.30	36.54	6	+ 3.006	+ 13. 35. 52.47	36.53	4	-19.634	222
5933	5952	43 Virginis	3.4	12. 47. 17.70	34.40	10	+ 3.051	+ 4. 17. 44.85	32.76	8	-19.633	1723	...	223
5934	5953	Brisbane 4251	7	12. 47. 19.95	38.65	3	+ 3.364	- 46. 47. 28.29	38.65	3	-19.632
5935	5954	Lacaille 5331	7	12. 47. 37.01	38.68	3	+ 3.404	- 50. 18. 13.17	38.68	3	-19.627	...	5331	...
5936	5955	Lacaille 5332	7	12. 47. 38.62	38.45	1	+ 3.204	- 25. 33. 45.75	38.45	1	-19.626	...	5332	...
5937	5956	Bradley 1730	6.7	12. 47. 52.89	36.52	5	+ 0.286	+ 84. 18. 54.34	34.59	4	-19.622	1730	...	230
5938	5957	Bradley 1731	6	12. 48. 1.34	36.52	5	+ 0.280	+ 84. 18. 37.80	34.61	4	-19.619	1731	...	232
5939	5958	Piazzi XII. 224	6.7	12. 48. 17.78	35.33	3	+ 3.022	+ 10. 12. 35.88	34.31	1	-19.614	224
5940	5959	12 Canum Venaticum ...	2.3	12. 48. 18.01	31.86	5	+ 2.844	+ 39. 12. 38.36	31.56	9	-19.614	1725	...	226
5941	5960	Piazzi XII. 225	7.8	12. 48. 23.95	36.47	4	+ 3.181	- 21. 16. 35.88	36.54	4	-19.612	225
5942	5961	Lacaille 5336	7	12. 48. 34.28	38.32	2	+ 3.449	- 53. 17. 30.95	38.32	2	-19.610	...	5336	...
5943	5962	Brisbane 4262	7.8	12. 48. 50.53	38.27	3	+ 3.367	- 46. 10. 14.62	38.27	3	-19.604
5944	5963	8. Draconis	6	12. 48. 52.73	35.34	3	+ 2.426	+ 66. 20. 4.45	34.56	4	-19.603	1727	...	228
5945	5964	Lacaille 5342	7	12. 48. 54.23	39.47	2	+ 3.294	- 38. 1. 24.26	39.47	2	-19.603	...	5342	...
5946	5965	Piazzi XII. 227	7	12. 48. 55.40	35.19	3	+ 3.026	+ 9. 11. 14.28	34.64	4	-19.603	227
5947	5966	.. Lacaille 5341	8	12. 48. 57.00	38.32	3	+ 3.417	- 50. 36. 58.95	38.32	3	-19.602	...	5341	...
5948	5967	Piazzi XII. 229	7	12. 49. 23.34	35.33	3	+ 3.189	- 22. 9. 39.18	34.64	4	-19.594	229
5949	5968	Piazzi XII. 231	6.7	12. 49. 34.26	35.30	4	+ 3.020	+ 10. 13. 59.57	34.97	6	-19.591	231
5950	5969	Lacaille 5344	7	12. 49. 36.75	38.41	2	+ 3.276	- 35. 22. 55.68	38.41	2	-19.590	...	5344	...
5951	5970	Lacaille 5346	7	12. 49. 45.27	39.07	3	+ 3.299	- 38. 12. 42.55	39.07	3	-19.587	...	5346	...
5952	5971	Piazzi XII. 233	8	12. 49. 52.62	36.28	3	+ 3.256	- 32. 29. 47.51	36.48	4	-19.584	233
5953	5972	Brisbane 4268	8	12. 50. 6.08	39.91	2	+ 3.486	- 55. 1. 14.21	39.91	2	-19.580
5954	5973	Piazzi XII. 234	6.7	12. 50. 10.23	35.15	3	+ 3.182	- 20. 39. 9.55	35.33	4	-19.579	234
5955	5974	Brisbane 4273	8	12. 50. 14.63	39.36	2	+ 3.465	- 53. 29. 8.27	39.35	2	-19.577
5956	5975	Piazzi XII. 235	7	12. 50. 34.66	38.47	6	+ 2.948	+ 22. 56. 48.40	38.67	9	-19.569	235
5957	5976	36 Comae	4.5	12. 50. 45.76	32.69	18	+ 2.975	+ 18. 18. 3.21	32.46	11	-19.568	1728	...	236
5958	5977	Brisbane 4278	8	12. 50. 47.70	39.37	2	+ 3.323	- 40. 29. 53.86	39.36	2	-19.567
5959	5978	Lacaille 5352	7	12. 50. 50.78	39.31	2	+ 3.396	- 47. 42. 44.14	39.31	2	-19.566	...	5352	...
5960	5979	.. Brisbane 4282	7	12. 50. 58.02	38.70	3	+ 3.281	- 35. 17. 20.93	38.70	3	-19.564

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
5961	5980	Muscae	4	12. 51. 3.07	32.15	6	+ 3.914	- 70. 39. 25.30	31.37	5	-19.562	...	5349	...
5962	5981	44 Virginis.....	6	12. 51. 9.93	32.02	7	+ 3.087	- 2. 55. 12.56	32.26	5	-19.560	1729	...	237
5963	5982	Lacaille 5357	6.7	12. 51. 31.93	35.97	8	+ 3.263	- 32. 36. 36.61	35.58	10	-19.553	...	5357	238
5964	5983	Lacaille 5360	6	12. 52. 1.00	36.16	6	+ 3.265	- 32. 43. 55.80	34.32	3	-19.544	...	5360	239
5965	5984	46 Virginis	6	12. 52. 6.49	32.34	6	+ 3.085	- 2. 29. 47.17	32.29	5	-19.542	1732	...	241
5966	5985	37 Comae	5	12. 52. 22.26	31.80	13	+ 2.885	+ 31. 39. 37.45	31.40	5	-19.537	1733	...	242
5967	5986	Piazzi XII. 244	7	12. 52. 32.17	35.28	3	+ 2.877	+ 32. 40. 12.71	34.62	4	-19.533	244
5968	5987	Piazzi XII. 243	6.7	12. 52. 32.70	35.20	3	+ 2.966	+ 19. 15. 40.39	34.56	4	-19.533	243
5969	5988	Brisbane 4291.....	8	12. 52. 45.32	38.31	3	+ 3.597	- 59. 51. 13.15	38.30	3	-19.529
5970	5989	38 Comae	6	12. 52. 59.89	32.38	5	+ 2.972	+ 18. 0. 54.75	32.34	5	-19.524	1734	...	245
5971	5990	Piazzi XII. 246	7	12. 53. 5.48	36.47	4	+ 3.059	+ 2. 24. 39.89	36.47	4	-19.522	246
5972	5991	Lacaille 5367	7.8	12. 53. 27.29	39.37	5	+ 3.232	- 27. 23. 49.82	39.37	5	-19.515	...	5367	...
5973	5992	78 Ursae Majoris	5.6	12. 53. 37.84	35.33	3	+ 2.590	+ 57. 15. 25.11	34.56	4	-19.511	1736	...	248
5974	5993	9 Draconis	5.6	12. 53. 39.28	35.35	3	+ 2.323	+ 67. 29. 18.17	34.62	4	-19.511	1737	...	250
5975	5994	Lacaille 5366	8	12. 53. 47.22	38.65	3	+ 3.529	- 55. 45. 21.57	38.65	3	-19.508	...	5366	...
5976	5995	47 Virginis.....	3.4	12. 53. 57.88	35.13	14	+ 3.007	+ 11. 50. 52.00	32.74	14	-19.505	1735	...	249
5977	5996	Lacaille 5371	8	12. 53. 58.00	36.41	6	+ 3.278	- 33. 24. 7.80	36.49	4	-19.505	...	5371	247
5978	5997	Centauri	6	12. 54. 3.21	38.30	2	+ 3.417	- 48. 38. 16.71	38.63	3	-19.503	...	5370	...
5979	5998	Lacaille 5375	7.8	12. 54. 33.02	38.68	3	+ 3.336	- 39. 57. 45.09	38.68	3	-19.493	...	5375	...
5980	5999	Lacaille 5376	6.7	12. 54. 41.56	36.93	5	+ 3.280	- 33. 21. 42.96	34.58	4	-19.489	...	5376	251
5981	6000	Piazzi XII. 252	7	12. 55. 0.63	36.48	4	+ 2.930	+ 24. 5. 25.99	36.56	3	-19.483	252
5982	6001	Brisbane 4304.....	7.8	12. 55. 1.16	38.69	3	+ 3.416	- 47. 14. 43.54	38.69	3	-19.483
5983	6002	Piazzi XII. 253	6.7	12. 55. 9.38	35.21	3	+ 2.925	+ 24. 42. 53.15	34.63	4	-19.480	253
5984	6003	Piazzi XII. 255	6	12. 55. 18.90	35.29	3	+ 2.402	+ 64. 29. 54.91	34.57	4	-19.477	255
5985	6004	48 Virginis	6	12. 55. 24.75	31.61	9	+ 3.087	- 2. 46. 24.98	32.26	4	-19.475	1738	...	254
5986	6005	Brisbane 4308.....	8	12. 55. 24.81	38.70	3	+ 3.455	- 50. 9. 10.31	38.70	3	-19.475
5987	6006	Lacaille 5380	7	12. 55. 32.45	38.71	3	+ 3.344	- 40. 18. 31.76	38.71	3	-19.471	...	5380	...
5988	6007	Lacaille 5383	7	12. 55. 39.54	38.27	2	+ 3.408	- 46. 13. 43.00	38.27	3	-19.469	...	5383	...
5989	6008	Piazzi XII. 256	9	12. 55. 44.27	36.59	3	+ 3.038	+ 6. 4. 33.67	36.51	4	-19.467	256
5990	6009	Piazzi XII. 257	7.8	12. 55. 44.72	36.31	4	+ 3.003	+ 12. 7. 10.15	36.54	4	-19.467	257
5991	6010	Lacaille 5384	7	12. 55. 51.95	38.70	3	+ 3.474	- 51. 13. 47.86	38.69	3	-19.465	...	5384	...
5992	6011	Piazzi XII. 258	8	12. 56. 19.28	36.58	4	+ 3.065	+ 1. 11. 13.98	36.80	4	-19.455	258
5993	6012	Lacaille 5385	7	12. 56. 25.02	38.73	3	+ 3.533	- 54. 43. 34.01	38.72	3	-19.454	...	5385	...
5994	6013	Lacaille 5390	6	12. 56. 45.53	38.67	3	+ 3.431	- 47. 34. 36.29	38.67	3	-19.446	...	5390	...
5995	6014	Piazzi XII. 259	9	12. 56. 46.74	36.64	4	+ 3.114	- 7. 15. 43.04	36.77	4	-19.446	259
5996	6015	Piazzi XII. 261	8	12. 57. 13.83	36.65	4	+ 2.603	+ 54. 50. 26.57	36.88	4	-19.436	261
5997	6016	Lacaille 5397	6	12. 57. 16.53	38.62	3	+ 3.356	- 40. 42. 9.54	38.62	3	-19.434	...	5397	...
5998	6017	Lacaille 5392	7	12. 57. 18.09	38.65	3	+ 3.622	- 58. 58. 31.67	38.65	3	-19.434	...	5392	...
5999	6018	Centauri	5	12. 57. 19.17	33.32	5	+ 3.453	- 49. 1. 13.09	33.34	5	-19.434	...	5396	...
6000	6019	Piazzi XII. 260	8.9	12. 57. 22.53	38.76	7	+ 3.043	+ 4. 58. 49.62	39.00	9	-19.433	260

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
6001	6020	Piazzi XII. 264	8	12. 57. 34.17	35.28	3	+ 2.602	+ 54. 44. 32.76	34.64	4	-19.429	264
6002	6021	Brisbane 4326	8	12. 57. 43.98	40.07	4	+ 3.496	- 51. 51. 55.83	40.08	4	-19.427
6003	6022	Lacaille 5400	6.7	12. 57. 44.83	38.66	3	+ 3.305	- 34. 58. 25.12	38.66	3	-19.426	...	5400	...
6004	6023	Piazzi XII. 262	6.7	12. 57. 45.29	32.35	6	+ 3.155	- 14. 1. 55.04	32.36	5	-19.425	262
6005	6024	Piazzi XII. 265	9	12. 57. 51.86	38.39	4	+ 3.044	+ 4. 50. 0.29	39.15	5	-19.422	265
6006	6026	Lacaille 5398	7	12. 57. 52.96	38.66	3	+ 3.508	- 52. 34. 29.08	38.66	3	-19.422	...	5398	...
6007	6025	Lacaille 5403	7.8	12. 57. 53.04	36.28	3	+ 3.291	- 33. 13. 57.90	36.74	3	-19.422	...	5403	263
6008	6027	14 Canum Venaticum	5	12. 58. 1.01	35.97	10	+ 2.823	+ 36. 40. 59.61	35.22	8	-19.419	1739	...	266
6009	6028	Lacaille 5402	7	12. 58. 5.86	38.32	3	+ 3.560	- 55. 30. 2.87	38.32	3	-19.417	...	5402	...
6010	6029	Piazzi XII. 268	6.7	12. 58. 17.58	35.31	3	+ 2.878	+ 29. 54. 52.88	34.57	4	-19.413	268
6011	6030	39 Comæ	5	12. 58. 18.60	33.30	6	+ 2.936	+ 22. 2. 25.34	32.32	5	-19.413	1740	...	267
6012	6031	40 Comæ	6	12. 58. 20.46	33.46	3	+ 2.926	+ 23. 30. 13.63	32.39	5	-19.412	1741	...	269
6013	6032	Piazzi XII. 270	7	12. 58. 20.51	35.26	2	+ 2.928	+ 23. 9. 48.93	34.62	4	-19.412	270
6014	6033	Piazzi XII. 271	8.9	12. 58. 39.10	36.54	4	+ 3.103	- 5. 11. 49.39	36.76	4	-19.404	271
6015	6034	Lacaille 5407	7	12. 59. 13.10	39.70	5	+ 3.314	- 35. 20. 30.90	39.70	5	-19.392	...	5407	...
6016	6035	41 Comæ	4	12. 59. 15.37	33.35	5	+ 2.886	+ 28. 30. 43.39	32.93	17	-19.391	1743	...	273
6017	6036	49 Virginis	5.6	12. 59. 15.57	33.50	2	+ 3.131	- 9. 51. 23.17	33.13	5	-19.391	1742	...	272
6018	6037	Piazzi XII. 275	8	12. 59. 31.39	36.67	4	+ 2.524	+ 57. 54. 34.40	36.84	4	-19.386	275
6019	6038	Piazzi XII. 274	7	12. 59. 48.53	35.36	3	+ 3.213	- 22. 13. 17.77	34.56	4	-19.379	274
6020	6039	Piazzi XII. 278	6.7	12. 59. 50.73	35.38	3	+ 2.397	+ 62. 55. 40.07	34.64	4	-19.378	278
6021	6040	Lacaille 5408	7.8	12. 59. 52.84	38.27	3	+ 3.451	- 47. 38. 34.62	38.27	3	-19.377	...	5408	...
6022	6041	Bradley 1745	6	12. 59. 59.49	33.35	6	+ 2.884	+ 28. 26. 29.56	33.33	4	-19.375	1745
6023	6042	45 Hydræ	4.5	13. 0. 11.04	32.08	3	+ 3.214	- 22. 14. 3.36	32.35	5	-19.370	1744	...	276
6024	6043	Piazzi XII. 277	8	13. 0. 16.89	36.44	3	+ 3.149	- 12. 33. 28.88	36.64	3	-19.368	277
6025	6049	Gould 17898	8	13. 0. 20.65	38.69	3	+ 3.605	- 56. 51. 42.70	40.46	6	-19.366
6026	6044	Brisbane 4343	7.8	13. 0. 58.02	38.68	3	+ 3.170	- 15. 38. 1.96	38.67	3	-19.353
6027	6045	Piazzi XII. 279	7	13. 0. 59.99	35.21	2	+ 2.947	+ 19. 30. 25.17	34.55	4	-19.352	279
6028	6046	Lacaille 5412	7.8	13. 1. 2.07	39.81	4	+ 3.523	- 52. 1. 38.72	39.81	4	-19.351	...	5412	...
6029	6047	50 Virginis	6	13. 1. 7.69	33.44	4	+ 3.131	- 9. 26. 49.26	33.36	5	-19.349	1746	...	280
6030	6048	Lacaille 5413	7.8	13. 1. 11.65	38.67	3	+ 3.518	- 51. 41. 8.35	38.67	3	-19.347	...	5413	...
6031	6050	51 Virginis	4.5	13. 1. 24.79	35.10	3	+ 3.101	- 4. 39. 22.07	32.31	4	-19.343	1747	...	281
6032	6051	Piazzi XII. 282	4.5	13. 1. 24.88	36.27	3	+ 2.954	+ 18. 21. 57.17	36.75	4	-19.343	282
6033	6052	Lacaille 5415	7.8	13. 1. 34.31	40.20	5	+ 3.599	- 56. 1. 42.55	40.81	7	-19.339	...	5415	...
6034	6053	Piazzi XII. 283	6.7	13. 1. 41.01	35.39	3	+ 2.958	+ 17. 43. 49.61	35.27	3	-19.336	283
6035	6054	Lacaille 5420	7	13. 1. 47.03	38.64	3	+ 3.386	- 41. 21. 5.96	38.64	3	-19.334	...	5420	...
6036	6055	42 Comæ	4.5	13. 1. 57.54	34.19	4	+ 2.953	+ 18. 24. 14.45	32.85	5	-19.330	1748	...	2
6037	6056	Lacaille 5422	5	13. 1. 59.45	33.30	5	+ 3.399	- 42. 29. 13.52	31.43	5	-19.329	...	5422	1
6038	6057	Lacaille 5418	6	13. 2. 3.99	38.55	4	+ 3.668	- 59. 2. 26.50	38.62	3	-19.328	...	5418	...
6039	6058	15 Canum Venaticum	6.7	13. 2. 5.72	35.11	2	+ 2.778	+ 39. 24. 50.85	35.30	3	-19.327	1749	...	4
6040	6059	Brisbane 4355	9	13. 2. 9.11	38.85	2	+ 3.661	- 58. 41. 47.99	38.85	2	-19.326

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6041	6060	Piazzi XIII. 3	6	13. 2. 12.95	36.65	3	+ 3.130	- 9. 13. 23.34	34.57	4	-19.324	3
6042	6061	Brisbane 4356	9	13. 2. 16.16	39.43	4	+ 3.686	- 59. 40. 52.96	39.41	5	-19.322
6043	6062	Brisbane 4358	7	13. 2. 25.59	38.91	2	+ 3.488	- 49. 11. 12.36	38.91	2..	-19.318
6044	6063	16 Canum Venaticum.....	7	13. 2. 26.00	35.11	2	+ 2.774	+ 39. 36. 15.98	34.84	2	-19.318	1750	...	5
6045	6064	17 Canum Venaticum.....	6.7	13. 2. 27.77	35.11	2	+ 2.776	+ 39. 22. 40.03	35.05	3	-19.317	1751	...	6
6046	6065	Lacaille 5425	7	13. 2. 41.36	39.29	3	+ 3.672	- 58. 56. 0.03	39.29	3	-19.312	...	5425	...
6047	6066	Lacaille 5428	7	13. 2. 42.21	39.40	3	+ 3.246	- 25. 40. 18.79	39.40	3	-19.312	...	5428	...
6048	6067	Piazzi XIII. 8	7.8	13. 2. 45.73	35.33	3	+ 2.500	+ 57. 42. 42.39	34.72	3	-19.311	8
6049	6068	Lacaille 5429	5.6	13. 2. 52.64	38.70	8	+ 3.344	- 36. 55. 31.94	37.59	8	-19.307	...	5429	7
6050	6069	53 Virginis.....	5	13. 3. 17.47	31.34	7	+ 3.172	- 15. 18. 22.14	31.75	5	-19.298	1752	...	9
6051	6070	Piazzi XIII. 11	7.8	13. 3. 22.81	35.31	3	+ 2.466	+ 58. 55. 27.75	34.40	..2	-19.296	11
6052	6071	Piazzi XIII. 12	7	13. 3. 26.27	35.32	3	+ 2.345	+ 63. 6. 34.09	34.70	4	-19.294	12
6053	6072	Piazzi XIII. 10	8	13. 3. 33.86	36.28	3	+ 2.883	+ 27. 15. 58.36	36.48	..4	-19.292	10
6054	6073	Lacaille 5435	7	13. 3. 39.42	39.42	2	+ 3.506	- 49. 49. 16.48	39.42	2	-19.289	...	5435	...
6055	6074	Lacaille 5440	8	13. 3. 56.55	38.85	2	+ 3.270	- 28. 13. 19.42	38.85	2	-19.282	...	5440	...
6056	6075	18 Canum Venaticum.....	7.8	13. 3. 57.60	35.29	3	+ 2.744	+ 41. 40. 16.83	37.17	6	-19.282	1753	...	13
6057	6076	Lacaille 5436	7.8	13. 4. 1.17	39.36	2	+ 3.657	- 57. 48. 22.80	39.36	2	-19.281	...	5436	...
6058	6077	Lacaille 5437	6	13. 4. 5.58	38.63	3	+ 3.667	- 58. 13. 9.34	38.63	3	-19.279	...	5437	...
6059	6078	43 Comae	6	13. 4. 10.31	32.39	6	+ 2.869	+ 28. 42. 57.83	32.43	3	-19.277	1755	...	15
6060	6079	Piazzi XIII. 14	7	13. 4. 11.58	35.28	3	+ 2.898	+ 25. 8. 14.96	34.40	..3	-19.276	14
6061	6080	Piazzi XIII. 16	6	13. 4. 20.35	31.71	6	+ 2.990	+ 12. 26. 7.14	32.36	..5	-19.273	16
6062	6081	Lacaille 5442	7.8	13. 4. 22.29	38.66	3	+ 3.434	- 44. 18. 13.87	38.66	3	-19.273	...	5442	...
6063	6082	Piazzi XIII. 18	7	13. 4. 32.38	37.05	4	+ 2.939	+ 19. 37. 47.31	38.88	2	-19.268	18
6064	6083	Lacaille 5443	7.8	13. 4. 32.55	38.66	3	+ 3.410	- 42. 15. 48.25	38.66	3	-19.268	...	5443	...
6065	6084	54 Virginis.....	6.7	13. 4. 39.43	35.13	2	+ 3.193	- 17. 56. 52.87	34.67	3	-19.265	1754	...	17
6066	6085	Piazzi XIII. 19	7	13. 4. 40.85	36.39	5	+ 3.155	- 12. 35. 27.89	36.50	4	-19.264	19
6067	6086	Lacaille 5448	6.7	13. 5. 3.60	38.27	3	+ 3.489	- 48. 4. 36.66	38.27	3	-19.256	...	5448	...
6068	6087	55 Virginis.....	6	13. 5. 22.06	32.28	6	+ 3.202	- 19. 3. 44.50	32.36	4	-19.249	1756	...	20
6069	6088	Piazzi XIII. 21	7	13. 5. 33.33	32.61	5	+ 3.057	+ 2. 20. 7.12	32.30	5	-19.246	21
6070	6089	Piazzi XIII. 24	6.7	13. 5. 47.53	36.49	4	+ 2.573	+ 52. 46. 34.81	36.55	4	-19.237	24
6071	6090	Piazzi XIII. 22	6.7	13. 5. 53.44	35.28	3	+ 2.847	+ 30. 41. 40.82	34.56	4	-19.234	22
6072	6091	Lacaille 5453	7.8	13. 5. 58.11	38.67	3	+ 3.639	- 56. 11. 13.25	38.67	3	-19.232	...	5453	...
6073	6092	56 Virginis.....	7	13. 6. 6.45	35.13	3	+ 3.136	- 9. 29. 31.62	34.64	4	-19.230	1757	...	23
6074	6093	Piazzi XIII. 27	5	13. 6. 13.22	35.29	3	+ 2.740	+ 41. 1. 42.10	34.56	4	-19.227	27
6075	6094	Piazzi XIII. 25	7	13. 6. 18.14	39.13	8	+ 3.143	- 10. 28. 46.13	38.41	8	-19.225	25
6076	6095	Lacaille 5458	8	13. 6. 19.71	38.30	3	+ 3.552	- 51. 32. 22.68	38.30	3	-19.224	...	5458	...
6077	6096	Piazzi XIII. 26	8	13. 6. 20.99	38.65	7	+ 3.142	- 10. 28. 21.70	36.66	3	-19.224	26
6078	6097	Piazzi XIII. 28	8	13. 6. 54.34	36.52	4	+ 3.120	- 7. 10. 58.04	36.73	3	-19.209	28
6079	6098	57 Virginis.....	6	13. 7. 4.26	32.12	5	+ 3.205	- 19. 3. 46.75	31.96	5	-19.206	1758	...	29
6080	6099	Piazzi XIII. 30	7	13. 7. 40.16	35.35	3	+ 3.055	+ 3. 55. 29.56	34.62	4	-19.204	30

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
6081	6100	Lacaille 5464	7.8	13. 7. 42.05	38.64	3	+ 3.436	- 43. 6. 19.89	38.64	3	-19.189	...	5464	...
6082	6101	Lacaille 5466	5.6	13. 7. 44.49	35.32	3	+ 3.303	- 30. 37. 46.95	34.60	4	-19.188	...	5466	31
6083	6102	Lacaille 5467	8	13. 7. 46.86	38.67	3	+ 3.294	- 29. 43. 7.20	38.67	...3	-19.187	...	5467	...
6084	6103	Piazzi XIII. 32	7	13. 7. 58.42	35.30	3	+ 2.912	+ 22. 15. 23.71	34.63	4	-19.183	32
6085	6104	Lacaille 5468	8	13. 8. 4.22	38.66	3	+ 3.488	- 46. 43. 4.16	38.66	3	-19.181	...	5468	...
6086	6105	Lacaille 5465	7.8	13. 8. 5.79	38.68	3	+ 3.662	- 56. 25. 41.32	38.67	3	-19.180	...	5465	...
6087	6106	19 Canum Venaticum	6.7	13. 8. 6.48	35.20	3	+ 2.723	+ 41. 43. 44.46	34.59	4	-19.180	1759	...	35
6088	6107	Piazzi XIII. 34	8.9	13. 8. 15.03	36.60	3	+ 3.114	- 6. 3. 39.85	36.61	.. 3	-19.176	34
6089	6108	Piazzi XIII. 33	7.8	13. 8. 16.36	36.54	4	+ 3.157	- 12. 17. 5.61	36.73	3	-19.175	33
6090	6109	Piazzi XIII. 39	8.9	13. 8. 24.85	38.10	4	+ 2.386	+ 60. 10. 7.11	39.04	7	-19.173	39
6091	6110	..Piazzi XIII. 36	7	13. 8. 31.82	37.73	6	+ 2.924	+ 20. 39. 25.78	36.28	12	-19.168	36
6092	6111	Lacaille 5471	7	13. 8. 32.80	38.64	3	+ 3.442	- 43. 10. 56.28	38.64	3	-19.168	...	5471	...
6093	6112	59 Virginis	6	13. 8. 35.34	33.31	6	+ 3.001	+ 10. 17. 19.90	32.35	5	-19.166	1760	...	37
6094	6113	Lacaille 5472	7.8	13. 8. 42.91	38.64	3	+ 3.550	- 50. 24. 49.05	38.64	3	-19.163	...	5472	...
6095	6114	Brisbane 4391	7	13. 8. 43.43	39.54	5	+ 3.484	- 46. 13. 51.68	39.32	4	-19.162
6096	6115	Piazzi XIII. 40	7	13. 8. 44.05	36.44	4	+ 2.923	+ 20. 41. 13.23	37.18	...2	-19.162	40
6097	6116	Brisbane 4396	7	13. 8. 46.72	38.69	3	+ 3.176	- 14. 40. 23.46	38.69	3	-19.161
6098	6117	58 Virginis	6	13. 8. 49.13	32.37	6	+ 3.139	- 9. 40. 29.72	33.16	5	-19.161	1761	...	38
6099	6118	Lacaille 5475	8	13. 8. 55.35	38.82	2	+ 3.528	- 49. 0. 22.62	38.81	2	-19.158	...	5475	...
6100	6119	Piazzi XIII. 41	6	13. 9. 5.97	35.13	3	+ 2.969	+ 14. 32. 46.31	35.03	3	-19.154	41
6101	6120	Brisbane 4399	8.9	13. 9. 8.36	38.64	3	+ 3.717	- 58. 22. 18.08	38.64	.. 3	-19.153
6102	6121	60 Virginis	6	13. 9. 16.53	32.44	5	+ 3.028	+ 6. 20. 29.37	32.38	5	-19.148	1762	...	42
6103	6122	Piazzi XIII. 43	8	13. 9. 29.50	36.50	4	+ 2.968	+ 14. 38. 6.46	36.48	4	-19.143	43
6104	6123	61 Virginis	4.5	13. 9. 47.55	31.61	14	+ 3.197	- 17. 23. 22.35	31.42	6	-19.135	1763	...	44
6105	6124	46 Hydra	4.5	13. 9. 58.08	32.22	7	+ 3.237	- 22. 17. 56.21	31.72	9	-19.131	1764	...	45
6106	6125	Piazzi XIII. 46	8	13. 9. 59.72	36.51	4	+ 3.110	- 5. 23. 41.44	36.47	4	-19.130	46
6107	6126	20 Canum Venaticum	5	13. 10. 8.17	32.27	7	+ 2.716	+ 41. 26. 34.25	31.96	5..	-19.127	1765	...	48
6108	6127	Lacaille 5479	7	13. 10. 9.00	38.31	3	+ 3.740	- 58. 54. 11.45	38.31	3	-19.127	...	5479	...
6109	6128	Piazzi XIII. 47	8	13. 10. 17.67	36.54	4	+ 3.156	- 11. 46. 38.54	36.49	4	-19.122	47
6110	6129	Lacaille 5485	7	13. 10. 34.88	38.70	3	+ 3.416	- 40. 19. 17.42	38.70	3	-19.115	...	5485	...
6111	6130	Lacaille 5483	7	13. 10. 38.16	38.71	3	+ 3.650	- 54. 56. 0.79	38.71	..3	-19.113	...	5483	...
6112	6131	Lacaille 5484	7	13. 10. 39.05	38.31	3	+ 3.589	- 51. 52. 40.08	38.31	3	-19.113	...	5484	...
6113	6132	Piazzi XIII. 49	8	13. 10. 47.05	36.61	3	+ 3.146	- 10. 16. 40.58	36.52	4	-19.109	49
6114	6133	Piazzi XIII. 51	6	13. 10. 48.69	35.24	3	+ 2.788	+ 34. 58. 5.21	34.55	4	-19.108	51
6115	6134	...Piazzi XIII. 50	8	13. 10. 55.55	36.56	4	+ 3.156	- 11. 36. 50.71	36.63	4	-19.105	50
6116	6135	Piazzi XIII. 52	7	13. 11. 3.71	35.16	3	+ 3.150	- 10. 48. 7.65	34.63	... 4..	-19.103	52
6117	6136	21 Canum Venaticum	5	13. 11. 12.51	31.60	5	+ 2.575	+ 50. 33. 5.16	31.61	..5	-19.099	1767	...	54
6118	6137	Lacaille 5489	6.7	13. 11. 16.82	38.63	3	+ 3.496	- 46. 0. 41.07	38.63	...3	-19.096	...	5489	...
6119	6138	Centauri	3	13. 11. 20.99	32.84	12	+ 3.368	- 35. 50. 23.86	32.30	4	-19.095	...	5491	53
6120	6139	...Lacaille 5488	7.8	13. 11. 36.67	39.01	3	+ 3.765	- 59. 19. 2.66	39.01	3	-19.087	...	5488	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
6121	6140	Brisbane 4419	8	13. 11. 39'09	38'67	3	+ 3'650	- 54. 32. 58'71	38'67	3	-19'086
6122	6141	62 Virginis... ..	7	13. 11. 40'64	32'95	7	+ 3'148	- 10. 26. 5'49	33'14	5	-19'085	1766	...	55
6123	6142	Piazzi XIII. 56	7'8	13. 11. 48'92	35'25	3	+ 3'139	- 9. 19. 19'91	34'58	4	-19'081	56
6124	6143	Lacaille 5490	7'8	13. 11. 59'97	40'51	6	+ 3'791	- 60. 6. 15'00	40'51	6	-19'077	...	5490	...
6125	6144	Lacaille 5493	7'8	13. 12. 1'64	38'65	3	+ 3'572	- 50. 24. 50'86	38'66	3	-19'076	...	5493	...
6126	6145	Lacaille 5492	7	13. 12. 2'38	40'51	6	+ 3'791	- 60. 7. 16'17	38'68	3	-19'076	...	5492	...
6127	6146	Piazzi XIII. 57	7'8	13. 12. 12'79	35'70	4	+ 2'932	+ 18. 38. 16'48	34'69	3	-19'072	57
6128	6147	Lacaille 5498	7	13. 12. 17'10	38'66	3	+ 3'590	- 51. 18. 57'58	38'66	3	-19'070	...	5498	...
6129	6148	Lacaille 5502	8	13. 12. 33'54	38'71	3	+ 3'397	- 37. 59. 5'58	38'70	3	-19'062	...	5502	...
6130	6149	Piazzi XIII. 58	7'8	13. 12. 34'11	36'52	4	+ 3'139	- 9. 8. 0'51	36'57	4	-19'062	58
6131	6150	Piazzi XIII. 59	6	13. 12. 38'54	36'67	3	+ 3'212	- 18. 37. 18'16	36'60	4	-19'059	59
6132	6151	Piazzi XIII. 60	8	13. 12. 54'47	36'70	3	+ 3'152	- 10. 52. 45'37	36'60	4	-19'052	60
6133	6152	23 Canum Venaticum.....	6'7	13. 12. 54'78	35'28	3	+ 2'708	+ 41. 1. 7'06	34'59	4	-19'052	1769	...	61
6134	6153	Lacaille 5505	7'8	13. 13. 5'05	38'34	3	+ 3'523	- 47. 4. 39'15	38'34	3	-19'048	...	5505	...
6135	6154	Lacaille 5507	7	13. 13. 13'47	37'98	3	+ 3'533	- 47. 41. 49'78	38'69	3	-19'044	...	5507	...
6136	6155	Piazzi XIII. 62	7	13. 13. 25'72	35'38	3	+ 3'159	- 11. 42. 45'16	34'67	4	-19'038	62
6137	6156	Piazzi XIII. 65	6'7	13. 13. 37'54	35'39	3	+ 2'652	+ 44. 51. 21'69	34'60	4	-19'031	65
6138	6157	Piazzi XIII. 63	8	13. 13. 46'04	36'72	2	+ 2'929	+ 18. 37. 58'55	36'37	2	-19'028	63
6139	6158	64 Virginis	6	13. 13. 50'67	32'43	6	+ 3'027	+ 6. 1. 21'42	33'18	5	-19'025	1770	...	66
6140	6159	Piazzi XIII. 64	8'9	13. 13. 55'23	36'30	3	+ 3'203	- 17. 9. 48'51	36'55	4	-19'024	64
6141	6160	Lacaille 5513	7'8	13. 13. 56'72	39'41	2	+ 3'413	- 38. 45. 40'97	39'41	2	-19'023	...	5513	...
6142	6161	Piazzi XIII. 67	7	13. 13. 57'39	38'15	7	+ 3'111	- 5. 19. 49'18	38'14	7	-19'023	67
6143	6162	Lacaille 5511	7	13. 13. 59'81	38'66	3	+ 3'571	- 48. 57. 24'01	38'66	3	-19'022	...	5511	...
6144	6163	Lacaille 5512	8'9	13. 14. 5'49	38'68	3	+ 3'528	- 47. 1. 30'36	38'68	3	-19'019	...	5512	...
6145	6164	Piazzi XIII. 69	7'8	13. 14. 8'54	35'35	3	+ 2'867	+ 25. 44. 55'86	34'70	4	-19'018	69
6146	6165	63 Virginis	6	13. 14. 11'72	32'36	5	+ 3'201	- 16. 52. 9'30	32'36	5	-19'016	1771	...	68
6147	6166	Brisbane 4439	7'8	13. 14. 14'31	40'08	5	+ 3'639	- 53. 8. 6'24	40'42	6	-19'015
6148	6167	Lacaille 5515	7'8	13. 14. 25'86	38'62	3	+ 3'599	- 51. 0. 40'94	38'62	3	-19'010	...	5515	...
6149	6168	Brisbane 4442	7'8	13. 14. 28'77	39'45	5	+ 3'640	- 53. 3. 4'88	38'79	4	-19'009
6150	6169	Lacaille 5517	7'8	13. 14. 37'21	38'84	2	+ 3'593	- 50. 38. 24'04	38'67	3	-19'004	...	5517	...
6151	6170	65 Virginis	6	13. 14. 46'33	31'54	5	+ 3'102	- 4. 3. 32'74	32'29	5	-19'001	1772	...	70
6152	6171	Piazzi XIII. 71	6'7	13. 14. 50'21	35'39	3	+ 2'647	+ 44. 46. 4'08	34'59	4	-18'999	71
6153	6172	Lacaille 5522	7'8	13. 14. 58'57	38'69	3	+ 3'398	- 37. 10. 11'76	38'69	3	-18'994	...	5522	...
6154	6173	Lacaille 5521	7'8	13. 15. 11'69	38'78	2	+ 3'604	- 50. 58. 46'36	38'31	3	-18'988	...	5521	...
6155	6174	Piazzi XIII. 72	7'8	13. 15. 16'68	35'30	3	+ 3'148	- 10. 0. 21'28	34'64	4	-18'986	72
6156	6175	Lacaille 5523	7'8	13. 15. 19'85	38'62	3	+ 3'606	- 51. 1. 35'37	38'30	2	-18'984	...	5523	...
6157	6176	Lacaille 5525	7'8	13. 15. 31'00	38'40	2	+ 3'358	- 33. 25. 35'41	38'40	2	-18'980	...	5525	...
6158	6177	Lacaille 5526	8	13. 15. 55'74	38'69	3	+ 3'538	- 46. 57. 22'93	38'76	5	-18'968	...	5526	...
6159	6178	66 Virginis	6	13. 15. 58'37	32'38	6	+ 3'105	- 4. 17. 57'82	32'37	5	-18'967	1773	...	73
6160	6179	Lacaille 5527	7'8	13. 16. 1'95	38'67	3	+ 3'603	- 50. 37. 3'66	38'72	3	-18'965	...	5527	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6161	6180	Lacaille 5530	6	h m s 13. 16. 24.50	40.64	4	+ 3.557	— 47. 55. 27.04	40.64	4	—18.954	...	5530	...
6162	6181	67 Virginia	1	13. 16. 30.66	34.06	68	+ 3.152	— 10. 17. 51.11	32.86	77	—18.951	1774	...	75
6163	6182	Brisbane 4456	9	13. 16. 32.35	38.88	2	+ 3.889	— 61. 47. 19.12	38.88	2	—18.950
6164	6183	Lacaille 5531	5.6	13. 16. 35.36	35.13	3	+ 3.426	— 38. 53. 27.45	34.59	4	—18.949	...	5531	74
6165	6184	Lacaille 5532	7	13. 16. 38.35	38.96	2	+ 3.371	— 34. 12. 51.63	38.96	2	—18.948	...	5532	...
6166	6185	Brisbane 4462	9	13. 16. 57.73	40.20	6	+ 3.536	— 46. 28. 4.14	39.06	4	—18.938
6167	6186	Brisbane 4463	7	13. 17.	+ 3.536	— 46. 28. 10.14	42.37	3	—18.936
6168	6187	Lacaille 5539	7	13. 17. 8.84	38.92	2	+ 3.360	— 33. 8. 27.95	38.92	2	—18.933	...	5539	...
6169	6188	Lacaille 5535	7	13. 17. 11.87	38.94	2	+ 3.579	— 48. 16. 58.93	38.94	2	—18.931	...	5535	...
6170	6189	Piazzi XIII. 77	6.7	13. 17. 14.15	35.25	4	+ 2.868	+ 24. 42. 58.89	34.58	4	—18.930	77
6171	6190	79 Ursæ Majoris	3	13. 17. 16.12	32.92	9	+ 2.421	+ 55. 47. 17.59	32.63	8	—18.929	1776	...	78
6172	6191	Piazzi XIII. 76	6.7	13. 17. 16.26	35.13	3	+ 3.199	— 15. 59. 58.47	34.65	4	—18.929	76
6173	6192	Brisbane 4466	8	13. 17. 16.53	38.36	2	+ 3.844	— 60. 12. 10.48	38.36	2	—18.929
6174	6193	Bradley 1777	6.7	13. 17. 17.17	36.48	4	+ 2.421	+ 55. 47. 7.94	37.61	4	—18.929	1777	...	79
6175	6194	Lacaille 5543	6	13. 17. 22.00	38.48	1	+ 3.452	— 40. 38. 13.94	38.48	1	—18.926	...	5543	...
6176	6195	Lacaille 5537	8	13. 17. 24.74	38.36	1	+ 3.573	— 48. 31. 16.75	38.36	1	—18.925	...	5537	...
6177	6208	Lacaille 5540	7	13. 17. 44.92	39.35	1	+ 3.803	— 58. 40. 17.96	39.35	1	—18.914	...	5540	...
6178	6196	68 Virginia	4	13. 18. 0.98	31.40	6	+ 3.166	— 11. 50. 48.49	31.72	7	—18.908	1775	...	80
6179	6197	Lacaille 5547	8	13. 18. 3.48	39.33	2	+ 3.708	— 54. 55. 11.56	39.33	2	—18.906	...	5547	...
6180	6198	Piazzi XIII. 83	7.8	13. 18. 16.51	35.70	5	+ 2.414	+ 55. 45. 31.66	34.67	4	—18.900	83
6181	6199	Piazzi XIII. 81	7.8	13. 18. 19.43	36.50	4	+ 3.112	— 5. 4. 14.08	36.52	4	—18.899	81
6182	6200	Brisbane 4471	9	13. 18. 20.06	38.36	2	+ 3.850	— 60. 3. 53.12	38.36	2	—18.898
6183	6201	80 Ursæ Majoris	5.6	13. 18. 36.15	32.31	4	+ 2.409	+ 55. 50. 56.19	32.33	5	—18.891	1779	...	85
6184	6202	Brisbane 4473	8	13. 18. 37.70	41.27	4	+ 3.573	— 48. 6. 41.30	41.27	4	—18.890
6185	6203	69 Virginia ...	5	13. 18. 40.04	31.90	6	+ 3.193	— 15. 6. 56.59	32.36	5	—18.889	1778	...	82
6186	6204	Lacaille 5553	7	13. 18. 56.82	38.38	2	+ 3.288	— 25. 32. 36.92	38.38	2	—18.880	...	5553	...
6187	6205	Piazzi XIII. 86	8	13. 19. 15.27	36.59	3	+ 3.251	— 21. 32. 24.16	36.32	3	—18.872	86
6188	6206	Lacaille 5552	6	13. 19. 21.29	38.63	3	+ 3.618	— 50. 18. 28.08	38.78	2	—18.869	...	5552	...
6189	6207	Lacaille 5558	6.7	13. 19. 24.05	35.98	7	+ 3.278	— 24. 21. 18.26	35.53	8	—18.867	...	5558	87
6190	6209	Lacaille 5559	7.8	13. 19. 26.70	38.98	3	+ 3.299	— 26. 32. 37.05	38.98	3	—18.865	...	5559	...
6191	6211	Brisbane 4478	7	13. 19. 29.48	39.47	1	+ 3.652	— 51. 54. 1.51	39.47	1	—18.864
6192	6210	Lacaille 5556	7	13. 19. 29.58	38.39	2	+ 3.522	— 44. 40. 51.77	38.39	2	—18.864	...	5556	...
6193	6212	Lacaille 5557	7.8	13. 19. 43.24	38.33	3	+ 3.561	— 47. 1. 7.80	38.33	3	—18.857	...	5557	...
6194	6214	Piazzi XIII. 89	7	13. 19. 48.88	38.46	6	+ 3.072	+ 0. 2. 9.24	38.46	6	—18.854	89
6195	6213	Piazzi XIII. 88	8	13. 19. 48.90	36.56	4	+ 3.143	— 8. 53. 12.82	36.48	4	—18.854	88
6196	6215	Lacaille 5555	7.8	13. 19. 50.65	39.46	1	+ 3.797	— 57. 48. 31.33	39.46	1	—18.853	...	5555	...
6197	6216	Brisbane 4489	9	13. 20. 21.22	38.70	3	+ 3.513	— 43. 51. 21.38	38.70	3	—18.839
6198	6217	Piazzi XIII. 96	7	13. 20. 21.37	35.32	3	+ 2.126	+ 64. 6. 38.40	34.91	2	—18.838	96
6199	6218	70 Virginia	5.6	13. 20. 21.62	32.41	6	+ 2.952	+ 14. 39. 46.63	33.35	5	—18.838	1780	...	90
6200	6219	Piazzi XIII. 92	7	13. 20. 23.45	36.75	2	+ 2.935	+ 16. 33. 54.70	36.58	4	—18.837	92

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Procession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^s	[°] ['] ["]			["]			
6201	6220	Piazzi XIII. 91.....	7.8	13. 20. 28.93	35.30	3	+ 3.113	- 5. 5. 57.29	34.69	4	-18.835	91
6202	6221	Piazzi XIII. 93.....	7	13. 20. 34.29	35.13	3	+ 3.220	- 17. 52. 19.02	34.58	4	-18.832	93
6203	6222	Lacaille 5561.....	8	13. 20. 39.82	38.49	2	+ 3.895	- 60. 43. 42.63	38.49	2	-18.829	...	5561	...
6204	6223	Piazzi XIII. 94.....	Var.	13. 20. 42.76	32.39	5	+ 3.263	- 22. 25. 32.65	33.42	5	-18.827	94
6205	6224	Piazzi XIII. 95.....	7	13. 20. 47.18	32.19	9	+ 3.076	- 0. 30. 18.79	34.51	7	-18.825	95
6206	6225	71 Virginis.....	6	13. 21. 2.74	33.36	9	+ 2.976	+ 11. 40. 33.34	32.33	6	-18.818	1781	...	98
6207	6226	Piazzi XIII. 97.....	7	13. 21. 5.70	36.61	4	+ 3.236	- 19. 27. 25.01	36.64	4	-18.816	97
6208	6227	Piazzi XIII. 100.....	7	13. 21. 25.17	35.29	3	+ 2.489	+ 51. 26. 29.80	34.60	4	-18.807	100
6209	6228	Lacaille 5569.....	4	13. 21. 30.32	31.75	10	+ 3.443	- 38. 33. 9.36	31.39	4	-18.804	...	5569	99
6210	6229	Lacaille 5564.....	8	13. 21. 32.53	38.65	3	+ 3.929	- 61. 29. 26.25	38.65	3	-18.801	...	5564	...
6211	6230	Brisbane 4498.....	8.9	13. 21. 39.61	38.66	3	+ 3.577	- 47. 17. 54.20	38.66	3	-18.798
6212	6231	72 Virginis..... ⁷¹	7	13. 21. 49.11	35.11	3	+ 3.118	- 5. 36. 57.12	34.66	4	-18.793	1782	...	101
6213	6232	Brisbane 4503.....	8	13. 21. 52.01	38.70	3	+ 3.475	- 40. 43. 53.14	38.70	3	-18.792
6214	6233	Piazzi XIII. 109.....	7	13. 21. 55.81	36.66	4	+ 1.517	+ 73. 14. 58.56	36.90	4	-18.790	109
6215	6234	Piazzi XIII. 105.....	7.8	13. 21. 57.58	35.24	3	+ 2.482	+ 51. 34. 40.44	34.65	4	-18.789	105
6216	6235	Piazzi XIII. 102.....	Var.	13. 22. 2.58	35.15	3	+ 2.902	+ 19. 54. 43.92	34.62	4	-18.787	102
6217	6236	Piazzi XIII. 104.....	8	13. 22. 12.58	42.47	1	+ 3.084	- 1. 25. 14.66	38.36	4	-18.782	104
6218	6237	Piazzi XIII. 103.....	8	13. 22. 13.48	36.70	3	+ 3.145	- 8. 50. 15.82	36.96	5	-18.782	103
6219	6238	Lacaille 5571.....	7.8	13. 22. 18.23	38.99	3	+ 3.357	- 31. 17. 11.94	38.99	3	-18.779	...	5571	...
6220	6239	Piazzi XIII. 106.....	7	13. 22. 21.02	35.27	3	+ 3.090	- 2. 11. 52.12	34.59	4	-18.778	106
6221	6240	Piazzi XIII. 110.....	6	13. 22. 23.07	35.83	4	+ 2.230	+ 60. 47. 58.00	35.25	6	-18.776	110
6222	6241	Brisbane 4511.....	7	13. 22. 28.56	38.67	3	+ 3.177	- 12. 35. 42.82	38.34	2	-18.773
6223	6242	Brisbane 4510.....	7	13. 22. 31.12	38.30	2	+ 3.567	- 46. 24. 47.64	38.30	2	-18.772
6224	6243	Lacaille 5572.....	7	13. 22. 33.88	38.70	3	+ 3.434	- 37. 32. 40.52	38.69	3	-18.770	...	5572	...
6225	6244	Piazzi XIII. 108.....	9	13. 22. 41.23	39.46	6	+ 3.083	- 1. 24. 29.50	38.56	6	-18.766	108
6226	6245	Piazzi XIII. 113.....	8	13. 22. 46.25	36.17	5	+ 2.227	+ 60. 46. 54.59	37.03	3	-18.764	113
6227	6246	Piazzi XIII. 107.....	8	13. 22. 46.60	36.48	4	+ 3.295	- 25. 15. 42.99	36.52	4	-18.764	107
6228	6247	Lacaille 5574.....	7.8	13. 22. 53.16	38.38	2	+ 3.522	- 43. 35. 50.89	38.38	2	-18.760	...	5574	...
6229	6249	73 Virginis.....	6	13. 23. 9.85	33.34	5	+ 3.225	- 17. 52. 33.53	31.44	5	-18.752	1783	...	111
6230	6248	Brisbane 4517.....	9	13. 23. 9.99	38.71	3	+ 3.814	- 57. 22. 36.95	38.71	3	-18.752
6231	6250	Brisbane 4516.....	7	13. 23. 10.60	39.78	5	+ 3.580	- 46. 55. 11.54	39.78	5	-18.752
6232	6251	Piazzi XIII. 114.....	7	13. 23. 19.34	37.96	8	+ 3.084	- 1. 28. 37.10	37.56	7	-18.747	114
6233	6252	Lacaille 5578.....	6	13. 23. 22.56	33.35	5	+ 3.333	- 28. 42. 52.12	32.36	5	-18.745	...	5578	112
6234	6253	74 Virginis..... ⁷³	6	13. 23. 23.75	31.93	9	+ 3.117	- 5. 24. 6.34	32.38	5	-18.745	1784	...	115
6235	6254	Lacaille 5580.....	6.7	13. 23. 25.64	38.41	2	+ 3.323	- 27. 50. 24.77	38.41	2	-18.744	...	5580	...
6236	6255	Brisbane 4520.....	7.8	13. 23. 26.59	38.66	3	+ 3.459	- 39. 7. 9.76	38.66	3	-18.743
6237	6256	Piazzi XIII. 116.....	8.9	13. 23. 44.98	36.80	4	+ 2.989	+ 9. 49. 42.72	37.19	4	-18.733	116
6238	6257	Lacaille 5575.....	7.8	13. 23. 45.86	39.36	2	+ 3.856	- 58. 39. 14.91	39.36	2	-18.732	...	5575	...
6239	6258	Lacaille 5581.....	7.8	13. 23. 47.07	39.39	2	+ 3.511	- 42. 34. 15.60	39.47	1	-18.732	...	5581	...
6240	6259	Lacaille 5582.....	7	13. 23. 47.45	39.30	1	+ 3.303	- 25. 44. 9.71	39.30	1	-18.732	...	5582	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Mean Dec., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Bradley.	Lacaille.	Piazzi.
6241	6260	Brisbane 4527.....	8	^{h m s} 13. 24. 2'62	38'70	3	+ 3'481	— 40. 28. 6'45	38'70	3	—18'724
6242	6261	75 Virginis	6	13. 24. 3'46	31'70	6	+ 3'196	— 14. 30. 42'36	32'36	4	—18'724	1785	...	117
6243	6262	.. Lacaille 5576	7.8	13. 24. 4'68	38'32	3	+ 3'966	— 61. 46. 51'48	38'32	2	—18'723	...	5576	...
6244	6263	.. Lacaille 5583	7.8	13. 24. 12'83	38'66	3	+ 3'462	— 39. 5. 43'59	38'66	3	—18'719	...	5583	...
6245	6264	76 Virginis	6	13. 24. 17'28	32'39	6	+ 3'151	— 9. 18. 44'89	33'34	6	—18'717	1786	...	118
6246	6265	Piazzi XIII. 119.....	7	13. 24. 27'69	35'11	3	+ 3'085	— 1. 34. 21'97	34'92	4	—18'711	119
6247	6266	Lacaille 5584	7	13. 24. 29'70	38'36	1	+ 3'596	— 47. 25. 20'54	38'37	2	—18'710	...	5584	...
6248	6267	.. Piazzi XIII. 120.....	7.8	13. 24. 32'39	35'21	3	+ 2'941	+ 15. 14. 39'24	34'64	4	—18'709	120
6249	6268	.. Brisbane 4533.....	7.8	13. 24. 41'67	39'48	1	+ 3'646	— 49. 56. 31'12	39'48	1	—18'703
6250	6269	77 Virginis	7	13. 24. 47'93	33'26	8	+ 3'129	— 6. 46. 20'69	32'13	5	—18'700	1787	...	121
6251	6270	Piazzi XIII. 122	7	13. 24. 50'78	35'28	3	+ 3'015	+ 6. 42. 7'60	35'32	4	—18'699	122
6252	6271	Piazzi XIII. 123	7	13. 24. 59'95	35'36	3	+ 2'532	+ 48. 5. 7'19	34'64	4	—18'694	123
6253	6272	Lacaille 5586	8	13. 25. 26'77	38'82	3	+ 3'969	— 61. 29. 54'05	38'32	3	—18'680	...	5586	...
6254	6273	.. Piazzi XIII. 124.....	7.8	13. 25. 35'48	35'32	3	+ 3'164	— 10. 41. 6'82	34'68	4	—18'675	124
6255	6274	Brisbane 4537.....	7.8	13. 25. 36'60	40'36	6	+ 3'608	— 47. 40. 11'16	40'66	7	—18'674
6256	6275	.. Piazzi XIII. 133.....	7	13. 25. 37'71	37'31	4	+ 0'439	+ 79. 29. 49'58	36'66	4	—18'673	133
6257	6276	78 Virginis	6	13. 25. 46'51	32'22	6	+ 3'033	+ 4. 30. 32'75	32'43	5	—18'669	1788	...	125
6258	6277	Piazzi XIII. 127.....	7	13. 25. 52'02	36'55	4	+ 3'068	+ 0. 31. 59'11	35'32	3	—18'666	127
6259	6278	.. Piazzi XIII. 126.....	6	13. 25. 55'14	35'37	3	+ 3'179	— 12. 21. 54'96	34'59	4	—18'665	126
6260	6279	Brisbane 4539.....	7.8	13. 25. 55'26	38'37	1	+ 3'845	— 57. 39. 3'63	38'37	1	—18'665
6261	6280	.. Lacaille 5589	6.7	13. 26. 6'71	39'32	1	+ 3'952	— 60. 50. 24'85	39'32	1	—18'659	...	5589	...
6262	6281	Lacaille 5591	8	13. 26. 9'80	39'29	2	+ 3'616	— 47. 57. 16'80	39'29	2	—18'657	...	5591	...
6263	6282	79 Virginis	4	13. 26. 17'46	36'19	18	+ 3'070	+ 0. 15. 0'38	32'63	15	—18'653	1789	...	128
6264	6283	Brisbane 4547.....	7	13. 26. 42'51	39'29	1	+ 3'510	— 41. 34. 11'25	39'29	1	—18'639
6265	6284	.. Piazzi XIII. 129.....	8	13. 26. 51'48	36'52	4	+ 3'107	— 4. 5. 3'31	36'53	3	—18'634	129
6266	6285	Piazzi XIII. 131.....	6.7	13. 26. 54'60	38'58	3	+ 2'955	+ 13. 21. 39'77	37'03	6	—18'633	131
6267	6286	80 Virginis	6	13. 26. 56'78	32'19	12	+ 3'111	— 4. 33. 11'80	32'39	5	—18'632	1790	...	130
6268	6287	.. Piazzi XIII. 132.....	8	13. 27. 13'97	36'51	4	+ 3'150	— 8. 56. 15'52	36'48	5	—18'623	132
6269	6288	Brisbane 4549.....	8	13. 27. 14'31	39'87	2	+ 3'848	— 57. 21. 56'07	39'81	2	—18'623
6270	6289	Lacaille 5598	6.7	13. 27. 17'24	38'38	2	+ 3'540	— 43. 17. 51'56	38'38	2	—18'622	...	5598	...
6271	6290	Lacaille 5596.....	7	13. 27. 22'90	39'36	1	+ 3'855	— 57. 34. 9'08	39'36	1	—18'619	...	5596	...
6272	6291	Lacaille 5601	7	13. 27. 23'20	38'49	1	+ 3'519	— 41. 56. 7'01	38'49	1	—18'619	...	5601	...
6273	6292	Piazzi XIII. 134.....	7	13. 27. 23'28	35'15	2	+ 2'857	+ 23. 20. 28'90	35'37	3	—18'618	134
6274	6293	Piazzi XIII. 136.....	5.6	13. 27. 25'41	35'29	3	+ 2'682	+ 38. 1. 46'25	34'65	4	—18'617	136
6275	6294	.. Lacaille 5600	6.7	13. 27. 27'26	38'40	2	+ 3'580	— 45. 34. 56'05	38'40	2	—18'616	...	5600	...
6276	6295	.. Piazzi XIII. 137.....	7.8	13. 27. 38'99	35'27	3	+ 2'992	+ 9. 8. 19'56	35'47	3	—18'609	137
6277	6296	Lacaille 5608	6	13. 27. 40'29	33'02	6	+ 3'312	— 25. 39. 2'67	32'36	4	—18'609	...	5608	135
6278	6297	Brisbane 4555.....	8.9	13. 27. 40'39	39'36	1	+ 3'854	— 57. 28. 3'72	39'36	1	—18'609
6279	6298	24 Canum Venaticum.....	5	13. 27. 42'40	35'31	3	+ 2'480	+ 49. 51. 40'58	34'38	3	—18'607	1791	...	138
6280	6299	81 Ursæ Majoris	5.6	13. 27. 45'93	35'43	3	+ 2'326	+ 56. 11. 43'71	34'34	3	—18'605	1792	...	141

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6281	6300	Lacaille 5604	7.8	h m s 13. 27. 46.45	39.37	1	+ 3.662	— 49. 45. 19.74	39.37	1	—18.605	...	5604	...
6282	6301	Piazzi XIII. 140	8	13. 27. 55.95	35.39	3	+ 2.691	+ 37. 13. 50.98	34.48	2	—18.600	140
6283	6302	Lacaille 5607	7	13. 27. 59.54	38.33	1	+ 3.659	— 49. 30. 18.89	38.92	2	—18.598	...	5607	...
6284	6303	Lacaille 5605	7.8	13. 28. 6.64	38.38	2	+ 3.835	— 56. 46. 45.86	38.38	2	—18.595	...	5605	...
6285	6304	Lacaille 5613	8	13. 28. 8.21	39.04	3	+ 3.413	— 34. 12. 15.02	38.34	2	—18.594	...	5613	...
6286	6305	Piazzi XIII. 139	8	13. 28. 11.70	36.47	4	+ 3.212	— 15. 36. 5.21	36.52	4	—18.591	139
6287	6306	Lacaille 5612	7.8	13. 28. 17.06	38.49	1	+ 3.523	— 41. 55. 16.66	38.49	1	—18.589	...	5612	...
6288	6307	Lacaille 5615	8	13. 28. 22.00	39.04	3	+ 3.414	— 34. 13. 13.25	38.34	2	—18.586	...	5615	...
6289	6308	Brisbane 4564	7.8	13. 28. 42.07	41.47	3	+ 3.645	— 48. 39. 4.54	41.47	3	—18.575
6290	6309	81 Virginis	7	13. 28. 57.00	35.27	3	+ 3.134	— 7. 1. 41.94	35.30	3	—18.567	1793	...	142
6291	6310	Piazzi XIII. 144	9	13. 29. 2.89	36.51	4	+ 3.124	— 5. 48. 33.54	36.49	4	—18.563	144
6292	6311	Lacaille 5620	6.7	13. 29. 7.25	36.55	5	+ 3.353	— 28. 59. 50.61	35.85	6	—18.561	...	5620	143
6293	6312	Piazzi XIII. 145	7	13. 29. 15.81	35.40	3	+ 3.093	— 2. 23. 29.06	35.32	2	—18.557	145
6294	6313	Lacaille 5617	7.8	13. 29. 19.18	38.73	3	+ 3.754	— 53. 18. 22.08	38.73	3	—18.555	...	5617	...
6295	6314	Lacaille 5623	6	13. 29. 27.15	31.71	6	+ 3.351	— 28. 42. 54.26	31.43	5	—18.551	...	5623	146
6296	6315	Lacaille 5621	7.8	13. 29. 27.56	39.40	2	+ 3.393	— 32. 16. 7.80	39.40	2	—18.550	...	5621	...
6297	6316	Piazzi XIII. 147	9	13. 29. 27.59	38.40	6	+ 3.079	— 0. 43. 51.24	38.44	6	—18.550	147
6298	6317	Centauri	3	13. 29. 29.19	32.02	9	+ 3.738	— 52. 37. 28.17	31.38	7	—18.549	...	5618	...
6299	6318	Lacaille 5622	7	13. 29. 51.20	39.30	2	+ 3.662	— 49. 6. 34.60	39.30	2	—18.537	...	5622	...
6300	6319	Piazzi XIII. 148	8	13. 29. 59.46	36.60	4	+ 3.098	— 2. 51. 45.59	36.76	5	—18.532	148
6301	6320	Lacaille 5624	6.7	13. 30. 1.89	39.34	2	+ 3.485	— 38. 54. 22.21	39.34	2	—18.531	...	5624	...
6302	6321	Piazzi XIII. 149	8.9	13. 30. 7.45	36.60	4	+ 3.053	+ 2. 5. 50.46	36.68	3	—18.528	149
6303	6322	Piazzi XIII. 150	7	13. 30. 12.86	35.31	3	+ 2.850	+ 23. 22. 25.98	34.59	4	—18.525	150
6304	6323	Piazzi XIII. 151	7.8	13. 30. 30.46	35.33	3	+ 3.204	— 14. 22. 0.62	35.33	3	—18.515	151
6305	6324	Piazzi XIII. 152	7	13. 30. 32.72	35.36	3	+ 3.175	— 11. 14. 53.00	34.66	4	—18.513	152
6306	6325	Piazzi XIII. 153	7.8	13. 30. 41.08	36.49	4	+ 3.014	+ 6. 24. 17.45	36.51	4	—18.508	153
6307	6326	Lacaille 5635	7.8	13. 30. 56.56	35.15	3	+ 3.332	— 26. 44. 14.03	34.70	4	—18.500	...	5635	154
6308	6327	Piazzi XIII. 156	7	13. 31. 5.65	35.11	2	+ 2.420	+ 51. 33. 25.84	34.67	4	—18.495	156
6309	6328	Piazzi XIII. 155	6.7	13. 31. 6.13	35.35	3	+ 2.893	+ 19. 6. 25.09	34.67	4	—18.495	155
6310	6329	Brisbane 4581	8	13. 31. 10.62	38.34	2	+ 3.586	— 44. 44. 59.12	38.34	2	—18.492
6311	6330	Lacaille 5634	8	13. 31. 15.24	38.33	2	+ 3.594	— 45. 11. 17.07	38.33	2	—18.490	...	5634	...
6312	6331	Brisbane 4584	9	13. 31. 25.67	38.36	2	+ 3.896	— 57. 46. 51.62	38.36	2	—18.484
6313	6332	Piazzi XIII. 157	7.8	13. 31. 27.90	35.11	2	+ 2.412	+ 51. 48. 3.39	34.64	4	—18.483	157
6314	6333	Lacaille 5629	7.8	13. 31. 28.49	38.51	5	+ 4.006	— 60. 54. 1.82	38.56	4	—18.483	...	5629	...
6315	6334	Lacaille 5631	7.8	13. 31. 30.87	38.32	3	+ 4.012	— 61. 3. 18.89	38.32	3	—18.480	...	5631	...
6316	6335	Lacaille 5638	7	13. 31. 39.02	39.34	7	+ 3.586	— 44. 39. 16.04	39.52	6	—18.474	...	5638	...
6317	6336	Brisbane 4589	8.9	13. 31. 44.50	38.69	3	+ 3.360	— 28. 53. 32.88	38.69	3	—18.472
6318	6337	Lacaille 5637	8	13. 32. 1.90	38.56	4	+ 4.010	— 60. 52. 22.33	38.57	4	—18.463	...	5637	...
6319	6338	Lacaille 5641	7.8	13. 32. 11.21	38.75	3	+ 3.549	— 42. 18. 34.06	38.75	3	—18.458	...	5641	...
6320	6339	Lacaille 5640	7	13. 32. 12.87	39.05	3	+ 3.846	— 55. 55. 51.51	39.05	3	—18.456	...	5640	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{clxi}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6321	6340	Piazzi XIII. 158	7	h m s 13. 32. 12.88	35.15	3	+ 3.183	— 11. 56. 37.29	34.94	4	—18.456	158
6322	6341	Lacaille 5646	7.8	13. 32. 16.19	38.77	3	+ 3.324	— 25. 41. 36.13	38.77	3	—18.454	...	5646	...
6323	6342	Piazzi XIII. 159	6.7	13. 32. 25.63	35.33	3	+ 3.291	— 22. 36. 43.10	34.60	4	—18.448	159
6324	6343	Lacaille 5643	7	13. 32. 37.53	38.49	2	+ 3.697	— 49. 57. 11.19	38.48	2	—18.443	...	5643	...
6325	6344	1 Boötis	6	13. 32. 47.58	31.54	8	+ 2.872	+ 20. 47. 32.29	31.49	5	—18.437	1797	...	160
6326	6345	Piazzi XIII. 161	7.8	13. 32. 48.02	36.50	6	+ 2.872	+ 20. 51. 1.70	36.47	4	—18.436	161
6327	6346	Lacaille 5647	7.8	13. 32. 55.83	38.70	3	+ 3.570	— 43. 21. 15.70	38.70	3	—18.431	...	5647	...
6328	6347	82 Virginis.....m	5.6	13. 32. 57.72	32.36	12	+ 3.145	— 7. 52. 1.97	32.29	5	—18.430	1796	...	162
6329	6348	Lacaille 5644	7.8	13. 32. 59.23	38.68	3	+ 3.930	— 58. 24. 1.80	38.68	3	—18.429	...	5644	...
6330	6349	Piazzi XIII. 163	6.7	13. 33. 2.03	35.29	3	+ 2.781	+ 28. 54. 8.98	35.31	3	—18.428	163
6331	6350	Brisbane 4598	8.9	13. 33. 4.10	38.82	2	+ 3.931	— 58. 24. 1.13	38.96	3	—18.427
6332	6351	82 Ursæ Majoris	5.6	13. 33. 6.82	35.31	3	+ 2.351	+ 53. 45. 25.71	34.58	4	—18.425	1799	...	165
6333	6352	Lacaille 5650	6.7	13. 33. 9.76	38.63	3	+ 3.524	— 40. 33. 47.73	38.63	3	—18.423	...	5650	...
6334	6353	Brisbane 4600	8	13. 33. 10.30	38.67	3	+ 3.537	— 41. 20. 39.20	38.67	3	—18.423
6335	6354	2 Boötis	6	13. 33. 13.90	32.37	6	+ 2.844	+ 23. 20. 5.00	32.39	5	—18.421	1798	...	164
6336	6355	Lacaille 5654	7.8	13. 33. 51.68	38.67	3	+ 3.539	— 41. 13. 58.55	38.67	3	—18.399	...	5654	...
6337	6356	Lacaille 5653	8	13. 33. 52.77	38.38	2	+ 3.597	— 44. 36. 6.65	38.38	2	—18.398	...	5653	...
6338	6357	Lacaille 5652	7	13. 33. 57.34	40.62	6	+ 3.711	— 50. 10. 39.67	40.26	5	—18.396	...	5652	...
6339	6358	Lacaille 5656	7.8	13. 34. 6.75	39.47	1	+ 3.509	— 39. 20. 35.05	39.47	1	—18.390	...	5656	...
6340	6359	Piazzi XIII. 166	9	13. 34. 13.59	36.48	4	+ 3.170	— 10. 27. 58.78	36.49	4	—18.385	166
6341	6360	Piazzi XIII. 168	7	13. 34. 17.59	35.40	3	+ 2.347	+ 53. 36. 31.51	34.63	4	—18.383	168
6342	6361	83 Ursæ Majoris	6	13. 34. 28.26	35.33	3	+ 2.292	+ 55. 31. 8.36	34.83	5	—18.377	1802	...	170
6343	6362	Piazzi XIII. 167	7.8	13. 34. 31.53	35.37	3	+ 2.918	+ 15. 58. 59.10	34.65	4	—18.376	167
6344	6363	Brisbane 4607	8	13. 34. 45.05	40.16	6	+ 3.912	— 57. 24. 34.64	40.48	7	—18.368
6345	6364	84 Virginis	6	13. 34. 46.43	32.39	6	+ 3.031	+ 4. 22. 32.89	32.33	4	—18.367	1800	...	169
6346	6365	Piazzi XIII. 172	9	13. 34. 51.71	36.92	3	+ 2.774	+ 29. 2. 17.51	37.37	3	—18.364	172
6347	6366	Brisbane 4608.....	10	13. 34. 55.63	39.48	2	+ 4.068	— 61. 37. 12.20	39.48	2	—18.363
6348	6367	Piazzi XIII. 171.....	7	13. 34. 57.61	36.51	4	+ 3.104	— 3. 26. 21.83	36.56	4	—18.361	171
6349	6368	Piazzi XIII. 173.....	7	13. 35. 0.81	36.52	4	+ 2.997	+ 8. 8. 2.66	36.58	4	—18.358	173
6350	6369	Lacaille 5661	7.8	13. 35. 17.92	39.02	3	+ 3.671	— 47. 57. 39.57	39.02	3	—18.348	...	5661	...
6351	6370	Piazzi XIII. 174	7	13. 35. 19.61	32.31	6	+ 3.116	— 4. 39. 53.88	32.37	5	—18.347	174
6352	6371	Piazzi XIII. 175	7.8	13. 35. 30.15	35.13	3	+ 3.173	— 10. 36. 18.38	34.59	4	—18.341	175
6353	6372	83 Virginis	6	13. 35. 36.48	32.42	5	+ 3.221	— 15. 20. 47.00	33.33	5	—18.338	1801	...	176
6354	6373	Lacaille 5662	7	13. 35. 37.66	38.38	2	+ 3.814	— 53. 51. 4.81	38.38	2	—18.338	...	5662	...
6355	6374	Lacaille 5660	7	13. 35. 45.70	39.39	2	+ 4.082	— 61. 45. 33.94	39.40	2	—18.332	...	5660	...
6356	6375	Piazzi XIII. 177	7	13. 35. 54.96	35.31	3	+ 3.201	— 13. 23. 3.87	34.68	4	—18.328	177
6357	6376	Lacaille 5664	6.7	13. 36. 15.35	38.33	2	+ 3.736	— 50. 36. 4.40	38.33	2	—18.315	...	5664	...
6358	6377	Piazzi XIII. 179	7	13. 36. 18.50	32.89	7	+ 3.137	— 6. 48. 10.65	33.35	6	—18.313	179
6359	6378	1 Centauri	5	13. 36. 20.29	31.33	10	+ 3.415	— 32. 12. 21.03	31.39	5	—18.312	1803	5668	178
6360	6379	Piazzi XIII. 184	7.8	13. 36. 21.09	38.09	4	+ 1.866	+ 65. 39. 25.70	39.06	7	—18.312	184

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6361	6380	Lacaille 5670	6	h m s 13. 36. 25.50	33.34	6	+ 3.330	— 25. 17. 3.26	32.79	5	—18.310	...	5670	180
6362	6381	Brisbane 4621	8	13. 36. 31.80	38.40	2	+ 3.783	— 52. 27. 14.51	38.40	2	—18.305
6363	6382	Piazzi XIII. 182	9	13. 36. 39.02	36.61	4	+ 3.096	— 2. 28. 59.63	36.55	4	—18.300	182
6364	6383	85 Virginis	6	13. 36. 42.80	33.36	5	+ 3.218	— 14. 56. 10.91	32.40	5	—18.299	1804	...	181
6365	6384	Lacaille 5667	7.8	13. 36. 43.43	38.75	3	+ 3.759	— 51. 26. 23.10	38.41	2	—18.298	...	5667	...
6366	6385	Piazzi XIII. 183	7	13. 36. 50.60	36.56	4	+ 3.184	— 11. 33. 15.58	36.57	4	—18.293	183
6367	6386	Piazzi XIII. 185	7	13. 37. 7.96	36.69	4	+ 3.173	— 10. 23. 38.81	34.62	4	—18.283	185
6368	6387	86 Virginis	6	13. 37. 9.51	33.08	7	+ 3.185	— 11. 35. 48.99	32.30	6	—18.282	1805	...	186
6369	6388	Piazzi XIII. 188	6.7	13. 37. 9.89	35.29	3	+ 2.976	+ 9. 53. 31.28	34.64	4	—18.282	188
6370	6389	Lacaille 5676	6.7	13. 37. 20.68	35.15	3	+ 3.462	— 35. 25. 21.11	34.79	3	—18.276	...	5676	187
6371	6390	Lacaille 5675	8	13. 37. 21.40	38.65	3	+ 3.712	— 49. 17. 47.51	38.66	3	—18.276	...	5675	...
6372	6391	Piazzi XIII. 189	6.7	13. 37. 30.22	35.36	3	+ 2.342	+ 52. 53. 45.92	35.32	4	—18.270	189
6373	6392	Brisbane 4629	9	13. 37. 49.74	38.64	3	+ 4.082	— 61. 16. 33.89	38.64	3	—18.257
6374	6393	Brisbane 4630	9.10	13. 37. 49.79	38.38	4	+ 4.082	— 61. 16. 30.60	38.38	4	—18.257
6375	6394	Piazzi XIII. 190	7	13. 38. 14.23	33.42	3	+ 3.257	— 18. 25. 38.52	32.37	5	—18.243	190
6376	6395	87 Virginis	6	13. 38. 27.74	33.49	3	+ 3.243	— 17. 1. 51.33	33.44	5	—18.236	1806	...	191
6377	6396	Brisbane 4633	8.9	13. 38. 30.17	39.49	10	+ 4.096	— 61. 26. 58.50	39.39	11	—18.234
6378	6397	Brisbane 4634	7.8	13. 38. 32.40	38.69	3	+ 3.652	— 46. 8. 48.93	38.68	3	—18.233
6379	6398	Brisbane 4636	7.8	13. 38. 45.32	38.69	3	+ 3.649	— 45. 56. 11.17	38.68	3	—18.225
6380	6399	Piazzi XIII. 194	6.7	13. 38. 46.95	36.49	4	+ 3.002	+ 7. 10. 57.74	36.89	6	—18.223	194
6381	6400	Piazzi XIII. 195	7	13. 38. 48.17	35.21	3	+ 2.727	+ 31. 43. 47.69	34.71	4	—18.223	195
6382	6401	Piazzi XIII. 192	7	13. 38. 48.66	36.51	4	+ 3.130	— 5. 52. 38.36	36.51	4	—18.222	192
6383	6402	Piazzi XIII. 193	8	13. 38. 49.04	36.31	3	+ 3.088	— 1. 36. 55.76	36.56	4	—18.222	193
6384	6403	Lacaille 5680	7.8	13. 39. 2.60	38.67	3	+ 3.483	— 36. 18. 4.49	38.67	3	—18.214	...	5680	...
6385	6404	3 Bootis	6	13. 39. 3.49	38.52	5	+ 2.792	+ 26. 31. 57.33	35.50	8	—18.214	1808	...	196
6386	6405	Piazzi XIII. 200	6.7	13. 39. 6.41	35.24	2	+ 2.217	+ 56. 43. 28.65	34.64	4	—18.212	200
6387	6406	4 Bootis	5	13. 39. 25.30	31.82	5	+ 2.886	+ 18. 16. 55.26	31.93	10	—18.201	1810	...	199
6388	6407	Lacaille 5682	7	13. 39. 26.70	38.71	3	+ 3.464	— 34. 52. 16.54	38.71	3	—18.200	...	5682	...
6389	6408	Lacaille 5681	7.8	13. 39. 29.34	38.38	2	+ 3.539	— 39. 41. 30.75	38.38	2	—18.198	...	5681	...
6390	6409	Brisbane 4643	7.8	13. 39. 33.72	38.38	2	+ 3.539	— 39. 41. 27.59	38.38	2	—18.195
6391	6410	Centauri	4	13. 39. 38.47	37.13	8	+ 3.559	— 40. 51. 42.43	40.97	3	—18.191	...	5683	197
6392	6411	88 Virginis	7	13. 39. 40.73	32.25	7	+ 3.131	— 6. 0. 38.33	33.37	5	—18.190	1809	...	201
6393	6412	Centauri	4	13. 39. 42.71	31.43	6	+ 3.573	— 41. 38. 55.09	31.39	4	—18.190	...	5684	198
6394	6413	Lacaille 5686	7	13. 39. 44.05	40.85	5	+ 3.366	— 27. 32. 23.51	41.10	6	—18.189	...	5686	...
6395	6414	Brisbane 4646	8	13. 39. 46.57	38.63	3	+ 3.932	— 56. 45. 27.53	38.63	3	—18.188
6396	6415	2 Centauri	5	13. 39. 54.74	31.90	6	+ 3.447	— 33. 37. 26.05	31.89	6	—18.183	1807	5688	202
6397	6416	Piazzi XIII. 203	6.7	13. 40. 8.08	35.32	3	+ 3.092	— 2. 0. 54.73	35.35	3	—18.174	203
6398	6417	Brisbane 4648	8	13. 40. 9.94	39.07	4	+ 3.932	— 56. 39. 2.68	39.07	4	—18.173
6399	6418	84 Ursæ Majoris	6	13. 40. 25.58	35.30	3	+ 2.254	+ 55. 15. 34.42	34.60	4	—18.164	1812	...	205
6400	6419	89 Virginis	5.6	13. 40. 55.25	32.40	5	+ 3.249	— 17. 18. 33.80	32.36	5	—18.146	1811	...	204

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6401	6420	85 Ursæ Majoris	2.3	h m s 13. 41. 1'83	33.12	24	+ 2'389	+ 50. 8. 20.10	32.85	35	-18.140	1815	...	209
6402	6421	Piazzi XIII. 206	7	13. 41. 11.28	33.60	7	+ 3'281	- 20. 2. 47.19	33.34	5	-18.135	206
6403	6422	Piazzi XIII. 208	6.7	13. 41. 14.16	35.16	3	+ 3'000	+ 7. 10. 8.47	34.61	4	-18.133	208
6404	6423	Brisbane 4655	7.8	13. 41. 28.23	40.74	6	+ 3'805	- 51. 59. 17.04	40.69	4	-18.125
6405	6424	Lacaille 5700	6.7	13. 41. 30.34	40.04	4	+ 3'805	- 51. 59. 21.61	39.52	6	-18.123	...	5700	...
6406	6425	5 Boötis	4	13. 41. 31.21	32.07	7	+ 2'901	+ 16. 37. 9.42	31.41	5	-18.122	1813	...	210
6407	6426	Piazzi XIII. 211	7	13. 41. 34.04	35.15	3	+ 2'931	+ 13. 50. 4.74	34.51	3	-18.120	211
6408	6427	Lacaille 5702	6.7	13. 41. 36.23	35.93	5	+ 3'668	- 46. 4. 35.22	35.22	5	-18.118	...	5702	207
6409	6428	Lacaille 5704	7	13. 41. 48.62	39.46	1	+ 3'689	- 47. 2. 38.85	39.46	1	-18.111	...	5704	...
6410	6429	Piazzi XIII. 214	7	13. 41. 49.70	35.15	3	+ 2'929	+ 14. 0. 50.06	35.31	3	-18.109	214
6411	6430	Piazzi XIII. 213	7	13. 41. 53.27	35.18	3	+ 3'140	- 6. 46. 26.91	34.64	4	-18.108	213
6412	6431	Piazzi XIII. 212	7.8	13. 41. 53.80	36.48	4	+ 3'283	- 20. 9. 44.91	36.58	4	-18.108	212
6413	6432	6 Boötis	6	13. 41. 54.59	33.33	6	+ 2'839	+ 22. 5. 16.61	32.40	5	-18.108	1816	...	215
6414	6433	Lacaille 5706	6	13. 41. 59.29	39.48	1	+ 3'484	- 35. 36. 25.92	39.48	1	-18.104	...	5706	...
6415	6434	Piazzi XIII. 218	7	13. 42. 11.11	35.18	3	+ 3'142	- 6. 57. 41.97	34.38	3	-18.097	218
6416	6435	Lacaille 5709	6.7	13. 42. 16.31	39.48	1	+ 3'412	- 30. 29. 45.16	39.48	1	-18.094	...	5709	...
6417	6436	Brisbane 4660	7.8	13. 42. 18.47	38.31	1	+ 3'763	- 50. 6. 2.70	38.31	1	-18.093
6418	6437	3 Centauri	4.5	13. 42. 19.74	32.70	10	+ 3'435	- 32. 10. 21.24	31.66	5	-18.092	1814	5708	216
6419	6438	Piazzi XIII. 217	7	13. 42. 20.38	36.51	4	+ 3'435	- 32. 10. 21.61	36.68	5	-18.091	217
6420	6439	Piazzi XIII. 219	7.8	13. 42. 33.36	36.54	4	+ 2'837	+ 22. 4. 34.49	36.67	3	-18.083	219
6421	6440	Lacaille 5712	7.8	13. 42. 34.54	39.49	1	+ 3'417	- 30. 47. 48.72	39.49	1	-18.083	...	5712	...
6422	6441	Piazzi XIII. 220	7.8	13. 42. 36.20	36.53	4	+ 2'837	+ 22. 5. 50.61	36.74	5	-18.082	220
6423	6442	Lacaille 5711	6.7	13. 43. 3.83	39.29	1	+ 3'831	- 52. 33. 16.48	39.29	1	-18.064	...	5711	...
6424	6443	Lacaille 5714	7	13. 43. 38.46	38.36	2	+ 3'864	- 53. 35. 45.44	38.35	2	-18.042	...	5714	...
6425	6444	Lacaille 5719	7.8	13. 43. 43.55	38.69	3	+ 3'684	- 46. 18. 40.04	38.69	3	-18.038	...	5719	...
6426	6445	4 Centauri	5	13. 43. 44.30	31.55	6	+ 3'425	- 31. 6. 34.36	32.36	5	-18.038	1817	5725	221
6427	6446	Piazzi XIII. 223	7	13. 43. 47.60	36.52	4	+ 2'940	+ 12. 45. 18.32	36.51	4	-18.036	223
6428	6447	Lacaille 5726	6	13. 43. 55.63	36.41	5	+ 3'480	- 34. 50. 46.23	34.71	4	-18.030	...	5726	222
6429	6448	Piazzi XIII. 224	8	13. 43. 55.94	36.51	4	+ 2'917	+ 14. 50. 48.66	36.56	4	-18.030	224
6430	6449	Piazzi XIII. 226	7.8	13. 43. 58.42	35.32	3	+ 2'213	+ 55. 41. 25.82	35.31	3	-18.029	226
6431	6450	Piazzi XIII. 225	6.7	13. 44. 13.75	35.31	3	+ 2'937	+ 12. 59. 0.55	34.67	4	-18.018	225
6432	6451	Lacaille 5728	7.8	13. 44. 25.29	38.65	3	+ 3'710	- 47. 19. 4.40	38.65	3	-18.012	...	5728	...
6433	6452	Piazzi XIII. 228	7	13. 44. 36.82	35.35	3	+ 2'886	+ 17. 33. 1.47	35.36	3	-18.004	228
6434	6453	Lacaille 5727	7.8	13. 44. 36.96	38.70	3	+ 3'809	- 51. 20. 42.70	38.70	3	-18.004	...	5727	...
6435	6454	Piazzi XIII. 227	7.8	13. 44. 39.77	35.23	2	+ 3'094	- 2. 43. 23.51	34.75	3	-18.002	227
6436	6455	Piazzi XIII. 233	6.7	13. 44. 46.88	35.40	3	+ 2'075	+ 59. 21. 30.01	35.37	3	-17.997	233
6437	6456	Lacaille 5739	7	13. 44. 55.02	35.37	3	+ 3'385	- 27. 55. 33.86	34.61	4	-17.993	...	5739	229
6438	6457	Lacaille 5742	6	13. 44. 57.64	32.39	6	+ 3'383	- 27. 45. 2.42	33.35	3	-17.990	...	5742	230
6439	6458	Lacaille 5732	7.8	13. 44. 59.18	38.69	3	+ 3'691	- 46. 16. 36.51	38.69	3	-17.989	...	5732	...
6440	6459	Lacaille 5743	7	13. 45. 4.05	38.71	3	+ 3'468	- 33. 46. 45.42	38.71	3	-17.987	...	5743	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6441	6460	Piazzi XIII. 232.....	7.8	h m s 13. 45. 12.20	36.38	2	+ 2.929	+ 13. 33. 33.98	36.74	3	-17.981	232
6442	6461	Centauri.....	3	13. 45. 17.43	31.39	7	+ 3.696	- 46. 28. 23.34	32.33	4	-17.977	...	5737	231
6443	6463	7 Boötis.....	6	13. 45. 20.03	33.35	6	+ 2.870	+ 18. 44. 56.31	33.36	5	-17.976	1818	...	234
6444	6462	Brisbane 4684.....	8	13. 45. 23.40	38.72	3	+ 3.776	- 49. 50. 48.45	38.40	2	-17.973
6445	6464	Lacaille 5741.....	7	13. 45. 33.61	38.36	2	+ 3.870	- 53. 19. 5.99	38.35	2	-17.967	...	5741	...
6446	6465	Piazzi XIII. 235.....	6.7	13. 45. 41.09	35.32	3	+ 2.736	+ 29. 27. 45.99	34.60	4	-17.963	235
6447	6466	Lacaille 5747.....	8	13. 45. 43.36	38.40	1	+ 3.735	- 48. 4. 39.42	38.40	1	-17.962	...	5747	...
6448	6467	Lacaille 5744.....	7	13. 45. 43.66	38.48	2	+ 3.888	- 53. 52. 54.51	38.48	2	-17.962	...	5744	...
6449	6468	Lacaille 5748.....	6.7	13. 45. 46.33	38.49	1	+ 3.593	- 41. 10. 52.26	38.49	1	-17.960	...	5748	...
6450	6469	Lacaille 5746.....	8	13. 45. 50.53	38.70	3	+ 3.814	- 51. 13. 28.74	38.38	2	-17.956	...	5746	...
6451	6470	Lacaille 5749.....	7.8	13. 45. 51.65	39.39	2	+ 3.616	- 42. 23. 6.02	39.40	2	-17.956	...	5749	...
6452	6471	Piazzi XIII. 236.....	8.9	13. 46. 10.12	36.70	2	+ 2.984	+ 8. 21. 31.54	36.96	5	-17.944	236
6453	6472	90 Virginis.....	6	13. 46. 14.12	32.15	8	+ 3.079	- 0. 41. 15.64	32.39	5	-17.940	1819	...	237
6454	6473	Bradley 1820.....	7	13. 46. 19.58	32.04	6	+ 3.148	- 7. 14. 37.25	32.42	5	-17.936	1820	...	238
6455	6474	10 Draconis.....	4.5	13. 46. 36.70	31.70	4	+ 1.754	+ 65. 32. 22.98	31.91	6	-17.927	1823	...	243
6456	6475	Piazzi XIII. 239.....	8	13. 46. 37.13	36.52	5	+ 2.982	+ 8. 29. 21.15	36.86	4	-17.927	239
6457	6476	8 Boötis.....	3	13. 46. 49.65	35.88	15	+ 2.862	+ 19. 13. 41.17	33.33	15	-17.917	1821	...	240
6458	6477	Lacaille 5758.....	7.8	13. 46. 55.59	39.78	5	+ 3.533	- 37. 30. 23.16	39.78	5	-17.913	...	5758	...
6459	6478	Piazzi XIII. 241.....	8	13. 46. 56.47	36.30	3	+ 3.029	+ 4. 5. 14.85	36.90	5	-17.913	241
6460	6479	Piazzi XIII. 242.....	7	13. 46. 59.44	35.38	3	+ 2.714	+ 30. 43. 45.17	34.73	4	-17.911	242
6461	6480	Brisbane 4697.....	8	13. 47. 2.80	38.80	2	+ 3.535	- 37. 35. 9.64	38.80	2	-17.909
6462	6481	Lacaille 5763.....	7.8	13. 47. 11.12	38.32	3	+ 3.377	- 26. 49. 37.37	38.32	3	-17.903	...	5763	...
6463	6482	Lacaille 5759.....	7	13. 47. 22.90	38.68	3	+ 3.748	- 48. 12. 30.69	38.68	3	-17.895	...	5759	...
6464	6483	Piazzi XIII. 244.....	7	13. 47. 24.90	35.43	3	+ 2.385	+ 48. 41. 8.73	34.63	4	-17.894	244
6465	6484	Piazzi XIII. 263.....	7	13. 47. 25.45	38.81	8	- 2.296	+ 83. 34. 43.40	39.80	6	-17.894	263
6466	6485	Lacaille 5764.....	8	13. 47. 33.76	38.32	3	+ 3.378	- 26. 50. 54.41	38.32	3	-17.890	...	5764	...
6467	6486	86 Ursæ Majoris.....	7	13. 47. 46.23	35.47	3	+ 2.221	+ 54. 32. 32.32	35.36	3	-17.882	1824	...	250
6468	6487	Piazzi XIII. 247.....	6.7	13. 47. 53.04	35.38	3	+ 2.911	+ 14. 52. 3.59	35.33	3	-17.876	247
6469	6488	Piazzi XIII. 245.....	8	13. 47. 54.58	36.48	4	+ 3.170	- 9. 13. 16.98	36.35	3	-17.875	245
6470	6489	92 Virginis.....	7	13. 48. 3.71	35.16	3	+ 3.052	+ 1. 51. 40.54	34.65	4	-17.870	1822	...	248
6471	6490	Lacaille 5765.....	7	13. 48. 6.16	41.08	6	+ 3.738	- 47. 39. 12.36	41.08	6	-17.868	...	5765	...
6472	6491	Centauri.....	5	13. 48. 16.46	31.59	6	+ 3.606	- 41. 17. 28.56	31.78	5	-17.862	...	5768	246
6473	6492	Brisbane 4706.....	8	13. 48. 28.29	38.69	3	+ 3.470	- 33. 10. 7.51	38.69	3	-17.853
6474	6493	Centauri.....	5	13. 48. 31.71	32.35	5	+ 3.661	- 43. 59. 41.55	31.67	5	-17.851	...	5770	249
6475	6494	Piazzi XIII. 251.....	7	13. 48. 40.93	35.21	3	+ 2.889	+ 16. 41. 54.60	34.69	4	-17.844	251
6476	6495	Lacaille 5774.....	7.8	13. 48. 44.74	38.81	3	+ 3.410	- 28. 56. 2.65	38.81	3	-17.842	...	5774	...
6477	6496	Lacaille 5771.....	6.7	13. 48. 44.79	38.69	3	+ 3.789	- 49. 33. 41.91	38.69	3	-17.842	...	5771	...
6478	6497	9 Boötis.....	5	13. 49. 2.08	32.05	6	+ 2.742	+ 28. 18. 10.96	32.33	5	-17.831	1826	...	254
6479	6498	Piazzi XIII. 252.....	8	13. 49. 3.44	36.72	2	+ 3.122	- 4. 40. 23.38	36.51	4	-17.830	252
6480	6499	Brisbane 4711.....	7.8	13. 49. 6.17	38.40	2	+ 3.472	- 33. 10. 49.68	38.69	3	-17.828

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6481	6500	47 Hydræ.....	6	h m s 13. 49. 16'78	33'33	6	+ 3'347	— 24. 9. 48'23	32'38	5	—17'820	1825	5777	253
6482	6501	Piazzi XIII. 255	7	13. 49. 19'81	35'23	3	+ 2'827	+ 21. 45. 49'22	35'44	3	—17'818	255
6483	6502	Piazzi XIII. 256	7	13. 49. 36'73	36'58	3	+ 3'194	— 11. 14. 41'15	36'57	4	—17'808	256
6484	6503	Piazzi XIII. 257	7.8	13. 49. 41'61	35'26	2	+ 2'932	+ 12. 46. 14'78	34'45	3	—17'804	257
6485	6504	Piazzi XIII. 258	7	13. 49. 46'62	35'31	3	+ 3'033	+ 3. 35. 30'04	35'32	3	—17'801	258
6486	6505	Piazzi XIII. 259	7	13. 49. 56'27	36'59	3	+ 2'883	+ 17. 0. 42'64	36'90	4	—17'795	259
6487	6506	Piazzi XIII. 261	7	13. 50. 1'66	37'35	5	+ 2'341	+ 49. 49. 18'63	37'37	5	—17'792	261
6488	6507	Lacaille 5778	7.8	13. 50. 3'47	38'86	2	+ 3'697	— 45. 19. 20'56	38'86	2	—17'790	...	5778	...
6489	6508	Piazzi XIII. 260	7.8	13. 50. 10'79	35'32	3	+ 2'877	+ 17. 12. 40'68	34'50	3	—17'784	260
6490	6509	Piazzi XIII. 264	6	13. 50. 42'07	35'11	3	+ 2'900	+ 15. 27. 28'85	35'44	2	—17'762	264
6491	6510	48 Hydræ.....	6	13. 50. 46'85	33'95	9	+ 3'351	— 24. 12. 3'92	33'68	9	—17'759	1827	5780	262
6492	6511	Piazzi XIII. 265	7.8	13. 50. 52'82	36'81	4	+ 2'901	+ 15. 22. 4'04	37'31	3	—17'755	265
6493	6512	10 Boötis	7	13. 50. 54'98	35'35	3	+ 2'814	+ 22. 30. 16'29	34'89	4	—17'754	1828	...	266
6494	6513	Lacaille 5779	8	13. 51. 0'25	38'67	3	+ 3'661	— 43. 23. 32'72	38'67	3	—17'751	...	5779	...
6495	6514	Piazzi XIII. 268	9	13. 51. 4'23	36'50	4	+ 2'889	+ 16. 21. 17'19	37'36	2	—17'749	268
6496	6515	Piazzi XIII. 269	7	13. 51. 16'78	32'43	6	+ 3'102	— 2. 44. 32'96	33'44	5	—17'739	269
6497	6516	Lacaille 5785	7.8	13. 51. 17'72	38'77	3	+ 3'369	— 25. 27. 19'23	38'77	3	—17'739	...	5785	...
6498	6517	Brisbane 4727	7.8	13. 51. 19'75	38'72	3	+ 3'537	— 36. 39. 56'18	38'72	3	—17'737
6499	6518	Brisbane 4721	8.9	13. 51. 23'01	39'14	4	+ 4'134	— 59. 32. 35'07	39'39	5	—17'736
6500	6519	Lacaille 5783	6.7	13. 51. 23'31	39'25	2	+ 3'585	— 39. 25. 10'64	39'25	2	—17'736	...	5783	...
6501	6520	Piazzi XIII. 270	7	13. 51. 23'50	33'03	6	+ 3'153	— 7. 21. 18'86	33'01	5	—17'736	270
6502	6521	Centauri	5	13. 51. 28'36	31'40	6	+ 3'693	— 44. 48. 0'21	31'42	5	—17'732	...	5782	267
6503	6522	Brisbane 4730	7.8	13. 51. 34'84	38'91	2	+ 3'536	— 36. 31. 44'47	38'75	3	—17'727
6504	6523	Piazzi XIII. 272	7	13. 51. 43'12	35'39	3	+ 2'187	+ 54. 43. 0'47	35'48	2	—17'722	272
6505	6524	Piazzi XIII. 273	7.8	13. 51. 52'51	35'40	3	+ 1'652	+ 66. 10. 13'53	34'63	4	—17'714	273
6506	6525	Piazzi XIII. 271	9	13. 52. 10'27	37'30	1	+ 3'152	— 7. 16. 5'92	36'81	4	—17'704	271
6507	6526	Brisbane 4734	7.8	13. 52. 14'98	38'69	3	+ 3'710	— 45. 23. 1'95	38'69	3	—17'700
6508	6527	Centauri	1	13. 52. 15'05	33'30	13	+ 4'143	— 59. 34. 22'04	31'44	7	—17'700	...	5784	...
6509	6528	Lacaille 5786	7.8	13. 52. 20'89	38'33	3	+ 3'985	— 55. 24. 45'96	38'33	3	—17'696	...	5786	...
6510	6529	Lacaille 5787	7.8	13. 52. 47'08	38'70	3	+ 3'860	— 51. 15. 36'67	38'70	3	—17'677	...	5787	...
6511	6530	Piazzi XIII. 277	7	13. 52. 52'05	35'46	3	+ 2'204	+ 53. 54. 37'73	34'68	4	—17'675	277
6512	6531	Lacaille 5788	5.6	13. 53. 1'05	32'38	6	+ 3'389	— 26. 37. 46'88	32'36	6	—17'669	...	5788	274
6513	6532	93 Virginis	4.5	13. 53. 15'33	33'46	10	+ 3'046	+ 2. 20. 47'84	33'43	17	—17'659	1829	...	275
6514	6533	Lacaille 5790	7.8	13. 53. 17'91	38'73	3	+ 3'382	— 26. 2. 52'37	38'73	3	—17'657	...	5790	...
6515	6534	Piazzi XIII. 279	7	13. 53. 19'81	35'16	3	+ 2'907	+ 14. 31. 57'24	35'31	3	—17'655	279
6516	6535	Lacaille 5789	6.7	13. 53. 26'37	38'76	3	+ 3'617	— 40. 37. 25'53	38'76	3	—17'651	...	5789	...
6517	6536	Piazzi XIII. 276	7	13. 53. 27'68	35'23	3	+ 3'291	— 19. 0. 35'34	35'34	3	—17'650	276
6518	6537	Lacaille 5791	6	13. 53. 28'69	39'28	2	+ 3'452	— 30. 53. 16'10	39'29	2	—17'649	...	5791	...
6519	6538	Piazzi XIII. 278	8	13. 53. 31'49	38'62	5	+ 3'198	— 11. 14. 11'07	39'11	7	—17'647	278
6520	6539	11 Boötis	6	13. 53. 41'45	33'04	6	+ 2'731	+ 28. 11. 11'07	32'40	5	—17'640	1830	...	282

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6521	6540	Piazzi XIII. 280	7.8	h m s 13. 53. 45.21	35.37	3	+ 2.871	+ 17. 33. 26.55	34.74	4	-17.638	280
6522	6541	Piazzi XIII. 281	7	13. 53. 45.87	35.40	3	+ 2.859	+ 18. 28. 21.52	35.42	3	-17.638	281
6523	6542	Piazzi XIII. 283	7.8	13. 54. 30.70	35.32	3	+ 3.023	+ 4. 20. 55.24	34.71	3	-17.607	283
6524	6543	Piazzi XIII. 285	8	13. 54. 33.38	36.30	3	+ 1.717	+ 65. 11. 8.00	37.34	3	-17.605	285
6525	6544 6545	Lacaille 5797	6.7	13. 54. 47.12	39.74	7	+ 3.952	- 53. 52. 23.86	39.74	7	-17.595	...	5797	...
6526	6546	Lacaille 5796	7	13. 54. 51.29	38.41	2	+ 4.138	- 58. 55. 21.55	38.41	2	-17.592	...	5796	...
6527	6547	Piazzi XIII. 284	7.8	13. 55. 0.62	35.21	3	+ 2.890	+ 15. 46. 24.97	35.45	3	-17.586	284
6528	6548	Brisbane 4752	8.9	13. 55. 4.52	38.37	1	+ 4.142	- 58. 57. 39.17	38.37	1	-17.584
6529	6549	Piazzi XIII. 286	6.7	13. 55. 31.87	31.35	5	+ 3.235	- 14. 10. 30.92	32.60	5	-17.563	286
6530	6550	Piazzi XIII. 287	7	13. 55. 37.84	32.15	8	+ 3.168	- 8. 27. 41.30	33.34	5	-17.559	287
6531	6551	Piazzi XIII. 289	6.7	13. 55. 38.56	35.38	3	+ 2.390	+ 46. 33. 16.62	34.64	4	-17.559	289
6532	6552	Brisbane 4754	9	13. 55. 45.40	38.86	2	+ 4.178	- 59. 40. 41.68	38.86	2	-17.554
6533	6553	Lacaille 5808	7.8	13. 55. 54.02	39.38	1	+ 3.695	- 43. 53. 41.05	39.38	1	-17.548	...	5808	...
6534	6554	Centauri	5	13. 56. 0.45	32.21	10	+ 3.623	- 40. 23. 7.17	31.29	4	-17.544	...	5810	288
6535	6555	Piazzi XIII. 290	7	13. 56. 18.46	35.15	2	+ 3.235	- 14. 3. 39.84	35.37	3	-17.532	290
6536	6556	Piazzi XIII. 291	9	13. 56. 28.16	36.50	4	+ 3.166	- 8. 15. 14.06	36.55	4	-17.525	291
6537	6557	Piazzi XIII. 292	7	13. 56. 29.12	35.16	3	+ 2.983	+ 7. 47. 36.04	34.39	1	-17.524	292
6538	6558	Lacaille 5813	7.8	13. 56. 31.01	38.35	3	+ 3.765	- 46. 47. 48.31	38.36	1	-17.522	...	5813	...
6539	6559	Lacaille 5819	7.8	13. 56. 46.89	38.72	5	+ 3.514	- 34. 6. 23.80	38.72	5	-17.510	...	5819	...
6540	6560	Piazzi XIII. 296	7	13. 56. 51.22	35.31	3	+ 2.244	+ 51. 46. 2.86	35.35	3	-17.507	296
6541	6561	Piazzi XIII. 294	8	13. 56. 56.98	36.51	4	+ 3.387	- 25. 47. 6.88	36.62	4	-17.503	294
6542	6562	49 Hydra	4.5	13. 56. 59.68	32.30	10	+ 3.387	- 25. 52. 59.76	31.46	5	-17.501	1832	5821	295
6543	6563	5 Centauri	2	13. 57. 0.07	32.25	11	+ 3.539	- 35. 33. 13.63	31.42	5	-17.501	1831	5820	293
6544	6564	Lacaille 5817	7.8	13. 57. 3.71	38.32	3	+ 3.826	- 49. 4. 54.47	38.32	3	-17.498	...	5817	...
6545	6565	Lacaille 5818	7	13. 57. 8.84	38.71	3	+ 3.796	- 47. 54. 44.11	38.71	3	-17.494	...	5818	...
6546	6566	Lacaille 5815	7.8	13. 57. 22.51	38.41	2	+ 4.141	- 58. 29. 14.20	38.41	2	-17.485	...	5815	...
6547	6567	Lacaille 5822	7.8	13. 57. 22.84	38.75	3	+ 3.526	- 34. 42. 3.65	38.75	3	-17.485	...	5822	...
6548	6568	94 Virginis	6	13. 57. 34.14	32.79	5	+ 3.165	- 8. 6. 1.68	33.38	5	-17.477	1833	...	297
6549	6570	Brisbane 4774	9	13. 57. 59.97	38.87	2	+ 4.203	- 59. 47. 36.09	38.87	2	-17.458
6550	6569	95 Virginis	6	13. 57. 59.99	32.36	6	+ 3.171	- 8. 31. 22.24	32.38	5	-17.458	1834	...	299
6551	6571	Lacaille 5824	7	13. 58. 3.31	39.22	6	+ 3.519	- 34. 9. 37.14	39.22	5	-17.454	...	5824	...
6552	6572	Piazzi XIII. 301	7	13. 58. 8.46	35.11	3	+ 2.936	+ 11. 37. 1.25	35.33	3	-17.451	301
6553	6573	Piazzi XIII. 302	7.8	13. 58. 12.09	35.16	3	+ 2.982	+ 7. 47. 47.51	34.67	4	-17.449	302
6554	6574	Piazzi XIII. 306	7	13. 58. 13.01	35.37	3	+ 1.311	+ 69. 28. 27.24	34.67	4	-17.449	306
6555	6575	Piazzi XIII. 300	7	13. 58. 15.58	37.41	9	+ 3.254	- 15. 23. 59.67	36.94	11	-17.447	300
6556	6576	Piazzi XIII. 303	7.8	13. 58. 37.94	35.35	3	+ 2.860	+ 17. 45. 37.00	34.71	4	-17.431	303
6557	6577	Lacaille 5826	7.8	13. 58. 39.49	39.03	3	+ 3.682	- 42. 40. 55.30	39.03	3	-17.430	...	5826	...
6558	6578	Lacaille 5825	7	13. 58. 47.85	38.74	3	+ 3.882	- 50. 43. 0.83	38.74	3	-17.424	...	5825	...
6559	6579	Piazzi XIII. 304	10	13. 58. 53.90	36.63	3	+ 3.299	- 18. 55. 58.29	36.88	4	-17.420	304
6560	6580	Lacaille 5827	6.7	13. 58. 59.46	39.29	2	+ 3.942	- 52. 38. 54.92	39.29	2	-17.415	...	5827	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi
6561	6581	Piazzi XIII. 305.....	9	h m s 13. 59. 9'89	37'01	3	+ 3'394	— 25. 51. 49'29	36'87	3	—17'408	305
6562	6582	Piazzi XIII. 309.....	7	13. 59. 32'05	35'32	3	+ 2'699	+ 29. 13. 37'97	34'65	4	—17'392	309
6563	6583	Piazzi XIII. 307.....	8	13. 59. 32'98	39'43	6	+ 3'211	— 11. 46. 40'33	39'62	6	—17'391	307
6564	6584	Piazzi XIII. 308.....	7	13. 59. 39'09	35'28	5	+ 3'202	— 11. 2. 28'47	34'73	4	—17'387	308
6565	6585	Brisbane 4782	8	13. 59. 40'76	38'68	3	+ 3'523	— 34. 5. 41'08	38'68	3	—17'384
6566	6586	Lacaille 5832	7'8	13. 59. 47'88	39'31	1	+ 3'743	— 45. 7. 40'10	39'32	2	—17'380	...	5832	...
6567	6587	Piazzi XIII. 310.....	7'8	13. 59. 54'74	37'85	6	+ 3'295	— 18. 27. 23'17	38'85	6	—17'377	310
6568	6588	11 Draconis	3'4	13. 59. 55'54	32'27	6	+ 1'628	+ 65. 9. 56'83	31'74	6	—17'376	1836	...	312
6569	6589	Brisbane 4785	7'8	14. 0. 7'04	38'93	2	+ 4'050	— 55. 35. 50'76	38'93	2	—17'366
6570	6590	96 Virginis	6'7	14. 0. 13'75	33'14	9	+ 3'185	— 9. 32. 57'70	32'41	5	—17'362	1835	...	311
6571	6591	Lacaille 5833.....	7	14. 0. 27'22	38'34	2	+ 3'817	— 47. 59. 42'61	38'34	3	—17'351	...	5833	...
6572	6592	Brisbane 4789	8	14. 0. 30'78	39'74	6	+ 3'770	— 46. 7. 36'66	39'74	6	—17'349
6573	6593	Brisbane 4792.....	7'8	14. 0. 50'11	39'36	2	+ 3'836	— 48. 39. 5'87	39'35	2	—17'334
6574	6594	Piazzi XIII. 313.....	7'8	14. 1. 7'87	36'65	4	+ 3'030	+ 3. 34. 57'38	36'77	4	—17'320	313
6575	6595	Piazzi XIII. 316.....	6	14. 1. 19'66	35'39	3	+ 2'405	+ 44. 38. 29'88	35'25	4	—17'312	316
6576	6596	Piazzi XIII. 314.....	8	14. 1. 22'40	36'12	5	+ 2'940	+ 11. 2. 6'21	36'61	3	—17'310	314
6577	6597	Brisbane 4793	8	14. 1. 22'80	38'32	3	+ 4'026	— 54. 41. 45'33	39'98	5	—17'310
6578	6598	Piazzi XIII. 315.....	7'8	14. 1. 34'25	36'08	5	+ 2'940	+ 11. 2. 36'35	35'49	2	—17'301	315
6579	6599	Piazzi XIV. 1	6'7	14. 1. 42'56	35'40	3	+ 2'873	+ 16. 24. 30'72	34'61	4	—17'295	1
6580	6600	Piazzi XIII. 317.....	6	14. 1. 50'56	31'93	6	+ 3'260	— 15. 31. 7'72	33'04	6	—17'290	317
6581	6601	13 Boötis	6	14. 2. 6'82	35'49	3	+ 2'256	+ 50. 14. 23'54	34'67	4	—17'278	1838	...	6
6582	6602	Lacaille 5840.....	7	14. 2. 13'60	38'70	3	+ 3'970	— 52. 53. 9'33	38'70	3	—17'272	...	5840	...
6583	6603	Piazzi XIV. 2	7	14. 2. 17'05	35'15	1	+ 3'206	— 11. 10. 7'47	35'38	3	—17'270	2
6584	6604	Piazzi XIV. 3	7'8	14. 2. 19'34	35'12	4	+ 3'134	— 5. 11. 29'32	34'65	4	—17'269	3
6585	6605	Piazzi XIV. 4	7	14. 2. 24'02	35'31	3	+ 3'053	+ 1. 35. 2'49	35'42	3	—17'265	4
6586	6606	Lacaille 5841	7'8	14. 2. 31'26	38'69	3	+ 4'004	— 53. 50. 49'06	38'69	3	—17'260	...	5841	...
6587	6607	Piazzi XIV. 5	8'9	14. 2. 31'74	36'68	2	+ 3'188	— 9. 41. 48'38	36'81	2	—17'260	5
6588	6608	Piazzi XIV. 7	8'9	14. 2. 40'30	37'16	1	+ 3'010	+ 5. 11. 19'69	37'36	2	—17'255	7
6589	6609	Lacaille 5848	7'8	14. 2. 44'94	38'71	3	+ 3'662	— 40. 51. 48'64	38'70	3	—17'250	...	5848	...
6590	6610	Lacaille 5849	7'8	14. 2. 49'06	39'11	3	+ 3'646	— 40. 3. 14'06	38'93	2	—17'248	...	5849	...
6591	6611	12 Boötis	5'6	14. 2. 52'40	32'74	6	+ 2'740	+ 25. 52. 33'05	32'38	4	—17'246	1839	...	8
6592	6612	Lacaille 5852	7'8	14. 3. 11'90	38'71	3	+ 3'762	— 45. 12. 30'94	38'71	3	—17'230	...	5852	...
6593	6613	Piazzi XIV. 10	7	14. 3. 14'23	36'16	6	+ 3'136	— 5. 20. 50'60	35'35	3	—17'228	10
6594	6615	50 Hydræ.....	5	14. 3. 20'13	31'38	8	+ 3'413	— 26. 28. 50'33	31'71	6	—17'224	1837	5856	9
6595	6614	Lacaille 5851	7'8	14. 3. 20'78	38'48	2	+ 3'900	— 50. 23. 2'47	38'48	2	—17'224	...	5851	...
6596	6616	Lacaille 5850	5'6	14. 3. 31'68	39'02	3	+ 4'101	— 56. 18. 31'57	38'89	2	—17'215	...	5850	...
6597	6617	97 Virginis	7	14. 3. 46'65	32'26	7	+ 3'182	— 9. 7. 14'71	33'38	5	—17'204	1841	...	11
6598	6618	Bradley 1840	6	14. 3. 48'36	38'96	3	+ 3'405	— 25. 50. 0'54	38'96	3	—17'203	1840	5858	...
6599	6619	Piazzi XIV. 12	6	14. 3. 55'23	32'41	5	+ 3'034	+ 3. 11. 23'59	32'40	4	—17'198	12
6600	6620	Piazzi XIV. 13	8	14. 3. 59'60	37'39	1	+ 3'098	— 2. 11. 29'99	37'39	1	—17'194	13

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6601	6621	Piazzi XIV. 16	7	h m s 14. 4. 3'28	35'33	3	+ 2'623	+ 33. 4. 27'71	35'31	3	-17'191	16
6602	6622	98 Virginis	4	14. 4. 6'23	33'89	11	+ 3'187	- 9. 30. 9'06	31'41	4	-17'189	1842	...	14
6603	6623	Piazzi XIV. 17	8	14. 4. 13'60	35'37	3	+ 2'825	+ 19. 43. 32'60	34'49	3	-17'183	17
6604	6624	Piazzi XIV. 15	7	14. 4. 14'23	37'92	4	+ 3'102	- 2. 31. 38'84	35'83	5	-17'183	15
6605	6625	Lacaille 5857	7'8	14. 4. 17'13	38'70	3	+ 3'979	- 52. 44. 7'11	38'38	2	-17'181	...	5857	...
6606	6626	Piazzi XIV. 18	7'8	14. 4. 37'22	36'71	5	+ 2'965	+ 8. 47. 13'85	36'44	2	-17'167	18
6607	6627	Lacaille 5862	7'8	14. 4. 53'54	38'41	1	+ 3'656	- 40. 7. 33'84	38'41	1	-17'154	...	5862	...
6608	6628	Lacaille 5859	7'8	14. 5. 2'46	38'49	1	+ 4'122	- 56. 31. 26'01	38'49	1	-17'147	...	5859	...
6609	6629	Brisbane 4821	7	14. 5. 11'83	39'35	2	+ 3'641	- 39. 19. 28'84	39'35	2	-17'140
6610	6630	Lacaille 5863	7	14. 5. 12'61	38'36	2	+ 3'748	- 44. 13. 14'86	38'36	2	-17'139	...	5863	...
6611	6631	Lacaille 5869	6	14. 5. 29'78	39'36	1	+ 3'450	- 28. 30. 26'04	39'36	1	-17'126	...	5869	...
6612	6632	3 Ursæ Minoris	6'7	14. 5. 41'96	35'39	1	+ 0'399	+ 75. 22. 36'48	35'38	3	-17'116	27
6613	6633	Bradley 1843	7	14. 5. 46'16	35'12	3	+ 3'135	- 5. 10. 37'56	35'36	3	-17'114	1843	...	19
6614	6634	Piazzi XIV. 24	6'7	14. 5. 48'40	35'28	3	+ 1'896	+ 59. 19. 47'27	35'35	3	-17'112	24
6615	6635	Piazzi XIV. 20	7	14. 5. 48'72	35'27	3	+ 2'914	+ 12. 46. 28'63	34'74	4	-17'112	20
6616	6636	Piazzi XIV. 21	8	14. 5. 59'12	36'73	2	+ 2'966	+ 8. 39. 20'64	36'74	4	-17'104	21
6617	6637	Lacaille 5868	7'8	14. 6. 5'15	38'32	3	+ 4'070	- 54. 59. 40'58	38'32	3	-17'099	...	5868	...
6618	6638	14 Boötis	6	14. 6. 9'34	33'36	5	+ 2'901	+ 13. 44. 10'70	32'36	4	-17'096	1844	...	23
6619	6639	Piazzi XIV. 22	6	14. 6. 19'46	32'91	4	+ 3'292	- 17. 25. 38'52	32'39	5	-17'088	22
6620	6640	Brisbane 4828	8	14. 6. 35'25	38'34	3	+ 4'128	- 56. 24. 12'45	38'34	3	-17'076
6621	6641	Lacaille 5873	7'8	14. 6. 38'45	38'39	2	+ 3'498	- 31. 17. 8'25	38'39	2	-17'074	...	5873	...
6622	6642	15 Boötis	6	14. 6. 46'37	33'05	5	+ 2'937	+ 10. 52. 51'02	32'85	5	-17'068	1845	...	25
6623	6643	Piazzi XIV. 26	7	14. 7. 2'09	35'16	3	+ 2'778	+ 22. 38. 48'55	34'74	4	-17'055	26
6624	6644	Lacaille 5870	7'8	14. 7. 9'31	39'36	2	+ 4'195	- 57. 55. 3'99	39'36	2	-17'050	...	5870	...
6625	6645	Lacaille 5874	8'9	14. 7. 19'48	39'44	2	+ 4'021	- 53. 21. 36'91	39'44	2	-17'042	...	5874	...
6626	6646	99 Virginis	4	14. 7. 22'40	31'83	5	+ 3'136	- 5. 12. 33'76	31'43	5	-17'040	1846	...	28
6627	6647	Lacaille 5871	7	14. 7. 26'24	38'75	3	+ 4'227	- 58. 34. 30'18	38'75	3	-17'037	...	5871	...
6628	6648	Brisbane 4834	7'8	14. 7. 29'87	38'41	1	+ 3'667	- 40. 5. 30'73	38'41	1	-17'034
6629	6649	Piazzi XIV. 30	8'9	14. 7. 32'88	36'42	3	+ 2'149	+ 52. 33. 44'00	36'40	1	-17'032	30
6630	6650	17 Boötis	6'7	14. 7. 34'25	35'81	4	+ 2'149	+ 52. 33. 50'73	35'60	4	-17'030	1849	...	31
6631	6651	Brisbane 4836	7'8	14. 7. 46'25	38'32	3	+ 4'086	- 55. 6. 54'54	38'32	3	-17'021
6632	6652	Lacaille 5880	7	14. 8. 7'30	35'15	3	+ 3'421	- 26. 11. 25'46	35'38	3	-17'004	...	5880	29
6633	6653	16 Boötis	1	14. 8. 8'39	34'07	63	+ 2'813	+ 20. 2. 43'05	33'54	112	-17'003	1847	...	32
6634	6654	Bradley 1848	6	14. 8. 18'91	33'33	6	+ 2'818	+ 19. 41. 1'45	33'50	2	-16'996	1848
6635	6655	Brisbane 4839	8	14. 8. 22'38	38'34	3	+ 4'141	- 56. 23. 29'17	38'34	3	-16'993
6636	6656	Lacaille 5879	6	14. 8. 51'12	38'36	1	+ 4'114	- 55. 37. 17'01	38'36	1	-16'970	...	5879	...
6637	6657	Brisbane 4845	7'8	14. 8. 51'15	38'32	3	+ 4'091	- 55. 1. 41'61	38'32	3	-16'970
6638	6658	Brisbane 4844	8	14. 8. 51'60	38'67	3	+ 4'202	- 57. 45. 4'17	38'67	3	-16'970
6639	6659	Lupi	4'5	14. 8. 52'75	31'56	7	+ 3'792	- 45. 17. 32'60	31'75	6	-16'969	...	5881	33
6640	6660	Brisbane 4849	7	14. 9. 0'00	39'36	1	+ 3'794	- 45. 20. 1'53	39'36	1	-16'964

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6641	6661	Lacaille 5886	6.7	h m s 14. 9. 27.02	39.48	1	+ 3.596	— 36. 14. 4.61	39.48	1	— 16.942	...	5886	...
6642	6662	Piazzi XIV. 35	9	14. 9. 35.46	36.63	4	+ 2.918	+ 12. 6. 9.09	36.82	4	— 16.934	35
6643	6663	4 Ursæ Minoris	Var.	14. 9. 35.89	35.47	3	— 0.395	+ 78. 19. 21.14	35.49	2	— 16.934	1859	...	49
6644	6664	Piazzi XIV. 34	6.7	14. 9. 38.95	35.20	3	+ 3.428	— 26. 22. 33.23	35.42	3	— 16.932	34
6645	6665	Brisbane 4857	7	14. 9. 46.94	40.93	5	+ 3.595	— 36. 5. 31.13	40.93	5	— 16.926
6646	6666	19 Boötis	4	14. 10. 6.52	31.44	2	+ 2.305	+ 46. 50. 53.07	31.59	5	— 16.911	1852	...	41
6647	6667	Lacaille 5889	8	14. 10. 7.88	39.29	1	+ 3.888	— 48. 36. 13.39	39.29	1	— 16.910	...	5889	...
6648	6668	Piazzi XIV. 39	7.8	14. 10. 11.57	36.66	3	+ 3.016	+ 4. 26. 30.12	36.76	4	— 16.907	39
6649	6669	100 Virginis	4	14. 10. 11.59	31.71	8	+ 3.233	— 12. 36. 27.51	32.22	6	— 16.907	1850	...	37
6650	6670	Lacaille 5891	6	14. 10. 13.32	36.96	5	+ 3.777	— 44. 25. 13.90	36.97	5	— 16.906	...	5891	36
6651	6671	21 Boötis	4.5	14. 10. 19.05	32.66	8	+ 2.146	+ 52. 7. 49.82	33.19	4	— 16.901	1854	...	42
6652	6672	Piazzi XIV. 38	7.8	14. 10. 19.35	36.61	4	+ 3.303	— 17. 45. 31.09	36.93	3	— 16.901	38
6653	6673	Brisbane 4860	7.8	14. 10. 19.84	38.67	3	+ 4.204	— 57. 31. 47.17	38.81	2	— 16.901
6654	6674	Lacaille 5894	7.8	14. 10. 32.71	39.42	4	+ 3.714	— 41. 39. 42.53	39.63	5	— 16.890	...	5894	...
6655	6675	Centauri	5.6	14. 10. 33.26	35.33	3	+ 3.618	— 37. 7. 19.05	34.74	4	— 16.889	...	5895	40
6656	6676	Lacaille 5898	7.8	14. 10. 46.86	38.39	2	+ 3.558	— 33. 54. 58.25	38.39	2	— 16.879	...	5898	...
6657	6677	Lacaille 5893	5.6	14. 10. 52.42	38.70	3	+ 4.215	— 57. 42. 2.38	38.70	3	— 16.874	...	5893	...
6658	6678	Piazzi XIV. 48	7	14. 11. 0.51	35.16	3	+ 1.997	+ 56. 3. 58.41	35.30	3	— 16.869	48
6659	6679	Boötis	6	14. 11. 1.08	35.38	2	+ 2.541	+ 36. 16. 26.25	34.81	3	— 16.868	45
6660	6680	102 Virginis	6	14. 11. 2.84	32.42	6	+ 3.091	— 1. 29. 55.90	33.50	3	— 16.867	1851	...	43
6661	6681	Piazzi XIV. 44	7	14. 11. 13.51	35.27	3	+ 3.148	— 5. 58. 52.03	35.13	3	— 16.858	44
6662	6682	18 Boötis	6	14. 11. 17.23	39.51	7	+ 2.895	+ 13. 46. 8.05	40.31	5	— 16.856	1853	...	46
6663	6683	Lacaille 5896	6.7	14. 11. 18.71	38.47	1	+ 4.094	— 54. 40. 18.25	38.47	1	— 16.854	...	5896	...
6664	6684	Brisbane 4868	8.9	14. 11. 24.78	39.33	1	+ 4.116	— 55. 12. 11.90	39.33	1	— 16.850
6665	6685	Piazzi XIV. 47	8	14. 11. 24.80	36.91	3	+ 2.987	+ 6. 39. 37.18	36.86	4	— 16.849	47
6666	6686	Bradley 1856	6	14. 11. 28.81	35.40	3	+ 2.141	+ 52. 4. 20.85	35.34	4	— 16.846	1856	...	50
6667	6687	Brisbane 4870	9.10	14. 11. 36.17	39.49	1	+ 3.771	— 43. 53. 52.59	39.49	1	— 16.841
6668	6688	Piazzi XIV. 52	7	14. 11. 39.89	35.47	2	+ 2.243	+ 48. 46. 7.07	34.51	2	— 16.837	52
6669	6689	Brisbane 4871	8	14. 11. 44.19	38.69	3	+ 3.638	— 37. 55. 13.96	38.69	3	— 16.834
6670	6690	Lacaille 5901	7	14. 11. 54.22	38.48	1	+ 3.868	— 47. 33. 38.89	38.48	1	— 16.827	...	5901	...
6671	6691	20 Boötis	6	14. 11. 56.76	33.42	4	+ 2.849	+ 17. 3. 59.10	32.40	5	— 16.825	1855	...	51
6672	6692	Brisbane 4872	9.10	14. 11. 57.08	38.39	2	+ 4.142	— 55. 46. 31.85	38.39	2	— 16.824
6673	6693	Lacaille 5906	8	14. 12. 11.24	39.45	1	+ 3.437	— 26. 33. 39.90	39.45	1	— 16.813	...	5906	...
6674	6694	Piazzi XIV. 56	7	14. 12. 20.78	35.16	3	+ 1.982	+ 56. 11. 19.47	34.41	3	— 16.805	56
6675	6695	Lacaille 5903	7.8	14. 12. 23.30	39.37	1	+ 3.943	— 50. 0. 52.38	39.37	1	— 16.804	...	5903	...
6676	6696	Lacaille 5907	6.7	14. 12. 27.62	35.48	1	+ 3.565	— 34. 1. 43.07	35.45	3	— 16.800	...	5907	53
6677	6697	Lacaille 5909	7	14. 12. 43.81	35.19	3	+ 3.662	— 38. 51. 54.68	34.69	4	— 16.786	...	5909	54
6678	6698	Lacaille 5911	5.6	14. 12. 53.96	35.22	3	+ 3.660	— 38. 45. 13.21	35.36	3	— 16.779	...	5911	55
6679	6699	Piazzi XIV. 57	7	14. 12. 55.64	35.33	3	+ 2.629	+ 31. 11. 20.15	35.38	3	— 16.777	57
6680	6700	Lacaille 5912	7	14. 12. 57.79	38.34	3	+ 3.720	— 41. 29. 46.26	38.34	3	— 16.776	...	5912	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6681	6701	Piazzi XIV. 60	7.8	h m s 14. 13. 20.78	35.15	3	+ 2.798	+ 20. 29. 25.20	34.40	3	-16.757	60
6682	6702	103 Virginis	6	14. 13. 28.88	33.35	6	+ 3.088	- 1. 13. 47.16	32.42	5	-16.751	1858	...	59
6683	6703	51 Hydræ	6	14. 13. 36.53	36.96	11	+ 3.447	- 26. 59. 33.03	35.77	10	-16.744	1857	5917	58
6684	6704	Piazzi XIV. 61	9	14. 13. 54.45	39.81	4	+ 3.449	- 27. 3. 17.09	36.68	3	-16.730	61
6685	6705	Piazzi XIV. 62	7.8	14. 13. 55.48	35.25	3	+ 3.163	- 7. 0. 19.93	35.13	3	-16.729	62
6686	6706	Lacaille 5914	8	14. 13. 58.38	38.71	3	+ 4.097	- 54. 15. 51.88	38.71	3	-16.727	...	5914	...
6687	6707	Brisbane 4891	8	14. 14. 13.93	39.36	1	+ 4.175	- 56. 10. 15.23	39.36	1	-16.715
6688	6708	Lacaille 5919	7	14. 14. 17.69	39.38	1	+ 3.832	- 45. 46. 32.14	39.38	1	-16.712	...	5919	...
6689	6709	Lacaille 5922	8	14. 14. 17.95	38.40	2	+ 3.480	- 28. 55. 19.83	38.40	2	-16.711	...	5922	...
6690	6710	Piazzi XIV. 65	7	14. 14. 20.87	35.15	3	+ 2.795	+ 20. 33. 48.45	34.63	4	-16.708	65
6691	6711	Piazzi XIV. 63	8	14. 14. 26.76	38.11	4	+ 3.449	- 26. 59. 31.68	40.66	6	-16.704	63
6692	6712	Lacaille 5921	7.8	14. 14. 30.46	39.35	2	+ 3.693	- 40. 0. 2.62	39.35	2	-16.702	...	5921	...
6693	6713	2 Libræ	6	14. 14. 33.57	33.23	8	+ 3.215	- 10. 57. 24.61	32.36	6	-16.700	1860	...	64
6694	6714	Lacaille 5925	7	14. 14. 58.98	38.39	3	+ 3.625	- 36. 41. 36.55	38.39	2	-16.679	...	5925	...
6695	6715	Lacaille 5920	7.8	14. 15. 1.99	38.92	4	+ 4.284	- 58. 29. 14.63	38.92	4	-16.677	...	5920	...
6696	6716	Piazzi XIV. 69	6	14. 15. 16.10	33.76	7	+ 2.951	+ 9. 12. 5.15	33.39	4	-16.665	69
6697	6717	Lacaille 5929	6	14. 15. 25.00	36.52	7	+ 3.404	- 24. 3. 11.01	35.73	12	-16.657	...	5929	68
6698	6718	Lupi	7.1	14. 15. 34.99	32.27	8	+ 3.804	- 44. 28. 12.41	32.79	5	-16.650	...	5928	66
6699	6719	Lupi	7.2	14. 15. 36.57	32.40	7	+ 3.808	- 44. 37. 44.39	32.63	8	-16.649	...	5927	67
6700	6720	Piazzi XIV. 71	6.7	14. 15. 48.27	35.50	1	+ 2.986	+ 6. 34. 20.17	34.52	3	-16.639	71
6701	6721	Bradley 1861	7	14. 15. 49.21	35.24	1	+ 3.216	- 10. 54. 56.45	34.66	4	-16.638	1861	...	70
6702	6722	Lacaille 5933	7.8	14. 15. 51.21	38.67	3	+ 3.471	- 28. 8. 28.85	38.67	3	-16.636	...	5933	...
6703	6723	Piazzi XIV. 72	6.7	14. 15. 53.11	35.20	3	+ 2.954	+ 8. 59. 50.33	34.69	4	-16.635	72
6704	6724	Lacaille 5930	7.8	14. 15. 53.78	38.35	2	+ 3.735	- 41. 33. 57.31	38.34	3	-16.634	...	5930	...
6705	6725	Piazzi XIV. 73	5.6	14. 15. 58.91	33.50	8	+ 2.986	+ 6. 34. 20.55	36.18	8	-16.630	73
6706	6726	Piazzi XIV. 74	7.8	14. 16. 4.79	36.60	3	+ 3.093	- 1. 35. 28.21	36.75	4	-16.625	74
6707	6727	Piazzi XIV. 75	7	14. 16. 11.57	35.37	1	+ 2.955	+ 8. 50. 28.71	34.91	2	-16.619	75
6708	6728	Piazzi XIV. 76	6.7	14. 16. 22.07	35.33	3	+ 3.240	- 12. 36. 9.15	34.68	4	-16.610	76
6709	6729	Piazzi XIV. 79	8	14. 16. 25.56	36.59	4	+ 2.030	+ 54. 16. 31.22	36.59	4	-16.607	79
6710	6730	Lacaille 5935	7	14. 16. 27.50	39.29	1	+ 3.674	- 38. 46. 24.55	39.29	1	-16.606	...	5935	...
6711	6731	Lacaille 5934	6.7	14. 16. 36.96	39.38	1	+ 3.833	- 45. 22. 58.08	39.38	1	-16.600	...	5934	...
6712	6732	Lacaille 5936	6.7	14. 16. 37.92	39.47	1	+ 3.682	- 39. 7. 28.12	39.47	1	-16.599	...	5936	...
6713	6733	Lacaille 5931	7.8	14. 16. 44.68	38.78	3	+ 4.296	- 58. 27. 4.36	38.49	2	-16.592	...	5931	...
6714	6734	Piazzi XIV. 77	7	14. 16. 49.74	35.32	2	+ 2.988	+ 6. 22. 0.76	35.34	4	-16.588	77
6715	6735	Gould 19544	7.8	14. 16. 50.37	41.07	5	+ 3.661	- 38. 6. 8.50	40.74	4	-16.588
6716	6736	Piazzi XIV. 78	8	14. 17. 7.97	36.76	2	+ 3.441	- 26. 5. 58.54	39.09	7	-16.574	78
6717	6737	Piazzi XIV. 80	7.8	14. 17. 9.15	35.32	3	+ 2.339	+ 44. 12. 38.54	34.72	4	-16.573	80
6718	6738	Piazzi XIV. 81	10	14. 17. 9.62	36.80	2	+ 3.076	- 0. 20. 15.12	36.57	4	-16.572	81
6719	6739	Brisbane 4915	8	14. 17. 11.81	38.67	3	+ 4.127	- 54. 28. 31.60	38.67	3	-16.570
6720	6740	Lacaille 5943	7.8	14. 17. 15.34	38.60	5	+ 3.789	- 43. 34. 55.35	39.25	5	-16.567	...	5943	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6721	6741	Lacaille 5940	8	h m s 14. 17. 24.50	38.38	2	+ 4.165	— 55. 23. 32.25	38.38	2	—16.560	...	5940	...
6722	6742	Lacaille 5945	7	14. 17. 34.03	38.50	1	+ 3.595	— 34. 41. 53.60	38.50	1	—16.553	...	5945	...
6723	6743	Lacaille 5947	7	14. 18. 4.28	39.48	2	+ 3.892	— 47. 14. 49.45	39.48	2	—16.528	...	5947	...
6724	6744	Lacaille 5946	8	14. 18. 21.39	38.38	2	+ 4.172	— 55. 23. 16.32	38.37	1	—16.513	...	5946	...
6725	6745	Brisbane 4924	8	14. 18. 23.72	41.27	4	+ 3.957	— 49. 21. 54.86	40.90	3	—16.511
6726	6746	Piazzi XIV. 83	6.7	14. 18. 31.44	37.49	2	+ 2.796	+ 19. 57. 22.51	37.50	5	—16.504	83
6727	6747	52 Hydra	5.6	14. 18. 31.88	33.30	9	+ 3.489	— 28. 44. 46.75	32.38	5	—16.503	1862	5949	82
6728	6748	104 Virginis	6.7	14. 18. 45.32	32.33	6	+ 3.143	— 5. 22. 20.67	32.99	5	—16.493	1863	...	84
6729	6749	22 Boötis	6	14. 18. 46.99	37.11	12	+ 2.795	+ 19. 58. 19.06	36.95	9	—16.492	1864	...	86
6730	6750	Piazzi XIV. 85	7	14. 18. 49.69	35.37	3	+ 3.242	— 12. 36. 46.07	34.66	4	—16.489	85
6731	6751	Lacaille 5950	6	14. 19. 24.01	38.39	2	+ 3.944	— 48. 46. 35.27	38.39	2	—16.460	...	5950	...
6732	6753	Piazzi XIV. 88	8	14. 19. 32.26	35.38	3	+ 3.102	— 2. 15. 36.56	34.75	4	—16.454	88
6733	6752	Lacaille 5951	6	14. 19. 32.33	39.02	7	+ 3.827	— 44. 34. 40.64	37.89	7	—16.454	...	5951	87
6734	6754	23 Boötis	4	14. 19. 34.80	32.51	9	+ 2.071	+ 52. 36. 59.26	32.56	10	—16.452	1867	...	92
6735	6755	Lacaille 5952	7.8	14. 19. 39.97	38.29	2	+ 3.789	— 43. 7. 20.25	38.39	2	—16.447	...	5952	...
6736	6756	105 Virginis	5	14. 19. 42.58	32.20	10	+ 3.092	— 1. 29. 3.41	32.35	5	—16.445	1865	...	90
6737	6757	Piazzi XIV. 89	6.7	14. 19. 43.69	35.41	3	+ 3.197	— 9. 15. 33.86	34.62	4	—16.444	89
6738	6758	106 Virginis	6	14. 19. 59.97	32.40	5	+ 3.155	— 6. 9. 20.65	32.41	5	—16.431	1866	...	91
6739	6759	Piazzi XIV. 93	7	14. 20. 15.83	36.58	3	+ 2.986	+ 6. 25. 26.17	36.46	4	—16.418	93
6740	6760	Brisbane 4935	7.8	14. 20. 32.34	38.34	3	+ 3.878	— 46. 19. 59.00	38.34	3	—16.404
6741	6761	Brisbane 4936	7.8	14. 20. 40.50	38.38	2	+ 3.808	— 46. 59. 42.15	38.38	2	—16.398
6742	6762	Lacaille 5954	7.8	14. 20. 47.78	39.27	2	+ 4.221	— 56. 9. 2.49	39.27	2	—16.392	...	5954	...
6743	6763	Brisbane 4938	8	14. 20. 55.89	38.66	3	+ 4.162	— 54. 43. 36.33	38.66	3	—16.384
6744	6764	Piazzi XIV. 94	7	14. 20. 57.44	37.45	2	+ 3.492	— 28. 34. 15.58	37.10	4	—16.383	94
6745	6765	Lacaille 5963	6.7	14. 21. 0.15	39.03	3	+ 3.678	— 38. 7. 57.91	39.02	3	—16.381	...	5963	...
6746	6766	Brisbane 4942	7	14. 21. 11.46	40.11	6	+ 3.820	— 44. 4. 8.02	40.04	5	—16.372
6747	6767	Lacaille 5960	7.8	14. 21. 15.95	38.49	2	+ 4.034	— 51. 14. 3.77	38.49	2	—16.368	...	5960	...
6748	6768	Lacaille 5967	7.8	14. 21. 16.95	39.48	2	+ 3.592	— 33. 56. 33.85	39.47	2	—16.367	...	5967	...
6749	6769	Piazzi XIV. 97	7	14. 21. 23.05	35.43	3	+ 2.685	+ 26. 35. 43.86	34.67	4	—16.361	97
6750	6770	Piazzi XIV. 95	6.7	14. 21. 25.51	35.13	3	+ 3.119	— 3. 30. 24.22	34.63	4	—16.359	95
6751	6771	Piazzi XIV. 96	6.7	14. 21. 26.13	35.37	3	+ 3.051	+ 1. 34. 6.13	35.12	3	—16.359	96
6752	6772	Lupi	5	14. 21. 33.11	33.41	9	+ 3.986	— 49. 43. 14.37	33.70	7	—16.354	...	5964	...
6753	6773	Brisbane 4944	8	14. 21. 35.45	39.42	2	+ 4.316	— 58. 5. 8.27	39.42	2	—16.351
6754	6774	Piazzi XIV. 98	7	14. 21. 55.32	35.13	3	+ 3.117	— 3. 19. 36.82	35.30	3	—16.334	98
6755	6775	Piazzi XIV. 99	7.8	14. 22. 2.00	36.51	4	+ 2.948	+ 9. 5. 32.52	36.68	3	—16.328	99
6756	6776	Piazzi XIV. 100	8	14. 22. 8.95	36.64	3	+ 3.104	— 2. 22. 15.28	36.89	4	—16.323	100
6757	6777	Lacaille 5969	6.7	14. 22. 12.25	39.35	2	+ 4.065	— 51. 56. 40.04	39.35	2	—16.320	...	5969	...
6758	6778	Piazzi XIV. 102	7.8	14. 22. 18.17	35.36	3	+ 2.411	+ 40. 21. 28.33	34.73	4	—16.315	102
6759	6779	Piazzi XIV. 101	7.8	14. 22. 23.80	35.39	3	+ 3.141	— 5. 3. 52.50	34.71	4	—16.310	101
6760	6780	Brisbane 4951	8	14. 22. 31.38	38.73	3	+ 3.765	— 41. 40. 14.56	38.73	3	—16.304

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6761	6781	Piazzi XIV. 103	7	h m s 14. 22. 45'45	35'44	3	+ 2'574	+ 32. 31. 43'53	34'73	4	-16'291	103
6762	6782	24 Boötis	6	14. 22. 53'42	35'32	3	+ 2'122	+ 50. 35. 8'94	34'66	4	-16'284	1868	...	105
6763	6783	Lacaille 5973	7'8	14. 23. 2'57	38'84	3	+ 4'387	- 59. 17. 1'34	38'84	3	-16'277	...	5973	...
6764	6784	Lacaille 5978	7'8	14. 23. 7'24	38'09	4	+ 3'874	- 45. 43. 51'12	38'67	3	-16'274	...	5978	...
6765	6785	Brisbane 4956	9	14. 23. 17'46	38'82	2	+ 3'874	- 45. 42. 4'47	38'36	2	-16'265
6766	6786	Lacaille 5974	7	14. 23. 22'86	39'32	1	+ 4'226	- 55. 49. 54'13	39'32	1	-16'259	...	5974	...
6767	6787	Lacaille 5984	7'8	14. 23. 42'13	35'15	3	+ 3'763	- 41. 22. 2'11	34'81	3	-16'243	...	5984	104
6768	6788	Lacaille 5982	8	14. 23. 49'07	38'67	3	+ 3'873	- 45. 34. 22'04	38'68	3	-16'237	...	5982	106
6769	6789	Piazzi XIV. 107	7	14. 23. 56'87	35'27	3	+ 3'005	+ 4. 52. 34'34	35'38	3	-16'230	107
6770	6790	Lacaille 5987	8	14. 24. 24'78	38'48	8	+ 3'880	- 45. 43. 55'45	38'25	7	-16'207	...	5987	...
6771	6791	Piazzi XIV. 108	8	14. 24. 38'81	36'59	3	+ 3'158	- 6. 12. 16'16	36'48	4	-16'195	108
6772	6792	25 Boötis	4	14. 24. 43'10	31'39	4	+ 2'596	+ 31. 5. 53'10	32'55	11	-16'192	1869	...	112
6773	6793	Lacaille 5992	7'8	14. 24. 49'20	38'39	2	+ 3'656	- 36. 28. 33'32	38'39	2	-16'187	...	5992	...
6774	6794	Piazzi XIV. 111	8	14. 24. 58'79	36'45	5	+ 3'157	- 6. 8. 23'60	36'57	4	-16'178	111
6775	6795	Lacaille 5990	7'8	14. 25. 2'01	38'38	2	+ 3'893	- 46. 5. 15'90	38'38	2	-16'175	...	5990	...
6776	6796	26 Boötis	6	14. 25. 2'83	33'35	5	+ 2'736	+ 22. 59. 25'03	33'18	5	-16'174	1870	...	114
6777	6797	Brisbane 4967	8	14. 25. 3'31	38'68	3	+ 3'860	- 44. 53. 22'79	38'68	3	-16'174
6778	6798	Centauri	3	14. 25. 3'86	31'76	6	+ 3'770	- 41. 25. 42'66	32'35	5	-16'174	...	5993	109
6779	6799	Lacaille 5994	6'7	14. 25. 7'19	35'16	3	+ 3'755	- 40. 47. 16'85	34'65	4	-16'172	...	5994	110
6780	6800	Piazzi XIV. 115	7'8	14. 25. 14'12	35'26	3	+ 2'974	+ 7. 1. 32'38	34'62	4	-16'163	115
6781	6801	27 Boötis	3'4	14. 25. 25'96	32'71	5	+ 2'429	+ 39. 1. 58'73	32'57	11	-16'154	1871	...	117
6782	6802	Lacaille 5995	7	14. 25. 33'48	36'00	4	+ 3'880	- 45. 31. 9'02	35'94	4	-16'148	...	5995	113
6783	6803	Piazzi XIV. 116	7	14. 25. 34'37	33'01	5	+ 3'356	- 19. 42. 41'20	32'40	5	-16'148	116
6784	6804	Lacaille 5996	6'7	14. 25. 48'16	38'74	3	+ 4'101	- 52. 20. 5'46	38'74	3	-16'135	...	5996	...
6785	6805	Lacaille 5999	7	14. 26. 7'44	39'34	2	+ 3'714	- 38. 52. 13'77	39'32	2	-16'119	...	5999	...
6786	6806	Lacaille 6002	6'7	14. 26. 24'77	40'75	4	+ 3'729	- 39. 29. 7'40	40'74	4	-16'104	...	6002	...
6787	6807	Lacaille 6001	6	14. 26. 33'99	37'90	7	+ 3'882	- 45. 24. 31'96	37'95	7	-16'095	...	6001	118
6788	6808	Lupi	5	14. 26. 50'08	31'40	6	+ 3'982	- 48. 42. 5'01	33'45	5	-16'081	...	6003	...
6789	6809	Lacaille 5997	7'8	14. 26. 50'31	39'00	3	+ 4'372	- 58. 24. 53'57	39'04	3	-16'080	...	5997	...
6790	6810	Lacaille 6005	7	14. 26. 59'09	38'81	3	+ 3'939	- 47. 18. 0'60	38'81	3	-16'073	...	6005	...
6791	6811	Lacaille 6008	7	14. 27. 4'33	38'95	2	+ 3'802	- 42. 23. 19'28	38'95	2	-16'068	...	6008	...
6792	6812	Piazzi XIV. 119	7	14. 27. 6'78	35'27	3	+ 2'875	+ 13. 49. 24'88	34'64	4	-16'067	119
6793	6813	Lacaille 6007	7	14. 27. 11'77	39'36	2	+ 4'000	- 49. 10. 43'09	39'35	2	-16'062	...	6007	...
6794	6814	Piazzi XIV. 126	6'7	14. 27. 14'14	35'39	3	+ 1'629	+ 60. 57. 17'07	35'12	3	-16'060	126
6795	6815	Piazzi XIV. 120	8	14. 27. 18'95	36'71	2	+ 3'013	+ 4. 11. 37'87	36'36	3	-16'056	120
6796	6816	Lacaille 6010	7	14. 27. 27'04	38'66	3	+ 3'878	- 45. 8. 51'58	38'66	3	-16'048	...	6010	...
6797	6818	Piazzi XIV. 121	7	14. 27. 29'35	36'65	3	+ 3'197	- 8. 53. 13'33	36'69	4	-16'046	121
6798	6817	28 Boötis	5	14. 27. 29'58	31'76	6	+ 2'600	+ 30. 27. 54'35	31'42	5	-16'046	1872	...	124
6799	6819	Piazzi XIV. 123	8	14. 27. 34'14	35'23	3	+ 3'059	+ 0. 56. 39'39	34'73	4	-16'042	123
6800	6820	Piazzi XIV. 122	9	14. 27. 35'66	36'77	2	+ 3'115	- 3. 3. 24'01	36'90	4	-16'041	122

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A. 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6801	6821	Piazzi XIV. 128	6	h m s 14. 27. 53.80	35.32	3	+ 2.458	+ 37. 21. 13.99	34.66	4	-16.024	128
6802	6822	5 Ursæ Minoris	4	14. 27. 57.73	32.22	5	- 0.262	+ 76. 25. 46.40	32.80	5	-16.021	1873	...	136
6803	6823	Lacaille 6015	7	14. 28. 3.44	41.10	6	+ 3.702	- 38. 4. 19.52	41.10	6	-16.016	...	6015	...
6804	6824	Piazzi XIV. 131	7.8	14. 28. 6.25	35.39	3	+ 1.979	+ 53. 37. 24.94	34.65	4	-16.014	131
6805	6825	Piazzi XIV. 127	6.7	14. 28. 13.54	36.68	6	+ 3.237	- 11. 35. 57.12	35.93	7	-16.007	127
6806	6826	Lacaille 6020	7	14. 28. 23.36	38.39	2	+ 3.627	- 34. 33. 17.52	38.39	2	-15.998	...	6020	...
6807	6827	Lacaille 6018	7	14. 28. 24.01	38.36	6	+ 3.903	- 45. 51. 17.65	37.65	7	-15.997	...	6018	125
6808	6828	Lacaille 6016	7	14. 28. 24.72	38.67	3	+ 3.978	- 48. 19. 50.28	38.67	3	-15.997	...	6016	...
6809	6829	Centauri ^{a1}	4	14. 28. 27.97	32.18	5	+ 4.478	- 60. 9. 11.40	32.39	4	-15.995	...	6014	...
6810	6830	Centauri ^{a2}	1	14. 28. 29.69	31.35	3	+ 4.478	- 60. 8. 56.18	34.51	13	-15.994	...	6017	...
6811	6831	Piazzi XIV. 130	7.8	14. 28. 32.78	35.85	5	+ 3.117	- 3. 10. 5.85	35.30	3	-15.990	130
6812	6832	Piazzi XIV. 129	8	14. 28. 35.36	40.06	5	+ 3.406	- 22. 26. 35.68	39.29	7	-15.989	129
6813	6833	Brisbane 4993	7.8	14. 28. 48.18	39.31	1	+ 3.897	- 45. 34. 51.12	39.31	1	-15.976
6814	6834	Brisbane 4994	7.8	14. 28. 52.89	38.40	1	+ 3.635	- 34. 52. 21.17	38.40	2	-15.972
6815	6835	Piazzi XIV. 132	7	14. 29. 8.21	35.40	3	+ 3.030	+ 3. 0. 4.20	35.32	3	-15.959	132
6816	6836	Piazzi XIV. 133	7.8	14. 29. 14.03	35.43	3	+ 3.139	- 4. 49. 37.72	34.64	4	-15.954	133
6817	6837	Circini ^a	4	14. 29. 16.51	33.48	3	+ 4.753	- 64. 15. 1.88	33.36	5	-15.951	...	6012	...
6818	6838	Lacaille 6026	7	14. 29. 32.72	38.66	3	+ 3.886	- 45. 4. 33.85	38.66	3	-15.937	...	6026	...
6819	6839	Lacaille 6021	6.7	14. 29. 43.93	38.41	1	+ 4.368	- 57. 54. 1.21	38.41	1	-15.927	...	6021	...
6820	6840	3 Libræ ^a	7	14. 29. 51.42	33.44	3	+ 3.440	- 24. 18. 34.99	32.41	5	-15.920	...	6031	134
6821	6841	Lacaille 6028	7.8	14. 29. 53.46	41.06	5	+ 3.757	- 40. 7. 26.27	41.06	5	-15.919	...	6028	...
6822	6842	Lacaille 6033	7	14. 30. 5.06	35.16	3	+ 3.469	- 26. 0. 19.95	35.37	3	-15.909	...	6033	135
6823	6843	Brisbane 5008	7.8	14. 30. 7.46	39.34	2	+ 3.752	- 39. 53. 31.76	39.34	2	-15.907
6824	6844	Piazzi XIV. 137	7	14. 30. 8.99	35.17	2	+ 3.213	- 9. 50. 14.64	34.62	4	-15.905	137
6825	6845	Piazzi XIV. 139	8	14. 30. 20.22	36.59	3	+ 3.144	- 5. 4. 6.37	36.70	5	-15.896	139
6826	6846	Piazzi XIV. 138	9.10	14. 30. 21.75	36.79	2	+ 3.229	- 10. 52. 33.58	36.64	4	-15.894	138
6827	6847	Piazzi XIV. 140	7	14. 30. 33.95	35.21	3	+ 2.791	+ 19. 1. 12.85	35.13	3	-15.883	140
6828	6848	Brisbane 5005	7	14. 30. 54.06	38.50	1	+ 3.936	- 46. 33. 40.33	38.50	1	-15.865
6829	6849	Lupi ^a	3	14. 30. 59.85	33.73	9	+ 3.940	- 46. 40. 30.07	34.65	8	-15.860	...	6034	...
6830	6850	Lacaille 6037	8	14. 31. 12.11	39.97	5	+ 3.908	- 45. 35. 6.99	39.97	5	-15.850	...	6037	...
6831	6851	Piazzi XIV. 143	8	14. 31. 34.40	35.36	3	+ 2.854	+ 30. 43. 51.84	34.72	4	-15.829	143
6832	6852	Lacaille 6043	7	14. 31. 35.15	38.81	3	+ 3.814	- 42. 4. 35.16	38.81	3	-15.829	...	6043	...
6833	6853	Piazzi XIV. 142	7.8	14. 31. 43.49	35.26	2	+ 3.403	- 21. 54. 15.43	34.72	4	-15.821	142
6834	6854	Lacaille 6048	5.6	14. 31. 44.19	35.23	3	+ 3.693	- 37. 4. 48.27	34.64	4	-15.820	...	6048	141
6835	6855	Lacaille 6051	7.8	14. 32. 1.19	39.35	2	+ 3.528	- 28. 59. 7.03	39.35	2	-15.805	...	6051	...
6836	6856	Lacaille 6052	7	14. 32. 2.26	39.47	1	+ 3.552	- 30. 13. 13.32	39.47	1	-15.804	...	6052	...
6837	6857	Lacaille 6050	7.8	14. 32. 17.44	38.76	3	+ 3.952	- 46. 51. 40.15	38.39	2	-15.791	...	6050	...
6838	6858	Piazzi XIV. 144	8	14. 32. 18.07	36.81	4	+ 3.155	- 5. 44. 44.59	36.60	4	-15.790	144
6839	6859	Piazzi XIV. 143	7	14. 32. 31.13	35.43	3	+ 2.003	+ 52. 17. 37.53	34.67	4	-15.778	148
6840	6860	Gould 19909	7	14. 32. 34.83	40.43	2	+ 3.925	- 45. 54. 46.23	40.06	3	-15.775

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6841	6861	33 Boötis	6.7	h m s 14. 32. 41.68	35.38	3	+ 2.242	+ 45. 7. 10.58	35.12	3	-15.768	1878	...	149
6842	6862	Brisbane 5021	7.8	14. 32. 43.60	38.39	2	+ 4.383	- 57. 46. 10.06	38.39	2	-15.767
6843	6863	Piazzi XIV. 145	6	14. 32. 49.32	33.35	5	+ 2.862	+ 14. 14. 51.39	35.00	5	-15.761	145
6844	6864	29 Boötis	3.4	14. 32. 58.39	35.79	11	+ 2.817	+ 17. 7. 46.00	33.14	7	-15.754	1875	...	147
6845	6865	Piazzi XIV. 156	6.7	14. 33. 1.23	35.33	3	+ 1.901	+ 54. 44. 20.36	34.65	4	-15.751	156
6846	6866	Piazzi XIV. 146	7	14. 33. 5.80	36.23	4	+ 3.240	- 11. 31. 28.57	35.71	8	-15.747	146
6847	6867	30 Boötis	3.4	14. 33. 16.32	31.85	7	+ 2.859	+ 14. 26. 25.70	32.42	10	-15.738	1876	...	152
6848	6868	Lacaille 6057	7.8	14. 33. 20.79	38.38	2	+ 4.252	- 54. 53. 46.25	38.38	2	-15.734	...	6057	...
6849	6869	Piazzi XIV. 151	8	14. 33. 25.17	36.59	4	+ 3.240	- 11. 26. 38.42	36.72	4	-15.729	151
6850	6870	Brisbane 5026	9	14. 33. 28.37	38.38	2	+ 4.253	- 54. 54. 7.58	38.38	2	-15.727
6851	6871	31 Boötis	5	14. 33. 32.89	32.39	6	+ 2.943	+ 8. 52. 18.41	33.06	5	-15.722	1877	...	155
6852	6872	Lacaille 6063	5	14. 33. 35.55	34.10	8	+ 3.642	- 34. 27. 29.47	34.35	7	-15.721	...	6063	150
6853	6873	Piazzi XIV. 153	8	14. 33. 39.33	36.76	4	+ 3.449	- 24. 24. 3.25	36.67	4	-15.716	153
6854	6874	4 Libra	7	14. 33. 42.36	34.66	8	+ 3.447	- 24. 17. 22.88	35.32	8	-15.714	1874	6065	154
6855	6875	32 Boötis	6	14. 33. 48.22	38.74	5	+ 2.890	+ 12. 22. 31.79	39.53	7	-15.708	1879	...	157
6856	6876	107 Virginis	4.5	14. 34. 22.45	35.51	14	+ 3.144	- 4. 56. 12.41	35.16	7	-15.679	1880	...	158
6857	6877	Piazzi XIV. 160	6.7	14. 34. 22.61	35.12	4	+ 2.738	+ 21. 50. 6.98	34.57	5	-15.677	160
6858	6878	Piazzi XIV. 161	7	14. 34. 53.13	35.13	3	+ 2.734	+ 22. 0. 8.59	35.19	4	-15.649	161
6859	6879	Lacaille 6071	6	14. 34. 53.49	37.29	5	+ 3.646	- 34. 29. 17.80	37.38	5	-15.649	...	6071	159
6860	6880	Lacaille 6072	7	14. 35. 11.57	39.27	2	+ 3.886	- 44. 9. 50.23	39.27	2	-15.633	...	6072	...
6861	6881	Lacaille 6069	8	14. 35. 26.43	39.32	1	+ 4.188	- 53. 4. 22.92	39.32	1	-15.620	...	6069	...
6862	6882	Lacaille 6073	6.7	14. 35. 29.22	38.36	2	+ 3.963	- 46. 44. 22.35	38.36	2	-15.616	...	6073	...
6863	6883	Lacaille 6070	7	14. 35. 32.72	39.35	2	+ 4.134	- 51. 40. 45.13	39.35	1	-15.612	...	6070	...
6864	6884	Piazzi XIV. 164	7.8	14. 35. 39.26	35.23	3	+ 1.959	+ 52. 56. 50.61	34.66	4	-15.605	164
6865	6885	Piazzi XIV. 162	8	14. 35. 41.98	36.46	4	+ 3.156	- 5. 41. 5.20	36.50	4	-15.604	162
6866	6886	34 Boötis	4.5	14. 36. 10.21	32.69	5	+ 2.638	+ 27. 13. 58.44	31.96	8	-15.579	1883	...	165
6867	6887	54 Hydra	5.6	14. 36. 27.99	36.78	13	+ 3.459	- 24. 44. 15.20	40.02	6	-15.563	1881	6087	163
6868	6888	Lacaille 6086	6.7	14. 36. 45.63	38.47	1	+ 3.722	- 37. 35. 16.85	38.47	1	-15.545	...	6086	...
6869	6889	Lacaille 6079	6.7	14. 36. 48.86	39.38	1	+ 4.463	- 58. 42. 39.27	39.38	1	-15.542	...	6079	...
6870	6890	Piazzi XIV. 166	7	14. 36. 50.33	37.73	8	+ 3.387	- 20. 28. 16.84	40.09	5	-15.541	166
6871	6891	Lacaille 6084	7	14. 36. 50.64	38.41	2	+ 3.856	- 42. 51. 30.99	38.41	2	-15.541	...	6084	...
6872	6892	5 Libra	6	14. 36. 52.73	35.97	9	+ 3.300	- 14. 45. 33.07	40.50	5	-15.539	1882	...	167
6873	6893	108 Virginis	6.7	14. 37. 6.23	35.27	3	+ 3.051	+ 1. 25. 6.38	34.66	4	-15.528	1884	...	168
6874	6894	Lacaille 6082	7	14. 37. 6.26	38.53	2	+ 4.326	- 55. 58. 2.33	38.52	2	-15.528	...	6082	...
6875	6895	Lacaille 6090	7.8	14. 37. 22.07	39.35	2	+ 3.764	- 39. 13. 42.79	39.35	2	-15.514	...	6090	...
6876	6896	Piazzi XIV. 170	7.8	14. 37. 30.06	35.32	3	+ 2.940	+ 8. 51. 42.16	34.52	2	-15.505	170
6877	6897	35 Boötis	4.5	14. 37. 32.65	32.08	7	+ 2.802	+ 17. 40. 1.54	32.58	5	-15.502	1888	...	172
6878	6898	36 Boötis	3	14. 37. 46.93	31.69	7	+ 2.625	+ 27. 46. 24.53	33.22	5	-15.489	1890	...	175
6879	6899	55 Hydra	5.6	14. 37. 47.93	38.49	5	+ 3.467	- 24. 55. 34.80	34.85	10	-15.488	1885	6097	169
6880	6900	Piazzi XIV. 171	7	14. 37. 51.91	37.52	4	+ 3.392	- 20. 37. 40.11	32.40	5	-15.484	171

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
6881	6901	109 Virginia.....	4	h m s 14. 37. 54.92	34.81	5	+ 3.033	+ 2. 35. 35.67	33.44	4	-15.481	1889	...	174
6882	6902	56 Hydra.....	5.6	14. 38. 7.93	32.45	1	+ 3.476	- 25. 23. 25.57	33.44	1	-15.470	1886	6102	173
6883	6903	Piazzi XIV. 177.....	7.8	14. 38. 11.27	35.32	3	+ 2.804	+ 17. 29. 46.21	34.65	4	-15.466	177
6884	6904	57 Hydra.....	6	14. 38. 19.57	38.50	6	+ 3.487	- 25. 56. 58.84	38.67	5	-15.459	1887	6104	176
6885	6905	Piazzi XIV. 178.....	7	14. 38. 19.75	36.52	4	+ 2.830	+ 15. 49. 44.50	36.51	4	-15.459	178
6886	6906	Lacaille 6100.....	7	14. 38. 22.42	38.35	2	+ 3.672	- 35. 8. 48.06	38.35	2	-15.457	...	6100	...
6887	6907	Lacaille 6101.....	7	14. 38. 25.33	39.47	1	+ 3.690	- 35. 56. 17.28	39.47	1	-15.453	...	6101	...
6888	6908	Piazzi XIV. 179.....	7	14. 38. 25.72	38.78	6	+ 2.193	+ 45. 53. 10.98	37.98	5	-15.453	179
6889	6909	Lacaille 6098.....	8	14. 38. 37.47	38.38	2	+ 4.018	- 47. 56. 34.73	38.38	2	-15.442	...	6098	...
6890	6910	Brisbane 5066.....	8	14. 38. 52.45	38.39	2	+ 3.667	- 34. 51. 21.11	38.39	2	-15.428
6891	6911	Piazzi XIV. 180.....	7	14. 39. 5.09	35.21	3	+ 3.031	+ 2. 44. 1.28	34.37	3	-15.417	180
6892	6912	Piazzi XIV. 182.....	7.8	14. 39. 16.00	35.16	3	+ 2.271	+ 43. 4. 37.70	35.33	3	-15.406	182
6893	6913	Piazzi XIV. 181.....	8	14. 39. 49.14	36.57	4	+ 3.261	- 12. 25. 32.37	36.61	4	-15.375	181
6894	6914	7 Libra.....	5.6	14. 40. 17.13	32.22	7	+ 3.278	- 13. 27. 22.66	33.13	3	-15.350	1891	...	183
6895	6915	Lacaille 6110.....	7	14. 40. 18.67	38.66	3	+ 3.851	- 42. 7. 56.93	38.66	3	-15.348	...	6110	...
6896	6916	58 Hydra.....	5	14. 40. 37.22	31.62	6	+ 3.516	- 27. 16. 4.58	31.94	6	-15.330	1892	6116	184
6897	6917	Lupi.....	5	14. 40. 54.47	31.42	6	+ 3.874	- 42. 53. 13.58	31.47	5	-15.314	...	6114	185
6898	6918	Brisbane 5082.....	7	14. 41. 22.88	38.78	3	+ 3.971	- 46. 4. 24.65	38.77	3	-15.288
6899	6919	8 Libra.....	6	14. 41. 34.40	33.76	6	+ 3.309	- 15. 18. 22.71	38.11	5	-15.276	1893	...	186
6900	6920	Piazzi XIV. 189.....	6.7	14. 41. 39.23	35.38	3	+ 1.721	+ 57. 18. 34.98	34.61	4	-15.271	189
6901	6921	9 Libra.....	3	14. 41. 45.87	33.93	32	+ 3.310	- 15. 21. 5.65	32.74	28	-15.265	1894	...	187
6902	6922	Bradley 1895.....	6	14. 42. 22.31	32.90	4	+ 3.340	- 17. 5. 56.94	33.41	5	-15.230	1895	...	188
6903	6923	Lacaille 6121.....	7.8	14. 42. 25.63	38.94	4	+ 3.947	- 45. 10. 20.99	38.93	4	-15.228	...	6121	...
6904	6924	11 Libra.....	6	14. 42. 28.24	32.97	5	+ 3.096	- 1. 36. 24.87	33.48	5	-15.225	1897	...	191
6905	6925	Lacaille 6124.....	6.7	14. 42. 31.70	38.72	3	+ 3.731	- 37. 7. 9.13	38.72	3	-15.222	...	6124	...
6906	6926	10 Libra.....	7	14. 42. 36.69	33.46	5	+ 3.349	- 17. 40. 15.19	33.51	1	-15.217	1896	...	190
6907	6927	Lacaille 6127.....	6.7	14. 42. 44.50	38.39	2	+ 3.573	- 29. 53. 32.36	38.39	2	-15.210	...	6127	...
6908	6928	Piazzi XIV. 192.....	8	14. 42. 47.46	36.80	2	+ 3.637	- 32. 56. 37.35	36.46	4	-15.207	192
6909	6929	Piazzi XIV. 193.....	6	14. 42. 52.01	38.22	7	+ 2.582	+ 29. 18. 9.73	39.41	9	-15.202	193
6910	6930	Lacaille 6119.....	6.7	14. 42. 55.64	38.66	3	+ 4.548	- 59. 25. 48.17	38.66	3	-15.199	...	6119	...
6911	6931	Piazzi XIV. 196.....	7	14. 43. 22.41	35.39	3	+ 2.690	+ 23. 35. 45.98	34.62	4	-15.175	196
6912	6933	38 Boötis.....	6.7	14. 43. 25.69	35.40	3	+ 2.140	+ 46. 48. 22.15	35.14	3	-15.170	1900	...	198
6913	6932	Piazzi XIV. 194.....	7.8	14. 43. 25.84	35.28	1	+ 3.301	- 14. 42. 19.04	35.12	3	-15.170	194
6914	6934	Piazzi XIV. 195.....	8	14. 43. 29.84	36.61	4	+ 3.318	- 15. 42. 54.47	36.28	2	-15.166	195
6915	6935	Brisbane 5098.....	8	14. 43. 43.36	38.67	3	+ 3.641	- 33. 0. 43.83	38.38	2	-15.153
6916	6936	37 Boötis.....	3.4	14. 43. 46.81	31.41	6	+ 2.757	+ 19. 47. 21.62	32.37	5	-15.150	1898	...	197
6917	6937	Brisbane 5099.....	8	14. 43. 49.35	38.67	3	+ 3.640	- 32. 57. 42.21	38.67	3	-15.148
6918	6938	39 Boötis.....	6.7	14. 44. 4.92	35.42	2	+ 2.048	+ 49. 24. 6.38	34.79	5	-15.133	1902	...	200
6919	6939	Piazzi XIV. 202.....	7	14. 44. 6.17	35.49	3	+ 1.822	+ 54. 55. 4.88	34.66	4	-15.132	202
6920	6940	Lacaille 6135.....	7	14. 44. 19.43	37.40	2	+ 3.653	- 33. 27. 43.60	39.47	1	-15.119	...	6135	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6921	6942	Piazzi XIV. 201.....	7	h m s 14. 44. 35'60	35'49	2	s + 2'735	o / '' + 20. 58. 23'71	34'73	4	" -15'103	201
6922	6941	Lacaille 6140	6	14. 44. 35'68	39'51	1	+ 3'533	- 27. 40. 10'39	39'51	1	-15'103	...	6140	...
6923	6943	Lacaille 6132	6'7	14. 44. 35'96	39'53	1	+ 4'204	- 52. 8. 1'86	39'53	1	-15'103	...	6132	...
6924	6944	12 Libræ	6	14. 44. 46'38	32'38	6	+ 3'463	- 23. 57. 45'96	32'41	5	-15'094	1899	6143	199
6925	6945	Brisbane 5110.....	8	14. 45. 0'51	38'41	1	+ 4'342	- 55. 14. 12'76	38'41	1	-15'079
6926	6946	Piazzi XIV. 203.....	7'8	14. 45. 1'21	35'16	3	+ 3'202	- 8. 24. 23'09	34'74	4	-15'079	203
6927	6947	6 Ursæ Minoris	7'8	14. 45. 1'76	40'68	4	+ 0'249	+ 72. 39. 16'76	38'77	6	-15'078	1906	...	210
6928	6948	Piazzi XIV. 205.....	8	14. 45. 19'54	36'63	3	+ 3'068	+ 0. 15. 12'82	36'66	3	-15'061	205
6929	6949	Lacaille 6141	6'7	14. 45. 21'98	41'07	5	+ 4'026	- 47. 12. 12'36	41'07	5	-15'059	...	6141	...
6930	6950	Piazzi XIV. 207.....	7	14. 45. 22'41	36'01	3	+ 3'068	+ 0. 16. 37'94	35'12	3	-15'059	207
6931	6951	13 Libræ	6	14. 45. 25'87	31'24	1	+ 3'247	- 11. 13. 13'66	32'44	4	-15'055	1901	...	206
6932	6952	Lacaille 6142	7	14. 45. 30'61	39'36	1	+ 4'155	- 50. 46. 20'59	39'36	1	-15'051	...	6142	...
6933	6953	Lacaille 6146	5'6	14. 45. 37'96	35'32	1	+ 3'650	- 33. 10. 46'86	34'62	4	-15'043	...	6146	204
6934	6954	Piazzi XIV. 209.....	7'8	14. 45. 45'28	35'50	1	+ 2'769	+ 18. 54. 56'39	34'67	4	-15'037	209
6935	6955	Piazzi XIV. 208.....	9	14. 45. 49'44	36'58	4	+ 3'483	- 24. 56. 21'91	36'70	3	-15'032	208
6936	6956	Lacaille 6149	7	14. 46. 8'11	39'37	2	+ 3'783	- 38. 44. 29'48	39'37	2	-15'014	...	6149	...
6937	6957	Lacaille 6153	7	14. 46. 29'16	38'53	1	+ 3'626	- 31. 57. 43'60	38'52	2	-14'994	...	6153	...
6938	6958	Piazzi XIV. 219.....	7'8	14. 46. 47'08	35'24	1	+ 0'287	+ 72. 17. 16'01	35'12	3	-14'977	219
6939	6959	Lacaille 6151	7'8	14. 46. 51'80	38'36	2	+ 4'067	- 48. 10. 42'38	38'36	2	-14'972	...	6151	...
6940	6960	Piazzi XIV. 217.....	6	14. 47. 15'43	35'30	2	+ 1'530	+ 59. 58. 0'41	35'21	3	-14'949	217
6941	6961	Piazzi XIV. 215.....	7'8	14. 47. 27'04	35'37	3	+ 2'500	+ 32. 41. 25'03	34'69	4	-14'938	215
6942	6962	Lacaille 6156	7	14. 47. 44'16	38'75	3	+ 4'172	- 50. 54. 27'62	38'75	3	-14'922	...	6156	...
6943	6963	Lupi	3'4	14. 47. 45'58	32'69	9	+ 3'890	- 42. 27. 47'91	31'44	7	-14'920	...	6160	211
6944	6964	15 Libræ	5	14. 47. 49'70	32'23	9	+ 3'241	- 10. 44. 19'72	31'43	5	-14'916	1903	...	214
6945	6965	Piazzi XIV. 212.....	6	14. 47. 50'97	36'19	11	+ 3'409	- 20. 39. 56'64	35'42	7	-14'915	212
6946	6966	Lacaille 6159	7'8	14. 47. 53'00	38'70	3	+ 4'070	- 48. 9. 20'70	38'70	3	-14'913	...	6159	...
6947	6967	14 Libræ	7	14. 47. 54'00	33'83	6	+ 3'485	- 24. 46. 17'19	33'48	5	-14'912	...	6168	213
6948	6968	Piazzi XIV. 221.....	6	14. 48. 26'03	35'20	3	+ 2'830	+ 15. 7. 2'70	34'62	4	-14'880	221
6949	6969	Centauri	3	14. 48. 27'67	31'40	6	+ 3'863	- 41. 26. 11'32	31'47	5	-14'878	...	6170	216
6950	6970	Lacaille 6171	7'8	14. 48. 31'24	38'71	3	+ 3'903	- 42. 48. 15'00	38'71	3	-14'876	...	6171	...
6951	6971	Gould 20289	9'10	14. 48. 32'69	41'08	5	+ 3'835	- 40. 25. 2'02	40'74	4	-14'875
6952	6972	16 Libræ	5'6	14. 48. 34'56	32'40	5	+ 3'129	- 3. 40. 9'81	33'51	3	-14'872	1905	...	220
6953	6973	Lacaille 6173	7	14. 48. 40'16	35'38	1	+ 3'894	- 42. 29. 30'79	34'66	4	-14'867	...	6173	218
6954	6974	Lacaille 6178	7	14. 48. 50'77	38'85	4	+ 3'754	- 37. 12. 51'86	38'85	4	-14'856	...	6178	...
6955	6975	Piazzi XIV. 223.....	8	14. 48. 52'47	36'78	2	+ 3'341	- 16. 41. 47'30	36'48	4	-14'855	223
6956	6976	59 Hydræ.....	6	14. 48. 54'49	39'26	3	+ 3'529	- 26. 59. 23'15	39'30	8	-14'853	1904	6179	222
6957	6977	Lacaille 6177	7	14. 48. 57'06	38'86	4	+ 3'914	- 43. 8. 26'67	38'86	4	-14'851	...	6177	...
6958	6978	1 Serpenti.....	6	14. 49. 6'03	39'65	7	+ 3'064	+ 0. 30. 6'72	39'65	7	-14'841	1908	...	224
6959	6979	17 Libræ	7	14. 49. 17'56	32'17	5	+ 3'239	- 10. 29. 14'39	32'44	5	-14'830	1907	...	225
6960	6980	Lacaille 6176	7	14. 49. 25'38	38'42	2	+ 4'387	- 55. 35. 52'54	38'42	2	-14'822	...	6176	...

No.	Tycho's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
6961	6981	Piazzi XIV. 226	6	h m s 14. 49. 30'04	38'97	6	+ 2'796	+ 17. 3. 26'25	38'67	4	— 14'817	226
6962	6982	Lacaille 6183	7	14. 49. 33'59	38'76	3	+ 3'593	— 30. 2. 44'09	38'76	3	— 14'814	...	6183	...
6963	6983	Piazzi XIV. 227	7	14. 49. 37'50	35'23	3	+ 2'704	+ 22. 13. 36'37	34'73	4	— 14'810	227
6964	6984	18 Librae	7	14. 49. 58'98	32'65	7	+ 3'239	— 10. 28. 32'86	32'41	5	— 14'789	1909	...	228
6965	6985	Lacaille 6182	8	14. 50. 17'43	39'09	3	+ 4'199	— 51. 15. 26'29	39'09	3	— 14'771	...	6182	...
6966	6986	Piazzi XIV. 229	7	14. 50. 17'48	36'48	4	+ 3'140	— 4. 19. 10'50	36'48	4	— 14'771	229
6967	6987	Piazzi XIV. 232	7	14. 50. 26'01	35'23	4	+ 2'644	+ 25. 20. 30'30	35'13	3	— 14'762	232
6968	6988	Piazzi XIV. 231	6'7	14. 50. 28'50	35'11	3	+ 2'834	+ 14. 42. 11'27	34'64	4	— 14'760	231
6969	6989	Piazzi XIV. 230	8	14. 50. 30'04	36'59	4	+ 2'910	+ 10. 9. 50'72	36'70	5	— 14'758	230
6970	6990	Lacaille 6186	7	14. 50. 47'49	39'40	3	+ 3'765	— 37. 23. 46'86	39'40	3	— 14'742	...	6186	...
6971	6991	Piazzi XIV. 235	6'7	14. 50. 54'52	35'40	3	+ 1'979	+ 50. 18. 21'17	35'42	3	— 14'734	235
6972	6992	Piazzi XIV. 233	7'8	14. 50. 57'63	35'39	2	+ 3'236	— 10. 15. 57'64	34'73	4	— 14'731	233
6973	6993	Piazzi XIV. 234	7'8	14. 51. 5'07	35'27	2	+ 3'366	— 17. 57. 57'53	35'33	3	— 14'725	234
6974	6994	7 Ursa Minoris	3	14. 51. 15'68	32'66	17	— 0'280	+ 74. 49. 45'10	32'89	16	— 14'713	1917	...	240
6975	6995	Piazzi XIV. 236	7	14. 51. 35'20	35'46	3	+ 2'634	+ 25. 42. 40'54	35'13	3	— 14'695	236
6976	6996	Lacaille 6187	7	14. 52. 1'57	38'51	4	+ 4'479	— 57. 2. 37'22	38'51	4	— 14'668	...	6187	...
6977	6997	Lacaille 6188	7'8	14. 52. 3'21	39'31	2	+ 4'438	— 56. 15. 43'83	39'30	2	— 14'667	...	6188	...
6978	6998	19 Librae	4'5	14. 52. 10'19	31'42	6	+ 3'198	— 7. 51. 32'05	33'22	5	— 14'660	1911	...	238
6979	6999	60 Hydrae	6	14. 52. 17'40	35'27	3	+ 3'545	— 27. 24. 4'57	34'72	4	— 14'653	1910	6195	237
6980	7000	Piazzi XIV. 239	6	14. 52. 46'02	35'37	3	+ 3'106	— 2. 5. 48'05	35'32	3	— 14'624	239
6981	7001	Lacaille 6199	7'8	14. 53. 17'01	38'69	3	+ 3'721	— 35. 17. 20'64	38'69	3	— 14'593	...	6199	...
6982	7002	40 Boötis	6	14. 53. 17'20	35'38	3	+ 2'305	+ 39. 55. 24'70	35'33	3	— 14'593	1914	...	248
6983	7004	2 Serpentis	6	14. 53. 22'26	35'49	3	+ 3'064	+ 0. 31. 2'60	34'66	4	— 14'588	1912	...	243
6984	7003	Piazzi XIV. 241	7	14. 53. 22'30	34'08	8	+ 3'183	— 6. 55. 9'48	33'50	2	— 14'588	241
6985	7005	Piazzi XIV. 247	6'7	14. 53. 28'60	35'45	3	+ 2'688	+ 22. 42. 11'90	34'67	4	— 14'581	247
6986	7006	Piazzi XIV. 245	7	14. 53. 43'28	37'00	5	+ 3'188	— 7. 11. 5'68	38'25	10	— 14'567	245
6987	7007	Piazzi XIV. 246	7	14. 53. 50'87	36'56	5	+ 3'352	— 16. 58. 37'95	36'62	4	— 14'559	246
6988	7008	Lupi	5	14. 53. 55'49	31'62	5	+ 4'038	— 46. 23. 58'17	32'99	11	— 14'555	...	6201	242
6989	7009	Lacaille 6203	6'7	14. 54. 3'29	35'17	3	+ 3'850	— 40. 12. 30'94	35'41	3	— 14'547	...	6203	244
6990	7010	Piazzi XIV. 249	6'7	14. 54. 11'04	35'55	2	+ 3'110	— 2. 22. 33'87	34'65	4	— 14'539	249
6991	7011	Piazzi XIV. 252	8	14. 54. 21'49	36'62	4	+ 3'335	— 15. 56. 16'93	36'63	4	— 14'529	252
6992	7012	20 Librae	3'4	14. 54. 25'97	31'60	5	+ 3'495	— 24. 37. 40'55	31'49	5	— 14'524	1913	6212	251
6993	7013	110 Virginis	5	14. 54. 34'06	34'43	6	+ 3'028	+ 2. 44. 39'73	32'27	5	— 14'515	1915	...	253
6994	7014	Lacaille 6209	6'7	14. 54. 37'61	35'15	2	+ 3'858	— 40. 25. 4'78	34'74	4	— 14'511	...	6209	250
6995	7015	Lacaille 6205	6'7	14. 54. 38'71	38'38	2	+ 4'106	— 48. 14. 4'57	38'71	3	— 14'510	...	6205	...
6996	7016	Lacaille 6215	7'8	14. 54. 43'15	38'71	3	+ 3'556	— 27. 38. 50'24	38'71	3	— 14'506	...	6215	...
6997	7017	Lacaille 6200	7'8	14. 54. 48'94	38'72	3	+ 4'704	— 60. 28. 59'18	38'72	3	— 14'500	...	6200	...
6998	7018	Piazzi XIV. 254	8	14. 54. 50'31	36'81	4	+ 3'184	— 6. 55. 7'42	36'48	4	— 14'499	254
6999	7019	41 Boötis	5'6	14. 54. 52'94	38'73	7	+ 2'628	+ 25. 39. 49'90	38'31	5	— 14'496	1916	...	255
7000	7020	Piazzi XIV. 250	6	14. 54. 59'29	35'32	3	+ 0'937	+ 66. 35. 25'74	35'13	3	— 14'490	260

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7001	7021	Lacaille 6211	7	h m s 14. 55. 10.66	38.36	3	+ 4.230	— 51. 22. 58.27	38.36	3	—14.478	...	6211	...
7002	7022	Lacaille 6206	7.8	14. 55. 30.73	38.48	2	+ 4.743	— 60. 59. 25.13	38.48	2	—14.457	...	6206	...
7003	7023	Lacaille 6219	7.8	14. 55. 35.98	38.49	2	+ 3.605	— 29. 54. 22.73	38.49	2	—14.452	...	6219	...
7004	7024	Piazzi XIV. 256	8.9	14. 55. 36.75	36.49	3	+ 3.309	— 14. 20. 50.87	36.48	4	—14.451	256
7005	7025	Piazzi XIV. 258	7	14. 55. 40.93	35.16	3	+ 2.485	+ 32. 20. 4.94	36.66	4	—14.447	258
7006	7026	42 Boötis	3	14. 55. 43.98	32.69	5	+ 2.264	+ 41. 2. 41.01	32.04	7	—14.444	1918	...	259
7007	7027	Lacaille 6221	7	14. 55. 53.96	38.40	2	+ 3.737	— 35. 37. 5.99	38.40	2	—14.434	...	6221	...
7008	7028	Piazzi XIV. 257	8	14. 55. 55.85	39.41	6	+ 3.076	— 0. 15. 21.66	39.01	7	—14.432	257
7009	7029	Lacaille 6217	6.7	14. 55. 59.27	38.38	2	+ 4.120	— 48. 26. 41.94	38.38	2	—14.429	...	6217	...
7010	7030	Lacaille 6214	7.8	14. 56. 6.88	38.53	2	+ 4.589	— 58. 29. 56.23	38.81	3	—14.421	...	6214	...
7011	7031	Piazzi XIV. 273	7	14. 56. 12.66	40.49	5	— 0.535	+ 75. 32. 36.99	38.94	7	—14.415	273
7012	7032	Piazzi XIV. 263	6.7	14. 56. 30.85	35.27	3	+ 2.399	+ 35. 51. 21.24	35.13	3	—14.396	263
7013	7033	Lacaille 6228	7.8	14. 56. 34.36	35.13	3	+ 3.477	— 23. 28. 54.89	34.71	4	—14.393	...	6228	261
7014	7034	Piazzi XIV. 262	7	14. 56. 38.56	39.20	7	+ 3.461	— 22. 40. 33.03	38.18	7	—14.389	262
7015	7035	Piazzi XIV. 264	8	14. 56. 39.83	36.65	4	+ 2.604	+ 26. 41. 19.06	36.68	4	—14.387	264
7016	7036	Bradley 1921	6.7	14. 56. 43.31	35.20	3	+ 2.582	+ 27. 43. 59.02	34.73	4	—14.384	1921	...	265
7017	7037	Brisbane 5182	7.8	14. 57. 5.93	39.33	2	+ 3.944	— 43. 4. 8.33	39.33	2	—14.361
7018	7038	Piazzi XIV. 274	7	14. 57. 20.39	35.43	3	+ 0.960	+ 66. 7. 47.18	35.12	2	—14.347	274
7019	7039	43 Boötis	5	14. 57. 22.70	31.42	3	+ 2.583	+ 27. 35. 41.72	32.41	6	—14.343	1922	...	270
7020	7040	21 Libræ	6	14. 57. 26.17	32.54	7	+ 3.333	— 15. 36. 43.32	33.15	3	—14.341	1919	...	267
7021	7041	Lacaille 6231	6.7	14. 57. 32.15	39.47	2	+ 3.855	— 39. 56. 26.56	39.47	2	—14.334	...	6231	...
7022	7042	Piazzi XIV. 268	7.8	14. 57. 32.32	35.37	3	+ 3.275	— 12. 15. 45.00	35.32	3	—14.334	268
7023	7043	22 Libræ	6.7	14. 57. 37.20	33.46	5	+ 3.337	— 15. 50. 26.75	32.40	5	—14.329	1920	...	269
7024	7044	Lupi	5	14. 57. 46.02	31.53	1	+ 3.996	— 44. 38. 19.14	33.40	5	—14.320	...	6232	266
7025	7045	Lacaille 6233	7	14. 57. 47.69	38.83	3	+ 3.922	— 42. 13. 36.71	38.82	3	—14.318	...	6233	...
7026	7046	Gould 20525	9.10	14. 57. 59.75	41.28	3	+ 4.487	— 56. 29. 36.42	42.13	2	—14.306
7027	7047	8 Ursæ Minoris	7.8	14. 58. 5.32	38.36	7	— 0.569	+ 75. 33. 28.32	35.89	12	—14.301	283
7028	7048	Piazzi XIV. 271	7	14. 58. 10.25	36.68	3	+ 3.012	+ 3. 39. 5.53	36.60	4	—14.296	271
7029	7049	Lacaille 6237	7.8	14. 58. 14.81	39.29	2	+ 3.778	— 36. 56. 53.99	39.29	2	—14.291	...	6237	...
7030	7050	Piazzi XIV. 272	7.8	14. 58. 18.91	36.60	4	+ 3.209	— 8. 17. 10.96	36.81	4	—14.286	272
7031	7051	44 Boötis ..	5	14. 58. 21.39	32.74	3	+ 2.019	+ 48. 17. 57.47	33.44	5	—14.284	1923	...	275
7032	7052	Brisbane 5191	7.8	14. 58. 37.63	38.40	2	+ 3.750	— 35. 47. 39.79	38.40	2	—14.268
7033	7053	Lacaille 6236	6	14. 59. 1.14	38.38	2	+ 4.402	— 54. 42. 42.36	38.38	2	—14.243	...	6236	...
7034	7054	Piazzi XIV. 276	8	14. 59. 8.24	36.82	4	+ 3.262	— 11. 24. 33.66	36.68	3	—14.236	276
7035	7055	Piazzi XIV. 285	8	14. 59. 13.98	36.84	5	+ 0.294	+ 71. 15. 41.69	36.68	4	—14.230	285
7036	7056	Piazzi XIV. 277	6.7	14. 59. 18.39	35.11	3	+ 2.913	+ 9. 35. 59.95	34.67	4	—14.226	277
7037	7057	Piazzi XIV. 278	8.9	14. 59. 34.40	36.51	4	+ 3.062	+ 0. 34. 56.83	36.85	4	—14.209	278
7038	7058	Piazzi XIV. 279	7	14. 59. 34.50	35.11	3	+ 2.908	+ 9. 51. 51.57	35.19	4	—14.209	279
7039	7059	Lacaille 6238	7.8	14. 59. 40.02	40.48	6	+ 4.783	— 61. 6. 43.32	40.48	6	—14.203	...	6238	...
7040	7060	Brisbane 5201	9	14. 59. 43.64	38.49	2	+ 3.955	— 43. 5. 22.53	38.48	2	—14.199

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835°0.	Mean Dec., 1835°0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
7041	7061	Piazzi XIV. 281.....	6.7	h m s 14. 59. 46.61	35°38	3	+ 2.745	+ 19. 5. 1.13	35°34	4	-14°196	281
7042	7062	Piazzi XIV. 280.....	7.8	14. 59. 57.31	35°24	3	+ 3.297	- 13. 21. 46.76	34°83	5	-14°186	280
7043	7063	45 Bootis	5	15. 0. 3.29	31°53	8	+ 2.621	+ 25. 30. 57.58	31°42	5	-14°180	1924	...	284
7044	7064	Piazzi XIV. 282.....	6	15. 0. 14.82	33°51	2	+ 3.481	- 23. 20. 59.23	32°44	4	-14°168	282
7045	7065	9 Ursæ Minoris	7	15. 0. 17.20	35°39	3	+ 0.086	+ 72. 24. 35.98	34°74	4	-14°165	2
7046	7066	Brisbane 5203.....	8	15. 0. 21.47	38°36	3	+ 4.261	- 51. 28. 19.46	38°36	3	-14°161
7047	7067	Lacaille 6248	8	15. 0. 24.93	40°18	7	+ 4.008	- 44. 38. 40.26	39°58	4	-14°158	...	6248	...
7048	7069	Brisbane 5206.....	7.8	15. 0. 28.43	40°48	6	+ 4.008	- 44. 38. 44.05	39°58	4	-14°154
7049	7068	Lupi	4	15. 0. 28.60	31°65	4	+ 4.262	- 51. 27. 53.60	31°48	5	-14°154	...	6245	...
7050	7070	Lupi.....	5	15. 0. 30.37	38°60	8	+ 4.128	- 48. 6. 14.33	35°07	8	-14°152	...	6246	...
7051	7071	Brisbane 5207	7	15. 0. 32.00	37°51	5	+ 4.129	- 48. 6. 37.13	39°36	1	-14°150
7052	7072	Brisbane 5209	7	15. 0. 41.88	38°41	1	+ 4.762	- 60. 42. 52.55	38°41	1	-14°140
7053	7073	Piazzi XIV. 286.....	7.8	15. 0. 55.39	35°28	3	+ 3.151	- 4. 45. 26.46	34°74	4	-14°126	286
7054	7074	Piazzi XIV. 287.....	6.7	15. 1. 5.34	35°23	2	+ 2.838	+ 13. 52. 2.62	34°66	4	-14°116	287
7055	7075	Lacaille 6249	7.8	15. 1. 6.91	38°41	1	+ 4.112	- 47. 35. 14.99	38°41	1	-14°114	...	6249	...
7056	7076	46 Bootis.....	6	15. 1. 16.47	38°96	6	+ 2.589	+ 26. 56. 15.16	37°80	6	-14°105	1926	...	290
7057	7077	Piazzi XIV. 291.....	6	15. 1. 24.14	39°87	6	+ 2.613	+ 25. 44. 37.44	39°39	5	-14°096	291
7058	7078	Piazzi XV. 7.....	7.8	15. 1. 25.91	35°43	1	- 1.108	+ 77. 10. 38.11	35°13	3	-14°094	7
7059	7079	Lacaille 6258	7.8	15. 1. 33.40	39°33	2	+ 3.690	- 33. 0. 28.14	39°33	2	-14°087	...	6258	...
7060	7080	Piazzi XIV. 289.....	9	15. 1. 34.56	36°49	4	+ 3.446	- 21. 26. 40.05	36°51	4	-14°086	289
7061	7081	Lacaille 6257	6	15. 1. 46.93	35°27	3	+ 3.988	- 43. 52. 10.42	35°37	2	-14°072	...	6257	288
7062	7082	Piazzi XV. 1.....	7.8	15. 2. 10.72	36°62	4	+ 3.282	- 12. 25. 23.28	36°71	3	-14°049	1
7063	7083	Lacaille 6263.....	6.7	15. 2. 45.13	38°40	2	+ 3.754	- 35. 27. 50.68	38°40	2	-14°012	...	6263	...
7064	7084	24 Libræ	5.6	15. 2. 49.86	34°15	5	+ 3.405	- 19. 9. 41.80	32°40	5	-14°007	1927	...	3
7065	7085	Piazzi XV. 4.....	7	15. 3. 12.54	36°63	4	+ 3.014	+ 3. 27. 28.97	36°72	4	-13°985	4
7066	7086	Lacaille 6259	6.7	15. 3. 21.63	40°51	6	+ 4.753	- 60. 16. 59.92	40°51	6	-13°975	...	6259	...
7067	7087	Lacaille 6265	7.8	15. 3. 33.47	39°38	2	+ 3.960	- 42. 45. 45.75	38°96	2	-13°962	...	6265	...
7068	7088	Trianguli Australis...	3	15. 3. 38.37	33°23	5	+ 5.457	- 68. 3. 39.76	33°47	5	-13°957	...	6255	...
7069	7089	Circini	6	15. 3. 40.91	40°14	5	+ 4.758	- 60. 20. 13.78	38°79	3	-13°954	...	6262	...
7070	7090	23 Libræ.....	7.8	15. 3. 51.10	36°86	2	+ 3.514	- 24. 40. 53.45	36°71	4	-13°943	...	6273	5
7071	7091	25 Libræ.....	6.7	15. 3. 56.10	33°45	4	+ 3.403	- 19. 1. 15.99	35°14	3	-13°938	1928	...	6
7072	7092	Piazzi XV. 12.....	8	15. 4. 3.46	36°76	3	+ 1.515	+ 58. 17. 24.48	36°69	4	-13°931	12
7073	7093	Lacaille 6275	6	15. 4. 8.20	39°38	2	+ 3.533	- 25. 34. 9.32	39°38	2	-13°926	...	6275	...
7074	7094	Piazzi XV. 8.....	8	15. 4. 14.36	36°76	3	+ 3.496	- 23. 45. 15.22	36°62	4	-13°920	8
7075	7095	Brisbane 5234.....	8	15. 4. 17.07	38°50	2	+ 3.987	- 43. 31. 37.65	38°50	2	-13°916
7076	7096	Piazzi XV. 9.....	6.7	15. 4. 17.70	35°16	3	+ 3.248	- 10. 22. 49.35	34°63	4	-13°915	9
7077	7097	Lacaille 6270.....	7.8	15. 4. 27.52	39°87	5	+ 4.122	- 47. 27. 9.55	39°87	5	-13°905	...	6270	...
7078	7098	1 Lupi	6	15. 4. 32.13	35°13	3	+ 3.649	- 30. 53. 47.58	35°15	3	-13°900	1929	6277	10
7079	7099	Circini	5	15. 4. 39.91	31°42	6	+ 4.626	- 58. 10. 39.13	32°41	5	-13°892	...	6266	...
7080	7101	Piazzi XV. 13.....	6.7	15. 4. 44.98	35°36	3	+ 2.664	+ 22. 56. 24.67	34°92	3	-13°887	13

{clxxx}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7081	7102	Lacaille 6274	7.8	h m s 15. 4. 51.07	40.26	6	+ 4.123	— 47. 25. 30.60	39.32	4	—13.881	...	6274	...
7082	7103	Piazzi XV. 14.....	7	15. 5. 9.36	36.18	6	+ 3.382	— 17. 48. 21.90	35.36	7	—13.862	14
7083	7105	Piazzi XV. 15.....	9.10	15. 5. 11.37	37.08	3	+ 3.383	— 17. 48. 57.75	37.18	1	—13.860	15
7084	7104	Lacaille 6278	6.7	15. 5. 11.72	39.38	1	+ 3.969	— 42. 51. 56.85	39.38	1	—13.860	...	6278	...
7085	7106	Lacaille 6280	6	15. 5. 14.61	35.28	3	+ 3.909	— 40. 52. 17.70	34.65	4	—13.855	...	6280	11
7086	7107	26 Libræ	7	15. 5. 15.97	32.25	2	+ 3.370	— 17. 8. 51.95	35.15	2	—13.854	1930	...	16
7087	7108	Brisbane 5244.....	8	15. 5. 20.45	38.40	2	+ 3.789	— 36. 31. 45.87	38.40	2	—13.849
7088	7109	Lacaille 6282	7	15. 5. 24.25	38.94	2	+ 4.002	— 43. 53. 2.23	38.94	2	—13.846	...	6282	...
7089	7110	Lacaille 6279	7.8	15. 5. 27.45	38.41	2	+ 4.119	— 47. 14. 49.89	38.41	2	—13.843	...	6279	...
7090	7111	Lacaille 6272	7	15. 5. 36.36	38.88	2	+ 4.741	— 59. 52. 55.37	38.88	2	—13.833	...	6272	...
7091	7112	Lacaille 6286	7.8	15. 5. 43.09	38.39	2	+ 3.937	— 41. 45. 8.18	38.39	2	—13.822	...	6286	...
7092	7113	Piazzi XV. 17.....	8	15. 5. 53.45	36.61	4	+ 3.119	— 2. 44. 37.84	36.65	4	—13.815	17
7093	7114	Brisbane 5251.....	8	15. 6. 0.27	40.03	5	+ 4.720	— 59. 31. 12.86	40.43	6	—13.808
7094	7115	10 Ursæ Minoris	7.8	15. 6. 4.74	35.40	3	— 0.433	+ 74. 31. 25.06	34.68	4	—13.803	27
7095	7116	Piazzi XV. 18.....	7	15. 6. 14.14	35.32	3	+ 2.648	+ 23. 36. 4.88	35.16	3	—13.793	18
7096	7117	Lacaille 6288	7	15. 6. 32.84	38.38	2	+ 4.398	— 53. 45. 8.45	38.38	2	—13.772	...	6288	...
7097	7118	Brisbane 5257.....	7.8	15. 6. 43.25	38.41	2	+ 4.126	— 47. 17. 15.99	38.41	2	—13.762
7098	7119	Piazzi XV. 19.....	6.7	15. 6. 50.09	33.48	1	+ 3.461	— 21. 47. 0.97	35.14	3	—13.754	19
7099	7120	3 Serpentis.....	6	15. 6. 59.49	38.96	8	+ 2.977	+ 5. 33. 23.70	35.84	7	—13.744	1932	...	20
7100	7121	Lupi	5	15. 7. 5.77	31.74	6	+ 4.126	— 47. 15. 40.72	33.32	7	—13.738	...	6296	...
7101	7122	Brisbane 5261.....	7.8	15. 7. 7.30	39.78	3	+ 4.127	— 47. 15. 56.66	39.46	2	—13.736
7102	7123	Lacaille 6297	6.7	15. 7. 20.48	38.49	2	+ 3.903	— 40. 26. 56.37	38.49	2	—13.722	...	6297	...
7103	7124	Piazzi XV. 24.....	6.7	15. 7. 20.82	35.15	3	+ 2.453	+ 32. 24. 24.05	35.13	3	—13.721	24
7104	7125	4 Serpentis.....	6	15. 7. 25.33	33.45	4	+ 3.056	+ 0. 59. 15.94	33.46	3	—13.717	1933	...	21
7105	7126	Lacaille 6299	8	15. 7. 29.11	38.94	2	+ 3.914	— 40. 48. 12.84	38.94	2	—13.713	...	6299	...
7106	7127	48 Boëtis	5	15. 7. 35.25	34.80	10	+ 2.514	+ 29. 46. 49.92	35.55	8	—13.707	1935	...	25
7107	7128	2 Lupi.....	4.5	15. 7. 48.95	32.42	5	+ 3.625	— 29. 32. 9.35	33.45	5	—13.692	1931	6304	22
7108	7129	27 Libræ	2.3	15. 8. 8.24	35.75	17	+ 3.223	— 8. 46. 7.31	31.43	5	—13.671	1934	...	26
7109	7130	Lacaille 6303	6	15. 8. 9.03	35.20	3	+ 3.898	— 40. 10. 37.69	34.63	4	—13.670	...	6303	23
7110	7131	Lacaille 6298	7	15. 8. 12.21	38.29	1	+ 4.497	— 55. 31. 29.50	38.39	1	—13.667	...	6298	...
7111	7132	49 Boëtis	3.4	15. 8. 51.02	32.21	3	+ 2.412	+ 33. 56. 2.90	33.67	15	—13.626	1936	...	29
7112	7137	Lacaille 6305	8	15. 8. 59.46	38.37	2	+ 4.408	— 53. 41. 7.70	38.37	2	—13.615	...	6305	...
7113	7133	Lacaille 6313	7	15. 9. 2.22	38.40	2	+ 3.798	— 36. 28. 59.70	38.40	2	—13.614	...	6313	...
7114	7134	Piazzi XV. 28.....	8	15. 9. 11.98	36.61	4	+ 3.078	— 0. 22. 28.29	36.46	4	—13.603	28
7115	7135	Brisbane 5275.....	8	15. 9. 19.41	39.44	2	+ 4.562	— 56. 32. 28.48	39.45	2	—13.595
7116	7136	Lacaille 6314	7.8	15. 9. 36.19	39.37	1	+ 4.133	— 47. 9. 18.90	39.37	1	—13.578	...	6314	...
7117	7138	Lacaille 6315	7.8	15. 10. 5.61	38.45	2	+ 4.381	— 52. 59. 56.22	38.45	2	—13.546	...	6315	...
7118	7139	Circini.....	6.7	15. 10. 17.91	38.55	2	+ 4.696	— 58. 43. 8.73	38.54	2	—13.532	...	6312	...
7119	7140	Lacaille 6320	Var	15. 10. 23.44	36.65	4	+ 4.037	— 44. 20. 2.56	36.61	4	—13.527	...	6320	30
7120	7141	Piazzi XV. 32.....	7	15. 10. 28.86	35.13	3	+ 3.220	— 8. 32. 15.89	35.12	3	—13.521	32

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7121	7142	Lupi ^δ	5	15. 10. 34.25	36.91	5	+ 3.902	- 40. 2. 36.81	35.79	7	-13.516	...	6326	31
7122	7143	Lupi ^{ν¹}	5	15. 10. 41.04	33.54	2	+ 4.144	- 47. 19. 12.30	33.53	5	-13.508	...	6322	...
7123	7144	Lupi ^{ν²}	7	15. 10. 41.96	40.46	4	+ 4.159	- 47. 42. 15.30	40.45	4	-13.507	...	6324	...
7124	7145	Lacaille 6328	7	15. 10. 46.57	38.38	2	+ 3.906	- 40. 8. 47.69	38.38	2	-13.502	...	6328	...
7125	7146	Piazzi XV. 39	6.7	15. 10. 47.90	35.23	3	+ 1.827	+ 51. 33. 4.65	34.65	4	-13.500	39
7126	7147	5 Serpentis	5.6	15. 10. 53.83	39.53	7	+ 3.031	+ 2. 23. 40.82	38.69	6	-13.494	1937	...	33
7127	7148	Piazzi XV. 36	6	15. 11. 0.68	37.53	4	+ 2.689	+ 21. 10. 48.43	35.15	2	-13.487	36
7128	7149	Lacaille 6319	7	15. 11. 6.51	38.74	4	+ 4.581	- 56. 43. 56.89	38.74	4	-13.481	...	6319	...
7129	7150	Lacaille 6327	7	15. 11. 13.37	39.29	2	+ 4.301	- 51. 8. 12.49	39.29	2	-13.473	...	6327	...
7130	7151	Lupi ^{φ¹}	5	15. 11. 21.67	32.20	3	+ 3.783	- 35. 39. 22.84	32.56	4	-13.463	...	6335	34
7131	7152	Lupi ^c	4.5	15. 11. 30.27	32.73	4	+ 4.032	- 44. 5. 21.03	32.44	5	-13.454	...	6333	35
7132	7153	Piazzi XV. 38	8.9	15. 11. 32.92	36.64	4	+ 3.255	- 10. 25. 47.69	36.65	4	-13.451	38
7133	7154	28 Libræ	6	15. 11. 33.20	37.15	5	+ 3.386	- 17. 33. 13.67	37.64	12	-13.451	1938	...	37
7134	7155	Piazzi XV. 40	8	15. 11. 45.77	37.83	5	+ 3.333	- 14. 46. 15.89	36.88	4	-13.438	40
7135	7156	29 Libræ ^{o¹}	7	15. 11. 48.72	42.14	2	+ 3.337	- 14. 56. 52.60	39.27	8	-13.434	1939	...	41
7136	7157	Lacaille 6342	7	15. 11. 58.57	39.33	1	+ 3.683	- 31. 35. 22.24	39.33	1	-13.424	...	6342	..
7137	7158	Piazzi XV. 43	8	15. 12. 23.63	36.51	4	+ 3.177	- 6. 0. 44.86	36.64	5	-13.396	43
7138	7159	6 Serpentis.....	6	15. 12. 38.46	38.49	6	+ 3.049	+ 1. 19. 12.79	35.42	8	-13.381	1940	...	44
7139	7160	Lupi ^{φ²}	5	15. 12. 38.55	31.44	6	+ 3.803	- 36. 15. 37.26	31.50	5	-13.380	...	6349	42
7140	7161	Piazzi XV. 46	8.9	15. 12. 44.69	36.42	2	+ 2.493	+ 30. 10. 12.23	36.97	4	-13.373	46
7141	7162	Lacaille 6351	7.8	15. 12. 44.88	38.36	2	+ 3.619	- 28. 44. 39.57	38.36	2	-13.373	...	6351	...
7142	7163	Piazzi XV. 45	8	15. 12. 48.56	36.61	3	+ 3.181	- 6. 13. 33.85	36.93	4	-13.369	45
7143	7164	1 Corone Borealis	6.7	15. 13. 19.11	35.44	4	+ 2.490	+ 30. 13. 6.14	34.65	4	-13.336	1942	...	49
7144	7165	Piazzi XV. 51	8.9	15. 13. 30.23	37.36	3	+ 2.487	+ 30. 20. 34.68	37.44	4	-13.324	51
7145	7166	Lacaille 6350	7	15. 13. 35.63	38.54	2	+ 4.373	- 52. 27. 59.43	38.53	2	-13.317	...	6350	...
7146	7167	Piazzi XV. 48	8	15. 13. 39.81	38.92	5	+ 3.249	- 10. 3. 19.02	38.19	4	-13.313	48
7147	7168	Lacaille 6353	6.7	15. 13. 44.53	39.53	1	+ 4.132	- 46. 37. 32.47	39.53	1	-13.307	...	6353	...
7148	7169	30 Libræ ^{o²}	6	15. 13. 50.42	36.80	5	+ 3.331	- 14. 32. 21.68	39.25	3	-13.302	1941	...	50
7149	7170	Piazzi XV. 53	6.7	15. 13. 59.35	35.27	2	+ 2.593	+ 25. 33. 26.35	34.45	3	-13.292	53
7150	7171	Lupi ^ν	6	15. 13. 59.74	35.23	3	+ 3.886	- 39. 6. 56.46	34.74	4	-13.291	...	6356	47
7151	7172	Lacaille 6360	8	15. 14. 9.68	38.39	2	+ 3.588	- 26. 42. 36.96	38.39	2	-13.280	...	6360	...
7152	7173	Lacaille 6357	7.8	15. 14. 14.03	38.40	2	+ 3.782	- 35. 19. 27.88	38.40	2	-13.276	...	6357	...
7153	7174	Piazzi XV. 56	7.8	15. 14. 20.06	35.35	3	+ 1.842	+ 50. 48. 47.92	35.13	3	-13.269	56
7154	7175	Lacaille 6345	7	15. 14. 34.42	42.16	2	+ 5.254	- 65. 18. 13.71	42.16	2	-13.254	...	6345	...
7155	7176	7 Serpentis.....	6	15. 14. 34.64	33.42	5	+ 2.837	+ 13. 9. 47.03	32.75	6	-13.253	1943	...	55
7156	7177	Lacaille 6361	6	15. 14. 39.87	35.15	3	+ 3.861	- 38. 8. 32.54	35.12	3	-13.247	...	6361	52
7157	7178	Piazzi XV. 54	6	15. 14. 49.73	32.44	5	+ 3.281	- 11. 46. 30.61	33.55	2	-13.236	54
7158	7179	Lacaille 6364	8	15. 15. 1.37	39.72	3	+ 3.792	- 35. 36. 30.80	39.72	3	-13.224	...	6364	...
7159	7180	50 Boötis	6	15. 15. 11.87	35.32	3	+ 2.405	+ 33. 31. 41.01	35.14	3	-13.212	1946	...	59
7160	7181	8 Serpentis.....	6.7	15. 15. 13.69	35.28	3	+ 3.080	- 0. 25. 43.70	34.63	4	-13.210	1945	...	58

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7161	7182	31 Libræ.....	5.6	h m s 15. 15. 15.97	32.41	6	+ 3.244	— 9. 43. 25.81	33.44	5	—13.207	1944	...	57
7162	7183	Lacaille 6368.....	8	15. 15. 20.06	38.38	2	+ 3.896	— 39. 18. 2.94	38.38	2	—13.203	...	6368	...
7163	7184	Lacaille 6366.....	7.8	15. 15. 23.70	38.51	2	+ 4.076	— 44. 55. 30.88	38.51	2	—13.199	...	6366	...
7164	7185	Lacaille 6363.....	7.8	15. 15. 31.40	39.96	5	+ 4.225	— 48. 52. 0.10	39.96	5	—13.191	...	6363	...
7165	7186	Brisbane 5323.....	7	15. 15. 45.85	38.41	2	+ 3.805	— 36. 0. 35.40	38.41	2	—13.174
7166	7187	Piazzi XV. 60.....	8	15. 15. 53.95	36.81	4	+ 3.071	+ 0. 2. 43.94	37.03	3	—13.166	60
7167	7188	Piazzi XV. 62.....	8	15. 16. 0.39	36.74	4	+ 2.903	+ 9. 29. 45.25	36.85	4	—13.159	62
7168	7189	Piazzi XV. 61.....	9.10	15. 16. 8.05	37.01	3	+ 3.228	— 8. 47. 16.39	36.99	4	—13.150	61
7169	7190	Piazzi XV. 66.....	8	15. 16. 18.64	36.82	3	+ 2.900	+ 9. 40. 45.57	36.98	4	—13.138	66
7170	7191	Piazzi XV. 63.....	6.7	15. 16. 20.50	35.39	3	+ 3.171	— 5. 39. 27.78	34.64	4	—13.136	63
7171	7192	2 Coronæ Borealis.....	6	15. 16. 23.29	35.39	3	+ 2.468	+ 30. 53. 14.48	34.65	4	—13.134	1947	...	67
7172	7193	Piazzi XV. 68.....	8	15. 16. 30.18	37.41	2	+ 1.654	+ 54. 31. 18.91	37.43	3	—13.126	68
7173	7194	Piazzi XV. 65.....	8	15. 16. 33.61	36.68	4	+ 3.456	— 20. 47. 38.80	36.60	3	—13.122	65
7174	7195	Lacaille 6376.....	6	15. 16. 45.49	35.13	3	+ 3.812	— 36. 10. 52.17	35.12	3	—13.108	...	6376	64
7175	7196	11 Ursæ Minoris.....	6	15. 17. 16.86	35.41	3	— 0.129	+ 72. 25. 19.78	35.16	3	—13.074	1954	...	78
7176	7197	Brisbane 5337.....	8.9	15. 17. 29.79	38.37	3	+ 4.063	— 44. 18. 44.31	38.37	2	—13.060
7177	7198	Lacaille 6378.....	8	15. 17. 35.39	40.80	5	+ 4.289	— 50. 9. 15.84	40.77	5	—13.054	...	6378	...
7178	7199	Brisbane 5342.....	8	15. 17. 44.01	38.40	2	+ 3.731	— 32. 57. 44.34	38.40	2	—13.044
7179	7200	Lacaille 6382.....	7	15. 17. 44.36	38.51	2	+ 3.839	— 37. 2. 53.25	38.51	2	—13.044	...	6382	..
7180	7201	Lacaille 6380.....	6	15. 17. 57.25	38.58	2	+ 4.130	— 46. 9. 11.84	38.57	2	—13.030	...	6380	...
7181	7202	9 Serpentis.....	5.6	15. 18. 8.55	33.53	5	+ 2.780	+ 16. 0. 47.95	32.42	5	—13.018	1948	...	69
7182	7203	51 Boötis.....	4	15. 18. 15.53	31.42	4	+ 2.278	+ 37. 57. 32.82	33.49	19	—13.010	1950	...	73
7183	7204	Piazzi XV. 74.....	8	15. 18. 16.65	37.43	2	+ 2.279	+ 37. 55. 46.92	37.43	2	—13.008	74
7184	7205	Piazzi XV. 70.....	8.9	15. 18. 25.22	36.83	3	+ 3.165	— 5. 14. 6.97	36.68	3	—12.999	70
7185	7206	Piazzi XV. 72.....	6.7	15. 18. 28.36	35.27	3	+ 2.700	+ 20. 3. 52.88	35.13	3	—12.996	72
7186	7207	Lacaille 6383.....	7	15. 18. 33.45	39.33	2	+ 4.414	— 52. 47. 51.00	39.33	2	—12.990	...	6383	...
7187	7208	Lacaille 6388.....	6.7	15. 18. 37.53	40.02	6	+ 3.870	— 38. 3. 12.64	40.02	6	—12.985	...	6388	...
7188	7209	Piazzi XV. 76.....	7	15. 18. 38.49	35.16	3	+ 2.726	+ 18. 45. 18.88	34.67	4	—12.984	76
7189	7210	Piazzi XV. 71.....	7.8	15. 18. 46.01	38.10	6	+ 3.456	— 20. 37. 45.68	38.20	6	—12.975	71
7190	7211	32 Libræ.....	6	15. 18. 57.80	32.32	7	+ 3.367	— 16. 8. 8.09	33.03	5	—12.962	1949	...	75
7191	7212	Lacaille 6395.....	7	15. 18. 58.88	38.55	2	+ 3.621	— 28. 17. 11.13	38.54	2	—12.961	...	6395	...
7192	7213	Piazzi XV. 77.....	8	15. 19. 12.77	37.09	3	+ 3.268	— 10. 52. 10.57	37.22	4	—12.946	77
7193	7214	Lacaille 6393.....	7	15. 19. 22.28	39.29	2	+ 3.971	— 41. 20. 32.75	39.29	2	—12.936	...	6393	...
7194	7215	Lacaille 6391.....	6.7	15. 19. 23.53	39.58	1	+ 4.182	— 47. 20. 45.02	39.57	1	—12.933	...	6391	...
7195	7216	Taylor 7216.....	6.7	15. 19. 25.46	42.17	2	+ 3.873	— 38. 4. 50.86	42.39	1	—12.932
7196	7217	Piazzi XV. 79.....	Var.	15. 19. 39.11	36.79	5	+ 3.169	— 5. 25. 30.95	36.74	4	—12.916	79
7197	7218	Piazzi XV. 81.....	6.7	15. 19. 49.91	37.37	2	+ 2.357	+ 34. 54. 51.66	37.22	4	—12.904	81
7198	7219	33 Libræ.....	7	15. 20. 15.54	34.42	4	+ 3.383	— 16. 51. 57.11	34.63	4	—12.876	1951	...	80
7199	7221	10 Serpentis.....	5.6	15. 20. 18.58	33.96	6	+ 3.029	+ 2. 25. 15.90	33.54	4	—12.872	1952	...	82
7200	7220	Brisbane 5361.....	8	15. 20. 18.65	38.40	2	+ 3.738	— 33. 0. 22.92	38.40	2	—12.872

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			"	° ' "			"			
7201	7222	Brisbane 5362.....	8	15. 20. 28.00	40.43	4	+ 4.298	- 50. 5. 13.79	40.43	4	-12.862
7202	7223	Piazzi XV. 83.....	6.7	15. 20. 33.21	35.11	3	+ 2.578	+ 25. 40. 47.89	35.12	3	-12.857	83
7203	7224	B.D.—16°. 4097.....	7	15. 20. 52.07	39.86	6	+ 3.380	- 16. 40. 58.85	35.14	3	-12.836
7204	7225	Lacaille 6402.....	7.8	15. 20. 55.21	38.37	3	+ 4.082	- 44. 29. 52.77	38.37	3	-12.833	...	6402	...
7205	7226	Lacaille 6405.....	7	15. 20. 56.24	38.41	2	+ 3.746	- 33. 14. 50.87	38.41	2	-12.831	...	6405	...
7206	7227	3 Corona Borealis ^β	4	15. 21. 1.69	31.47	3	+ 2.486	+ 29. 40. 44.25	31.48	5	-12.825	1955	...	86
7207	7228	13 Urae Minoris ^γ	3.4	15. 21. 2.58	31.52	1	- 0.173	+ 72. 25. 16.17	31.54	5	-12.825	1962	...	95
7208	7229	12 Draconis..... ^δ	3	15. 21. 15.95	32.13	3	+ 1.321	+ 59. 32. 46.78	31.43	5	-12.810	1957	...	92
7209	7230	Piazzi XV. 85.....	8.9	15. 21. 16.37	36.81	2	+ 3.030	+ 2. 19. 51.50	36.94	4	-12.810	85
7210	7231	Lacaille 6406.....	7	15. 21. 21.02	38.38	1	+ 3.878	- 38. 3. 2.68	38.38	1	-12.804	...	6406	...
7211	7232	34 Librae ^ε	6	15. 21. 22.64	32.44	1	+ 3.368	- 16. 2. 16.76	32.45	4	-12.802	1953	...	84
7212	7233	Piazzi XV. 89.....	6.7	15. 21. 37.13	35.24	5	+ 2.758	+ 16. 57. 58.98	34.65	4	-12.784	89
7213	7234	Piazzi XV. 87.....	8.9	15. 21. 38.35	36.78	5	+ 3.412	- 18. 15. 51.64	36.74	4	-12.783	87
7214	7235	Trianguli Australis ... ^ε	5	15. 21. 43.91	38.76	7	+ 5.360	- 65. 45. 9.57	36.05	8	-12.776	...	6398	...
7215	7236	Piazzi XV. 88.....	8	15. 21. 50.05	36.86	2	+ 3.354	- 15. 16. 28.98	36.81	4	-12.770	88
7216	7238	Piazzi XV. 90.....	8	15. 22. 9.04	36.87	4	+ 3.612	- 27. 35. 51.90	36.66	4	-12.749	90
7217	7237	Piazzi XV. 93.....	7.8	15. 22. 9.10	35.20	4	+ 2.761	+ 16. 45. 50.30	34.69	4	-12.749	93
7218	7239	Piazzi XV. 91.....	7	15. 22. 14.88	35.34	3	+ 3.440	- 19. 35. 40.41	35.16	3	-12.742	91
7219	7240	Lacaille 6412.....	7	15. 22. 29.98	38.53	3	+ 3.937	- 39. 55. 20.98	38.53	2	-12.725	...	6412	...
7220	7241	Piazzi XV. 94.....	8	15. 23. 7.44	36.78	4	+ 3.425	- 18. 50. 10.86	36.70	4	-12.683	94
7221	7242	Piazzi XV. 96.....	6.7	15. 23. 8.94	33.08	3	+ 3.431	- 19. 6. 8.52	35.15	2	-12.681	96
7222	7243	Lacaille 6416.....	7.8	15. 23. 32.88	38.44	2	+ 3.906	- 38. 47. 5.50	38.44	2	-12.654	...	6416	...
7223	7244	35 Librae ^ε	6	15. 23. 36.71	34.86	5	+ 3.375	- 16. 17. 13.70	35.16	3	-12.649	1956	...	97
7224	7245	Piazzi XV. 100.....	7.8	15. 23. 42.75	35.32	3	+ 2.427	+ 31. 51. 20.15	34.71	4	-12.642	100
7225	7246	Lacaille 6425.....	8	15. 24. 7.91	39.72	3	+ 3.547	- 24. 32. 53.69	38.39	2	-12.614	...	6425	...
7226	7247	Lupi ^γ	4	15. 24. 10.54	34.30	5	+ 3.963	- 40. 36. 19.22	33.60	9	-12.610	...	6422	98
7227	7248	Piazzi XV. 101.....	8	15. 24. 11.95	36.83	3	+ 3.247	- 9. 32. 47.94	36.80	4	-12.609	101
7228	7249	Piazzi XV. 103.....	7.8	15. 24. 13.33	35.33	2	+ 2.758	+ 16. 48. 0.99	35.13	3	-12.607	103
7229	7250	11 Serpentis ^δ	6	15. 24. 28.49	33.55	4	+ 3.083	- 0. 37. 15.47	33.46	5	-12.591	1959	...	104
7230	7251	Lacaille 6424.....	6	15. 24. 33.37	35.16	3	+ 4.092	- 44. 23. 52.27	34.73	3	-12.586	...	6424	99
7231	7252	12 Serpentis ^τ	7.8	15. 24. 33.62	35.38	1	+ 2.761	+ 16. 37. 15.95	34.72	4	-12.585	1961	...	105
7232	7253	36 Librae ^δ	6	15. 24. 37.98	38.11	3	+ 3.613	- 27. 29. 5.14	37.48	5	-12.580	1958	6430	102
7233	7254	Piazzi XV. 110.....	6	15. 24. 42.92	35.15	2	+ 1.041	+ 62. 50. 49.21	35.22	3	-12.574	110
7234	7255	Lacaille 6427.....	6.7	15. 24. 55.88	38.58	2	+ 4.073	- 43. 50. 14.52	38.57	2	-12.559	...	6427	...
7235	7256	52 Boötis ^ν	5.6	15. 25. 0.11	35.30	4	+ 2.153	+ 41. 23. 56.40	35.16	3	-12.555	1965	...	108
7236	7257	Piazzi XV. 107.....	7.8	15. 25. 2.38	36.73	3	+ 3.001	+ 3. 53. 9.08	36.83	4	-12.553	107
7237	7258	37 Librae ^δ	4	15. 25. 10.18	31.98	8	+ 3.247	- 9. 29. 35.04	33.53	4	-12.544	1960	...	106
7238	7259	Bradley 1963.....	6.7	15. 25. 28.47	35.27	3	+ 2.761	+ 16. 34. 28.46	34.60	5	-12.523	1963	...	109
7239	7260	Lacaille 6426.....	7	15. 25. 31.73	39.29	2	+ 4.508	- 53. 58. 3.35	39.29	2	-12.519	...	6426	...
7240	7261	Brisbane 5390.....	7	15. 25. 45.61	38.50	2	+ 3.965	- 40. 30. 17.59	38.50	2	-12.503

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7241	7262	53 Boötis	5.6	15. 25. 52.45	35.32	3	+ 2.148	+ 41. 27. 46.67	34.66	4	-12.495	1967	...	112
7242	7263	Brisbane 5392	7	15. 26. 12.39	38.52	4	+ 3.965	- 40. 27. 53.17	38.52	4	-12.473
7243	7264	4 Coronæ Borealis	4.5	15. 26. 16.77	33.03	5	+ 2.420	+ 31. 55. 12.34	33.48	4	-12.468	1968	...	115
7244	7265	38 Libræ	4.5	15. 26. 18.55	33.20	7	+ 3.338	- 14. 14. 0.32	32.02	4	-12.467	1964	...	111
7245	7266	Piazzi XV. 114	7	15. 26. 21.23	35.11	3	+ 2.738	+ 17. 41. 55.20	35.34	3	-12.463	114
7246	7267	Piazzi XV. 119	6.7	15. 26. 26.61	35.42	3	+ 1.044	+ 62. 39. 56.61	34.73	4	-12.456	119
7247	7268	Lacaille 6437	6	15. 26. 36.37	38.39	2	+ 4.405	- 51. 49. 15.92	38.39	2	-12.445	...	6437	...
7248	7269	Lacaille 6438	7	15. 26. 54.61	39.33	2	+ 4.565	- 54. 52. 42.33	39.33	2	-12.425	...	6438	...
7249	7270	13 Serpentis	3	15. 26. 55.68	33.60	1	+ 2.866	+ 11. 5. 42.10	35.14	3	-12.422	1969	...	117
7250	7271	Lupi	5	15. 26. 58.06	33.39	2	+ 4.018	- 42. 1. 9.92	33.54	2	-12.420	...	6443	113
7251	7272	39 Libræ	5	15. 27. 1.49	39.24	6	+ 3.621	- 27. 34. 56.06	37.81	4	-12.417	1966	6445	116
7252	7273	Lacaille 6440	7	15. 27. 15.52	39.57	1	+ 4.652	- 56. 21. 55.61	39.57	1	-12.401	...	6440	...
7253	7274	Lacaille 6450	7	15. 27. 35.03	39.82	4	+ 3.579	- 25. 43. 39.11	35.16	3	-12.376	...	6450	118
7254	7275	5 Coronæ Borealis	2	15. 27. 42.30	33.87	56	+ 2.530	+ 27. 16. 28.02	33.26	67	-12.369	1973	...	121
7255	7276	15 Serpentis	6	15. 28. 3.86	39.83	4	+ 2.725	+ 18. 12. 34.16	39.22	3	-12.345	1974	...	124
7256	7277	14 Serpentis	6	15. 28. 6.18	39.26	5	+ 3.072	- 0. 0. 30.22	37.79	6	-12.342	1971	...	122
7257	7278	Lacaille 6454	7	15. 28. 14.90	40.36	5	+ 3.624	- 27. 39. 23.68	38.82	7	-12.332	...	6454	120
7258	7279	40 Libræ	4.5	15. 28. 32.53	31.49	6	+ 3.663	- 29. 13. 43.36	31.92	7	-12.311	1970	6455	123
7259	7280	16 Serpentis	6	15. 28. 34.25	36.99	5	+ 2.875	+ 10. 34. 1.50	38.81	7	-12.310	126
7260	7281	Piazzi XV. 136	7	15. 28. 37.96	35.32	3	+ 0.831	+ 64. 45. 55.55	35.32	3	-12.305	136
7261	7282	Piazzi XV. 125	7	15. 28. 48.62	35.21	3	+ 3.335	- 13. 48. 51.97	35.19	3	-12.293	125
7262	7283	17 Serpentis	6	15. 28. 49.63	35.16	3	+ 2.776	+ 15. 39. 9.74	35.47	3	-12.291	1976	...	130
7263	7284	18 Serpentis	6	15. 28. 53.38	40.37	5	+ 2.756	+ 16. 40. 12.54	38.84	7	-12.288	1977	...	131
7264	7285	Piazzi XV. 127	8.9	15. 29. 1.80	36.92	3	+ 3.327	- 13. 33. 8.04	36.20	1	-12.278	127
7265	7286	Lacaille 6451	7.8	15. 29. 6.60	38.40	1	+ 4.468	- 52. 50. 53.39	38.48	1	-12.272	...	6451	...
7266	7287	6 Coronæ Borealis	5	15. 29. 11.56	32.00	2	+ 2.198	+ 39. 33. 43.66	33.27	5	-12.266	1979	...	135
7267	7288	Lacaille 6456	7	15. 29. 17.94	38.55	2	+ 4.215	- 47. 11. 30.95	38.55	2	-12.260	...	6456	...
7268	7289	Piazzi XV. 132	7	15. 29. 17.99	35.13	2	+ 3.335	- 13. 57. 57.05	34.87	5	-12.260	132
7269	7290	3 Lupi	5.6	15. 29. 18.65	35.23	3	+ 3.782	- 33. 52. 0.10	34.77	4	-12.259	1972	6463	128
7270	7291	41 Libræ	6	15. 29. 25.59	38.64	4	+ 3.431	- 18. 45. 8.36	36.91	4	-12.250	1975	...	133
7271	7292	Lacaille 6461	6	15. 29. 31.26	39.51	2	+ 4.097	- 44. 4. 39.83	41.48	1	-12.244	...	6461	129
7272	7293	Lacaille 6469	7.8	15. 29. 37.58	38.38	3	+ 3.614	- 27. 5. 57.88	38.39	2	-12.236	...	6469	...
7273	7294	Lacaille 6464	5	15. 29. 52.87	37.32	5	+ 4.100	- 44. 6. 28.16	34.80	4	-12.219	...	6464	134
7274	7295	Piazzi XV. 137	7.8	15. 30. 0.39	36.84	4	+ 2.746	+ 17. 4. 43.14	36.75	5	-12.211	137
7275	7296	Lacaille 6473	7	15. 30. 2.69	38.40	2	+ 3.701	- 30. 40. 13.60	38.40	2	-12.208	...	6473	...
7276	7297	Piazzi XV. 140	7	15. 30. 16.51	35.29	3	+ 1.782	+ 50. 32. 53.36	34.66	4	-12.192	140
7277	7298	42 Libræ	5.6	15. 30. 32.36	32.44	2	+ 3.529	- 23. 16. 33.46	35.16	3	-12.174	1978	6479	138
7278	7299	Lacaille 6468	7	15. 30. 34.36	39.29	2	+ 4.281	- 48. 40. 44.00	39.29	2	-12.172	...	6468	...
7279	7300	Piazzi XV. 139	7.8	15. 30. 38.33	36.28	3	+ 3.328	- 13. 30. 40.46	36.63	4	-12.167	139
7280	7301	Lacaille 6470	6.7	15. 30. 43.64	39.29	2	+ 4.293	- 48. 57. 1.25	39.29	2	-12.160	...	6470	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7281	7302	Piazzi XV. 142	7.8	15. 31. 11.94	35.11	3	+ 2.574	+ 25. 3. 58.58	34.66	4	-12.127	142
7282	7303	Lacaille 6465	7.8	15. 31. 16.78	39.33	2	+ 4.975	- 60. 45. 39.87	39.33	2	-12.121	...	6465	...
7283	7304	Lacaille 6485	7.8	15. 31. 27.05	38.55	2	+ 3.657	- 23. 45. 40.99	38.55	2	-12.109	...	6485	...
7284	7305	Brisbane 5432	7.8	15. 31. 32.30	38.55	2	+ 3.655	- 28. 38. 49.57	38.55	2	-12.104
7285	7306	Lacaille 6481	8	15. 31. 36.83	41.01	2	+ 4.159	- 45. 32. 30.06	41.01	2	-12.098	...	6481	...
7286	7307	Lacaille 6480	7	15. 31. 50.07	39.63	5	+ 4.408	- 51. 22. 15.17	39.63	5	-12.082	...	6480	...
7287	7308	54 Boötis	6	15. 31. 54.21	35.36	3	+ 2.148	+ 40. 53. 38.53	35.16	3	-12.078	1982	...	147
7288	7309	Lacaille 6486	5.6	15. 31. 56.21	35.27	3	+ 3.873	- 36. 53. 17.20	35.12	3	-12.075	...	6486	141
7289	7310	Piazzi XV. 144	8	15. 32. 5.59	36.49	3	+ 3.327	- 13. 25. 54.95	36.66	4	-12.064	144
7290	7311	Piazzi XV. 146	7.8	15. 32. 6.55	35.37	3	+ 2.748	+ 16. 51. 9.50	34.67	4	-12.063	146
7291	7312	4 Lupi	5.6	15. 32. 11.49	35.32	3	+ 3.797	- 34. 10. 22.89	35.13	3	-12.057	1980	6489	143
7292	7313	Piazzi XV. 148	6.7	15. 32. 26.17	35.29	3	+ 2.317	+ 35. 13. 1.90	34.71	4	-12.040	148
7293	7314	43 Librae	5	15. 32. 27.29	31.90	9	+ 3.443	- 19. 8. 16.28	33.47	5	-12.039	1981	...	145
7294	7315	Piazzi XV. 153	7	15. 32. 59.38	35.20	3	+ 1.909	+ 47. 20. 43.28	34.73	4	-12.002	153
7295	7316	7 Corona Borealis	5	15. 33. 10.01	31.47	4	+ 2.259	+ 37. 10. 31.35	32.87	5	-11.990	152
7296	7317	Lacaille 6493	6.7	15. 33. 16.55	39.76	6	+ 4.014	- 41. 17. 11.25	39.74	6	-11.982	...	6493	...
7297	7318	Piazzi XV. 149	7.8	15. 33. 20.14	36.67	3	+ 3.569	- 24. 52. 56.21	36.50	3	-11.977	149
7298	7319	19 Serpentis	6	15. 33. 24.39	33.46	3	+ 2.753	+ 16. 33. 43.33	33.27	6	-11.973	1983	...	151
7299	7320	Piazzi XV. 150	7	15. 33. 30.06	35.16	3	+ 3.369	- 15. 28. 42.32	35.18	3	-11.966	150
7300	7321	Piazzi XV. 156	7	15. 33. 45.10	35.25	3	+ 1.901	+ 47. 27. 58.55	35.12	3	-11.948	156
7301	7322	Lacaille 6499	7	15. 33. 47.56	38.40	2	+ 3.719	- 31. 4. 9.70	38.40	2	-11.945	...	6499	...
7302	7323	20 Serpentis	5.6	15. 34. 1.81	33.53	3	+ 2.816	+ 13. 22. 56.16	33.59	1	-11.929	1984	...	154
7303	7324	Bradley 1987	7	15. 34. 10.51	38.22	5	+ 3.350	- 14. 30. 29.54	42.24	2	-11.920	1987
7304	7325	21 Serpentis	5	15. 34. 11.97	31.55	6	+ 2.676	+ 20. 12. 22.93	31.47	5	-11.918	1986	...	155
7305	7326	22 Serpentis	6	15. 34. 29.65	33.60	1	+ 2.701	+ 18. 59. 39.08	35.14	3	-11.896	1988	...	158
7306	7327	Lacaille 6496	7	15. 34. 30.00	40.29	4	+ 4.431	- 51. 37. 14.81	40.29	4	-11.896	...	6496	...
7307	7328	44 Librae	4.5	15. 34. 48.23	32.46	8	+ 3.364	- 15. 8. 26.74	31.66	6	-11.874	1985	...	157
7308	7329	Lacaille 6500	7	15. 34. 49.58	39.58	1	+ 4.278	- 48. 12. 43.89	39.58	1	-11.873	...	6500	...
7309	7330	Piazzi XV. 159	8	15. 35. 27.98	36.71	5	+ 3.016	+ 2. 58. 7.17	36.47	4	-11.827	159
7310	7331	23 Serpentis	6	15. 35. 44.51	34.77	3	+ 3.014	+ 3. 2. 59.79	33.59	3	-11.809	1989	...	160
7311	7332	8 Corona Borealis	6	15. 35. 48.79	39.03	6	+ 2.526	+ 26. 49. 21.00	37.95	5	-11.803	1991	...	162
7312	7333	24 Serpentis	2.3	15. 36. 8.81	34.03	63	+ 2.940	+ 6. 56. 59.57	33.40	64	-11.780	1990	...	163
7313	7334	Brisbane 5465	8	15. 36. 9.58	40.34	3	+ 4.552	- 53. 52. 33.65	40.34	3	-11.779
7314	7335	Lacaille 6514	6.7	15. 36. 13.23	35.31	3	+ 3.807	- 34. 9. 32.71	34.63	4	-11.775	...	6514	161
7315	7336	15 Ursae Minoris	5	15. 36. 27.69	39.07	6	- 1.980	+ 77. 53. 44.19	35.39	8	-11.757	2008	...	172
7316	7337	Lacaille 6515	7	15. 36. 29.07	39.29	2	+ 3.970	- 39. 40. 19.46	39.29	2	-11.756	...	6515	...
7317	7338	Lacaille 6506	7.8	15. 36. 29.14	38.41	2	+ 4.455	- 51. 55. 14.72	38.41	2	-11.756	...	6506	...
7318	7339	Piazzi XV. 168	8	15. 36. 49.36	36.62	4	+ 0.598	+ 66. 19. 41.52	36.51	4	-11.732	168
7319	7340	Brisbane 5479	8	15. 36. 54.11	38.41	2	+ 4.446	- 51. 41. 57.52	38.41	2	-11.725
7320	7341	Lacaille 6519	8	15. 36. 56.03	38.49	2	+ 4.114	- 43. 50. 0.63	38.49	2	-11.723	...	6519	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Mean Dec., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Bradley.	Lacaille.	Piazzi.
7321	7342	26 Serpenteis ⁷⁸	6	h m s 15. 37. 12 67	33'41	4	+ 2'724	+ 17. 47. 16'58	35'17	3	-11'705	1993	...	164
7322	7343	Piazzi XV. 165	7	15. 37. 17'50	35'22	3	+ 2'734	+ 17. 15. 41'41	35'15	3	-11'698	165
7323	7344	9 Corone Borealis ⁷	6	15. 37. 29'15	35'28	3	+ 2'365	+ 33. 2. 25'97	34'65	4	-11'685	1994	...	167
7324	7345	25 Serpenteis ^{A2}	6	15. 37. 34'31	33'50	3	+ 3'096	- 1. 16. 52'89	35'14	3	-11'679	1992	...	166
7325	7346	Lacaille 6531	7	15. 38. 17'13	38'40	2	+ 3'658	- 28. 16. 21'58	38'40	2	-11'628	...	6531	...
7326	7347	27 Serpenteis ^λ	4'5	15. 38. 26'57	31'96	8	+ 2'921	+ 7. 52. 31'36	31'49	5	-11'617	1995	...	169
7327	7348	Piazzi XV. 181	8	15. 38. 32'46	35'53	4	- 1'648	+ 76. 59. 24'41	35'16	3	-11'609	181
7328	7349	28 Serpenteis ^β	3'4	15. 38. 34'56	32'72	5	+ 2'760	+ 15. 56. 35'36	33'50	5	-11'608	1996	...	170
7329	7350	Lacaille 6529	7	15. 38. 44'64	38'53	2	+ 4'159	- 44. 53. 17'28	38'57	2	-11'595	...	6529	...
7330	7351	29 Serpenteis.....	7'8	15. 38. 48'70	36'47	4	+ 2'758	+ 16. 2. 41'37	36'49	4	-11'590	1997	...	171
7331	7352	Lacaille 6528	7	15. 39. 26'53	38'96	2	+ 4'860	- 58. 33. 0'41	38'96	2	-11'546	...	6528	...
7332	7353	31 Serpenteis..... ^v	7	15. 39. 37'64	36'22	5	+ 2'786	+ 14. 37. 44'71	36'52	3	-11'531	173
7333	7354	Brisbane 5496.....	7	15. 40. 3'03	39'58	1	+ 4'565	- 53. 44. 10'33	39'58	1	-11'502
7334	7355	30 Serpenteis.....	6'7	15. 40. 18'87	35'27	6	+ 3'135	- 3. 18. 26'13	35'18	3	-11'482	1999	...	175
7335	7356	5 Lupi ^χ	4'5	15. 40. 29'69	31'74	5	+ 3'787	- 33. 7. 5'74	32'87	5	-11'470	1998	6548	174
7336	7357	Piazzi XV. 176	7	15. 40. 31'93	35'24	1	+ 2'792	+ 14. 18. 24'65	34'71	4	-11'467	176
7337	7358	Trianguli Australis... ^β	3	15. 40. 40'95	37'02	5	+ 5'218	- 62. 54. 40'39	33'19	5	-11'455	...	6533	...
7338	7359	32 Serpenteis ^μ	3'4	15. 41. 0'98	35'23	9	+ 3'128	- 2. 55. 11'12	32'06	4	-11'432	2001	...	178
7339	7360	1 Scorpii ^h	5	15. 41. 4'34	33'60	2	+ 3'590	- 25. 14. 33'80	35'14	3	-11'429	2000	6557	177
7340	7361	Piazzi XV. 179.....	6'7	15. 41. 5'68	35'30	3	+ 2'814	+ 13. 14. 4'85	35'13	3	-11'426	179
7341	7362	35 Serpenteis ^κ	4	15. 41. 19'05	35'01	2	+ 2'701	+ 18. 39. 22'15	33'94	9	-11'411	2002	...	182
7342	7363	Piazzi XV. 180.....	7'8	15. 41. 19'41	35'38	2	+ 3'138	- 3. 24. 42'19	34'65	4	-11'411	180
7343	7364	Lacaille 6560	7'8	15. 41. 44'68	38'54	2	+ 3'804	- 33. 36. 50'05	38'53	2	-11'379	...	6560	...
7344	7365	Piazzi XV. 185	6	15. 41. 46'60	35'37	2	+ 2'470	+ 28. 40. 5'02	35'20	3	-11'376	185
7345	7367	Lacaille 6546	6'7	15. 41. 47'06	39'29	2	+ 4'956	- 59. 40. 35'49	39'29	2	-11'376	...	6546	...
7346	7366	Piazzi XV. 183	6'7	15. 41. 48'78	35'40	3	+ 2'816	+ 13. 3. 58'09	34'67	4	-11'374	183
7347	7368	34 Serpenteis ^ω	6	15. 41. 58'39	33'50	3	+ 3'020	+ 2. 42. 20'37	33'39	1	-11'363	2003	...	184
7348	7369	Lacaille 6562	7	15. 42. 2'74	38'40	2	+ 3'693	- 29. 22. 49'78	38'40	2	-11'358	...	6562	...
7349	7370	Lacaille 6558	8	15. 42. 16'81	38'49	2	+ 4'421	- 50. 44. 18'37	38'48	2	-11'340	...	6558	...
7350	7371	Lacaille 6556	7'8	15. 42. 21'92	39'58	1	+ 4'535	- 52. 59. 9'45	39'58	1	-11'334	...	6556	...
7351	7372	37 Serpenteis ^ε	3	15. 42. 35'79	36'12	8	+ 2'976	+ 4. 58. 47'19	32'98	4	-11'318	2005	...	187
7352	7373	36 Serpenteis ^h	6	15. 42. 40'34	38'11	5	+ 3'122	- 2. 35. 8'66	36'49	4	-11'312	2004	...	186
7353	7374	10. Corone Borealis ^δ	4'5	15. 42. 40'52	39'55	7	+ 2'519	+ 26. 34. 40'62	35'50	8	-11'312	2010	...	188
7354	7375	Lacaille 6561	7	15. 42. 43'12	39'30	2	+ 4'350	- 49. 50. 19'49	39'30	2	-11'310	...	6561	...
7355	7376	2 Scorpii..... ^A	5	15. 43. 43'09	37'41	6	+ 3'585	- 24. 49. 39'31	37'42	4	-11'237	2006	6574	189
7356	7377	45 Libræ ^λ	5	15. 43. 46'54	31'24	1	+ 3'468	- 19. 40. 2'74	33'48	2	-11'233	2007	...	190
7357	7378	Brisbane 5520.....	7'8	15. 43. 54'72	39'06	3	+ 4'969	- 59. 42. 18'41	38'94	2	-11'222
7358	7379	Lacaille 6568	8	15. 43. 59'44	39'47	1	+ 4'102	- 42. 53. 50'91	39'47	1	-11'217	...	6568	...
7359	7380	38 Serpenteis ^ρ	5	15. 44. 1'37	33'55	3	+ 2'636	+ 21. 28. 44'70	33'58	3	-11'215	2013	...	194
7360	7381	Bradley 2009	6	15. 44. 3'93	39'49	7	+ 3'566	- 24. 2. 5'44	38'70	6	-11'212	2009	6576	191

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7361	7382	Lacaille 6579	6	15. 44. 7.76	33.60	1	+ 3.554	- 23. 28. 47.70	35.17	3	-11.207	...	6579	192
7362	7383	Piazzi XV. 198	6.7	15. 44. 10.30	35.15	3	+ 0.885	+ 63. 6. 41.05	34.75	4	-11.205	198
7363	7384	46 Libræ.....θ	4.5	15. 44. 26.56	31.47	5	+ 3.395	- 16. 14. 20.44	32.87	5	-11.184	2011	...	193
7364	7385	3 Scorpis.....	6	15. 44. 46.11	37.81	6	+ 3.584	- 24. 44. 54.15	38.82	7	-11.160	2012	6583	195
7365	7387	11 Coronæ Borealis.....κ	5	15. 45. 0.70	32.44	4	+ 2.259	+ 36. 10. 25.12	31.59	2	-11.142	2018	...	200
7366	7388	Piazzi XV. 203	7	15. 45. 28.47	35.31	3	+ 2.712	+ 17. 53. 59.63	35.44	3	-11.109	203
7367	7389	Piazzi XV. 201	7.8	15. 45. 28.59	35.16	3	+ 2.818	+ 12. 50. 56.94	34.82	3	-11.109	201
7368	7390	47 Libræ	7	15. 45. 28.98	33.06	3	+ 3.453	- 18. 53. 22.00	35.16	3	-11.108	2015	...	197
7369	7391	39 Serpentis.....	6.7	15. 45. 31.18	37.01	4	+ 2.800	+ 13. 43. 4.75	36.95	4	-11.106	2016	...	202
7370	7392	4 Scorpis	6.7	15. 45. 32.75	36.97	6	+ 3.610	- 25. 46. 22.43	38.57	8	-11.104	2014	6586	196
7371	7393	Lacaille 6587	6.7	15. 45. 51.88	35.13	3	+ 3.750	- 31. 17. 45.22	35.31	3	-11.079	...	6587	199
7372	7394	Piazzi XV. 206	6.7	15. 46. 2.07	35.34	3	+ 2.740	+ 16. 34. 13.88	34.69	4	-11.068	206
7373	7395	Lupi.....ε	6.7	15. 46. 21.61	35.35	3	+ 3.810	- 33. 28. 32.56	35.40	4	-11.043	...	6592	204
7374	7396	Piazzi XV. 205	6.7	15. 46. 22.04	36.44	4	+ 3.810	- 33. 28. 25.94	36.82	4	-11.043	205
7375	7397	40 Serpentis.....	6.7	15. 46. 42.34	36.00	7	+ 2.894	+ 9. 4. 18.09	35.80	5	-11.019	2019	...	208
7376	7398	5 Scorpis	4	15. 46. 42.97	32.54	4	+ 3.685	- 28. 43. 32.55	33.45	5	-11.018	2017	6601	207
7377	7399	Brisbane 5537	7.8	15. 46. 44.29	39.58	1	+ 4.749	- 56. 19. 41.85	39.58	1	-11.016
7378	7400	Piazzi XV. 209	Var.	15. 46. 51.69	36.79	2	+ 2.893	+ 9. 4. 29.24	36.48	4	-11.006	209
7379	7401	Lacaille 6596	7	15. 46. 57.92	38.55	2	+ 4.137	- 43. 35. 42.02	38.54	2	-10.999	...	6596	...
7380	7402	1 Herculis	6	15. 46. 58.29	35.32	3	+ 2.032	+ 42. 55. 0.65	38.07	5	-10.999	2021	...	211
7381	7403	Lacaille 6589	7.8	15. 47. 10.86	38.53	2	+ 4.586	- 53. 32. 21.68	38.53	2	-10.984	...	6589	...
7382	7404	Piazzi XV. 212	6	15. 47. 18.32	39.04	6	+ 2.647	+ 20. 47. 57.31	37.00	5	-10.975	212
7383	7405	Piazzi XV. 210	7	15. 47. 33.34	35.45	3	+ 3.502	- 20. 59. 56.15	34.66	4	-10.957	210
7384	7406	Piazzi XV. 213	7	15. 48. 1.42	35.39	3	+ 3.549	- 23. 2. 35.02	35.38	3	-10.923	213
7385	7407	Piazzi XV. 215	7	15. 48. 16.57	35.40	3	+ 2.683	+ 19. 6. 29.38	35.51	3	-10.904	215
7386	7408	Lacaille 6609	5.6	15. 48. 17.35	38.42	2	+ 4.057	- 41. 15. 49.14	38.42	2	-10.903	...	6609	...
7387	7409	Lacaille 6602	7.8	15. 48. 17.78	38.40	2	+ 4.623	- 54. 5. 57.10	38.40	2	-10.902	...	6602	...
7388	7410	Piazzi XV. 214	7.8	15. 48. 19.87	35.41	3	+ 2.858	+ 10. 47. 4.49	35.18	3	-10.899	214
7389	7411	41 Serpentis.....γ	3	15. 48. 50.24	35.33	10	+ 2.745	+ 16. 12. 21.71	33.04	12	-10.862	2023	...	219
7390	7412	Lacaille 6617	6.7	15. 48. 52.59	38.94	2	+ 3.789	- 32. 31. 53.58	38.94	2	-10.859	...	6617	...
7391	7413	6 Scorpis	3.4	15. 48. 52.97	31.53	5	+ 3.611	- 25. 37. 55.59	31.50	5	-10.859	2020	6622	216
7392	7414	48 Libræ	5	15. 48. 57.58	33.46	4	+ 3.348	- 13. 47. 49.27	33.48	5	-10.855	2022	...	218
7393	7415	Piazzi XV. 220	7	15. 49. 0.26	35.25	3	+ 2.996	+ 3. 53. 16.49	35.20	3	-10.851	220
7394	7416	2 Herculis	6.7	15. 49. 8.03	35.38	3	+ 2.000	+ 43. 37. 21.92	34.76	4	-10.842	2025	...	221
7395	7417	Lupi	5	15. 49. 12.66	39.65	8	+ 3.948	- 37. 55. 3.66	36.64	8	-10.837	...	6619	217
7396	7418	Lacaille 6610	7	15. 49. 18.30	39.32	1	+ 4.765	- 56. 22. 31.11	39.32	1	-10.828	...	6610	...
7397	7419	Lacaille 6630	7.8	15. 49. 32.89	38.50	2	+ 3.740	- 30. 41. 21.59	38.50	2	-10.811	...	6630	...
7398	7420	Serpentis.....φ	6	15. 49. 38.24	33.48	3	+ 2.772	+ 14. 53. 32.18	35.15	3	-10.805	222
7399	7421	Lacaille 6618	6.7	15. 49. 45.90	39.58	1	+ 4.446	- 50. 38. 49.87	39.58	1	-10.795	...	6618	...
7400	7422	Lacaille 6612	8	15. 49. 46.62	39.47	1	+ 5.027	- 60. 1. 39.02	39.47	1	-10.795	...	6612	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7401	7424	Piazzi XV. 223	8	h m s 15. 49. 47.25	36.52	5	+ 2.713	+ 17. 39. 54.40	36.52	4	-10.794	223
7402	7423	12 Coronæ Borealis	6	15. 49. 47.32	35.29	3	+ 2.178	+ 38. 25. 38.76	35.16	3	-10.794	2027	...	224
7403	7425	4 Herculis	6.7	15. 49. 57.47	35.24	3	+ 2.019	+ 43. 2. 59.21	34.73	4	-10.781	2028	...	226
7404	7426	16 Ursæ Minoris	4	15. 50. 6.58	39.07	6	- 2.375	+ 78. 17. 53.79	36.57	5	-10.770	2041	...	238
7405	7427	7 Scorpii	3	15. 50. 35.40	31.42	3	+ 3.532	- 22. 8. 45.43	31.46	6	-10.734	2024	...	225
7406	7428	13 Coronæ Borealis	4.5	15. 50. 45.60	31.53	4	+ 2.487	+ 27. 21. 37.37	33.51	4	-10.722	2029	...	229
7407	7429	Lacaille 6633	7	15. 50. 50.65	39.29	2	+ 4.098	- 42. 13. 18.14	39.29	2	-10.714	...	6633	...
7408	7430	Piazzi XV. 227	7	15. 50. 51.18	35.29	3	+ 3.207	- 6. 49. 31.85	35.14	3	-10.714	227
7409	7431	49 Libræ	5.6	15. 51. 4.87	33.02	5	+ 3.397	- 16. 2. 28.13	35.16	3	-10.698	2026	...	228
7410	7432	Lacaille 6634	8	15. 51. 37.49	38.53	2	+ 4.589	- 53. 14. 36.62	38.53	2	-10.658	...	6634	...
7411	7433	Piazzi XV. 230	7	15. 51. 38.20	35.16	1	+ 3.050	+ 1. 5. 50.94	34.66	4	-10.657	230
7412	7434	50 Libræ	6	15. 51. 53.69	33.60	2	+ 3.230	- 7. 56. 18.06	35.17	3	-10.637	2030	...	231
7413	7435	Lacaille 6636	7.8	15. 52. 5.46	38.49	2	+ 4.746	- 55. 52. 34.54	38.49	2	-10.624	...	6636	...
7414	7436	Piazzi XV. 233	7	15. 52. 7.97	35.41	3	+ 2.404	+ 30. 28. 44.15	35.31	3	-10.622	233
7415	7437	Lacaille 6644	6.7	15. 52. 27.02	35.15	3	+ 3.963	- 38. 8. 3.93	35.18	3	-10.597	...	6644	232
7416	7438	Piazzi XV. 235	7.8	15. 52. 33.45	35.39	3	+ 2.521	+ 25. 54. 24.63	35.20	3	-10.588	235
7417	7439	Lacaille 6645	7.8	15. 52. 33.53	39.61	5	+ 3.917	- 36. 40. 0.08	39.41	4	-10.588	...	6645	...
7418	7440	Bradley 2031	6	15. 52. 40.04	33.44	3	+ 2.975	+ 4. 53. 41.20	35.15	3	-10.581	2031	...	234
7419	7441	Lacaille 6643	8	15. 52. 43.97	38.41	2	+ 4.405	- 49. 33. 3.22	38.41	2	-10.575	...	6643	...
7420	7442	Piazzi XV. 239	6	15. 52. 52.25	35.13	3	+ 2.212	+ 37. 6. 56.50	34.72	4	-10.565	239
7421	7443	Lacaille 6659	6	15. 53. 23.33	33.51	5	+ 3.612	- 25. 23. 53.12	35.16	3	-10.528	...	6659	237
7422	7444	Lacaille 6654	8	15. 53. 27.76	36.58	3	+ 3.869	- 34. 58. 59.94	36.47	4	-10.522	...	6654	236
7423	7445	Lacaille 6655	7.8	15. 53. 42.45	38.55	2	+ 3.993	- 38. 58. 17.20	38.55	2	-10.502	...	6655	...
7424	7446	Piazzi XV. 240	8	15. 53. 47.98	36.49	4	+ 3.233	- 8. 1. 42.31	36.24	5	-10.495	240
7425	7447	5 Herculis	6	15. 53. 49.65	34.73	5	+ 2.695	+ 18. 16. 45.31	33.59	3	-10.492	2032	...	241
7426	7448	Lacaille 6650	7	15. 54. 13.91	38.50	2	+ 4.747	- 55. 44. 2.94	38.50	2	-10.464	...	6650	...
7427	7449	Lacaille 6666	8	15. 54. 19.30	38.51	2	+ 3.691	- 28. 28. 10.24	38.51	2	-10.458	...	6666	...
7428	7450	Piazzi XV. 243	8	15. 54. 22.73	36.50	3	+ 3.233	- 8. 0. 54.59	37.17	2	-10.453	243
7429	7451	15 Coronæ Borealis	6	15. 54. 44.34	38.06	5	+ 2.307	+ 33. 48. 16.55	37.94	5	-10.425	2037	...	246
7430	7452	14 Coronæ Borealis	6	15. 54. 50.05	35.34	3	+ 2.404	+ 30. 19. 1.72	34.79	4	-10.417	2036	...	247
7431	7453	Normæ	5	15. 54. 51.33	32.53	4	+ 4.204	- 44. 43. 2.90	32.13	9	-10.415	...	6664	242
7432	7454	44 Serpentis	4.5	15. 55. 11.21	33.62	1	+ 2.580	+ 23. 16. 2.24	31.52	5	-10.393	2038	...	250
7433	7455	Piazzi XV. 244	8.9	15. 55. 16.95	36.75	3	+ 3.498	- 20. 26. 23.01	36.53	4	-10.385	244
7434	7456	51 Libræ	4.5	15. 55. 18.45	31.41	5	+ 3.292	- 10. 54. 42.19	33.44	5	-10.384	2033	...	245
7435	7457	Lacaille 6672	7	15. 55. 22.41	39.29	2	+ 4.032	- 39. 59. 38.68	39.29	2	-10.379	...	6672	...
7436	7458	Lacaille 6667	7.8	15. 55. 23.34	38.54	2	+ 4.342	- 47. 58. 2.34	38.54	2	-10.378	...	6667	...
7437	7459	Lacaille 6661	7	15. 55. 31.26	39.31	2	+ 4.571	- 52. 37. 34.61	39.30	2	-10.367	...	6661	...
7438	7460	Piazzi XV. 249	8	15. 55. 33.37	36.65	4	+ 3.446	- 18. 4. 46.61	36.53	3	-10.364	249
7439	7461	43 Serpentis	6	15. 55. 36.71	33.55	2	+ 2.963	+ 5. 26. 48.25	35.15	3	-10.360	2035	...	253
7440	7462	Lupi	4	15. 55. 46.80	38.17	12	+ 3.915	- 36. 20. 44.37	36.58	11	-10.348	...	6678	248

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7441	7463	Normæ ϵ^2	5.6	h m s 15. 55. 48.52	39.33	1	+ 4.869	— 57. 28. 52.64	39.33	1	—10.345	...	6665	...
7442	7464	8 Scorpil β^1	2	15. 55. 51.32	33.09	11	+ 3.474	— 19. 20. 50.45	32.46	5	—10.341	2034	...	251
7443	7465	Piazzi XV. 252	6	15. 55. 51.79	35.42	3	+ 3.474	— 19. 20. 36.83	35.17	3	—10.340	252
7444	7466	Lacaille 6674	7.8	15. 55. 56.71	39.47	1	+ 4.262	— 46. 4. 11.97	39.47	1	—10.335	...	6674	...
7445	7467	Lacaille 6668	7	15. 55. 58.95	38.42	1	+ 4.747	— 55. 36. 30.78	38.42	1	—10.332	...	6668	...
7446	7468	Piazzi XV. 254	7	15. 56. 10.14	35.23	3	+ 3.472	— 19. 13. 27.31	35.32	3	—10.320	254
7447	7469	Piazzi XV. 262	8	15. 56. 23.39	36.77	3	+ 1.434	+ 54. 59. 10.04	36.86	4	—10.303	262
7448	7470	Piazzi XV. 258	7	15. 56. 25.22	35.24	3	+ 2.693	+ 18. 15. 39.86	35.20	3	—10.301	258
7449	7471	Lacaille 6686	7	15. 56. 26.62	36.92	9	+ 3.915	— 36. 18. 2.47	36.47	5	—10.299	...	6686	255
7450	7472	Lacaille 6673	8	15. 56. 30.55	38.48	1	+ 4.774	— 56. 0. 40.85	38.48	1	—10.294	...	6673	...
7451	7473	Lacaille 6691	7.8	15. 56. 45.32	40.34	6	+ 3.915	— 36. 16. 5.36	39.05	7	—10.275	...	6691	256
7452	7474	Piazzi XV. 257	8	15. 56. 51.29	36.70	4	+ 3.664	— 27. 15. 54.48	37.18	1	—10.266	257
7453	7475	9 Scorpil ω^1	4.5	15. 57. 10.14	36.11	7	+ 3.495	— 20. 12. 56.71	36.44	6	—10.245	2039	...	259
7454	7476	Piazzi XV. 266	6.7	15. 57. 15.69	35.13	3	+ 2.203	+ 37. 5. 25.31	34.71	4	—10.237	266
7455	7477	Lacaille 6695	7.8	15. 57. 32.62	36.79	5	+ 3.992	— 38. 39. 17.39	37.22	2	—10.214	...	6695	260
7456	7478	Piazzi XV. 261	7	15. 57. 32.91	35.22	3	+ 3.992	— 38. 38. 34.64	35.29	6	—10.214	261
7457	7479	Lacaille 6676	7.8	15. 57. 36.03	38.49	2	+ 4.755	— 55. 37. 37.30	38.49	2	—10.210	...	6676	...
7458	7480	6 Herouli ν	5	15. 57. 39.54	39.20	6	+ 1.859	+ 46. 29. 53.74	35.20	6	—10.207	2044	...	270
7459	7481	10 Scorpil ω^2	4.5	15. 57. 44.40	39.42	5	+ 3.501	— 20. 25. 0.13	36.48	6	—10.200	2040	...	263
7460	7482	Bradley 2043	7	15. 57. 59.92	39.68	4	+ 2.861	+ 10. 23. 16.24	37.78	6	—10.181	2043	...	267
7461	7483	Piazzi XV. 264	7	15. 58. 0.51	35.85	4	+ 3.666	— 27. 16. 53.06	36.20	7	—10.180	264
7462	7484	Lacaille 6702	6	15. 58. 5.01	33.45	3	+ 3.631	— 25. 52. 39.73	33.44	3	—10.175	...	6702	265
7463	7485	Piazzi XV. 269	8	15. 58. 15.76	36.58	1	+ 2.954	+ 5. 51. 47.44	36.24	3	—10.161	269
7464	7486	11 Scorpil ω^3	6	15. 58. 27.36	33.49	4	+ 3.323	— 12. 17. 42.31	35.15	3	—10.147	2042	...	268
7465	7487	Lacaille 6704	7.8	15. 58. 44.26	38.42	2	+ 3.783	— 31. 38. 27.86	38.42	2	—10.125	...	6704	...
7466	7488	13 Draconis θ	3.4	15. 58. 48.09	33.59	3	+ 1.150	+ 59. 0. 27.63	31.61	7	—10.120	2053	...	277
7467	7489	Lacaille 6699	7	15. 58. 54.79	38.57	2	+ 4.452	— 50. 6. 7.09	38.57	2	—10.111	...	6699	...
7468	7490	Lacaille 6703	7	15. 59. 2.34	39.32	1	+ 4.030	— 39. 41. 3.99	39.33	2	—10.103	...	6703	...
7469	7491	Lacaille 6706	7	15. 59. 2.55	38.58	2	+ 3.799	— 32. 12. 9.31	38.57	2	—10.102	...	6706	...
7470	7492	17 Ursæ Minoris	7.8	15. 59. 2.90	35.53	3	— 1.578	+ 76. 2. 42.80	35.14	3	—10.101	2063	...	288
7471	7493	Lacaille 6697	6.7	15. 59. 4.22	39.29	2	+ 4.657	— 53. 54. 44.32	39.29	3	—10.100	...	6697	...
7472	7494	Lacaille 6711	6.7	15. 59. 19.06	35.98	4	+ 3.826	— 33. 6. 1.12	35.49	5	—10.081	...	6711	271
7473	7495	Piazzi XV. 273	8	15. 59. 30.26	36.66	4	+ 3.460	— 18. 32. 59.69	36.51	4	—10.067	273
7474	7496	Lacaille 6707	7	15. 59. 39.27	35.39	3	+ 4.224	— 44. 53. 25.34	35.13	3	—10.056	...	6707	272
7475	7498	45 Serpentis	6	15. 59. 45.02	37.21	7	+ 2.861	+ 10. 20. 18.87	36.67	7	—10.047	2045	...	276
7476	7499	Piazzi XV. 275	8.9	15. 59. 46.73	36.85	3	+ 3.471	— 19. 0. 44.23	36.54	4	—10.045	275
7477	7500	Lacaille 6715	6.7	16. 0. 4.41	36.41	4	+ 4.067	— 40. 40. 29.31	35.73	5	—10.024	...	6715	274
7478	7501	Piazzi XV. 278	7	16. 0. 7.50	35.43	3	+ 3.230	— 7. 46. 28.27	35.32	2	—10.021	278
7479	7502	Brisbane 5619	7.8	16. 0. 8.19	39.29	2	+ 4.661	— 53. 55. 27.64	39.28	1	—10.020
7480	7503	46 Serpentis	6	16. 0. 14.37	35.55	4	+ 2.857	+ 10. 31. 35.19	35.16	3	—10.011	2046	...	279

{cxc}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7481	7504	Brisbane 5626.....	8	h m s 16. 0. 29.22	39.98	5	+ 4.899	- 57. 36. 21.53	39.92	6	- 9.992
7482	7505	Trianguli Australis...δ	5	16. 0. 29.46	31.64	5	+ 5.372	- 63. 15. 13.74	31.72	5	- 9.992	...	6701	...
7483	7507	Normæ.....κ	6	16. 0. 30.79	39.59	1	+ 4.680	- 54. 11. 42.03	39.59	1	- 9.991	...	6712	...
7484	7506	47 Serpentis.....	6	16. 0. 31.24	33.61	2	+ 2.889	+ 8. 58. 42.93	35.17	3	- 9.990	2047	...	282
7485	7508	Piazzi XV. 281.....	8	16. 0. 33.12	36.82	4	+ 2.953	+ 5. 50. 56.74	36.55	4	- 9.987	281
7486	7509	7 Herculis.....κ	5.6	16. 0. 37.75	39.82	4	+ 2.706	+ 17. 29. 30.81	37.83	6	- 9.982	2049	...	284
7487	7510	Bradley 2050.....	8	16. 0. 38.23	38.07	4	+ 2.706	+ 17. 30. 0.93	36.73	3	- 9.981	2050	...	285
7488	7511	Bradley 2048.....	7	16. 0. 40.02	35.24	3	+ 2.887	+ 9. 3. 27.73	35.38	3	- 9.979	2048	...	283
7489	7512	Lacaille 6725.....	6	16. 0. 48.06	36.32	5	+ 3.714	- 28. 58. 23.86	34.89	7	- 9.968	...	6725	280
7490	7513	Lacaille 6718.....	7.8	16. 0. 56.77	38.41	2	+ 4.429	- 49. 26. 58.90	38.41	2	- 9.957	...	6718	...
7491	7514	8 Herculis.....η	6.7	16. 1. 20.46	35.78	4	+ 2.702	+ 17. 38. 56.12	34.75	4	- 9.927	2054	...	286
7492	7515	Piazzi XVI. 1.....	7	16. 1. 53.31	35.42	3	+ 3.233	- 7. 51. 39.80	34.88	3	- 9.884	1
7493	7516	Lacaille 6726.....	7	16. 1. 58.88	38.42	2	+ 4.387	- 48. 30. 5.46	38.42	2	- 9.878	...	6726	...
7494	7517	12 Scorpii.....δ ¹	6	16. 2. 5.12	33.44	3	+ 3.690	- 27. 58. 52.24	35.16	3	- 9.871	2051	6729	287
7495	7518	13 Scorpii.....δ ²	5	16. 2. 9.46	39.05	4	+ 3.678	- 27. 29. 28.02	36.06	4	- 9.866	2052	6730	2
7496	7519	Lacaille 6722.....	6.7	16. 2. 14.72	39.53	5	+ 4.899	- 57. 28. 57.66	39.53	5	- 9.856	...	6722	...
7497	7520	Piazzi XVI. 3.....	7	16. 2. 24.78	35.67	4	+ 3.473	- 19. 0. 55.61	35.16	3	- 9.846	3
7498	7521	14 Scorpii.....ν	4	16. 2. 25.18	31.35	6	+ 3.473	- 19. 1. 26.24	33.53	5	- 9.846	2055	...	4
7499	7522	Piazzi XVI. 5.....	9	16. 2. 40.81	36.64	4	+ 3.684	- 27. 42. 2.88	36.64	4	- 9.825	5
7500	7523	16 Corone Borealis.....τ	5.6	16. 2. 56.31	37.95	5	+ 2.196	+ 36. 54. 50.74	37.25	6	- 9.806	2058	...	9
7501	7524	15 Scorpii.....ψ	5	16. 2. 59.44	33.01	4	+ 3.270	- 9. 37. 49.79	33.59	4	- 9.802	2056	...	6
7502	7525	Piazzi XVI. 7.....	8	16. 3. 9.01	36.48	3	+ 3.475	- 19. 4. 10.85	36.52	3	- 9.790	7
7503	7526	16 Scorpii.....	6	16. 3. 11.39	39.39	5	+ 3.238	- 8. 6. 52.81	39.30	3	- 9.787	2057	...	8
7504	7527	Normæ.....θ	6	16. 3. 18.37	38.57	2	+ 4.322	- 46. 56. 36.49	38.57	2	- 9.778	...	6734	...
7505	7528	11 Herculis.....φ	6	16. 3. 34.39	38.10	5	+ 1.889	+ 45. 22. 17.45	38.04	5	- 9.758	2061	...	13
7506	7529	Piazzi XVI. 11.....	8.9	16. 3. 46.49	36.70	4	+ 2.684	+ 18. 21. 36.86	36.71	5	- 9.742	11
7507	7530	Brisbane 5645.....	7.8	16. 3. 50.60	38.46	2	+ 4.026	- 39. 12. 0.62	38.46	2	- 9.736
7508	7531	Lacaille 6735.....	6.7	16. 3. 50.87	38.95	2	+ 4.645	- 53. 23. 16.81	38.95	2	- 9.735	...	6735	...
7509	7532	Lacaille 6739.....	6.7	16. 3. 56.92	36.94	4	+ 4.142	- 42. 28. 26.09	38.56	2	- 9.728	...	6739	...
7510	7533	Piazzi XVI. 10.....	6	16. 3. 59.33	32.19	2	+ 3.520	- 20. 58. 19.28	33.52	4	- 9.725	10
7511	7534	Bradley 2060.....	6	16. 4. 0.68	39.21	5	+ 2.712	+ 17. 5. 53.37	37.96	5	- 9.723	2060	...	12
7512	7535	Lacaille 6736.....	7	16. 4. 8.57	38.95	2	+ 4.640	- 53. 16. 12.06	38.95	2	- 9.713	...	6736	...
7513	7536	Lacaille 6742.....	8	16. 4. 16.33	38.91	4	+ 4.910	- 57. 31. 5.23	39.32	2	- 9.704	...	6742	...
7514	7537	10 Herculis.....	6	16. 4. 36.76	37.52	4	+ 2.552	+ 23. 55. 34.98	35.17	3	- 9.678	2064	...	18
7515	7538	Lacaille 6752.....	7	16. 4. 40.19	38.93	2	+ 4.153	- 42. 42. 8.19	38.93	2	- 9.674	...	6752	...
7516	7539	17 Scorpii.....χ	6	16. 4. 43.88	33.59	3	+ 3.309	- 11. 24. 37.69	35.16	3	- 9.668	2059	...	15
7517	7540	Piazzi XVI. 16.....	7	16. 4. 51.95	35.40	3	+ 3.230	- 7. 41. 31.91	35.14	3	- 9.658	16
7518	7541	Lacaille 6755.....	6.7	16. 4. 54.17	35.29	3	+ 3.620	- 25. 3. 4.33	35.34	4	- 9.655	...	6755	14
7519	7542	Lacaille 6744.....	7	16. 4. 58.23	38.41	2	+ 4.635	- 53. 8. 8.08	38.41	2	- 9.650	...	6744	...
7520	7543	14 Herculis.....	7	16. 5. 3.60	35.38	3	+ 1.929	+ 44. 15. 52.28	34.81	4	- 9.644	2068	...	22

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7521	7544	9 Herculis	6	h m s 16. 5. 6.14	33.60	4	+ 2.960	+ 5. 26. 54.58	33.59	4	— 9.641	2062	...	19
7522	7545	Piazzi XVI. 17	8	16. 5. 6.85	36.59	3	+ 3.545	— 21. 57. 19.35	36.43	4	— 9.640	17
7523	7546	Piazzi XVI. 20	8	16. 5. 13.25	36.49	4	+ 2.939	+ 6. 27. 54.15	36.75	5	— 9.632	20
7524	7547	Lacaille 6743	7.8	16. 5. 14.74	38.77	3	+ 4.912	— 57. 28. 58.61	38.76	3	— 9.630	...	6743	...
7525	7548	49 Serpentis.....	7	16. 5. 37.30	38.51	6	+ 2.780	+ 13. 58. 22.45	38.43	6	— 9.600	2066	...	23
7526	7549	1 Ophiuchi.....	3	16. 5. 42.42	33.49	20	+ 3.139	— 3. 15. 47.74	32.31	13	— 9.594	2065	...	21
7527	7550	Piazzi XVI. 25	6	16. 5. 46.24	35.32	3	+ 2.192	+ 36. 51. 17.57	34.72	4	— 9.589	25
7528	7551	Piazzi XVI. 24	7	16. 6. 7.20	36.49	4	+ 2.942	+ 6. 19. 35.42	36.53	4	— 9.563	24
7529	7552	Brisbane 5664.....	7.8	16. 6. 17.66	38.86	2	+ 4.696	— 54. 5. 43.18	38.86	2	— 9.548
7530	7553	Lacaille 6757	7	16. 6. 25.28	40.90	2	+ 4.425	— 48. 59. 53.98	40.90	2	— 9.538	...	6757	...
7531	7554	18 Scorpii.....	5	16. 6. 39.62	31.59	6	+ 3.236	— 7. 55. 30.48	31.56	5	— 9.520	2067	...	26
7532	7555	12 Herculis	7	16. 6. 43.21	35.30	3	+ 2.901	+ 8. 16. 49.37	35.18	3	— 9.516	2069	...	27
7533	7556	13 Herculis	7	16. 7. 14.80	35.16	2	+ 2.823	+ 11. 54. 47.80	35.38	3	— 9.475	30
7534	7557	Piazzi XVI. 28	7	16. 7. 21.25	33.63	5	+ 3.494	— 19. 41. 14.37	33.50	4	— 9.467	28
7535	7558	Normæ.....	5	16. 7. 31.84	31.43	5	+ 4.465	— 49. 44. 32.98	33.44	5	— 9.452	...	6764	...
7536	7559	Piazzi XVI. 33	7	16. 7. 39.88	35.42	3	+ 1.837	+ 46. 19. 3.43	35.16	3	— 9.443	33
7537	7560	Normæ.....	6.7	16. 7. 49.76	35.54	1	+ 4.145	— 42. 15. 43.28	34.80	4	— 9.429	...	6772	29
7538	7561	Brisbane 5679.....	8.9	16. 7. 52.94	38.42	1	+ 4.727	— 54. 30. 18.44	38.42	1	— 9.425
7539	7562	Lacaille 6777	5.6	16. 8. 4.83	35.47	5	+ 3.705	— 28. 11. 47.99	34.37	6	— 9.412	...	6777	31
7540	7563	16 Herculis	6.7	16. 8. 10.25	35.24	3	+ 2.660	+ 19. 13. 45.61	34.74	4	— 9.404	2072	...	34
7541	7564	15 Herculis	7	16. 8. 13.77	35.16	3	+ 2.825	+ 11. 50. 25.69	35.21	4	— 9.399	2071	...	32
7542	7565	Bradley 2070	6	16. 8. 15.18	36.53	7	+ 3.145	— 3. 32. 19.14	36.57	7	— 9.397	2070
7543	7567	17 Coronæ Borealis.....	6	16. 8. 30.15	35.13	3	+ 2.266	+ 34. 16. 51.60	35.21	3	— 9.379	2074	...	38
7544	7566	Brisbane 5682.....	6.7	16. 8. 30.64	38.56	2	+ 4.588	— 52. 3. 45.00	38.56	2	— 9.378
7545	7568	Brisbane 5684.....	7	16. 8. 41.96	39.58	1	+ 4.770	— 55. 8. 42.45	39.58	1	— 9.363
7546	7569	Piazzi XVI. 40	6.7	16. 9. 3.51	35.28	4	+ 2.447	+ 27. 50. 22.39	34.76	4	— 9.336	40
7547	7570	Piazzi XVI. 35	8	16. 9. 6.52	36.95	7	+ 3.769	— 30. 29. 37.18	36.51	3	— 9.333	35
7548	7571	Lacaille 6788	6	16. 9. 7.61	37.44	5	+ 3.769	— 30. 29. 55.41	35.83	5	— 9.331	...	6788	36
7549	7572	17 Herculis	6	16. 9. 14.84	33.59	3	+ 2.556	+ 23. 32. 15.44	35.16	3	— 9.321	2075	...	42
7550	7573	Lacaille 6783	6.7	16. 9. 20.92	39.58	1	+ 4.377	— 47. 46. 58.21	39.58	1	— 9.313	...	6783	...
7551	7574	Lacaille 6787	7	16. 9. 24.63	37.18	1	+ 4.032	— 39. 1. 17.81	36.51	4	— 9.310	...	6787	37
7552	7575	Piazzi XVI. 39	7	16. 9. 28.64	33.01	4	+ 3.498	— 19. 48. 31.00	35.17	3	— 9.302	39
7553	7576	2 Ophiuchi.....	3	16. 9. 35.86	34.95	10	+ 3.161	— 4. 17. 2.87	31.45	6	— 9.293	2073	...	41
7554	7577	Piazzi XVI. 43	8	16. 9. 38.57	36.82	4	+ 2.658	+ 19. 15. 30.13	36.50	4	— 9.291	43
7555	7578	18 Coronæ Borealis.....	6	16. 10. 8.33	33.62	2	+ 2.399	+ 29. 33. 47.37	33.59	5	— 9.252	2078	...	47
7556	7579	Lacaille 6790	6	16. 10. 9.93	38.41	2	+ 4.445	— 49. 10. 11.96	38.41	2	— 9.250	...	6790	...
7557	7580	Lacaille 6792	7.8	16. 10. 21.96	38.56	3	+ 4.126	— 41. 36. 0.63	38.56	3	— 9.233	...	6792	...
7558	7581	Piazzi XVI. 44	7.8	16. 10. 25.88	36.75	3	+ 3.496	— 19. 38. 20.76	35.21	2	— 9.228	44
7559	7582	Piazzi XVI. 45	8	16. 10. 27.20	36.46	7	+ 3.496	— 19. 38. 59.90	36.46	5	— 9.227	45
7560	7583	19 Scorpii.....	5.6	16. 10. 43.28	33.56	3	+ 3.595	— 23. 45. 51.93	33.50	4	— 9.206	2076	6798	46

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7561	7584	18 Hercules	6.7	16. 10. 51.27	35.37	3	+ 2.543	+ 24. 0. 51.95	34.73	4	- 9.195	2079	...	51
7562	7585	Piazzi XVI. 48.....	8	16. 10. 51.58	36.90	2	+ 3.498	- 19. 42. 45.14	36.65	5	- 9.194	48
7563	7586	Piazzi XVI. 49.....	8.9	16. 10. 52.05	36.82	2	+ 3.498	- 19. 42. 32.80	36.96	3	- 9.193	49
7564	7587	Lacaille 6793.....	6	16. 10. 52.94	39.33	2	+ 4.201	- 43. 30. 39.75	39.33	2	- 9.192	...	6793	...
7565	7588	Brisbane 5700.....	8.9	16. 11. 5.47	38.42	1	+ 4.758	- 54. 49. 13.74	38.42	1	- 9.177
7566	7589	20 Scorpii	4	16. 11. 10.34	32.25	4	+ 3.631	- 25. 11. 22.35	31.70	6	- 9.172	2077	6799	50
7567	7591	Piazzi XVI. 53.....	8.9	16. 11. 17.07	37.02	3	+ 2.708	+ 17. 1. 21.72	36.94	5	- 9.161	53
7568	7590	Brisbane 5704.....	9	16. 11. 17.28	39.99	4	+ 4.729	- 54. 19. 46.12	39.98	4	- 9.161
7569	7592	Piazzi XVI. 52.....	7.8	16. 11. 19.30	37.06	4	+ 2.948	+ 5. 56. 39.40	36.84	4	- 9.159	52
7570	7593	19 Hercules	7	16. 11. 33.50	35.28	3	+ 2.484	+ 26. 18. 10.84	35.19	3	- 9.141	2080	...	54
7571	7594	Piazzi XVI. 56.....	7	16. 11. 45.92	35.35	3	+ 1.454	+ 53. 39. 1.67	34.76	4	- 9.124	56
7572	7595	Lacaille 6803.....	7.8	16. 12. 10.46	39.51	4	+ 3.971	- 37. 1. 33.67	39.51	4	- 9.093	...	6803	...
7573	7596	Piazzi XVI. 57.....	8.9	16. 12. 42.11	36.95	4	+ 2.811	+ 12. 20. 26.18	36.78	4	- 9.052	57
7574	7597	Lacaille 6810.....	7	16. 12. 51.98	37.30	4	+ 4.032	- 38. 47. 56.09	37.07	5	- 9.038	...	6810	55
7575	7598	Lacaille 6807.....	7	16. 13. 6.87	39.29	2	+ 4.264	- 44. 57. 28.12	39.29	2	- 9.020	...	6807	...
7576	7599	Piazzi XVI. 58.. ..	7	16. 13. 20.67	35.16	3	+ 3.247	- 8. 20. 41.26	35.16	3	- 9.001	58
7577	7600	Brisbane 5715.....	6.7	16. 13. 23.89	39.58	1	+ 4.965	- 57. 43. 55.84	39.58	1	- 8.997
7578	7601	Lacaille 6816.....	6.7	16. 13. 32.56	38.50	2	+ 3.978	- 37. 10. 24.32	38.50	2	- 8.986	...	6816	...
7579	7602	Piazzi XVI. 69.....	7.8	16. 13. 40.47	38.87	6	+ 0.284	+ 66. 47. 11.91	37.28	6	- 8.976	69
7580	7603	20 Serpentes	5	16. 13. 43.33	33.22	6	+ 3.042	+ 1. 25. 22.04	31.80	5	- 8.973	2081	...	59
7581	7604	Piazzi XVI. 62.....	8	16. 13. 58.73	36.79	4	+ 3.004	+ 3. 16. 15.86	36.73	4	- 8.951	62
7582	7605	Piazzi XVI. 63	8	16. 14. 4.22	36.61	4	+ 2.999	+ 3. 28. 48.30	37.02	4	- 8.945	63
7583	7606	Piazzi XVI. 65	8	16. 14. 16.38	36.97	3	+ 2.777	+ 13. 51. 14.44	37.11	4	- 8.929	65
7584	7607	Lacaille 6826.....	7	16. 14. 19.08	35.25	3	+ 3.744	- 29. 18. 38.60	34.71	4	- 8.925	...	6826	60
7585	7608	Piazzi XVI. 61	7	16. 14. 22.66	35.32	3	+ 3.676	- 26. 45. 31.88	35.17	3	- 8.919	61
7586	7609	Lacaille 6812.....	6.7	16. 14. 23.04	39.58	1	+ 5.005	- 58. 12. 52.17	39.58	1	- 8.919	...	6812	...
7587	7610	4 Ophiuchi	5	16. 14. 27.63	31.72	9	+ 3.500	- 19. 38. 39.01	33.19	4	- 8.914	2082	...	64
7588	7611	20 Hercules	3.4	16. 14. 38.67	32.73	5	+ 2.646	+ 19. 32. 45.40	32.83	6	- 8.900	2084	...	66
7589	7612	Lacaille 6822.....	7	16. 14. 42.26	39.59	1	+ 4.387	- 47. 39. 29.78	39.59	1	- 8.896	...	6822	...
7590	7613	22 Hercules	4	16. 14. 47.03	36.55	7	+ 1.800	+ 46. 42. 34.66	36.15	8	- 8.890	2086	...	73
7591	7614	Lacaille 6833.....	7	16. 15. 5.47	38.55	2	+ 3.812	- 31. 41. 16.27	38.55	2	- 8.865	...	6833	...
7592	7615	Normæ	6	16. 15. 6.56	38.41	2	+ 4.366	- 47. 10. 13.74	38.41	2	- 8.863	...	6825	...
7593	7616	Lacaille 6836.....	8.9	16. 15. 20.42	36.60	3	+ 3.738	- 29. 0. 46.62	37.04	4	- 8.845	...	6836	67
7594	7617	Piazzi XVI. 68.....	8	16. 15. 31.51	36.87	4	+ 3.583	- 23. 4. 20.48	37.43	2	- 8.830	68
7595	7618	19 Ursæ Minoris	6	16. 15. 37.34	35.52	3	- 1.851	+ 76. 17. 22.97	35.17	3	- 8.823	2096	...	82
7596	7619	19 Coronæ Borealis	5	16. 15. 40.29	33.30	4	+ 2.342	+ 31. 16. 45.73	31.56	5	- 8.820	2087	...	74
7597	7620	5 Ophiuchi	5	16. 15. 42.32	34.73	6	+ 3.583	- 23. 3. 37.47	33.58	5	- 8.817	2083	...	71
7598	7621	Piazzi XVI. 72.....	7	16. 15. 42.36	33.50	1	+ 3.582	- 23. 1. 6.50	33.62	1	- 8.817	72
7599	7622	Piazzi XVI. 70.....	9	16. 15. 44.72	36.88	4	+ 3.663	- 26. 10. 54.60	36.69	4	- 8.813	70
7600	7623	Lacaille 6827.....	7	16. 16. 1.92	38.50	2	+ 4.950	- 57. 22. 43.25	38.49	2	- 8.790	...	6827	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7601	7624	Brisbane 5730.....	7	^{h m s} 16. 16. 4'44	38'95	2	^s + 4'312	^{° ' "} - 45. 52. 7'37	38'95	2	["] - 8'788
7602	7625	21 Herculis..... ^o	6'7	16. 16. 8'82	36'02	7	+ 2'916	+ 7. 20. 8'50	35'16	3	- 8'781	2085	...	75
7603	7626	20 Coronæ Borealis..... ^{v1}	5	16. 16. 8'91	35'03	6	+ 2'256	+ 34. 11. 31'27	33'59	5	- 8'781	77
7604	7627	21 Coronæ Borealis..... ^{v2}	5	16. 16. 16'42	39'05	6	+ 2'258	+ 34. 5. 29'55	37'95	5	- 8'771	78
7605	7628	23 Herculis.....	7	16. 16. 36'42	35'29	3	+ 2'299	+ 32. 43. 21'07	34'76	4	- 8'746	2089	...	79
7606	7629	Piazzi XVI. 76.....	8	16. 16. 36'73	42'19	3	+ 3'278	- 9. 42. 1'32	42'19	3	- 8'746	76
7607	7630	20 Ursæ Minoris.....	6'7	16. 16. 45'68	35'35	3	- 1'623	+ 75. 37. 0'58	34'71	4	- 8'733	2099	...	86
7608	7631	Lacaille 6840.....	7'8	16. 17. 5'25	39'60	1	+ 4'253	- 44. 26. 8'12	39'60	1	- 8'708	...	6840	...
7609	7632	Lacaille 6842.....	6	16. 17. 15'45	39'58	1	+ 3'974	- 36. 48. 4'18	39'58	1	- 8'694	...	6842	...
7610	7633	7 Ophiuchi..... ^λ	5	16. 17. 28'38	32'34	8	+ 3'466	- 18. 4. 30'66	33'34	5	- 8'678	2088	...	80
7611	7634	Lacaille 6839.....	7	16. 17. 28'72	38'59	2	+ 4'619	- 52. 4. 0'32	38'58	2	- 8'677	...	6839	...
7612	7635	Lacaille 6841.....	6'7	16. 17. 46'65	38'75	4	+ 4'315	- 45. 52. 7'84	38'57	3	- 8'653	...	6841	...
7613	7636	24 Herculis..... ^ω	5	16. 17. 48'17	37'49	3	+ 2'762	+ 14. 25. 6'95	35'80	6	- 8'651	2090	...	81
7614	7637	Lacaille 6848.....	6'7	16. 18. 18'77	38'49	2	+ 4'112	- 40. 44. 10'29	38'48	2	- 8'610	...	6848	...
7615	7638	3 Ophiuchi..... ^ν	5	16. 18. 53'24	33'44	3	+ 3'242	- 7. 59. 44'17	31'53	5	- 8'565	83
7616	7639	Piazzi XVI. 85.....	7'8	16. 19. 16'09	36'55	4	+ 3'003	+ 3. 14. 50'88	36'49	4	- 8'535	85
7617	7640	21 Scorpii..... ^α	1	16. 19. 18'27	33'91	47	+ 3'666	- 26. 3. 28'85	32'48	29	- 8'532	2091	6853	84
7618	7641	25 Herculis.....	5	16. 19. 31'57	33'58	4	+ 2'134	+ 37. 46. 26'79	32'22	6	- 8'516	2093	...	91
7619	7642	Piazzi XVI. 88.....	7	16. 19. 54'45	35'15	3	+ 3'237	- 7. 45. 9'58	35'18	3	- 8'485	88
7620	7643	Piazzi XVI. 87.....	8'9	16. 19. 53'81	36'91	7	+ 3'631	- 24. 46. 35'02	36'51	4	- 8'478	87
7621	7644	22 Scorpii.....	6	16. 20. 11'83	37'18	10	+ 3'631	- 24. 44. 40'48	37'84	6	- 8'462	2092	6858	89
7622	7645	Lacaille 6857.....	7	16. 20. 26'52	35'16	3	+ 3'889	- 33. 57. 58'13	34'82	4	- 8'442	...	6857	90
7623	7646	Lacaille 6859.....	5	16. 20. 36'97	32'56	7	+ 3'901	- 34. 20. 14'73	34'17	6	- 8'429	...	6859	92
7624	7647	Lacaille 6851.....	7	16. 20. 40'11	38'94	2	+ 4'673	- 52. 50. 10'13	38'94	2	- 8'424	...	6851	...
7625	7648	Lacaille 6866.....	7	16. 21. 16'05	34'42	6	+ 3'669	- 26. 10. 13'36	35'18	6	- 8'377	...	6866	93
7626	7649	26 Herculis.....	7	16. 21. 41'70	35'32	3	+ 2'280	+ 33. 4. 13'55	35'21	3	- 8'342	2098	...	97
7627	7650	8 Ophiuchi..... ^φ	4'5	16. 21. 42'39	31'68	9	+ 3'426	- 16. 14. 45'84	33'49	5	- 8'342	2094	...	94
7628	7651	14 Dracois..... ^η	3	16. 21. 45'94	32'74	3	+ 0'795	+ 61. 53. 20'89	33'57	5	- 8'337	2104	...	102
7629	7652	Brisbane 5750.....	7'8	16. 21. 57'88	38'49	2	+ 4'492	- 49. 24. 39'65	38'48	2	- 8'320
7630	7653	Lacaille 6864.....	7'8	16. 22. 19'17	39'32	1	+ 4'705	- 53. 17. 28'85	39'32	1	- 8'293	...	6864	...
7631	7654	9 Ophiuchi..... ^ω	5	16. 22. 21'86	33'49	3	+ 3'542	- 21. 6. 22'88	33'40	5	- 8'289	2095	...	96
7632	7655	Normæ..... ^μ	6	16. 22. 22'58	35'40	3	+ 4'235	- 43. 41. 12'62	35'44	3	- 8'289	...	6867	95
7633	7656	Brisbane 5753.....	7	16. 22. 23'52	40'99	6	+ 4'475	- 49. 2. 17'67	40'99	6	- 8'286
7634	7657	Piazzi XVI. 98.....	7	16. 22. 23'83	35'24	3	+ 3'233	- 7. 33. 20'91	35'08	3	- 8'286	98
7635	7658	21 Ursæ Minoris..... ^η	5	16. 22. 24'67	33'62	1	- 1'857	+ 76. 7. 53'34	35'17	3	- 8'285	2111	...	114
7636	7659	10 Ophiuchi..... ^λ	4	16. 22. 35'79	35'79	6	+ 3'022	+ 2. 21. 5'39	33'61	3	- 8'270	2097	...	100
7637	7660	Lacaille 6879.....	8'9	16. 23. 0'97	36'50	4	+ 3'932	- 35. 11. 5'87	36'52	4	- 8'237	...	6879	99
7638	7661	27 Herculis..... ^β	2'3	16. 23. 7'86	32'09	8	+ 2'583	+ 21. 51. 15'88	32'29	15	- 8'227	2100	...	103
7639	7662	30 Herculis..... ^θ	5	16. 23. 13'27	32'25	3	+ 1'937	+ 42. 14. 55'95	32'26	3	- 8'221	2102	...	105
7640	7663	Piazzi XVI. 101.....	7	16. 23. 14'28	35'32	3	+ 3'413	- 15. 37. 21'18	35'18	3	- 8'219	101

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835 ⁰ .	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835 ⁰ .	Mean Dec., 1835 ⁰ .	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835 ⁰ .	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
7641	7664	Lacaille 6876.....	7	16. 23. 17 ⁸⁶	39 ⁵⁸	1	+ 4 ²⁸⁷	- 44. 53. 15 ⁷⁵	39 ⁵⁸	1	- 8 ²¹⁴	...	6876	...
7642	7665	Lacaille 6874.....	6 ⁷	16. 23. 26 ⁶⁵	39 ⁵⁸	1	+ 4 ⁵⁷³	- 50. 53. 13 ⁴⁹	39 ⁵⁸	1	- 8 ²⁰³	...	6874	...
7643	7666	Piazzi XVI. 107.....	7	16. 24. 4 ⁰⁵	35 ¹⁴	3	+ 2 ⁸⁶¹	+ 9. 46. 31 ⁰⁸	34 ⁷⁶	4	- 8 ¹⁵³	107
7644	7667	Brisbane 5758.....	8 ⁹	16. 24. 16 ⁷⁴	39 ⁵⁹	1	+ 4 ²⁰⁶	- 42. 51. 38 ²⁴	39 ⁵⁹	1	- 8 ¹³⁷
7645	7668	Lacaille 6884.....	7	16. 24. 21 ³⁶	35 ³¹	3	+ 3 ⁹⁴⁰	- 35. 22. 15 ⁷⁹	34 ⁸²	4	- 8 ¹³⁰	...	6884	104
7646	7669	28 Hercules	5 ⁶	16. 24. 28 ⁹⁶	33 ⁵⁷	6	+ 2 ⁹⁴⁶	+ 5. 52. 40 ¹⁵	35 ¹⁵	3	- 8 ¹¹⁹	2101	...	108
7647	7670	Piazzi XVI. 109.....	9	16. 24. 32 ³⁴	36 ⁵⁵	4	+ 3 ⁰²⁰	+ 2. 26. 42 ⁴⁷	36 ⁴⁹	4	- 8 ¹¹⁵	109
7648	7671	Piazzi XVI. 110.....	7	16. 24. 42 ⁶⁰	37 ⁸⁰	6	+ 3 ¹⁵⁵	- 3. 54. 16 ¹⁹	37 ⁸¹	6	- 8 ¹⁰¹	110
7649	7672	Lacaille 6885.....	7	16. 24. 47 ⁸³	35 ³⁸	3	+ 4 ¹⁹³	- 42. 30. 31 ⁵⁴	35 ¹⁹	3	- 8 ⁰⁹⁵	...	6885	106
7650	7673	29 Hercules	4 ⁵	16. 24. 53 ⁴¹	34 ⁶⁹	5	+ 2 ⁸¹⁵	+ 11. 50. 53 ¹⁵	33 ⁴⁴	3	- 8 ⁰⁸⁷	2105	...	112
7651	7674	Lacaille 6880.....	7 ⁸	16. 25. 14 ⁰²	38 ⁹⁵	2	+ 5 ⁰²³	- 57. 54. 7 ⁶⁶	38 ⁹⁵	2	- 8 ⁰⁵⁹	...	6880	...
7652	7675	31 Hercules	7	16. 25. 18 ⁷⁶	35 ⁴³	3	+ 2 ²⁵⁰	+ 33. 52. 17 ⁰⁴	34 ⁸¹	4	- 8 ⁰⁵⁴	2106	...	116
7653	7676	Lacaille 6890.....	6	16. 25. 31 ⁸⁵	36 ³⁶	3	+ 3 ⁹²⁷	- 34. 54. 28 ³⁴	36 ¹¹	4	- 8 ⁰³⁷	...	6890	111
7654	7677	34 Hercules	7	16. 25. 34 ³⁵	35 ⁵⁵	3	+ 1 ⁶⁴⁶	+ 49. 19. 22 ⁴⁷	35 ³²	3	- 8 ⁰³³	2107	...	118
7655	7678	23 Scorpii	3 ⁴	16. 25. 37 ⁵⁶	31 ⁵⁷	6	+ 3 ⁷²⁰	- 27. 51. 58 ¹⁴	33 ¹²	5	- 8 ⁰²⁹	2103	6897	113
7656	7679	Piazzi XVI. 115.....	7	16. 25. 38 ⁵¹	38 ⁰⁰	6	+ 3 ²⁴⁰	- 7. 47. 49 ³³	37 ³³	5	- 8 ⁰²⁷	115
7657	7680	Lacaille 6894.....	7 ⁸	16. 25. 47 ³⁶	38 ⁴⁹	2	+ 3 ⁹⁴⁸	- 35. 34. 9 ³⁴	38 ⁴⁸	2	- 8 ⁰¹⁵	...	6894	...
7658	7681	Lacaille 6899.....	6 ⁷	16. 26. 47 ²²	35 ⁴⁰	3	+ 4 ²¹⁹	- 43. 3. 16 ⁷¹	35 ²⁰	3	- 7 ⁹³⁵	...	6899	117
7659	7682	32 Hercules	7	16. 27. 3 ⁶⁶	35 ⁵⁶	3	+ 2 ³³⁸	+ 30. 50. 59 ⁷⁶	34 ⁷³	4	- 7 ⁹¹⁴	2110	...	120
7660	7683	Brisbane 5778.....	7 ⁸	16. 27. 27 ⁷²	41 ²¹	5	+ 4 ⁷⁵²	- 53. 47. 59 ⁴⁰	40 ⁸⁶	4	- 7 ⁸⁸¹
7661	7684	Piazzi XVI. 119.....	7	16. 27. 33 ⁶⁹	35 ¹⁵	3	+ 3 ²⁵⁶	- 8. 30. 31 ⁶⁰	35 ²⁴	3	- 7 ⁸⁷³	119
7662	7685	12 Ophiuchi	5	16. 27. 41 ⁸⁴	33 ⁰⁸	5	+ 3 ¹¹⁴	- 1. 57. 58 ⁷⁵	33 ⁴⁶	3	- 7 ⁸⁶¹	2108	...	121
7663	7686	Lacaille 6902.....	7	16. 27. 46 ¹⁴	38 ⁹⁷	2	+ 4 ⁴¹²	- 47. 26. 38 ⁷⁸	38 ⁹⁷	2	- 7 ⁸⁵⁶	...	6902	...
7664	7687	Piazzi XVI. 124.....	8 ⁹	16. 27. 46 ⁷¹	36 ⁶⁸	4	+ 2 ⁵⁷³	+ 22. 5. 14 ⁵³	36 ⁵²	4	- 7 ⁸⁵⁵	124
7665	7688	Piazzi XVI. 127.....	7	16. 27. 56 ³⁵	35 ⁴³	3	+ 2 ⁰⁹⁵	+ 38. 26. 8 ⁸⁷	35 ¹⁸	3	- 7 ⁸⁴²	127
7666	7689	Piazzi XVI. 122.....	8	16. 28. 0 ⁰⁵	36 ⁴⁵	1	+ 3 ²⁰⁰	- 5. 57. 5 ⁰⁸	36 ⁵¹	4	- 7 ⁸³⁷	122
7667	7690	Lacaille 6903.....	7 ⁸	16. 28. 1 ⁰⁶	38 ⁵⁹	2	+ 4 ⁶⁰⁰	- 51. 8. 55 ⁷⁰	38 ⁵⁹	2	- 7 ⁸³⁶	...	6903	...
7668	7691	Piazzi XVI. 125.....	7	16. 28. 2 ⁶⁴	35 ³⁵	3	+ 2 ⁶⁸⁵	+ 17. 24. 9 ³⁶	35 ¹⁹	3	- 7 ⁸³³	125
7669	7692	... Piazzi XVI. 126.....	7 ⁸	16. 28. 2 ⁹⁶	35 ⁴¹	2	+ 2 ⁶⁸⁵	+ 17. 26. 47 ³²	34 ⁸⁵	3	- 7 ⁸³³	126
7670	7693	Lacaille 6910.....	6 ⁷	16. 28. 3 ⁸⁹	39 ³²	1	+ 3 ⁹⁹⁵	- 36. 52. 37 ⁶⁸	39 ³²	1	- 7 ⁸³²	...	6910	...
7671	7694	13 Ophiuchi	3 ⁴	16. 28. 4 ⁹¹	31 ⁸²	5	+ 3 ²⁹⁴	- 10. 13. 35 ³⁹	31 ⁴⁹	6	- 7 ⁸³⁰	2109	...	123
7672	7695	15 Draconis	4 ⁵	16. 28. 20 ¹⁶	33 ⁵¹	2	- 0 ¹⁵⁸	+ 69. 7. 30 ⁴³	33 ³³	5	- 7 ⁸¹⁰	2118	...	135
7673	7696	Lacaille 6907.....	7	16. 28. 24 ⁹⁰	40 ²²	6	+ 4 ⁴⁶⁰	- 48. 25. 18 ³⁰	39 ⁸²	5	- 7 ⁸⁰⁴	...	6907	...
7674	7697	Lacaille 6908.....	8	16. 28. 34 ⁸⁶	38 ⁵⁹	2	+ 4 ⁵⁹⁷	- 51. 3. 48 ⁸⁴	38 ⁵⁹	2	- 7 ⁷⁸⁰	...	6908	...
7675	7698	Piazzi XVI. 130.....	8	16. 28. 45 ⁹⁴	36 ⁷¹	4	+ 2 ⁶⁷⁶	+ 17. 48. 51 ⁴⁶	36 ⁵³	4	- 7 ⁷⁷⁶	130
7676	7699	35 Hercules	4	16. 28. 47 ¹²	32 ⁰⁵	2	+ 1 ⁹³¹	+ 42. 46. 51 ⁵⁵	32 ³⁸	9	- 7 ⁷⁷⁵	2113	...	132
7677	7700	33 Hercules	6	16. 28. 51 ¹²	35 ⁴⁸	6	+ 2 ⁹¹¹	+ 7. 26. 55 ⁵⁴	33 ⁵⁸	3	- 7 ⁷⁶⁹	2112	...	129
7678	7701	Lacaille 6915.....	7	16. 28. 53 ⁹³	38 ⁸⁴	3	+ 4 ⁴¹⁴	- 47. 24. 47 ⁶⁹	38 ⁸⁵	3	- 7 ⁷⁶⁶	...	6915	...
7679	7702	Piazzi XVI. 128.....	7 ⁸	16. 28. 54 ⁹⁶	35 ²²	2	+ 3 ⁴⁷⁰	- 17. 52. 54 ⁶¹	34 ⁸³	4	- 7 ⁷⁶⁴	128
7680	7703	Lacaille 6912.....	6	16. 29. 0 ³⁷	40 ³³	6	+ 4 ⁴⁶³	- 48. 25. 50 ³²	40 ³¹	4	- 7 ⁷⁵⁷	...	6912	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800. +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7681	7704	Piazzi XVI. 131.....	7.8	16. 29. 10.55	35.50	2	+ 2.596	+ 21. 5. 51.02	35.16	3	- 7.746	131
7682	7705	Brisbane 5793.....	7	16. 29. 12.71	40.46	3	+ 4.760	- 53. 50. 38.48	39.40	2	- 7.740
7683	7706	Lacaille 6913.....	7	16. 29. 12.97	39.58	1	+ 4.507	- 49. 19. 12.40	39.58	1	- 7.740	...	6913	...
7684	7707	Piazzi XVI. 133.....	7.8	16. 29. 24.89	35.49	2	+ 2.746	+ 14. 48. 53.43	34.85	4	- 7.723	133
7685	7708	Piazzi XVI. 134.....	7.8	16. 29. 48.14	35.24	2	+ 2.717	+ 16. 2. 58.86	35.32	3	- 7.692	134
7686	7709	Lacaille 6917.....	7.8	16. 29. 54.76	38.52	2	+ 4.309	- 45. 2. 5.49	38.52	2	- 7.683	...	6917	...
7687	7710	Piazzi XVI. 140.....	7	16. 30. 6.45	35.57	2	+ 0.827	+ 61. 10. 14.36	35.56	3	- 7.668	140
7688	7711	Piazzi XVI. 136.....	7	16. 30. 11.97	35.38	3	+ 2.763	+ 14. 1. 36.30	35.48	2	- 7.660	136
7689	7712	Piazzi XVI. 139.....	7	16. 30. 34.78	35.55	3	+ 2.161	+ 36. 22. 48.52	34.78	4	- 7.629	139
7690	7713	Piazzi XVI. 138.....	8.9	16. 30. 42.24	36.34	3	+ 3.228	- 7. 10. 46.35	36.50	4	- 7.620	138
7691	7714	Piazzi XVI. 137.....	7	16. 30. 51.38	35.31	2	+ 3.524	- 20. 4. 42.95	35.21	3	- 7.607	137
7692	7715	Piazzi XVI. 146.....	7.8	16. 30. 56.94	35.59	2	+ 0.623	+ 63. 11. 57.92	34.60	3	- 7.599	146
7693	7716	Brisbane 5805.....	7	16. 31. 3.50	38.49	2	+ 4.342	- 45. 44. 41.79	38.49	2	- 7.590
7694	7717	Piazzi XVI. 141.....	8	16. 31. 7.63	36.69	3	+ 2.431	+ 27. 22. 48.78	36.53	4	- 7.586	141
7695	7718	Trianguli Australis...a	2	16. 31. 16.37	33.56	3	+ 6.249	- 68. 42. 43.56	33.45	5	- 7.573	...	6911	...
7696	7719	Lacaille 6933.....	7	16. 31. 27.77	38.48	1	+ 3.997	- 36. 44. 57.96	38.48	1	- 7.557	...	6933	...
7697	7720	Lacaille 6927.....	7	16. 31. 39.25	39.59	1	+ 4.706	- 52. 49. 51.78	39.59	1	- 7.543	...	6927	...
7698	7721	Piazzi XVI. 144.....	8.9	16. 31. 41.42	36.69	4	+ 2.778	+ 13. 22. 14.54	36.73	3	- 7.540	144
7699	7722	Piazzi XVI. 142.....	7.8	16. 31. 44.75	35.16	3	+ 3.468	- 17. 43. 50.67	34.62	3	- 7.534	142
7700	7723	Bradley 2114.....	5	16. 32. 2.36	31.58	6	+ 3.461	- 17. 24. 56.59	31.53	6	- 7.511	2114	...	143
7701	7724	Bradley 2115.....	6	16. 32. 12.13	35.15	3	+ 3.513	- 19. 36. 5.32	35.53	3	- 7.498	2115	...	145
7702	7725	16 Draconis.....	6	16. 32. 17.68	35.52	2	+ 1.412	+ 53. 14. 2.07	35.18	3	- 7.489	2122	...	152
7703	7726	Lacaille 6928.....	6.7	16. 32. 19.35	39.29	1	+ 5.071	- 58. 11.	- 7.487	...	6928	...
7704	7727	17 Draconis.....	6	16. 32. 19.90	35.58	1	+ 1.410	+ 53. 15. 30.78	35.58	3	- 7.486	2124	...	153
7705	7728	Lacaille 6941.....	6	16. 32. 20.06	41.54	5	+ 4.143	- 40. 47. 48.14	41.30	4	- 7.486	...	6941	...
7706	7729	36 Herculis..... ^{m1}	7.8	16. 32. 23.87	35.32	3	+ 2.974	+ 4. 32. 8.29	35.22	5	- 7.481	2116	...	147
7707	7730	37 Herculis..... ^{m2}	7	16. 32. 27.38	35.32	3	+ 2.973	+ 4. 32. 49.40	35.62	2	- 7.476	2117	...	149
7708	7731	Lacaille 6943.....	6	16. 32. 28.27	40.91	3	+ 4.143	- 40. 47. 30.28	41.04	2	- 7.476	...	6943	...
7709	7732	Piazzi XVI. 148.....	8.9	16. 32. 31.84	39.55	6	+ 3.126	- 2. 30. 38.28	39.04	7	- 7.471	148
7710	7733	Piazzi XVI. 158.....	7	16. 32. 39.53	39.61	5	+ 0.850	+ 60. 48. 15.39	38.22	5	- 7.462	158
7711	7734	Bradley 2119.....	7.8	16. 32. 54.12	35.36	3	+ 3.038	+ 1. 34. 18.95	35.48	1	- 7.441	2119	...	151
7712	7735	Piazzi XVI. 154.....	6.7	16. 33. 10.44	35.47	2	+ 2.792	+ 12. 43. 16.04	35.19	3	- 7.418	154
7713	7736	Lacaille 6949.....	6	16. 33. 18.11	35.39	2	+ 4.134	- 40. 31. 11.12	35.17	3	- 7.408	...	6949	150
7714	7737	Lacaille 6936.....	6.7	16. 33. 19.17	40.86	4	+ 5.063	- 58. 1. 39.64	40.86	4	- 7.406	...	6936	...
7715	7739	38 Herculis.....	7	16. 33. 21.56	35.49	1	+ 2.959	+ 5. 11. 49.80	35.32	2	- 7.404	2121	...	156
7716	7738	14 Ophiuchi.....	6.7	16. 33. 21.44	35.60	2	+ 3.040	+ 1. 30. 8.71	35.57	2	- 7.404	2120	...	155
7717	7740	Piazzi XVI. 157.....	7	16. 33. 55.19	38.36	2	+ 3.595	- 22. 48. 35.16	38.14	6	- 7.359	157
7718	7742	Lacaille 6953.....	7	16. 34. 2.16	38.50	2	+ 4.370	- 46. 13. 0.80	38.50	2	- 7.349	...	6953	...
7719	7741	Piazzi XVI. 161.....	7	16. 34. 2.40	35.40	3	+ 1.631	+ 49. 11. 29.80	34.52	3	- 7.349	161
7720	7743	42 Herculis.....	5.6	16. 34. 16.32	35.38	3	+ 1.627	+ 49. 15. 13.99	35.51	2	- 7.331	2128	...	163

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^s	[°] ['] ["]			["]			
7721	7744	Piazzi XVI. 160.....	7.8	16. 34. 17.58	36.70	4	+ 2.637	+ 19. 14. 34.09	36.77	4	- 7.327	160
7722	7745	Lacaille 6966.....	6.7	16. 34. 41.81	33.49	5	+ 3.740	- 28. 11. 43.31	33.24	5	- 7.295	...	6966	159
7723	7746	39 Hercules	6.7	16. 34. 55.76	35.24	2	+ 2.431	+ 27. 14. 23.53	35.31	3	- 7.275	2125	...	164
7724	7748	Lacaille 6962.	7	16. 35. 4.00	38.54	2	+ 4.167	- 41. 17. 58.42	38.54	2	- 7.265	...	6962	...
7725	7747	40 Hercules	3	16. 35. 4.20	32.55	31	+ 2.296	+ 31. 54. 19.33	32.45	23	- 7.265	2127	...	165
7726	7749	Piazzi XVI. 182.....	7	16. 35. 4.60	39.08	6	- 3.532	+ 79. 18. 37.11	38.21	5	- 7.264	182
7727	7750	15 Ophiuchi	7	16. 35. 13.80	36.30	6	+ 3.598	- 22. 52. 9.74	35.96	7	- 7.251	2123	...	162
7728	7751	Lacaille 6972	9	16. 35. 14.18	38.55	2	+ 3.750	- 28. 31. 40.15	38.54	2	- 7.251	...	6972	...
7729	7752	Aræ	4	16. 35. 34.75	33.48	7	+ 5.126	- 58. 44. 9.73	34.92	7	- 7.222	...	6956	...
7730	7753	Piazzi XVI. 166.....	8.9	16. 35. 42.37	36.63	4	+ 2.978	+ 4. 20. 6.20	36.53	3	- 7.213	166
7731	7754	Lacaille 6974	7	16. 35. 44.63	38.49	2	+ 4.090	- 39. 13. 25.36	38.48	2	- 7.208	...	6974	...
7732	7755	Brisbane 5834.....	7	16. 35. 51.96	38.54	2	+ 4.176	- 41. 30. 3.40	38.54	2	- 7.199
7733	7756	Lacaille 6963.....	7	16. 35. 53.57	39.32	1	+ 4.706	- 52. 38. 7.77	39.32	1	- 7.196	...	6963	...
7734	7757	Piazzi XVI. 171.....	7	16. 36. 0.42	38.82	6	+ 0.773	+ 61. 29. 49.30	37.65	5	- 7.187	171
7735	7758	Lacaille 6973.....	7	16. 36. 4.78	38.49	2	+ 4.349	- 45. 38. 16.31	38.49	2	- 7.181	...	6973	...
7736	7759	25 Scorpii	6	16. 36. 45.92	33.54	4	+ 3.660	- 25. 13. 13.23	33.59	5	- 7.125	2126	6981	168
7737	7760	Piazzi XVI. 167.....	8	16. 36. 51.73	36.55	4	+ 3.896	- 33. 23. 28.10	36.54	4	- 7.117	167
7738	7761	41 Hercules	7	16. 36. 58.20	35.15	3	+ 2.931	+ 6. 24. 39.07	34.86	4	- 7.109	2130	...	169
7739	7762	16 Ophiuchi	6	16. 37. 7.20	33.53	4	+ 3.043	+ 1. 19. 44.21	33.50	5	- 7.097	2129	...	170
7740	7763	Lacaille 6980.....	7	16. 37. 9.58	39.58	1	+ 4.000	- 36. 34. 48.43	39.58	1	- 7.093	...	6980	...
7741	7764	Piazzi XVI. 172.....	7	16. 37. 11.60	36.66	4	+ 2.136	+ 36. 49. 20.76	36.69	4	- 7.090	172
7742	7765	44 Hercules	3	16. 37. 14.44	31.55	3	+ 2.051	+ 39. 14. 23.78	31.73	8	- 7.087	2133	...	173
7743	7766	Piazzi XVI. 178.....	7.8	16. 37. 20.84	39.66	8	+ 1.183	+ 56. 29. 8.47	37.98	5	- 7.078	178
7744	7767	Piazzi XVI. 177.....	6.7	16. 37. 46.61	35.55	3	+ 2.216	+ 34. 20. 49.74	34.85	4	- 7.041	177
7745	7768	Piazzi XVI. 195.....	7	16. 37. 50.46	35.59	3	- 2.707	+ 77. 46. 13.27	34.53	3	- 7.037	195
7746	7769	43 Hercules	5	16. 37. 54.91	32.79	5	+ 2.876	+ 8. 53. 20.75	33.44	3	- 7.031	2131	...	175
7747	7770	Lacaille 6982.....	7	16. 38. 1.92	39.59	1	+ 4.551	- 49. 44. 49.27	39.58	1	- 7.021	...	6982	...
7748	7771	Lacaille 6991.....	7.8	16. 38. 12.47	35.94	6	+ 3.635	- 24. 13. 26.58	36.21	7	- 7.007	...	6991	174
7749	7772	46 Hercules	7	16. 38. 31.37	35.42	2	+ 2.387	+ 28. 39. 49.23	35.19	3	- 6.982	2136	...	181
7750	7773	Lacaille 6987.....	7	16. 38. 32.74	35.43	2	+ 3.909	- 33. 42. 54.90	35.17	3	- 6.979	...	6987	176
7751	7774	19 Ophiuchi	6	16. 38. 51.34	35.40	2	+ 3.020	+ 2. 22. 8.02	34.78	4	- 6.954	2135	...	180
7752	7775	Piazzi XVI. 194.....	7.8	16. 39. 16.92	35.56	3	+ 0.648	+ 62. 37. 26.23	35.50	2	- 6.918	194
7753	7776	Piazzi XVI. 179	8	16. 39. 21.28	40.15	6	+ 4.184	- 41. 32. 7.22	42.15	3	- 6.913	179
7754	7777	26 Scorpii	3	16. 39. 29.78	32.41	5	+ 3.918	- 33. 59. 8.46	31.55	5	- 6.901	2132	6996	184
7755	7778	45 Hercules.....	5.6	16. 39. 39.31	33.45	4	+ 2.950	+ 5. 32. 54.95	33.61	2	- 6.889	2137	...	187
7756	7779	18 Ophiuchi	6	16. 39. 42.32	33.50	1	+ 3.640	- 24. 20. 28.12	32.22	1	- 6.885	...	7004	185
7757	7780	18 Draconis	5	16. 39. 47.32	33.57	2	+ 0.378	+ 64. 54. 9.35	33.47	6	- 6.877	2141	...	197
7758	7781	Brisbane 5854.....	8	16. 39. 59.77	39.60	2	+ 4.941	- 56. 5. 10.18	39.60	2	- 6.860
7759	7782	Lacaille 7000.....	6.7	16. 40. 4.55	36.70	5	+ 4.155	- 40. 56. 16.04	36.52	5	- 6.855	...	7000	186
7760	7783	Scorpii	3.4	16. 40. 42.69	38.55	6	+ 4.046	- 37. 45. 21.44	34.62	8	- 6.801	...	7006	189

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7761	7784	20 ^o Ophiuchi.....	5	16. 40. 42.80	31.54	7	+ 3.305	- 10. 29. 1.97	31.98	5	- 6.851	2138	...	191
7762	7785	Lacaille 6994	7.8	16. 40. 44.37	38.60	2	+ 4.813	- 54. 9. 6.88	38.60	1	- 6.799	...	6994	...
7763	7786	Piazzi XVI. 188.....	7	16. 40. 46.02	39.04	7	+ 4.188	- 41. 33. 54.50	35.57	6	- 6.792	188
7764	7787	Lacaille 7005	6.7	16. 40. 51.24	38.56	2	+ 4.233	- 42. 42. 6.54	38.55	2	- 6.789	...	7005	...
7765	7788	Lacaille 7007	7	16. 41. 1.39	36.61	5	+ 4.144	- 40. 26. 0.74	36.55	5	- 6.777	...	7007	190
7766	7789	Scorpii..... μ^2	4	16. 41. 10.70	39.42	5	+ 4.047	- 37. 43. 39.87	35.72	4	- 6.763	...	7009	193
7767	7790	Piazzi XVI. 192.....	9	16. 41. 14.40	38.92	10	+ 4.183	- 41. 29. 52.58	37.66	11	- 6.758	192
7768	7791	Lacaille 7003	8	16. 41. 24.95	39.31	2	+ 4.923	- 55. 45. 46.26	39.31	2	- 6.743	...	7003	...
7769	7792	Piazzi XVI. 196.....	7	16. 41. 26.93	35.24	3	+ 3.439	- 16. 15. 13.71	35.32	2	- 6.740	196
7770	7793	Lacaille 7011	7	16. 41. 28.73	38.58	2	+ 4.032	- 37. 18. 36.41	38.58	2	- 6.737	...	7011	...
7771	7794	Brisbane 5869.....	7.8	16. 41. 46.91	41.38	3	+ 5.244	- 59. 52. 46.35	41.37	3	- 6.713
7772	7795	Lacaille 7010	6.7	16. 41. 58.77	39.58	1	+ 4.544	- 49. 25. 39.47	39.58	1	- 6.697	...	7010	...
7773	7796	Lacaille 7014	6	16. 42. 0.66	38.56	2	+ 4.238	- 42. 45. 55.42	38.55	2	- 6.695	...	7014	...
7774	7797	Piazzi XVI. 213.....	7	16. 42. 14.32	37.92	3	+ 1.229	+ 55. 36. 53.26	38.91	2	- 6.676	213
7775	7798	47 Herenlis..... κ	5	16. 42. 18.99	31.44	5	+ 2.905	+ 7. 32. 18.87	31.47	5	- 6.669	2139	...	207
7776	7799	Piazzi XVI. 208.....	7.8	16. 42. 20.00	37.23	2	+ 2.884	+ 8. 27. 40.46	36.88	4	- 6.668	208
7777	7800	Scorpii..... ξ^1	6	16. 42. 22.27	36.99	4	+ 4.214	- 42. 4. 43.66	35.53	5	- 6.665	...	7016	198
7778	7801	Piazzi XVI. 199.....	8	16. 42. 24.04	36.82	4	+ 4.196	- 41. 42. 38.87	36.69	4	- 6.662	199
7779	7802	Lacaille 7017	6.7	16. 42. 28.40	38.18	7	+ 4.189	- 41. 31. 24.95	37.07	6	- 6.658	...	7017	200
7780	7803	Taylor 7803	7	16. 42. 30.25	42.44	2	+ 4.188	- 41. 29. 52.74	42.41	2	- 6.654
7781	7804	Piazzi XVI. 202.....	7	16. 42.	+ 4.190	- 41. 32. 32.16	37.21	5	- 6.646	202
7782	7805	Piazzi XVI. 203.....	6.7	16. 42. 37.50	38.25	4	+ 4.191	- 41. 33. 55.89	38.58	8	- 6.645	203
7783	7806	Piazzi XVI. 204.....	8	16. 42. 46.09	37.19	4	+ 4.190	- 41. 32.	- 6.631	204
7784	7807	Lacaille 7019	7	16. 42. 48.72	35.30	2	+ 4.216	- 42. 11. 50.48	35.59	3	- 6.628	...	7019	205
7785	7808	48 Herenlis	6.7	16. 42. 50.38	35.48	2	+ 2.336	+ 30. 15. 8.13	35.46	2	- 6.626	2142	...	212
7786	7809	Piazzi XVI. 217	9	16. 42. 54.40	37.01	3	+ 0.975	+ 58. 57. 13.35	36.93	4	- 6.621	217
7787	7810	corpii..... ξ^2	5.6	16. 42. 59.57	35.16	3	+ 4.209	- 42. 4. 13.42	35.50	1	- 6.614	...	7025	206
7788	7811	21 Ophiuchi.....	6	16. 43. 3.29	33.26	4	+ 3.039	+ 1. 30. 12.88	33.57	3	- 6.609	2140	...	210
7789	7812	Arct..... ρ	7.8	16. 43. 27.08	39.58	1	+ 4.599	- 50. 23. 52.18	39.58	1	- 6.576	...	7024	...
7790	7813	Piazzi XVI. 209.....	7.8	16. 43. 27.72	36.85	2	+ 4.202	- 41. 48. 42.65	36.81	3	- 6.574	209
7791	7814	Piazzi XVI. 219.....	7	16. 43. 28.79	38.53	5	+ 1.220	+ 55. 42. 17.43	35.10	2	- 6.572	219
7792	7815	Brisbane 5883	7	16. 43. 29.93	42.58	1	+ 4.142	- 40. 14. 45.02	42.58	1	- 6.571
7793	7816	Piazzi XVI. 214.....	6.7	16. 43. 41.44	32.63	5	+ 3.535	- 20. 8. 2.91	33.59	2	- 6.556	214
7794	7817	Lacaille 7035	7.8	16. 43. 41.48	36.98	3	+ 3.899	- 33. 11. 39.12	36.78	4	- 6.556	...	7035	211
7795	7818	Lacaille 7031	6	16. 43. 51.41	39.82	3	+ 4.252	- 43. 2. 17.69	39.82	3	- 6.542	...	7031	...
7796	7819	Lacaille 7033	7	16. 44. 5.10	35.44	2	+ 3.811	- 30. 18. 30.55	35.32	3	- 6.523	...	7033	215
7797	7820	50 Herenlis	5	16. 44. 12.85	31.57	4	+ 2.339	+ 30. 5. 33.81	31.79	5	- 6.513	2145	...	221
7798	7821	Lacaille 7038	7	16. 44. 18.30	35.24	2	+ 4.105	- 39. 13. 38.27	35.20	3	- 6.505	...	7038	216
7799	7822	52 Herenlis	5	16. 44. 24.49	33.49	3	+ 1.750	+ 46. 16. 27.08	33.47	5	- 6.497	2149	...	224
7800	7823	49 Herenlis	6	16. 44. 34.61	33.59	4	+ 2.727	+ 15. 15. 23.63	35.16	3	- 6.481	2144	...	223

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazz.
7801	7824	Brisbane 5891.....	6.7	^{h m s} 16. 44. 48.47	38.57	2	^s + 4.149	^{° ' "} - 40. 23. 8.15	38.57	2	["] - 6.462
7802	7825	22 Ophiuchi.....	6.7	16. 44. 53.06	33.62	2	+ 3.615	- 23. 14. 3.74	35.17	3	- 6.456	2143	7051	220
7803	7826	51 Hercules	6	16. 44. 55.00	39.11	3	+ 2.484	+ 24. 56. 20.59	36.94	4	- 6.454	2147	...	225
7804	7827	Aræ	3.4	16. 45. 0.06	39.40	5	+ 4.929	- 55. 43. 8.25	34.55	7	- 6.447	...	7034	...
7805	7828	Piazz. XVI. 229.....	7.8	16. 45. 2.92	37.52	6	+ 1.217	+ 55. 40. 47.07	36.31	4	- 6.444	229
7806	7829	Piazz. XVI. 231	7	16. 45. 3.57	35.48	2	+ 1.062	+ 57. 46. 43.32	35.58	3	- 6.443	231
7807	7830	Lacaille 7053	7	16. 45. 8.03	36.80	3	+ 4.155	- 40. 33. 0.71	36.87	4	- 6.436	...	7053	218
7808	7831	Lacaille 7049	7.8	16. 45. 11.83	36.54	2	+ 3.902	- 33. 13. 56.79	36.44	4	- 6.431	...	7049	222
7809	7832	Brisbane 5896.....	7	16. 45. 28.84	38.91	3	+ 4.137	- 40. 14. 26.61	38.91	3	- 6.406
7810	7833	Lacaille 7036	7	16. 45. 33.86	38.95	2	+ 5.187	- 59. 3. 32.17	38.95	2	- 6.400	...	7036	...
7811	7834	Lacaille 7045	6	16. 45. 35.49	39.58	1	+ 4.602	- 50. 22. 14.91	39.58	1	- 6.398	...	7045	...
7812	7835	Piazz. XVI. 226.....	7.8	16. 45. 45.44	38.08	3	+ 3.158	- 3. 53. 19.14	36.90	4	- 6.384	226
7813	7836	23 Ophiuchi.....	5	16. 45. 47.02	31.63	3	+ 3.203	- 5. 52. 38.37	33.14	5	- 6.381	2146	...	227
7814	7837	Piazz. XVI. 239.....	7	16. 45. 53.11	35.58	3	+ 0.493	+ 63. 49. 4.18	35.26	3	- 6.373	239
7815	7838	25 Ophiuchi	4	16. 46. 12.41	38.50	5	+ 2.838	+ 10. 26. 33.30	37.56	10	- 6.348	2150	...	233
7816	7839	Piazz. XVI. 230.....	7	16. 46. 16.76	35.49	2	+ 3.214	- 6. 22. 38.85	34.85	4	- 6.340	230
7817	7840	27 Scorpii.....	6.7	16. 46. 26.65	35.29	3	+ 3.896	- 32. 59. 22.32	35.30	3	- 6.327	228
7818	7841	Aræ	4.5	16. 46. 27.86	37.55	3	+ 4.750	- 52. 53. 50.56	33.60	4	- 6.326	...	7050	...
7819	7842	Piazz. XVI. 232.....	6	16. 46. 30.91	32.40	3	+ 3.449	- 16. 32. 10.84	35.18	3	- 6.321	232
7820	7843	Brisbane 5903.....	7.8	16. 46. 32.81	39.59	1	+ 4.094	- 38. 50. 53.57	39.59	1	- 6.318
7821	7844	Lacaille 7056	7	16. 46. 38.19	39.62	1	+ 4.513	- 48. 36. 37.05	39.62	1	- 6.311	...	7056	...
7822	7845	53 Hercules	5	16. 46. 42.75	31.56	7	+ 2.279	+ 31. 58. 43.39	31.55	5	- 6.305	2151	...	238
7823	7846	24 Ophiuchi.....	6.7	16. 46. 51.69	33.50	3	+ 3.608	- 22. 52. 52.04	33.50	4	- 6.292	2148	...	234
7824	7847	Piazz. XVI. 235.....	8	16. 46. 59.68	36.63	4	+ 3.202	- 5. 51. 0.93	36.69	4	- 6.281	235
7825	7848	Piazz. XVI. 241.....	8	16. 47. 15.52	37.21	4	+ 1.500	+ 51. 3. 0.67	36.52	4	- 6.260	241
7826	7849	Lacaille 7057	7	16. 47. 21.70	40.92	4	+ 4.977	- 56. 17. 37.70	40.91	4	- 6.250	...	7057	...
7827	7850	Piazz. XVI. 236.....	6.7	16. 47. 22.94	32.75	3	+ 3.516	- 19. 16. 18.01	35.16	3	- 6.249	236
7828	7851	Brisbane 5911.....	7.8	16. 47. 36.50	39.58	1	+ 5.170	- 58. 47. 22.77	39.58	1	- 6.231
7829	7852	Piazz. XVI. 240.....	7	16. 47. 40.49	35.40	3	+ 2.757	+ 13. 53. 31.33	35.58	3	- 6.225	240
7830	7853	Lacaille 7065	8	16. 47. 43.42	37.81	3	+ 4.042	- 37. 21. 16.79	37.33	6	- 6.220	...	7065	237
7831	7854	34 Hercules	5.6	16. 48. 7.15	37.59	2	+ 2.642	+ 18. 42. 9.63	35.17	3	- 6.189	2152	...	242
7832	7855	56 Hercules	6	16. 48. 17.20	35.40	3	+ 2.452	+ 26. 0. 3.85	35.54	3	- 6.173	2154	...	243
7833	7856	Piazz. XVI. 247.....	7.8	16. 48. 19.77	35.39	2	+ 1.282	+ 54. 36. 20.13	34.85	4	- 6.170	247
7834	7857	Brisbane 5917.....	8.9	16. 48. 41.97	38.50	2	+ 4.989	- 56. 25. 12.09	38.50	2	- 6.140
7835	7858	Brisbane 5920.....	7.8	16. 49. 15.19	38.60	2	+ 4.056	- 37. 40. 44.40	38.60	2	- 6.093
7836	7859	Piazz. XVI. 246.....	7	16. 49. 17.22	35.31	3	+ 2.927	+ 6. 28. 30.99	35.21	3	- 6.091	246
7837	7860	Piazz. XVI. 244.....	7.8	16. 49. 18.99	37.24	3	+ 3.404	- 14. 36. 25.93	36.72	4	- 6.089	244
7838	7861	Piazz. XVI. 245.....	9	16. 49. 32.25	37.04	3	+ 3.427	- 15. 32. 58.63	36.82	4	- 6.070	245
7839	7862	Piazz. XVI. 253.....	7	16. 49. 35.12	35.53	2	+ 1.714	+ 46. 48. 32.35	35.54	3	- 6.066	253
7840	7863	27 Ophiuchi.....	4	16. 49. 51.77	34.85	7	+ 2.856	+ 9. 38. 14.58	35.22	23	- 6.043	2156	...	252

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^s	[°] ['] ["]			["]			
7841	7864	Bradley 2153	6	16. 49. 52.35	39.08	6	+ 3.662	- 24. 50. 2.71	35.99	7	- 6.043	2153	7082	248
7842	7865	Piazzi XVI. 250.....	7	16. 49. 55.92	39.56	5	+ 3.433	- 15. 48. 19.82	42.60	1	- 6.037	250
7843	7866	Aræ ^{e2}	6	16. 49. 59.57	39.58	1	+ 4.763	- 52. 58. 49.52	39.58	1	- 6.032	...	7073	...
7844	7867	26 Ophiuchi.....	6	16. 50. 3.87	33.62	2	+ 3.659	- 24. 43. 48.10	33.58	4	- 6.027	2155	7085	249
7845	7868	Piazzi XVI. 251.....	7	16. 50. 8.53	33.33	7	+ 3.486	- 17. 59. 3.96	35.49	6	- 6.020	251
7846	7869	Piazzi XVI. 254.....	9	16. 50. 38.76	37.04	3	+ 3.486	- 17. 57. 30.40	36.90	2	- 5.977	254
7847	7870	Piazzi XVI. 264	8	16. 50. 44.10	37.35	2	+ 0.275	+ 65. 28. 27.90	37.21	4	- 5.970	264
7848	7871	57 Hercules	6.7	16. 50. 44.66	35.51	3	+ 2.460	+ 25. 36. 44.06	35.59	2	- 5.968	2157	...	257
7849	7872	Lacaille 7080	7	16. 50. 49.80	39.62	1	+ 4.494	- 48. 5. 19.86	39.62	1	- 5.961	...	7080	...
7850	7874	Lacaille 7084	7	16. 50. 50.69	41.47	3	+ 4.331	- 44. 36. 14.09	41.42	3	- 5.961	...	7084	...
7851	7873	Piazzi XVI. 258.....	6.7	16. 50. 51.22	35.36	3	+ 2.486	+ 24. 38. 33.10	35.59	3	- 5.960	258
7852	7875	Piazzi XVI. 256.....	6.7	16. 51. 7.34	35.24	2	+ 3.161	- 3. 58. 8.44	35.56	3	- 5.939	256
7853	7876	Lacaille 7089	6	16. 51. 13.30	33.51	3	+ 3.867	- 31. 53. 23.97	35.16	3	- 5.930	...	7089	255
7854	7877	Lacaille 7092	9	16. 51. 47.38	37.01	3	+ 3.871	- 32. 0. 28.19	36.68	4	- 5.882	...	7092	259
7855	7878	Brisbane 5937.....	7	16. 51. 50.30	38.49	2	+ 4.052	- 37. 28. 15.94	38.48	2	- 5.878
7856	7879	Piazzi XVI. 260.....	7	16. 51. 53.09	39.26	5	+ 3.374	- 13. 18. 4.75	37.58	5	- 5.873	260
7857	7880	Piazzi XVI. 267.....	7	16. 51. 53.23	35.59	2	+ 1.532	+ 50. 17. 59.40	35.26	2	- 5.873	267
7858	7881	Piazzi XVI. 262.....	7.8	16. 52. 2.04	37.79	10	+ 2.820	+ 11. 10. 6.57	38.46	6	- 5.861	262
7859	7882	Brisbane 5939.....	7.8	16. 52. 3.21	38.58	2	+ 4.303	- 43. 54. 12.15	38.58	2	- 5.860
7860	7883	29 Ophiuchi.....	6	16. 52. 12.55	33.27	5	+ 3.503	- 18. 38. 6.48	35.17	3	- 5.846	2158	...	261
7861	7884	30 Ophiuchi.....	6	16. 52. 21.82	33.58	2	+ 3.161	- 3. 58. 8.79	35.16	3	- 5.834	2159	...	263
7862	7885	Piazzi XVI. 265.....	7	16. 52. 29.43	38.13	7	+ 2.821	+ 11. 4. 44.16	35.21	3	- 5.823	265
7863	7886	Piazzi XVI. 266.....	7.8	16. 52. 43.37	35.60	3	+ 3.217	- 6. 29. 15.86	34.61	3	- 5.805	266
7864	7887	Lacaille 7101	6	16. 52. 45.28	38.46	2	+ 4.058	- 37. 36. 1.05	38.46	2	- 5.802	...	7101	...
7865	7888	Lacaille 7095	8.9	16. 52. 48.83	38.61	2	+ 4.432	- 46. 43. 43.20	38.61	2	- 5.797	...	7095	...
7866	7889	Brisbane 5944.....	8	16. 53. 2.15	39.32	1	+ 5.240	- 59. 25. 47.09	39.32	1	- 5.778
7867	7890	Lacaille 7100	6.7	16. 53. 3.64	39.59	1	+ 4.365	- 45. 15. 33.41	39.59	1	- 5.776	...	7100	...
7868	7891	28 Ophiuchi.....	7	16. 53. 52.16	37.10	6	+ 3.682	- 25. 27. 16.08	37.03	5	- 5.709	269
7869	7892	Lacaille 7106	6	16. 53. 55.72	38.58	2	+ 4.304	- 43. 52. 4.66	38.57	2	- 5.702	...	7106	...
7870	7893	Piazzi XVI. 275.....	9	16. 53. 56.08	36.80	3	+ 1.636	+ 48. 14. 57.95	36.88	4	- 5.702	275
7871	7894	58 Hercules..... ^e	3	16. 53. 58.75	32.33	7	+ 2.297	+ 31. 10. 25.47	32.71	10	- 5.698	2161	...	272
7872	7895	Lacaille 7109	5	16. 53. 58.79	31.55	5	+ 3.933	- 33. 52. 58.50	31.61	5	- 5.698	...	7109	268
7873	7896	Piazzi XVI. 270.....	6.7	16. 54. 3.60	35.56	2	+ 2.876	+ 8. 41. 44.26	34.78	4	- 5.692	270
7874	7897	Piazzi XVI. 276.....	6.7	16. 54. 31.93	35.40	2	+ 2.406	+ 27. 26. 42.72	34.60	3	- 5.652	276
7875	7898	31 Ophiuchi.....	7	16. 54. 35.23	39.59	7	+ 3.681	- 25. 24. 7.73	36.43	5	- 5.648	2160	...	271
7876	7899	Lacaille 7113	7	16. 54. 37.94	39.58	1	+ 4.021	- 36. 30. 12.59	39.58	1	- 5.643	...	7113	...
7877	7900	Piazzi XVI. 282	6.7	16. 54. 42.07	35.62	1	+ 0.594	+ 62. 37. 30.11	34.95	3	- 5.638	282
7878	7901	Brisbane 5956.....	7	16. 54. 48.66	38.52	2	+ 4.016	- 36. 21. 8.91	38.53	2	- 5.629
7879	7902	Piazzi XVI. 274.....	9	16. 54. 55.68	36.66	5	+ 3.471	- 17. 14. 53.30	36.70	4	- 5.618	274
7880	7903	Piazzi XVI. 273.....	7	16. 54. 59.45	33.56	3	+ 3.546	- 20. 15. 19.98	33.61	3	- 5.614	273

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7881	7904	Lacaille 7112	7.8	h m s 16. 55. 5.95	41.47	3	+ 4.432	— 46. 39. 23.41	40.92	2	— 5.605	...	7112	...
7882	7905	19 Draconis ^{h1}	5	16. 55. 8.10	35.30	6	+ 0.270	+ 65. 23. 14.70	31.55	5	— 5.601	2169	...	286
7883	7906	Lacaille 7117	7	16. 55. 24.76	39.60	1	+ 4.423	— 46. 26. 53.23	39.60	1	— 5.578	...	7117	...
7884	7907	Piazzi XVI. 277	6	16. 55. 25.29	33.05	5	+ 3.318	— 10. 50. 59.34	35.17	3	— 5.578	277
7885	7908	Lacaille 7120	7	16. 55. 26.26	41.57	4	+ 4.322	— 44. 12. 36.22	42.27	4	— 5.576	...	7120	...
7886	7909	59 Heroulis ^d	5	16. 55. 31.14	31.65	1	+ 2.211	+ 33. 48. 41.05	32.97	7	— 5.570	2165	...	280
7887	7910	Bradley 2163	5.6	16. 55. 34.53	39.28	7	+ 2.744	+ 14. 20. 6.63	35.18	3	— 5.564	2163	...	279
7888	7911	20 Draconis ^{h2}	7	16. 55. 37.23	36.54	2	+ 0.281	+ 65. 17. 28.54	35.32	3	— 5.562	2170	...	290
7889	7912	Piazzi XVI. 278	7	16. 55. 52.43	35.29	3	+ 3.708	— 26. 20. 49.31	35.58	2	— 5.541	278
7890	7913	Brisbane 5961.....	7.8	16. 56. 3.63	39.62	1	+ 4.260	— 42. 44. 47.01	39.62	1	— 5.524
7891	7914	Bradley 2164	6	16. 56. 4.38	38.58	4	+ 2.755	+ 13. 50. 42.28	37.72	10	— 5.524	2164	...	283
7892	7915	Piazzi XVI. 291.....	6.7	16. 56. 19.87	37.17	4	+ 1.097	+ 56. 55. 58.86	37.35	4	— 5.500	291
7893	7916	Bradley 2162	6	16. 56. 21.37	33.52	3	+ 3.574	— 21. 19. 41.27	35.18	3	— 5.498	2162	...	281
7894	7917	Bradley 2166	6	16. 56. 22.85	34.92	3	+ 2.755	+ 13. 49.	— 5.496	2166	...	285
7895	7918	Lacaille 7137	7	16. 56. 40.23	35.24	2	+ 3.707	— 26. 16. 53.63	35.59	3	— 5.473	...	7137	284
7896	7919	Piazzi XVI. 287.....	7	16. 56. 42.71	36.83	6	+ 2.605	+ 19. 55. 36.91	36.73	4	— 5.469	287
7897	7920	Lacaille 7133	7.8	16. 56. 45.54	38.96	2	+ 4.182	— 40. 47. 48.26	38.96	2	— 5.465	...	7133	...
7898	7921	Piazzi XVI. 289.....	6	16. 57. 2.42	38.56	5	+ 3.087	— 0. 39. 31.04	35.03	6	— 5.441	289
7899	7922	Piazzi XVI. 288.....	8	16. 57. 8.72	36.87	4	+ 3.350	— 12. 10. 51.32	36.90	4	— 5.432	288
7900	7923	Piazzi XVI. 296.....	7.8	16. 57. 11.21	35.59	1	+ 0.955	+ 58. 42. 21.08	34.60	3	— 5.429	296
7901	7924	Piazzi XVI. 292	6.7	16. 57. 30.53	35.24	2	+ 2.608	+ 19. 49. 58.52	35.21	3	— 5.402	292
7902	7925	61 Herculis ^c	6.7	16. 57. 34.78	35.45	2	+ 2.148	+ 35. 39. 3.02	35.27	3	— 5.396	2168	...	295
7903	7926	Lacaille 7135	7.8	16. 57. 37.71	38.51	2	+ 4.444	— 46. 48. 31.30	38.51	2	— 5.391	...	7135	...
7904	7927	60 Heroulis ^e	5	16. 57. 43.69	31.58	2	+ 2.775	+ 12. 58. 22.79	31.59	5	— 5.383	2167	...	293
7905	7928	Lacaille 7141	7.8	16. 58. 7.50	40.45	4	+ 4.432	— 46. 31. 0.44	40.45	4	— 5.352	...	7141	...
7906	7929	Piazzi XVI. 301.....	7.8	16. 58. 18.25	35.54	1	+ 1.242	+ 54. 50. 0.24	35.58	2	— 5.336	301
7907	7930	Piazzi XVI. 298.....	7	16. 58. 25.34	35.22	2	+ 2.829	+ 10. 40. 58.23	35.32	3	— 5.326	298
7908	7931	Piazzi XVI. 297.....	6.7	16. 58. 40.48	34.68	6	+ 3.476	— 17. 23. 3.55	34.13	5	— 5.302	297
7909	7932	Lacaille 7136	7	16. 58. 44.48	39.32	2	+ 5.167	— 58. 22. 38.74	39.32	2	— 5.298	...	7136	...
7910	7933	Lacaille 7147	6	16. 58. 45.79	38.19	7	+ 4.332	— 44. 20. 8.33	37.77	6	— 5.296	...	7147	294
7911	7934	Piazzi XVI. 304.....	7	16. 58. 54.62	35.41	1	+ 0.942	+ 58. 47. 40.31	34.61	3	— 5.283	304
7912	7935	Lacaille 7144	7.8	16. 59. 1.07	39.62	1	+ 4.794	— 53. 9. 37.71	39.62	1	— 5.275	...	7144	...
7913	7936	Brisbane 5973.....	7.8	16. 59. 9.04	39.58	1	+ 4.407	— 45. 57. 54.42	39.58	1	— 5.263
7914	7937	Piazzi XVI. 299.....	7.8	16. 59. 13.39	35.32	3	+ 3.342	— 11. 48. 35.95	34.52	3	— 5.256	299
7915	7938	Piazzi XVI. 300.....	9	16. 59. 30.48	36.53	1	+ 3.475	— 17. 20. 51.30	36.62	3	— 5.234	300
7916	7939	Lacaille 7148	9	16. 59. 33.28	38.55	2	+ 4.891	— 54. 38. 15.05	38.55	2	— 5.229	...	7148	...
7917	7940	Piazzi XVI. 303	6	16. 59. 43.29	33.50	5	+ 3.091	— 0. 51. 18.18	35.17	3	— 5.215	303
7918	7941	Lacaille 7151	7.8	17. 0. 0.79	39.29	1	+ 5.030	— 56. 35. 18.45	39.29	1	— 5.190	...	7151	...
7919	7942	Piazzi XVI. 307	6.7	17. 0. 3.57	35.59	3	+ 1.823	+ 44. 2. 24.35	35.23	3	— 5.186	307
7920	7943	Lacaille 7152	6.7	17. 0. 19.20	39.29	1	+ 5.038	— 56. 40. 44.70	39.29	1	— 5.165	...	7152	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cci}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7921	7944	Scorpii	4	h m s 17. 0. 20.36	31.58	5	+ 4.278	— 43. 0. 43.51	32.00	5	— 5.163	...	7155	302
7922	7945	Piazzi XVI. 310.....	6	17. 0. 27.32	39.08	6	+ 1.584	+ 49. 2. 4.36	40.05	3	— 5.153	310
7923	7946	Piazzi XVI. 305.....	7	17. 0. 32.77	35.38	3	+ 3.522	— 19. 13. 10.90	35.56	3	— 5.145	305
7924	7947	Lacaille 7159.....	6.7	17. 0. 53.06	38.54	2	+ 4.130	— 39. 17. 30.60	38.54	2	— 5.116	...	7159	...
7925	7948	35 Ophiuchi.....	2.3	17. 0. 55.35	32.83	14	+ 3.431	— 15. 30. 48.93	31.51	5	— 5.114	2171	...	306
7926	7949	Piazzi XVI. 312.....	8	17. 1. 10.52	36.98	4	+ 2.403	+ 27. 21. 27.21	38.03	5	— 5.091	312
7927	7950	Lacaille 7158.....	7.8	17. 1. 13.75	39.31	1	+ 4.464	— 47. 6. 35.37	39.31	1	— 5.087	...	7158	...
7928	7951	Piazzi XVI. 309.....	7	17. 1. 17.20	35.40	3	+ 3.554	— 20. 26. 3.00	35.59	1	— 5.083	309
7929	7952	Piazzi XVI. 313.....	8	17. 1. 22.16	38.61	8	+ 2.404	+ 27. 19. 14.49	38.76	7	— 5.077	313
7930	7953	Piazzi XVI. 308.....	9	17. 1. 22.85	36.88	4	+ 3.717	— 26. 29. 18.41	36.56	4	— 5.075	308
7931	7954	62 Heroulius	7	17. 1. 44.66	35.57	2	+ 2.477	+ 24. 42. 24.17	35.62	1	— 5.044	2173	...	2
7932	7955	21 Draconis	4	17. 1. 55.44	31.53	2	+ 1.245	+ 54. 41. 23.91	32.28	8	— 5.029	2175	...	4
7933	7956	Lacaille 7165.....	8	17. 1. 55.75	36.82	5	+ 3.727	— 26. 49. 40.05	36.43	11	— 5.028	...	7165	311
7934	7957	Piazzi XVII. 3.....	5	17. 2. 11.21	33.56	3	+ 2.126	+ 36. 9. 13.35	33.59	4	— 5.006	3
7935	7958	Piazzi XVII. 1.....	8	17. 2. 20.66	37.22	1	+ 3.727	— 26. 48. 37.00	37.27	1	— 4.993	1
7936	7959	22 Ursæ Minoris	4	17. 3. 7.82	39.61	3	— 6.511	+ 82. 17. 47.60	36.11	7	— 4.926	2201	...	36
7937	7960	Piazzi XVII. 5.....	7	17. 3. 14.17	35.34	3	+ 2.961	+ 4. 54. 0.15	35.21	3	— 4.917	5
7938	7961	Piazzi XVII. 7.....	7	17. 3. 17.01	35.24	2	+ 2.421	+ 26. 40. 1.55	34.52	3	— 4.913	7
7939	7962	Piazzi XVII. 8.....	8	17. 3. 48.32	36.91	4	+ 2.887	+ 8. 6. 6.06	36.90	4	— 4.869	8
7940	7963	Bradley 2174.....	6.7	17. 3. 58.58	38.82	7	+ 3.727	— 26. 46. 44.85	37.32	5	— 4.853	2174	7178	6
7941	7964	63 Heroulius	7	17. 4. 13.52	37.31	3	+ 2.482	+ 24. 26. 41.37	37.24	6	— 4.832	2177	...	11
7942	7965	Piazzi XVII. 19.....	6	17. 4. 14.48	38.92	4	+ 1.466	+ 51. 3. 14.49	38.90	4	— 4.831	19
7943	7966	Lacaille 7176.....	6.7	17. 4. 20.46	38.49	2	+ 4.100	— 38. 22. 36.08	38.48	2	— 4.824	...	7176	...
7944	7967	Piazzi XVII. 15.....	8	17. 4. 27.27	37.15	4	+ 2.482	+ 24. 27. 30.68	36.95	4	— 4.814	15
7945	7968	Piazzi XVII. 13.....	7.8	17. 4. 28.48	35.41	3	+ 2.731	+ 14. 41. 38.31	34.56	2	— 4.813	13
7946	7969	Lacaille 7179.....	7	17. 4. 29.90	35.30	3	+ 3.926	— 33. 20. 55.90	35.32	3	— 4.810	...	7179	9
7947	7970	Piazzi XVII. 20.....	7	17. 4. 30.42	35.65	1	+ 0.955	+ 58. 29. 12.28	35.59	3	— 4.810	20
7948	7971	Piazzi XVII. 22.....	7	17. 4. 37.71	39.44	5	+ 1.149	+ 55. 58. 47.24	38.90	4	— 4.797	22
7949	7972	37 Ophiuchi	5	17. 4. 41.35	31.53	5	+ 2.825	+ 10. 47. 27.90	33.60	5	— 4.793	2178	...	16
7950	7973	Lacaille 7187.....	8	17. 5. 0.66	37.20	3	+ 3.933	— 33. 32. 22.31	37.10	4	— 4.766	...	7187	10
7951	7974	Piazzi XVII. 12.....	9	17. 5. 1.53	37.32	3	+ 3.756	— 27. 46. 13.01	37.01	4	— 4.764	12
7952	7975	Piazzi XVII. 18.....	7	17. 5. 1.96	35.22	2	+ 2.891	+ 7. 57. 1.44	34.62	3	— 4.764	18
7953	7976	Piazzi XVII. 14.....	7.8	17. 5. 4.24	35.58	1	+ 3.565	— 20. 46. 11.40	35.56	3	— 4.762	14
7954	7977	Lacaille 7180.....	6.7	17. 5. 5.55	39.58	1	+ 4.352	— 44. 35. 3.34	39.58	1	— 4.759	...	7180	...
7955	7978	36 Ophiuchi	4.5	17. 5. 12.64	34.22	7	+ 3.715	— 26. 21. 5.03	31.61	5	— 4.749	2176	7192	17
7956	7979	Bradley 2179.....	7	17. 6. 5.19	39.08	5	+ 3.715	— 26. 18. 4.12	37.39	7	— 4.675	2179	7203	21
7957	7980	Piazzi XVII. 30.....	7	17. 6. 12.51	39.24	3	+ 0.690	+ 61. 21. 59.20	38.61	2	— 4.664	30
7958	7981	Piazzi XVII. 24.....	7.8	17. 6. 17.50	36.57	2	+ 2.729	+ 14. 46. 30.28	35.65	1	— 4.658	24
7959	7982	Lacaille 7202.....	5.6	17. 6. 20.27	33.53	3	+ 3.900	— 32. 28. 3.26	35.18	3	— 4.654	...	7202	23
7960	7983	Piazzi XVII. 25.....	9	17. 6. 44.30	36.87	4	+ 2.735	+ 14. 29. 49.91	37.12	4	— 4.619	25

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
7961	7984	Piazzi XVII. 26.....	8	h m s 17. 6. 49.34	36.38	5	+ 2.729	+ 14. 44. 57.09	36.98	4	- 4.611	26
7962	7985	64 Herouliis.....	3.4	17. 7. 7.70	33.03	62	+ 2.733	+ 14. 35. 3.59	32.86	72	- 4.585	2183	...	29
7963	7986	38 Ophiuchi.....	6.7	17. 7. 24.96	33.59	3	+ 3.719	- 26. 26. 19.92	35.19	3	- 4.562	...	7220	27
7964	7987	Lacaille 7216.....	6.7	17. 7. 36.45	33.62	3	+ 3.897	- 32. 21.	- 4.546	...	7216	28
7965	7989	39 Ophiuchi.....	5.6	17. 7. 57.55	37.51	2	+ 3.655	- 24. 5. 58.03	37.39	6	- 4.515	2181	7224	32
7966	7988	Piazzi XVII. 31.....	7	17. 7. 57.58	38.63	7	+ 3.655	- 24. 5. 49.03	38.58	3	- 4.515	31
7967	7990	Bradley 2182.....	6	17. 8. 3.09	37.60	2	+ 3.648	- 23. 52. 59.16	37.52	4	- 4.508	2182	7225	33
7968	7991	41 Ophiuchi.....	4.5	17. 8. 8.44	31.66	3	+ 3.078	- 0. 15. 2.93	31.55	5	- 4.499	2184	...	34
7969	7992	Piazzi XVII. 38.....	7	17. 8. 10.11	35.38	3	+ 1.076	+ 56. 51. 46.01	35.58	3	- 4.498	38
7970	7993	65 Herouliis.....	4	17. 8. 15.47	33.61	3	+ 2.463	+ 25. 2. 19.04	36.18	8	- 4.490	2185	...	35
7971	7994	22 Draconis.....	3	17. 8. 19.42	39.93	4	+ 0.156	+ 65. 55. 5.11	36.01	7	- 4.483	2193	...	42
7972	7995	Lacaille 7213.....	6.7	17. 8. 43.35	38.61	1	+ 5.145	- 57. 50. 1.63	38.61	1	- 4.450	...	7213	...
7973	7996	Piazzi XVII. 37.....	7	17. 8. 49.79	37.32	2	+ 2.493	+ 23. 55. 54.29	37.09	5	- 4.440	37
7974	7997	Lacaille 7218.....	6.7	17. 9. 14.21	38.49	2	+ 5.032	- 56. 21. 3.80	38.48	2	- 4.406	...	7218	...
7975	7998	67 Herouliis.....	3.4	17. 9. 18.22	31.53	3	+ 2.089	+ 36. 59. 57.65	33.45	6	- 4.401	2187	...	39
7976	7999	Lacaille 7214.....	7	17. 9. 27.81	41.38	3	+ 5.378	- 60. 30. 3.24	42.26	2	- 4.387	...	7214	...
7977	8000	Piazzi XVII. 44.....	7	17. 9. 40.67	35.36	2	+ 2.162	+ 34. 53. 47.23	35.55	3	- 4.370	44
7978	8001	Piazzi XVII. 40.....	7	17. 9. 50.57	35.24	2	+ 2.996	+ 3. 19. 43.13	34.86	3	- 4.354	40
7979	8002	Piazzi XVII. 45.....	8	17. 10. 14.71	37.10	4	+ 3.132	- 2. 37. 35.39	36.93	4	- 4.320	45
7980	8003	Piazzi XVII. 41.....	7.8	17. 10. 16.47	37.22	4	+ 3.719	- 26. 22. 18.75	37.03	5	- 4.319	41
7981	8004	Piazzi XVII. 43.....	6.7	17. 10. 17.55	39.87	4	+ 3.486	- 17. 34. 34.04	39.31	3	- 4.317	43
7982	8005	Piazzi XVII. 46.....	8	17. 10. 44.27	37.26	3	+ 3.131	- 2. 34. 10.90	37.21	3	- 4.278	46
7983	8006	Piazzi XVII. 49.....	6.7	17. 10. 49.12	35.47	3	+ 2.928	+ 6. 15. 53.57	34.80	4	- 4.272	49
7984	8007	Bradley 2191.....	6	17. 10. 51.90	37.12	5	+ 2.817	+ 11. 2. 56.90	39.22	6	- 4.268	2191	...	50
7985	8008	Aræ.....	6	17. 10. 53.65	38.58	2	+ 4.488	- 47. 17. 49.49	38.58	2	- 4.264	...	7236	...
7986	8009	Piazzi XVII. 58.....	7.8	17. 11. 2.40	35.57	2	+ 1.111	+ 56. 19. 17.49	35.21	3	- 4.253	58
7987	8010	40 Ophiuchi.....	4.5	17. 11. 7.27	32.13	7	+ 3.572	- 20. 55. 41.02	33.16	5	- 4.247	2186	...	47
7988	8011	Piazzi XVII. 61.....	5.6	17. 11. 7.56	35.59	2	+ 0.500	+ 63. 3. 49.01	35.10	2	- 4.246	61
7989	8012	Piazzi XVII. 48.....	8	17. 11. 11.70	37.11	3	+ 3.719	- 26. 19. 34.02	36.85	3	- 4.239	48
7990	8013	68 Herouliis.....	4	17. 11. 14.00	33.57	3	+ 2.214	+ 33. 16. 56.09	31.52	5	- 4.236	2194	...	56
7991	8014	Lacaille 7241.....	7	17. 11. 24.77	39.53	3	+ 4.080	- 37. 38. 0.54	39.53	3	- 4.220	...	7241	...
7992	8015	Aræ.....	3	17. 11. 31.05	37.51	2	+ 5.026	- 56. 12. 41.86	31.58	5	- 4.210	...	7233	...
7993	8016	53 Serpentis.....	4.5	17. 11. 33.25	35.76	4	+ 3.366	- 12. 40. 20.10	38.80	4	- 4.209	2190	...	52
7994	8017	Bradley 2188.....	6.7	17. 11. 34.86	35.22	2	+ 3.674	- 24. 43. 54.36	37.34	4	- 4.205	2188	7250	51
7995	8018	Aræ.....	3	17. 11. 36.37	37.66	1	+ 4.965	- 55. 21. 47.20	33.61	2	- 4.204	...	7237	...
7996	8019	Piazzi XVII. 55.....	8	17. 11. 43.59	36.87	4	+ 3.372	- 12. 54. 33.55	36.94	4	- 4.192	55
7997	8020	42 Ophiuchi.....	3.4	17. 11. 53.15	31.57	2	+ 3.677	- 24. 49. 38.27	33.56	4	- 4.179	2189	7254	53
7998	8021	69 Herouliis.....	4.5	17. 11. 58.95	32.91	3	+ 2.069	+ 37. 28. 6.75	31.66	5	- 4.171	2195	...	59
7999	8022	Piazzi XVII. 57.....	9	17. 12. 5.57	36.89	4	+ 3.638	- 23. 24. 11.00	37.29	2	- 4.162	57
8000	8023	Lacaille 7247.....	6	17. 12. 16.44	35.55	3	+ 4.335	- 43. 59. 43.79	34.61	2	- 4.158	...	7247	54

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8001	8024	Piazzi XVII. 64.....	6.7	17. 12. 20.02	35.46	2	+ 2.347	+ 29. 0. 0.03	35.32	3	- 4.142	64
8002	8025	Piazzi XVII. 65.....	7.8	17. 12. 36.30	35.59	2	+ 2.540	+ 22. 7. 4.72	35.52	2	- 4.119	65
8003	8026	Piazzi XVII. 69.....	7	17. 12. 37.03	37.39	2	+ 1.520	+ 49. 52. 15.43	37.23	3	- 4.118	69
8004	8027	Lacaille 7252	7	17. 12. 40.41	39.32	1	+ 4.374	- 44. 50. 42.56	39.32	1	- 4.113	...	7252	...
8005	8028	Piazzi XVII. 72.....	9	17. 12. 43.80	37.56	2	+ 1.112	+ 56. 15. 39.75	37.53	2	- 4.107	72
8006	8029	Piazzi XVII. 66.....	8	17. 12. 49.18	36.57	1	+ 2.850	+ 9. 35. 39.81	37.48	2	- 4.101	66
8007	8030	43 Ophiuchi.....	6	17. 12. 59.15	33.61	4	+ 3.767	- 27. 58. 29.08	32.92	4	- 4.086	2192	7260	60
8008	8031	Piazzi XVII. 63.....	7.8	17. 12. 59.63	35.54	1	+ 3.486	- 17. 32. 5.76	35.59	3	- 4.085	63
8009	8032	Lacaille 7261	9	17. 13. 1.99	37.06	3	+ 3.681	- 24. 55. 48.42	37.25	2	- 4.082	...	7261	62
8010	8033	Piazzi XVII. 68.....	6	17. 13. 2.78	35.52	2	+ 2.641	+ 18. 13. 57.05	35.65	2	- 4.081	68
8011	8034	Piazzi XVII. 71.....	7	17. 13. 26.44	37.54	2	+ 2.441	+ 25. 42. 35.40	37.22	4	- 4.047	71
8012	8035	Piazzi XVII. 67.....	8.9	17. 13. 33.15	37.18	3	+ 3.530	- 19. 16. 58.91	37.51	3	- 4.038	67
8013	8036	Lacaille 7256	7	17. 13. 52.75	38.49	1	+ 4.736	- 51. 47. 26.60	38.49	1	- 4.008	...	7256	...
8014	8037	Lacaille 7274	8	17. 14. 1.06	37.20	3	+ 3.647	- 23. 40. 48.57	37.38	2	- 3.998	...	7274	70
8015	8038	Piazzi XVII. 74.....	8	17. 14. 1.24	37.56	2	+ 2.843	+ 9. 54. 17.00	36.91	3	- 3.998	74
8016	8039	70 Hercules ...	5.6	17. 14. 6.48	42.26	2	+ 2.470	+ 24. 40. 9.60	37.07	5	- 3.991	2197	...	75
8017	8040	Piazzi XVII. 81.....	7.8	17. 14. 13.42	35.36	1	+ 1.184	+ 55. 14. 0.21	35.53	2	- 3.979	81
8018	8041	Arct ^κ	7	17. 14. 21.82	39.60	1	+ 4.660	- 50. 28. 24.01	39.60	1	- 3.969	...	7262	...
8019	8042	72 Hercules ^η	6	17. 14. 29.35	35.24	3	+ 2.231	+ 32. 41. 6.50	35.34	3	- 3.957	2199	...	80
8020	8043	Brisbane 6069.....	7.8	17. 14. 34.73	39.62	1	+ 5.243	- 58. 52. 47.06	39.62	1	- 3.948
8021	8044	Piazzi XVII. 78.....	7	17. 14. 39.84	35.30	3	+ 2.832	+ 10. 21. 37.63	34.52	3	- 3.941	78
8022	8045	Lacaille 7267	6	17. 14. 41.87	35.38	3	+ 4.415	- 45. 41. 8.90	35.55	3	- 3.938	...	7267	73
8023	8046	Lacaille 7266	7	17. 14. 43.13	38.57	1	+ 4.477	- 46. 58. 49.57	38.57	1	- 3.937	...	7266	...
8024	8047	Piazzi XVII. 76.....	6	17. 14. 50.43	33.27	3	+ 3.583	- 21. 16. 47.00	33.73	5	- 3.927	76
8025	8048	Piazzi XVII. 79.....	8.9	17. 14. 55.87	37.66	1	+ 3.285	- 9. 11. 44.05	36.89	4	- 3.918	79
8026	8049	Bradley 2196	7	17. 15. 1.63	36.01	7	+ 3.658	- 24. 5. 4.60	39.85	4	- 3.910	2196	7279	77
8027	8050	74 Hercules ^η	6.7	17. 15. 41.50	35.32	2	+ 1.694	+ 46. 24. 20.52	35.32	3	- 3.852	2203	...	87
8028	8051	Lacaille 7283	8	17. 15. 46.12	36.91	4	+ 3.753	- 27. 26. 30.13	37.14	4	- 3.847	...	7283	82
8029	8052	Piazzi XVII. 85.....	8	17. 16. 3.00	37.25	2	+ 2.756	+ 13. 33. 33.55	37.28	4	- 3.823	85
8030	8053	Piazzi XVII. 84.....	7	17. 16. 4.69	37.45	1	+ 2.864	+ 9. 0. 43.24	36.78	3	- 3.820	84
8031	8054	Arct ^δ	4	17. 16. 13.79	35.70	7	+ 5.396	- 60. 32. 4.55	34.98	8	- 3.807	...	7271	...
8032	8055	44 Ophiuchi ^υ	5.6	17. 16. 18.13	33.50	3	+ 3.657	- 24. 0. 55.57	32.56	5	- 3.802	2198	7289	83
8033	8056	Piazzi XVII. 96.....	7	17. 16. 33.48	35.56	3	+ 1.697	+ 46. 18. 50.82	35.59	3	- 3.779	96
8034	8057	45 Ophiuchi ^ζ	5	17. 16. 49.64	31.93	6	+ 3.822	- 29. 42. 33.97	31.57	5	- 3.755	2200	7293	86
8035	8058	Piazzi XVII. 92.....	8.9	17. 16. 49.88	37.24	2	+ 2.539	+ 22. 4. 35.61	37.43	2	- 3.755	92
8036	8059	Piazzi XVII. 88.....	7	17. 16. 50.04	37.90	7	+ 3.585	- 21. 18. 54.32	34.63	1	- 3.755	88
8037	8060	Piazzi XVII. 89.....	9	17. 16. 52.16	36.50	2	+ 3.583	- 21. 15. 39.62	37.54	3	- 3.753	89
8038	8061	Piazzi XVII. 101	8	17. 17. 0.73	37.43	3	+ 1.117	+ 56. 5. 59.92	37.44	2	- 3.740	101
8039	8062	Lacaille 7288	7	17. 17. 4.50	38.48	2	+ 4.333	- 43. 49. 32.85	38.48	2	- 3.734	...	7288	...
8040	8063	Piazzi XVII. 90.....	6.7	17. 17. 7.00	36.34	5	+ 3.817	- 29. 34. 23.81	35.01	5	- 3.731	90

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8041	8064	Piazzi XVII. 94	7.8	h m s 17. 17. 7.47	35.51	3	+ 2.701	+ 15. 45. 44.13	35.58	3	- 3.729	94
8042	8065	Piazzi XVII. 95	7	17. 17. 8.02	35.54	2	+ 2.684	+ 16. 27. 31.41	34.60	1	- 3.729	95
8043	8066	73 Hercules	6	17. 17. 12.56	37.35	7	+ 2.511	+ 23. 7. 7.13	40.48	5	- 3.724	2204	...	97
8044	8067	Piazzi XVII. 93	7.8	17. 17. 15.86	35.46	2	+ 2.992	+ 3. 27. 54.76	35.66	2	- 3.719	93
8045	8068	Piazzi XVII. 91	6.7	17. 17. 19.38	35.24	2	+ 3.424	- 14. 58. 38.43	35.56	2	- 3.715	91
8046	8070	Lacaille 7299	6.7	17. 17. 46.79	38.55	2	+ 4.050	- 36. 37. 54.15	38.55	2	- 3.673	...	7299	...
8047	8069	Bradley 2202	6	17. 17. 46.90	37.17	5	+ 3.360	- 12. 21. 34.12	39.24	3	- 3.673	2202	...	98
8048	8071	Piazzi XVII. 99	5.6	17. 17. 52.91	33.66	1	+ 3.185	- 4. 56. 1.68	39.16	3	- 3.665	99
8049	8072	Piazzi XVII. 102	8.9	17. 17. 59.03	37.17	3	+ 2.702	+ 15. 42. 7.48	37.19	3	- 3.656	102
8050	8073	75 Hercules	4	17. 17. 59.58	32.45	9	+ 2.070	+ 37. 18. 5.83	31.53	6	- 3.655	2207	...	105
8051	8074	Piazzi XVII. 104	7.8	17. 18. 18.38	42.26	2	+ 2.682	+ 16. 32. 4.40	35.91	5	- 3.630	104
8052	8075	49 Ophiuchi	4.5	17. 18. 20.00	31.66	6	+ 2.974	+ 4. 17. 24.20	32.12	7	- 3.627	2206	...	103
8053	8076	Lacaille 7307	7.8	17. 18. 28.40	35.50	3	+ 3.696	- 25. 21. 49.40	34.56	3	- 3.615	...	7307	100
8054	8077	Ara	3	17. 19. 6.04	33.18	1	+ 4.626	- 49. 44. 6.80	32.49	6	- 3.561	...	7301	...
8055	8078	Piazzi XVII. 107	9	17. 19. 25.70	37.27	3	+ 3.289	- 9. 21. 21.79	37.07	4	- 3.531	107
8056	8079	34 Scorpii	3.4	17. 19. 33.45	33.30	3	+ 4.069	- 37. 9. 19.58	33.49	5	- 3.522	2205	7313	106
8057	8080	Lacaille 7308	6.7	17. 19. 37.41	39.33	2	+ 4.430	- 45. 53. 59.76	39.33	2	- 3.516	...	7308	...
8058	8081	Piazzi XVII. 109	6	17. 19. 41.94	42.23	2	+ 2.587	+ 20. 13. 36.68	36.47	6	- 3.508	109
8059	8082	Lacaille 7310	7.8	17. 19. 44.55	39.33	2	+ 4.433	- 45. 57. 18.78	39.33	2	- 3.505	...	7310	...
8060	8083	Piazzi XVII. 108	7.8	17. 19. 49.96	36.77	3	+ 2.873	+ 8. 35. 18.16	37.04	3	- 3.497	108
8061	8084	Piazzi XVII. 116	9	17. 20. 2.98	37.56	2	+ 1.292	+ 53. 30. 4.66	37.27	2	- 3.479	116
8062	8085	Piazzi XVII. 111	9	17. 20. 4.26	37.25	2	+ 2.842	+ 9. 53. 45.58	37.08	4	- 3.478	111
8063	8086	Piazzi XVII. 110	7	17. 20. 11.43	38.18	5	+ 3.301	- 9. 51. 1.65	38.35	5	- 3.467	110
8064	8087	Piazzi XVII. 112	6	17. 20. 24.93	35.53	6	+ 3.061	+ 0. 28. 15.20	33.61	4	- 3.448	112
8065	8088	Piazzi XVII. 120	6.7	17. 20. 31.34	35.46	3	+ 1.031	+ 57. 9. 46.67	35.25	3	- 3.439	120
8066	8089	50 Ophiuchi	7	17. 20. 46.85	35.30	3	+ 3.651	- 23. 42. 14.48	34.90	3	- 3.415	113
8067	8090	Lacaille 7309	7	17. 20. 53.61	39.62	1	+ 5.328	- 59. 43. 8.51	39.62	1	- 3.405	...	7309	...
8068	8091	Piazzi XVII. 114	7	17. 21. 0.78	37.30	2	+ 3.437	- 15. 29. 53.23	36.88	4	- 3.396	114
8069	8092	Piazzi XVII. 119	9	17. 21. 15.89	37.57	3	+ 3.000	+ 3. 8. 39.56	37.05	3	- 3.375	119
8070	8093	51 Ophiuchi	5	17. 21. 21.38	32.23	6	+ 3.654	- 23. 49. 39.31	31.61	5	- 3.369	2209	7333	115
8071	8094	Piazzi XVII. 118	8	17. 21. 23.82	37.48	2	+ 3.304	- 9. 57. 31.91	37.28	2	- 3.368	118
8072	8095	Lacaille 7325	6.7	17. 21. 29.93	38.48	2	+ 4.220	- 41. 2. 30.43	38.48	2	- 3.354	...	7325	...
8073	8096	Lacaille 7334	6.7	17. 21. 30.18	33.53	4	+ 3.719	- 26. 8. 6.33	32.73	5	- 3.354	...	7334	117
8074	8097	Piazzi XVII. 124	8.9	17. 21. 32.71	37.04	2	+ 1.305	+ 53. 16. 30.74	37.46	3	- 3.351	124
8075	8098	Lacaille 7323	6.7	17. 21. 44.02	40.76	6	+ 4.557	- 48. 24. 3.79	40.46	5	- 3.333	...	7323	...
8076	8099	Lacaille 7321	10	17. 22. 0.28	38.63	2	+ 4.837	- 53. 13. 40.76	38.63	2	- 3.311	...	7321	...
8077	8100	Piazzi XVII. 123	9	17. 22. 15.20	37.01	3	+ 2.532	+ 22. 16. 29.42	37.24	3	- 3.290	123
8078	8101	77 Hercules	5.6	17. 22. 21.83	35.36	3	+ 1.586	+ 48. 24. 5.96	34.92	3	- 3.281	2211	...	130
8079	8102	Piazzi XVII. 122	8	17. 22. 24.84	36.86	4	+ 3.134	- 2. 41. 34.99	36.77	3	- 3.276	122
8080	8103	35 Scorpii	3	17. 22. 25.00	32.64	7	+ 4.065	- 36. 58. 28.47	31.52	5	- 3.276	2210	7336	121

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccv}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8081	8104	Brisbane 6118.....	7.8	h m s 17. 22. 39.66	38.56	2	+ 4.215	— 40. 53. 58.40	38.56	2	— 3.252
8082	8105	Piazzi XVII. 126.....	8	17. 22. 52.09	36.98	5	+ 3.127	— 2. 24. 10.39	37.50	3	— 3.236	126
8083	8106	Piazzi XVII. 127.....	6	17. 23. 5.25	33.91	6	+ 3.006	+ 2. 51. 16.76	33.62	5	— 3.217	127
8084	8107	Piazzi XVII. 133.....	8	17. 23. 18.58	37.36	2	+ 2.652	+ 17. 38. 49.31	37.48	2	— 3.198	133
8085	8108	Arct.....	5.6	17. 23. 23.05	36.59	5	+ 4.458	— 46. 22. 57.06	36.04	6	— 3.191	...	7340	125
8086	8109	Piazzi XVII. 128.....	7	17. 23. 23.47	35.31	3	+ 3.485	— 17. 22. 9.04	35.20	3	— 3.191	128
8087	8110	Piazzi XVII. 129.....	9	17. 23. 24.32	37.36	2	+ 3.418	— 14. 39. 49.68	37.54	3	— 3.189	129
8088	8111	Piazzi XVII. 132.....	9	17. 23. 31.33	36.89	4	+ 3.068	+ 0. 10. 15.93	37.51	2	— 3.180	132
8089	8112	Piazzi XVII. 139.....	6.7	17. 23. 36.19	35.58	3	+ 0.892	+ 58. 47. 29.06	35.32	3	— 3.172	139
8090	8113	Piazzi XVII. 131.....	7.8	17. 23. 39.14	35.52	3	+ 3.607	— 22. 2. 45.92	35.37	3	— 3.167	131
8091	8114	Piazzi XVII. 135.....	7.8	17. 23. 46.82	35.55	2	+ 3.004	+ 2. 57. 9.65	34.94	3	— 3.156	135
8092	8115	Lacaille 7345.....	5.6	17. 23. 56.29	38.98	2	+ 3.912	— 32. 27. 31.51	38.98	2	— 3.143	...	7345	...
8093	8116	Piazzi XVII. 134.....	8.9	17. 24. 3.10	37.03	3	+ 3.630	— 22. 54. 16.65	37.47	2	— 3.134	134
8094	8117	76 Heroulius.....	4.5	17. 24. 4.31	31.83	7	+ 2.421	+ 26. 14. 24.49	32.58	11	— 3.133	2213	...	136
8095	8118	Arct.....	6	17. 24. 33.74	39.58	1	+ 4.916	— 54. 22. 47.75	39.58	1	— 3.089	...	7342	...
8096	8119	Piazzi XVII. 143.....	8	17. 24. 40.71	37.43	2	+ 2.269	+ 31. 17. 11.56	37.05	3	— 3.077	143
8097	8120	Piazzi XVII. 141.....	7.8	17. 24. 41.53	36.96	2	+ 2.362	+ 28. 15. 55.43	37.22	3	— 3.076	141
8098	8121	Piazzi XVII. 147.....	6.7	17. 25. 0.26	35.51	3	+ 1.440	+ 51. 0. 6.54	35.62	2	— 3.051	147
8099	8122	Lacaille 7350.....	5	17. 25. 11.57	33.36	9	+ 4.124	— 38. 30. 34.15	34.80	7	— 3.035	...	7350	137
8100	8123	Piazzi XVII. 144.....	7	17. 25. 13.71	35.38	3	+ 2.890	+ 7. 50. 30.57	35.55	3	— 3.031	144
8101	8124	78 Heroulius.....	6	17. 25. 20.98	33.61	4	+ 2.353	+ 28. 31. 54.23	33.67	4	— 3.022	2214	...	146
8102	8125	52 Ophiuchi.....	7	17. 25. 23.32	33.13	3	+ 3.604	— 21. 55. 30.21	32.53	4	— 3.018	2212	...	140
8103	8126	Piazzi XVII. 142.....	8	17. 25. 27.69	37.28	2	+ 3.674	— 24. 30. 23.74	36.92	4	— 3.011	142
8104	8127	Scorpi.....	5	17. 25. 28.90	33.40	3	+ 4.300	— 42. 53. 0.64	32.02	5	— 3.009	...	7351	138
8105	8128	Lacaille 7354.....	7.8	17. 26. 18.59	35.41	3	+ 4.296	— 42. 46. 4.23	35.56	3	— 2.939	...	7354	145
8106	8129	Piazzi XVII. 148.....	7.8	17. 26. 23.04	35.30	3	+ 2.776	+ 12. 38. 3.19	35.58	3	— 2.931	148
8107	8130	23 Draconis.....	2	17. 26. 42.55	32.63	2	+ 1.352	+ 52. 25. 35.00	31.83	5	— 2.902	2221	...	155
8108	8131	54 Ophiuchi.....	6	17. 26. 46.33	39.36	5	+ 2.760	+ 13. 16. 47.73	38.74	5	— 2.898	2216	...	151
8109	8132	Piazzi XVII. 149.....	8	17. 26. 46.45	37.24	4	+ 2.846	+ 9. 41. 32.64	37.10	3	— 2.897	149
8110	8133	53 Ophiuchi.....	6	17. 26. 46.87	39.36	3	+ 2.846	+ 9. 42. 15.55	39.45	5	— 2.896	2215	...	150
8111	8134	55 Ophiuchi.....	2	17. 27. 16.78	33.93	99	+ 2.774	+ 12. 41. 10.86	33.06	92	— 2.854	2218	...	153
8112	8135	Piazzi XVII. 152.....	7.8	17. 27. 21.07	36.99	5	+ 3.525	— 18. 52. 40.66	37.13	4	— 2.849	152
8113	8136	56 Ophiuchi.....	6.7	17. 27. 26.41	35.54	2	+ 2.760	+ 13. 15. 7.45	36.83	3	— 2.840	154
8114	8137	Arct.....	7	17. 27. 39.95	38.58	2	+ 4.611	— 49. 18. 14.37	38.58	2	— 2.819	...	7363	...
8115	8138	Piazzi XVII. 156.....	6.7	17. 28. 8.59	37.02	5	+ 3.438	— 15. 27. 44.63	39.90	4	— 2.778	156
8116	8139	55 Serpentina.....	5	17. 28. 8.65	31.69	5	+ 3.434	— 15. 17. 14.17	31.54	5	— 2.778	2217	...	157
8117	8140	Piazzi XVII. 158.....	7	17. 28. 10.83	37.08	4	+ 2.785	+ 12. 9. 30.73	36.95	4	— 2.775	158
8118	8141	Bradley 2219.....	6	17. 28. 50.21	33.62	3	+ 3.602	— 21. 48. 26.64	32.58	4	— 2.718	2219	...	160
8119	8143	Piazzi XVII. 166.....	7	17. 28. 50.67	38.84	4	+ 1.523	+ 49. 27. 40.14	37.96	3	— 2.717	166
8120	8142	Piazzi XVII. 164.....	7	17. 28. 50.73	35.53	3	+ 2.149	+ 34. 51. 46.68	34.52	3	— 2.717	164

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8121	8144	Piazzi XVII. 159	7	h m s 17. 28. 52'23	35'37	3	+ 3'907	— 32. 13. 1'94	35'55	3	— 2'716	159
8122	8145	57 Ophiuchi	5	17. 28. 52'86	31'57	6	+ 3'259	— 8. 0. 38'87	32'45	6	— 2'714	2220	...	161
8123	8146	Lacaille 7374	7	17. 28. 55'06	38'60	2	+ 4'484	— 46. 49. 19'64	38'60	2	— 2'711	...	7374	...
8124	8147	24 Draconis	5	17. 28. 55'97	40'54	5	+ 1'158	+ 55. 17. 57'49	38'89	5	— 2'709	2222	...	168
8125	8148	Piazzi XVII. 163	7'8	17. 28. 56'71	37'32	3	+ 2'561	+ 21. 6. 20'96	37'24	4	— 2'708	163
8126	8149	25 Draconis	5	17. 29. 1'24	37'61	2	+ 1'160	+ 55. 17. 14'96	33'52	8	— 2'703	2224	...	169
8127	8150	Lacaille 7382	7	17. 29. 16'40	37'12	6	+ 3'903	— 32. 5. 58'92	39'27	3	— 2'682	...	7382	162
8128	8151	Piazzi XVII. 165	8	17. 29. 21'43	37'11	4	+ 2'796	+ 11. 45. 47'09	37'22	3	— 2'675	165
8129	8152	Pavonis	5	17. 29. 33'49	42'67	1	+ 5'868	— 64. 37. 57'72	38'15	2	— 2'655	...	7364	...
8130	8153	Brisbane 6161	8	17. 30. 1'42	38'98	2	+ 5'057	— 56. 15. 45'76	38'98	2	— 2'615
8131	8154	Piazzi XVII. 171	8	17. 30. 8'14	37'27	3	+ 2'795	+ 11. 47. 33'59	37'14	4	— 2'605	171
8132	8155	Piazzi XVII. 167	7	17. 30.	+ 3'904	— 32. 7. 1'41	35'55	2	— 2'600	167
8133	8156	Piazzi XVII. 170	8'9	17. 30. 17'90	37'30	2	+ 3'334	— 11. 9. 57'57	37'34	3	— 2'592	170
8134	8157	Piazzi XVII. 176	6	17. 30. 20'10	35'36	3	+ 2'278	+ 30. 53. 28'78	35'53	3	— 2'589	176
8135	8158	Piazzi XVII. 175	8	17. 30. 25'30	37'24	2	+ 2'571	+ 20. 42. 4'74	37'38	2	— 2'582	175
8136	8159	79 Hercules	6	17. 30. 43'60	36'74	5	+ 2'470	+ 24. 24. 47'38	38'54	3	— 2'555	2223	...	178
8137	8160	Piazzi XVII. 173	9	17. 30. 46'57	37'30	2	+ 3'655	— 23. 44. 21'26	37'10	4	— 2'550	173
8138	8161	Piazzi XVII. 177	7'8	17. 30. 48'97	37'41	1	+ 3'023	+ 2. 7. 45'42	39'37	5	— 2'549	177
8139	8162	Piazzi XVII. 172	7	17. 30. 53'34	35'24	2	+ 3'902	— 32. 1. 1'08	35'59	1	— 2'540	172
8140	8163	Aræ	6'7	17. 31. 3'42	38'49	2	+ 4'754	— 51. 44. 7'87	38'48	2	— 2'527	...	7385	...
8141	8164	Scorpii	3	17. 31. 5'05	32'19	7	+ 4'143	— 38. 56. 9'48	31'54	5	— 2'524	...	7393	174
8142	8165	Piazzi XVII. 180	7	17. 31. 5'91	35'56	3	+ 2'987	+ 3. 39. 31'44	34'63	3	— 2'523	180
8143	8166	Piazzi XVII. 181	7	17. 31. 16'74	35'34	2	+ 2'991	+ 3. 29. 35'12	35'21	3	— 2'507	181
8144	8167	Piazzi XVII. 183	7	17. 31. 23'35	36'77	4	+ 2'755	+ 13. 25. 37'45	37'46	3	— 2'498	183
8145	8168	Lacaille 7391	7'8	17. 31. 23'71	38'56	2	+ 4'441	— 45. 52. 52'90	38'55	2	— 2'497	...	7391	...
8146	8169	Piazzi XVII. 182	7	17. 31. 28'55	35'22	2	+ 3'084	— 0. 32. 29'69	35'67	1	— 2'489	182
8147	8170	Lacaille 7397	6'7	17. 31. 39'18	35'32	2	+ 4'066	— 36. 51. 9'09	35'39	2	— 2'473	...	7397	179
8148	8171	Piazzi XVII. 185	8	17. 32. 5'22	37'28	3	+ 2'756	+ 13. 22. 53'48	36'89	2	— 2'437	185
8149	8172	56 Serpentes	4'5	17. 32. 8'88	31'99	6	+ 3'373	— 12. 46. 45'00	31'77	5	— 2'431	2225	...	184
8150	8173	Piazzi XVII. 189	7	17. 32. 13'00	36'73	5	+ 1'568	+ 48. 33. 59'50	35'61	2	— 2'426	189
8151	8174	82 Hercules	5'6	17. 32. 18'76	35'31	2	+ 1'562	+ 48. 41. 4'62	39'14	2	— 2'418	2227	...	190
8152	8175	Lacaille 7387	6'7	17. 32. 20'87	38'63	1	+ 5'364	— 59. 54. 42'81	38'62	2	— 2'415	...	7387	...
8153	8176	Piazzi XVII. 187	7'8	17. 32. 33'88	37'07	4	+ 3'102	— 1. 18. 14'34	37'15	4	— 2'395	187
8154	8177	27 Draconis	5	17. 32. 38'39	36'31	3	— 0'253	+ 68. 14. 22'08	34'30	6	— 2'387	2234	...	198
8155	8178	Lacaille 7404	6'7	17. 32. 52'48	38'58	2	+ 4'295	— 42. 38. 42'88	38'58	2	— 2'366	...	7404	...
8156	8179	Piazzi XVII. 191	7'8	17. 32. 53'81	37'34	2	+ 2'466	+ 24. 30. 37'43	37'34	3	— 2'365	191
8157	8180	Lacaille 7412	7	17. 32. 54'89	33'59	3	+ 3'772	— 27. 47. 46'61	32'22	4	— 2'364	...	7412	186
8158	8181	Piazzi XVII. 188	7	17. 33. 12'27	33'63	1	+ 3'439	— 15. 28. 14'36	33'66	5	— 2'340	188
8159	8182	26 Draconis	6'7	17. 33. 17'42	39'11	2	+ 0'574	+ 62. 0. 4'05	37'79	3	— 2'332	201
8160	8183	Piazzi XVII. 193	6'7	17. 33. 29'35	35'45	2	+ 2'923	+ 6. 24. 12'53	35'65	1	— 2'314	193

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8161	8184	58 Ophiuchi.....	5	h m s 17. 33. 32.97	33.40	5	+ 3.597	— 21. 35. 42.19	32.21	5	— 2.309	2226	...	192
8162	8185	Piazzi XVII. 196.....	6	17. 33. 43.71	35.49	4	+ 2.262	+ 31. 17. 40.25	35.52	3	— 2.292	196
8163	8186	Piazzi XVII. 206.....	7.8	17. 33. 45.56	37.98	3	+ 0.513	+ 62. 33. 49.39	39.28	3	— 2.291	206
8164	8187	Piazzi XVII. 194.....	7.8	17. 33. 45.90	35.56	2	+ 2.969	+ 4. 27. 19.81	34.61	1	— 2.290	194
8165	8188	Bradley 2228.....	6.7	17. 34. 19.02	36.35	7	+ 2.464	+ 24. 36. 3.54	34.52	3	— 2.244	2228	...	200
8166	8189	Piazzi XVII. 195.....	7	17. 34. 27.47	37.20	6	+ 3.612	— 22. 6. 43.99	40.70	4	— 2.231	195
8167	8190	Piazzi XVII. 204.....	6.7	17. 34. 27.86	35.38	2	+ 2.261	+ 31. 22. 48.85	34.60	3	— 2.230	204
8168	8191	Piazzi XVII. 199.....	8	17. 34. 32.30	37.38	3	+ 2.849	+ 9. 32. 8.47	37.21	3	— 2.224	199
8169	8192	Piazzi XVII. 203.....	6	17. 34. 34.65	35.29	5	+ 2.690	+ 16. 2. 3.51	37.64	1	— 2.219	203
8170	8193	Lacaille 7403.....	10	17. 34. 38.55	38.68	2	+ 5.535	— 61. 38. 37.99	38.68	1	— 2.213	...	7403	...
8171	8194	Piazzi XVII. 197.....	8	17. 34. 46.28	37.37	3	+ 3.608	— 21. 56. 28.60	37.07	4	— 2.204	197
8172	8195	85 Herouli.....	4	17. 34. 48.56	31.69	5	+ 1.691	+ 46. 5. 51.10	33.54	5	— 2.200	2233	...	211
8173	8197	Piazzi XVII. 202.....	7.8	17. 34. 53.15	37.43	2	+ 3.235	— 6. 59. 46.37	37.41	6	— 2.193	202
8174	8196	Lacaille 7413.....	6.7	17. 34. 53.57	38.66	2	+ 4.994	— 55. 19. 51.05	38.65	2	— 2.193	...	7413	...
8175	8198	Piazzi XVII. 205.....	7	17. 34. 56.65	37.48	2	+ 2.658	+ 17. 18. 51.81	37.52	2	— 2.188	205
8176	8199	Piazzi XVII. 207.....	6	17. 34. 56.72	39.11	3	+ 2.462	+ 24. 39. 52.06	42.52	1	— 2.188	207
8177	8200	Piazzi XVII. 220.....	7	17. 35.	— 0.255	+ 68. 13. 11.85	36.63	2	— 2.180	220
8178	8201	60 Ophiuchi..... ^β	3	17. 35. 19.48	33.29	9	+ 2.964	+ 4. 38. 32.27	31.96	9	— 2.156	2229	...	209
8179	8202	Piazzi XVII. 212.....	7	17. 35. 29.81	37.36	2	+ 2.373	+ 27. 43. 41.41	37.29	2	— 2.141	212
8180	8204	83 Hercules.....	6	17. 35. 42.59	38.52	5	+ 2.462	+ 24. 39. 10.41	37.25	7	— 2.121	2232	...	213
8181	8203	Piazzi XVII. 208.....	7.8	17. 35. 43.20	35.40	2	+ 3.746	— 26. 53. 44.31	35.59	2	— 2.120	208
8182	8205	Scorpii..... ¹	4.5	17. 36. 3.39	35.05	8	+ 4.190	— 40. 3. 17.64	34.94	9	— 2.093	...	7425	210
8183	8206	Piazzi XVII. 214.....	8	17. 36. 11.47	38.11	4	+ 2.937	+ 5. 47. 38.61	37.48	1	— 2.081	214
8184	8207	Piazzi XVII. 232.....	8	17. 36.	— 0.375	+ 68. 54. 13.01	37.53	1	— 2.077	232
8185	8208	61 Ophiuchi.....	6.7	17. 36. 17.18	35.89	3	+ 3.010	+ 2. 39. 26.84	35.65	1	— 2.073	2231	...	215
8186	8209	Piazzi XVII. 216.....	7.8	17. 36. 18.36	36.88	4	+ 3.010	+ 2. 39. 25.67	37.34	3	— 2.072	216
8187	8210	84 Hercules.....	5.6	17. 36. 35.55	34.35	5	+ 2.469	+ 24. 24. 18.92	33.46	5	— 2.045	2235	...	218
8188	8211	Piazzi XVII. 219.....	7.8	17. 36. 45.42	37.07	4	+ 2.744	+ 13. 51. 39.90	37.24	3	— 2.031	219
8189	8212	Lacaille 7419.....	7	17. 36. 45.71	38.55	2	+ 5.386	— 60. 6. 0.34	38.55	2	— 2.030	...	7419	...
8190	8213	Piazzi XVII. 224.....	8	17. 36. 52.44	37.38	2	+ 1.279	+ 53. 25. 14.63	38.44	4	— 2.020	224
8191	8214	Aræ..... ¹	7	17. 37. 3.96	39.01	2	+ 4.874	— 53. 33. 4.57	38.69	1	— 2.005	...	7426	...
8192	8215	3 Sagittarii.....	5	17. 37. 10.99	32.05	7	+ 3.772	— 27. 45. 34.26	31.94	4	— 1.994	2230	7440	217
8193	8216	29 Draconis.....	7	17. 37. 15.07	40.17	2	— 1.670	+ 74. 19. 33.17	42.67	1	— 1.989	2240	...	242
8194	8217	Piazzi XVII. 237.....	8	17. 37. 21.35	35.57	2	— 0.321	+ 68. 34. 53.37	35.66	1	— 1.981	237
8195	8218	Piazzi XVII. 222.....	8.9	17. 37. 28.95	36.79	4	+ 2.937	+ 5. 47. 24.69	37.42	2	— 1.967	222
8196	8219	Piazzi XVII. 221.....	7.8	17. 37. 48.27	35.30	3	+ 3.505	— 18. 2. 15.95	34.61	3	— 1.939	221
8197	8220	Aræ..... ²	7	17. 37. 51.07	36.75	3	+ 4.843	— 53. 4. 7.61	39.60	1	— 1.935	...	7428	...
8198	8221	Piazzi XVII. 225.....	7	17. 37. 51.60	35.33	4	+ 2.933	+ 5. 58. 46.99	35.67	1	— 1.935	225
8199	8222	Piazzi XVII. 226.....	7	17. 37. 52.41	37.02	3	+ 2.938	+ 5. 46. 9.26	37.61	1	— 1.934	226
8200	8223	28 Draconis..... ^ω	5	17. 37. 55.24	35.17	5	— 0.366	+ 68. 50. 0.36	33.58	4	— 1.929	2238	...	241

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				^h ^m ^s			^s	[°] ['] ["]			["]			
8201	8224	Lacaille 7429.....	7.8	17. 37. 58.97	39.61	1	+ 4.889	- 53. 46. 31.27	39.61	1	- 1.923	...	7429	...
8202	8225	Piazzi XVII. 230.....	7.8	17. 38. 5.92	37.94	2	+ 2.938	+ 5. 43. 47.70	36.80	3	- 1.914	230
8203	8226	Lacaille 7450.....	7	17. 38. 9.11	33.49	3	+ 3.747	- 26. 54. 27.39	33.08	4	- 1.909	...	7450	223
8204	8227	Lacaille 7451.....	5.6	17. 38. 27.76	32.68	3	+ 3.892	- 31. 38. 17.03	37.64	1	- 1.882	...	7451	227
8205	8228	Piazzi XVII. 233.....	8	17. 38. 36.49	40.40	5	+ 2.936	+ 5. 50. 39.40	40.41	5	- 1.869	233
8206	8229	Lacaille 7449.....	4	17. 38. 38.12	33.17	5	+ 4.075	- 36. 58. 53.92	31.64	5	- 1.865	...	7449	229
8207	8230	Scorpii..... ²	6.7	17. 38. 39.31	35.42	2	+ 4.190	- 40. 1. 39.42	35.20	2	- 1.864	...	7447	228
8208	8231	Lacaille 7453.....	7	17. 38. 39.82	33.57	2	+ 3.857	- 30. 31. 54.66	42.62	1	- 1.863	...	7453	231
8209	8232	Piazzi XVII. 234.....	8.9	17. 38. 41.57	37.30	2	+ 2.941	+ 5. 38. 4.90	37.27	3	- 1.860	234
8210	8233	Piazzi XVII. 235.....	8	17. 38. 57.64	37.99	6	+ 2.938	+ 5. 45. 38.02	37.38	4	- 1.835	235
8211	8234	Lacaille 7454.....	6.7	17. 39. 33.07	38.67	2	+ 4.429	- 45. 32. 35.14	38.67	2	- 1.787	...	7454	...
8212	8235	62 Ophiuchi..... ^Y	4	17. 39. 37.36	31.83	5	+ 3.007	+ 2. 46. 33.48	31.96	5	- 1.781	2236	...	239
8213	8236	Piazzi XVII. 240.....	7.8	17. 39. 45.50	35.46	1	+ 3.113	- 1. 44. 40.14	35.56	2	- 1.769	240
8214	8237	Lacaille 7458.....	7	17. 39. 56.69	37.37	3	+ 4.221	- 40. 42. 46.31	37.46	3	- 1.752	...	7458	236
8215	8238	86 Herouliis..... ^μ	4	17. 40. 0.35	31.53	4	+ 2.369	+ 27. 49. 21.40	32.99	16	- 1.748	2237	...	244
8216	8239	Lacaille 7461.....	6.7	17. 40. 2.34	35.46	1	+ 3.751	- 27. 0. 0.28	34.52	3	- 1.745	...	7461	238
8217	8240	Lacaille 7465.....	7	17. 40. 35.89	39.82	4	+ 3.857	- 30. 30. 0.99	36.12	8	- 1.695	...	7465	243
8218	8241	Piazzi XVII. 246.....	7.8	17. 40. 38.52	38.20	10	+ 2.937	+ 5. 45. 46.91	39.98	2	- 1.692	246
8219	8242	Piazzi XVII. 252.....	7.8	17. 40. 51.31	35.65	1	+ 1.477	+ 50. 6. 46.46	34.60	3	- 1.673	252
8220	8243	Lacaille 7463.....	6.7	17. 41. 5.76	38.61	2	+ 4.269	- 41. 56. 9.49	37.61	3	- 1.651	...	7463	...
8221	8244	Piazzi XVII. 247.....	8	17. 41. 7.39	40.19	3	+ 3.634	- 22. 51. 43.05	42.53	1	- 1.648	247
8222	8245	Piazzi XVII. 245.....	7.8	17. 41. 14.06	36.95	7	+ 3.997	- 34. 44. 43.38	36.75	7	- 1.639	245
8223	8246	Lacaille 7467.....	7	17. 41. 22.12	37.07	3	+ 3.983	- 34. 21. 49.57	37.22	4	- 1.628	...	7467	248
8224	8247	Piazzi XVII. 249.....	7.8	17. 41. 35.89	37.33	4	+ 3.655	- 23. 37. 25.07	42.55	1	- 1.608	249
8225	8248	Piazzi XVII. 255.....	6	17. 41. 38.06	37.94	3	+ 2.605	+ 19. 18. 48.82	39.28	3	- 1.605	255
8226	8249	Lacaille 7470.....	7.8	17. 41. 53.68	39.61	4	+ 3.973	- 34. 3. 50.81	37.80	3	- 1.582	...	7470	250
8227	8250	Piazzi XVII. 251.....	8	17. 41. 58.45	36.96	5	+ 3.550	- 19. 43. 15.30	37.12	5	- 1.576	251
8228	8251	Piazzi XVII. 253.....	7	17. 42. 3.68	40.17	2	+ 3.543	- 19. 28. 11.01	35.56	3	- 1.568	253
8229	8252	87 Herouliis.....	6	17. 42. 7.95	33.05	5	+ 2.430	+ 25. 40. 57.56	32.22	5	- 1.563	2239	...	259
8230	8253	Piazzi XVII. 254.....	6.7	17. 42. 23.21	38.30	4	+ 4.000	- 34. 50. 47.97	37.25	6	- 1.542	254
8231	8254	Piazzi XVII. 260.....	8	17. 42. 35.58	37.06	3	+ 2.902	+ 7. 17. 6.49	36.93	4	- 1.521	260
8232	8255	Piazzi XVII. 257.....	7	17. 42. 36.35	35.22	2	+ 3.533	- 19. 4. 15.73	37.61	2	- 1.521	257
8233	8256	Piazzi XVII. 262.....	7	17. 42. 36.50	36.96	6	+ 1.952	+ 40. 2. 1.23	37.48	2	- 1.520	262
8234	8257	Lacaille 7478.....	6	17. 42. 54.99	35.38	1	+ 3.995	- 34. 42. 24.58	35.58	1	- 1.493	...	7478	258
8235	8258	Piazzi XVII. 261.....	7.8	17. 42. 57.78	38.12	5	+ 2.949	+ 5. 16. 49.24	40.71	3	- 1.489	261
8236	8259	Brisbane 6243.....	6	17. 43. 22.54	38.56	1	+ 4.000	- 34. 50. 3.40	38.56	1	- 1.452
8237	8260	Brisbane 6246.....	7.8	17. 43. 29.21	38.57	1	+ 3.986	- 34. 25. 24.04	38.57	1	- 1.443
8238	8261	Lacaille 7471.....	6.7	17. 43. 38.18	38.65	2	+ 5.114	- 56. 51. 30.93	38.65	2	- 1.431	...	7471	...
8239	8262	Piazzi XVII. 263.....	9	17. 43. 39.78	37.40	2	+ 3.527	- 18. 49. 46.49	37.25	3	- 1.429	263
8240	8263	Piazzi XVII. 265.....	7	17. 43. 53.76	35.30	2	+ 3.328	- 10. 51. 5.73	35.60	1	- 1.408	265

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccix}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8241	8264	Lacaille 7483.....	7	h m s 17. 43. 58.61	38.67	2	+ 4.057	— 36. 26. 2.69	38.67	2	— 1.400	...	7483	...
8242	8265	Piazzi XVII. 264.....	8	17. 44. 0.36	37.38	3	+ 3.553	— 19. 50. 32.25	37.16	4	— 1.399	264
8243	8266	Piazzi XVII. 266.....	7	17. 44. 13.66	39.49	5	+ 3.041	+ 1. 21. 8.27	41.13	4	— 1.378	266
8244	8268	63 Ophiuchi.....	6.7	17. 44. 45.16	36.06	8	+ 3.687	— 24. 50. 46.46	35.73	8	— 1.333	2241	7491	267
8245	8267	Lacaille 7485.....	6	17. 44. 45.45	42.30	1	+ 4.374	— 44. 18. 16.96	42.30	1	— 1.333	...	7485	...
8246	8269	31 Draconis..... ^ψ	5.6	17. 44. 52.99	38.34	4	— 1.090	+ 72. 13. 34.99	39.17	2	— 1.323	2251	...	286
8247	8270	Piazzi XVII. 287.....	7	17. 44. 54.80	38.80	4	— 1.092	+ 72. 14. 8.79	39.21	3	— 1.319	2252	...	287
8248	8271	Piazzi XVII. 270.....	7	17. 44. 56.63	35.52	2	+ 3.339	— 11. 17. 39.20	34.52	3	— 1.316	270
8249	8272	Piazzi XVII. 268.....	8	17. 44. 59.87	37.07	3	+ 3.637	— 22. 56. 27.20	37.18	4	— 1.311	268
8250	8273	Brisbane 6255.....	7	17. 45. 6.51	39.94	3	+ 4.007	— 35. 0. 40.15	39.62	4	— 1.301
8251	8274	30 Draconis.....	6	17. 45. 8.06	35.50	2	+ 1.435	+ 50. 49. 24.26	35.65	1	— 1.299	2243	...	278
8252	8275	Piazzi XVII. 273.....	7	17. 45. 10.73	37.93	3	+ 2.665	+ 16. 56. 45.86	36.62	4	— 1.295	273
8253	8276	Piazzi XVII. 271.....	6.7	17. 45. 11.90	35.54	2	+ 2.929	+ 6. 8. 26.96	35.48	3	— 1.294	271
8254	8277	Lacaille 7488.....	6.7	17. 45. 25.60	36.50	6	+ 4.271	— 41. 56. 36.91	36.59	6	— 1.274	...	7488	269
8255	8278	Piazzi XVII. 274.....	7	17. 45. 30.67	37.24	3	+ 3.109	— 1. 34. 37.33	37.42	3	— 1.268	274
8256	8279	Piazzi XVII. 276.....	7.8	17. 45. 43.50	36.96	4	+ 3.346	— 11. 35. 41.86	37.43	3	— 1.249	276
8257	8280	88 Herculis..... ²	7	17. 45. 44.36	38.90	4	+ 1.567	+ 48. 26.	— 1.247	2244	...	282
8258	8281	Piazzi XVII. 280.....	6.7	17. 45. 52.46	39.11	2	+ 1.947	+ 40. 7. 3.71	35.56	3	— 1.236	280
8259	8282	Lacaille 7497.....	7	17. 46. 4.69	37.09	3	+ 4.261	— 41. 40. 58.76	37.23	4	— 1.217	...	7497	272
8260	8283	Piazzi XVII. 277.....	6.7	17. 46. 12.79	37.67	3	+ 3.526	— 18. 45. 55.32	40.09	2	— 1.206	277
8261	8284	Lacaille 7498.....	7	17. 46. 14.31	37.55	5	+ 4.270	— 41. 54. 43.20	37.84	4	— 1.203	...	7498	275
8262	8285	Piazzi XVII. 279.....	7.8	17. 46. 25.73	37.37	4	+ 3.609	— 21. 55. 2.95	42.69	1	— 1.186	279
8263	8286	Piazzi XVII. 288.....	7.8	17. 46. 28.08	42.69	1	+ 1.566	+ 48. 26. 29.76	40.20	2	— 1.184	288
8264	8287	Bradley 2245.....	6	17. 46. 42.70	39.26	3	+ 1.951	+ 40. 1. 17.11	37.29	3	— 1.162	2245	...	289
8265	8288	Piazzi XVII. 281.....	7	17. 46. 49.86	35.45	8	+ 3.449	— 15. 46. 33.19	35.52	7	— 1.151	281
8266	8289	Piazzi XVII. 285.....	7.8	17. 46. 51.04	39.12	2	+ 2.455	+ 24. 48. 56.12	39.28	3	— 1.150	285
8267	8290	Lacaille 7503.....	7.8	17. 46. 57.73	38.99	2	+ 4.542	— 47. 44. 45.88	38.69	1	— 1.140	...	7503	...
8268	8291	Bradley 2242.....	7	17. 47. 2.64	35.56	3	+ 3.664	— 23. 54. 28.75	35.57	2	— 1.133	2242	...	283
8269	8292	Piazzi XVII. 284.....	8	17. 47. 19.54	37.10	3	+ 3.446	— 15. 39. 6.46	37.39	2	— 1.107	284
8270	8293	Lacaille 7513.....	6	17. 47. 43.56	38.68	2	+ 4.072	— 36. 49. 58.88	38.68	2	— 1.075	...	7513	...
8271	8294	Piazzi XVII. 290.....	8	17. 47. 43.90	37.03	3	+ 3.529	— 18. 54. 26.79	37.42	2	— 1.073	290
8272	8296	Piazzi XVII. 291.....	5.6	17. 47. 54.07	38.14	7	+ 3.056	+ 0. 42. 7.79	40.70	3	— 1.058	291
8273	8295	Piazzi XVII. 292.....	7	17. 47. 54.19	37.35	3	+ 2.950	+ 5. 11. 37.85	37.06	3	— 1.058	292
8274	8297	90 Herculis..... ^f	6	17. 47. 55.69	37.08	7	+ 1.950	+ 40. 2. 35.37	35.27	3	— 1.057	2248	...	295
8275	8298	Piazzi XVII. 293.....	6	17. 48. 5.35	33.58	4	+ 3.166	— 4. 3. 4.61	33.38	5	— 1.043	293
8276	8299	Brisbane 6269.....	6.7	17. 48. 21.23	38.58	1	+ 4.042	— 35. 59. 49.18	38.62	1	— 1.019
8277	8300	Lacaille 7521.....	5	17. 48. 29.89	32.38	12	+ 3.850	— 30. 13. 39.67	31.65	6	— 1.006	...	7521	294
8278	8301	Piazzi XVII. 296.....	7	17. 48. 44.03	37.27	2	+ 2.955	+ 5. 0. 46.68	36.79	3	— 0.985	296
8279	8302	89 Herculis.....	5.6	17. 48. 46.11	33.63	4	+ 2.418	+ 26. 4. 53.53	33.59	5	— 0.983	2249	...	298
8280	8303	Piazzi XVII. 297.....	7.8	17. 49. 8.45	37.27	1	+ 3.476	— 16. 49. 55.31	37.38	...4	— 0.950	297

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Mean Dec., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Bradley.	Lacaille.	Piazzi.
8281	8304	Piazzi XVII. 300.....	7	h m s 17. 49. 10.21	37.36	2	+ 2.629	+ 18. 21. 24.50	37.05	3	- 0.948	300
8282	8305	Piazzi XVII. 301.....	7.	17. 49. 22.93	35.40	3	+ 2.622	+ 18. 38. 26.61	35.65	1	- 0.928	301
8283	8306	4 Sagittarii.....	5	17. 49. 43.30	31.69	6	+ 3.661	- 23. 47. 34.82	31.54	6	- 0.900	2246	7526	299
8284	8307	64 Ophiuchi.....	4	17. 49. 56.76	36.49	8	+ 3.302	- 9. 44. 46.50	36.29	10	- 0.879	2250	...	303
8285	8308	Piazzi XVII. 306.....	8	17. 49. 57.34	36.94	4	+ 1.709	+ 45. 35. 1.70	37.36	3	- 0.879	306
8286	8309	5 Sagittarii.....	5	17. 50. 4.92	33.65	5	+ 3.674	- 24. 15. 46.44	33.65	6	- 0.868	2247	7530	302
8287	8310	Piazzi XVII. 304.....	6.7	17. 50. 11.43	33.67	4	+ 3.567	- 20. 19. 12.02	33.69	6	- 0.858	304
8288	8311	Piazzi XVII. 305.....	7.8	17. 50. 17.94	37.24	3	+ 3.190	- 5. 1. 30.63	37.25	4	- 0.849	305
8289	8312	Piazzi XVII. 315.....	7.8	17. 50. 26.53	37.09	4	+ 0.717	+ 60. 25. 43.10	37.48	2	- 0.836	315
8290	8313	91 Herculis.....	4	17. 50. 35.79	35.27	3	+ 2.055	+ 37. 16. 35.53	31.97	6	- 0.822	2256	...	309
8291	8314	Lacaille 7531.....	7	17. 50. 39.33	38.51	2	+ 4.056	- 36. 21. 45.01	38.51	2	- 0.818	...	7531	...
8292	8315	32 Draconis.....	3.4	17. 50. 40.44	33.65	3	+ 1.022	+ 56. 54. 1.48	32.44	6	- 0.817	2263	...	316
8293	8316	Piazzi XVII. 307.....	6.7	17. 50. 51.30	38.34	5	+ 3.184	- 4. 47. 52.52	40.87	3	- 0.800	307
8294	8317	92 Herculis.....	4	17. 51. 21.35	33.58	3	+ 2.323	+ 29. 16. 13.54	31.98	7	- 0.756	2258	...	314
8295	8318	Piazzi XVII. 308.....	8	17. 51. 24.66	36.79	3	+ 3.507	- 18. 3. 30.71	37.42	2	- 0.751	308
8296	8319	Piazzi XVII. 310.....	8	17. 51. 42.84	35.38	2	+ 3.615	- 22. 7. 8.20	35.56	4	- 0.725	310
8297	8320	57 Serpentis.....	5	17. 51. 46.12	32.64	2	+ 3.158	- 3. 40. 20.61	33.53	5	- 0.722	2254	...	313
8298	8321	6 Sagittarii.....	7	17. 51. 48.21	40.48	5	+ 3.484	- 17. 8. 35.49	41.22	4	- 0.717	2253	...	311
8299	8322	Piazzi XVII. 312.....	6	17. 51. 54.95	37.84	8	+ 3.633	- 22. 46. 9.46	40.99	3	- 0.707	312
8300	8323	Piazzi XVII. 327.....	7	17. 51. 56.17	35.51	3	+ 1.735	+ 45. 0. 40.58	35.56	3	- 0.705	327
8301	8324	Lacaille 7528.....	6.7	17. 52. 2.01	38.68	2	+ 5.258	- 58. 34. 5.25	38.68	2	- 0.696	...	7528	...
8302	8325	66 Ophiuchi.....	5	17. 52. 5.57	39.85	4	+ 2.970	+ 4. 23. 4.34	42.25	2	- 0.691	2257	...	318
8303	8326	Piazzi XVII. 317.....	8	17. 52. 8.82	38.15	5	+ 3.535	- 19. 5. 38.68	37.68	5	- 0.687	317
8304	8327	94 Herculis.....	5	17. 52. 11.53	37.59	2	+ 2.294	+ 30. 12. 27.41	33.69	3	- 0.683	2261	...	324
8305	8328	67 Ophiuchi.....	4	17. 52. 23.15	35.58	6	+ 3.003	+ 2. 56. 45.49	33.65	5	- 0.666	2259	...	322
8306	8329	Piazzi XVII. 320.....	8	17. 52. 31.45	37.70	1	+ 3.637	- 22. 53. 44.44	37.70	1	- 0.652	320
8307	8330	Piazzi XVII. 319.....	7.8	17. 52. 32.40	38.43	4	+ 3.674	- 24. 14. 44.76	37.35	3	- 0.652	319
8308	8331	93 Herculis.....	5	17. 52. 43.07	36.65	3	+ 2.669	+ 16. 45. 56.59	42.61	1	- 0.636	2262	...	329
8309	8332	7 Sagittarii.....	6	17. 52. 44.62	35.24	9	+ 3.675	- 24. 16. 22.25	37.77	5	- 0.635	2255	7538	321
8310	8333	33 Draconis.....	2	17. 52. 46.63	32.83	59	+ 1.391	+ 51. 30. 40.36	32.19	73	- 0.630	2267	...	335
8311	8334	Piazzi XVII. 323.....	6	17. 52. 46.88	37.70	1	+ 3.578	- 20. 43. 38.44	42.61	1	- 0.630	323
8312	8335	Piazzi XVII. 328.....	6	17. 52. 50.16	40.19	2	+ 2.925	+ 6. 16. 51.84	42.67	1	- 0.626	328
8313	8336	Piazzi XVII. 326.....	6.7	17. 53. 2.45	35.24	3	+ 3.632	- 22. 42. 38.42	34.62	3	- 0.609	326
8314	8337	Piazzi XVII. 325.....	7.8	17. 53. 13.32	37.29	2	+ 3.975	- 34. 2. 53.09	37.20	3	- 0.594	325
8315	8338	68 Ophiuchi.....	5.6	17. 53. 23.12	33.71	2	+ 3.041	+ 1. 18. 57.44	33.68	4	- 0.578	2264	...	331
8316	8339	Piazzi XVII. 336.....	8	17. 53. 35.62	37.27	2	+ 2.735	+ 14. 7. 49.13	36.56	2	- 0.560	336
8317	8340	Piazzi XVII. 330.....	8.9	17. 53.	+ 3.643	- 23. 7. 57.21	37.08	3	- 0.554	330
8318	8341	Lacaille 7542.....	6.7	17. 53. 44.20	38.49	2	+ 4.040	- 35. 53. 49.73	38.48	2	- 0.548	...	7542	...
8319	8342	9 Sagittarii.....	6.7	17. 53.	+ 3.677	- 24. 21. 21.43	37.70	1	- 0.545	2260	7547	332
8320	8343	Arct ^θ	4	17. 53. 47.55	40.19	2	+ 4.670	- 50. 5. 31.30	31.60	5	- 0.542	...	7535	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8321	8344	Piazzi XVII. 333	8.9	h m s 17. 53. 50.51	35.57	1	+ 3.676	— 24. 18. 30.35	34.53	2	— 0.539	333
8322	8345	Piazzi XVII. 334	7.8	17. 53. 55.90	37.67	1	+ 3.634	— 22. 49.	— 0.530	334
8323	8346	Piazzi XVII. 340	8.9	17. 54. 3.78	37.25	3	+ 2.970	+ 4. 22. 54.39	37.28	2	— 0.520	340
8324	8347	69 Ophiuchi	5	17. 54. 6.07	31.77	6	+ 3.264	— 8. 10. 21.80	31.80	6	— 0.516	2265	...	337
8325	8348	Piazzi XVII. 338	9	17. 54. 16.36	37.29	2	+ 3.544	— 19. 27. 20.24	37.36	3	— 0.502	338
8326	8349	Brisbane 6299	7.8	17. 54. 24.60	38.61	2	+ 4.070	— 36. 45. 12.29	38.61	2	— 0.489
8327	8350	Sagittarii	5	17. 54. 29.08	33.63	3	+ 3.831	— 29. 34. 44.46	33.59	5	— 0.482	...	7552	339
8328	8351	95 Herculis	5.6	17. 54. 29.27	32.68	1	+ 2.543	+ 21. 36. 7.33	33.59	1	— 0.482	2268	...	344
8329	8352	Piazzi XVII. 345	8	17. 54. 31.20	37.09	4	+ 2.511	+ 22. 46. 53.96	37.24	4	— 0.480	345
8330	8353	Piazzi XVII. 347	6.7	17. 54. 33.80	35.32	3	+ 2.197	+ 33. 13. 26.25	35.59	3	— 0.476	347
8331	8354	Lacaille 7551	8	17. 54. 34.18	39.97	3	+ 4.064	— 36. 34. 47.34	38.61	2	— 0.476	...	7551	...
8332	8355	Lacaille 7550	5.6	17. 54. 54.32	35.87	4	+ 4.337	— 43. 25. 24.57	35.96	4	— 0.447	...	7550	341
8333	8356	Piazzi XVII. 342	7	17. 55. 3.58	36.20	5	+ 3.678	— 24. 23. 55.29	39.55	3	— 0.433	342
8334	8357	Brisbane 6303	7	17. 55. 6.07	38.68	2	+ 5.589	— 62. 1. 25.32	38.68	2	— 0.429
8335	8358	10 Sagittarii	4	17. 55. 12.74	32.88	4	+ 3.857	— 30. 25. 2.31	32.92	4	— 0.420	2266	7557	343
8336	8359	Piazzi XVII. 353	6.7	17. 55. 13.57	35.54	2	+ 1.711	+ 45. 30. 44.94	35.56	3	— 0.418	353
8337	8360	Lacaille 7555	6.7	17. 55. 15.14	38.49	2	+ 4.044	— 36. 1. 27.08	38.53	3	— 0.416	...	7555	...
8338	8361	96 Herculis	5	17. 55. 19.82	31.93	4	+ 2.563	+ 20. 50. 18.31	31.90	5	— 0.408	2269	...	349
8339	8362	Lacaille 7540	7	17. 55. 23.82	39.62	1	+ 5.301	— 59. 3. 6.27	39.62	1	— 0.403	...	7540	...
8340	8363	Piazzi XVII. 350	8	17. 55. 32.56	37.05	3	+ 2.714	+ 15. 0. 18.63	37.13	3	— 0.389	350
8341	8364	97 Herculis	6	17. 55. 36.62	33.54	3	+ 2.506	+ 22. 55. 37.05	33.68	4	— 0.385	2270	...	352
8342	8365	Piazzi XVII. 346	7.8	17. 55. 44.94	37.28	2	+ 4.336	— 43. 23. 51.17	37.25	3	— 0.372	346
8343	8366	Brisbane 6309	7	17. 55. 53.46	40.01	3	+ 4.066	— 36. 36. 49.14	40.70	4	— 0.359
8344	8367	Piazzi XVII. 370	6.7	17. 55. 57.49	37.67	2	— 2.746	+ 77. 3. 23.54	34.62	1	— 0.353	370
8345	8369	Lacaille 7558	6.7	17. 56. 16.95	35.22	2	+ 4.446	— 45. 46. 34.81	35.58	5	— 0.325	...	7558	348
8346	8368	Piazzi XVII. 369	8	17. 56. 17.02	35.63	2	— 1.778	+ 74. 35. 37.36	37.68	2	— 0.325	369
8347	8370	Lacaille 7570	8	17. 56. 19.97	37.17	3	+ 3.794	— 28. 22. 9.66	37.37	3	— 0.320	...	7570	351
8348	8371	35 Draconis	5	17. 56. 49.65	37.90	5	— 2.710	+ 76. 58. 44.48	34.94	6	— 0.277	2287	...	380
8349	8372	70 Ophiuchi	4.5	17. 57. 7.16	33.54	9	+ 3.013	+ 2. 32. 47.33	31.54	5	— 0.253	2271	...	358
8350	8373	Piazzi XVII. 357	6	17. 57. 7.94	35.55	2	+ 3.268	— 8. 19. 46.17	35.47	3	— 0.252	357
8351	8374	Piazzi XVII. 356	7	17. 57. 18.01	39.39	5	+ 3.597	— 21. 27. 10.27	36.35	6	— 0.237	356
8352	8375	Piazzi XVII. 355	8	17. 57. 23.46	37.18	3	+ 3.876	— 31. 0. 45.64	36.83	3	— 0.228	355
8353	8376	Lacaille 7579	5	17. 57. 37.92	32.48	5	+ 3.797	— 28. 28. 0.75	31.65	5	— 0.207	...	7579	359
8354	8377	Lacaille 7575	8	17. 57. 41.30	37.97	4	+ 4.407	— 44. 57. 36.05	37.53	4	— 0.202	...	7575	354
8355	8378	Piazzi XVII. 360	8.9	17. 57. 47.28	37.20	3	+ 3.609	— 21. 52. 19.48	36.97	4	— 0.193	360
8356	8379	34 Draconis	6	17. 58. 2.07	35.65	1	— 1.047	+ 72. 1. 8.67	35.34	2	— 0.173	2285	...	382
8357	8380	Piazzi XVII. 362	7.8	17. 58. 3.49	35.24	3	+ 2.788	+ 11. 59. 46.40	34.60	3	— 0.171	362
8358	8381	Piazzi XVII. 363	7.8	17. 58. 10.68	37.30	2	+ 2.751	+ 13. 28. 33.68	37.09	3	— 0.159	363
8359	8382	Lacaille 7580	6.7	17. 58. 11.48	38.66	2	+ 4.068	— 36. 41. 15.39	38.66	2	— 0.159	...	7580	...
8360	8383	Lacaille 7578	7	17. 58. 37.06	39.60	1	+ 4.533	— 47. 31. 54.23	39.60	1	— 0.121	...	7578	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8361	8384	Piazzi XVII. 364	7	^{h m s} 17. 58. 45'16	37'28	2	+ 3'598	— 21. 27. 51'30	36'43	4	— 0'109	364
8362	8385	Piazzi XVII. 368	7.8	17. 58. 57'66	35'39	3	+ 2'864	+ 8. 52. 15'33	34'52	3	— 0'090	368
8363	8386	Telescopii	5	17. 58. 59'18	32'34	3	+ 4'455	— 45. 58. 23'67	32'18	2	— 0'088	...	7581	361
8364	8387	Piazzi XVII. 365	7	17. 59. 0'53	38'49	6	+ 3'728	— 26. 7. 6'00	39'48	5	— 0'086	365
8365	8388	98 Hercules	5.6	17. 59. 5'24	33'56	4	+ 2'526	+ 22. 12. 33'05	33'68	5	— 0'079	2274	...	372
8366	8389	Piazzi XVII. 366	7	17. 59. 12'42	38'23	5	+ 3'667	— 24. 0. 20'07	39'62	5	— 0'069	366
8367	8390	Piazzi XVII. 371	7.8	17. 59. 16'06	37'24	3	+ 2'915	+ 6. 41. 28'82	37'24	3	— 0'064	371
8368	8391	71 Ophiuchi	6	17. 59. 25'12	32'64	3	+ 2'867	+ 8. 43. 8'00	33'66	4	— 0'051	2273	...	373
8369	8392	Piazzi XVII. 379	7.8	17. 59. 27'36	37'14	4	+ 1'831	+ 42. 51. 6'76	35'56	3	— 0'048	379
8370	8393	Lacaille 7590	6	17. 59. 27'79	33'63	5	+ 3'868	— 30. 44. 46'17	33'58	3	— 0'047	...	7590	367
8371	8394	72 Ophiuchi	4	17. 59. 31'50	31'73	6	+ 2'847	+ 9. 32. 46'86	31'66	5	— 0'040	2275	...	374
8372	8395	Piazzi XVII. 376	8	17. 59. 40'93	37'46	2	+ 2'849	+ 9. 28. 48'43	37'50	2	— 0'027	376
8373	8396	Piazzi XVII. 384	8	17. 59. 47'15	37'89	3	+ 1'827	+ 42. 56. 49'96	39'24	3	— 0'018	384
8374	8397	Piazzi XVII. 378	6.7	18. 0. 0'56	35'35	2	+ 3'140	— 2. 55. 29'96	35'56	1	+ 0'001	378
8375	8398	Lacaille 7585	7	18. 0. 1'40	38'60	2	+ 4'699	— 50. 34. 53'26	38'59	2	+ 0'001	...	7585	...
8376	8399	Piazzi XVII. 375	9	18. 0. 2'90	37'28	2	+ 3'661	— 23. 47. 32'75	37'24	1	+ 0'004	375
8377	8400	Piazzi XVII. 381	6.7	18. 0. 12'34	35'24	2	+ 2'762	+ 13. 3. 18'12	35'65	1	+ 0'017	381
8378	8401	Piazzi XVII. 377	8.9	18. 0. 18'78	39'18	3	+ 3'726	— 26. 3. 13'69	35'59	2	+ 0'026	377
8379	8402	Lacaille 7595	7.8	18. 0. 39'48	40'60	4	+ 4'010	— 35. 3. 0'48	39'88	3	+ 0'056	...	7595	...
8380	8403	99 Hercules	5.6	18. 0. 45'82	35'72	2	+ 2'283	+ 30. 32. 35'30	35'51	3	+ 0'066	2278	...	385
8381	8404	Lacaille 7603	7.8	18. 0. 51'98	37'30	2	+ 3'718	— 25. 47. 12'30	37'37	3	+ 0'075	...	7603	383
8382	8405	103 Hercules	4	18. 1. 6'41	32'62	6	+ 2'338	+ 28. 44. 41'34	32'95	11	+ 0'096	2281	...	388
8383	8406	100 Hercules	6.7	18. 1. 10'38	38'17	6	+ 2'417	+ 26. 4. 39'56	38'01	7	+ 0'103	2279	...	389
8384	8407	Bradley 2280	6.7	18. 1. 10'83	35'60	1	+ 2'418	+ 26. 4.	+ 0'103	2280	...	390
8385	8408	73 Ophiuchi	6	18. 1. 22'03	33'57	3	+ 2'979	+ 3. 58. 23'36	32'69	5	+ 0'119	2277	...	387
8386	8409	Piazzi XVII. 391	8	18. 1. 24'66	37'27	3	+ 2'444	+ 25. 9. 22'98	36'69	2	+ 0'123	391
8387	8410	Bradley 2276	6	18. 1. 39'18	33'52	5	+ 3'660	— 23. 43. 36'77	33'68	6	+ 0'144	2276	7613	386
8388	8411	102 Hercules	5.6	18. 1. 42'39	33'67	4	+ 2'564	+ 20. 47. 36'85	33'70	5	+ 0'149	2282	...	1
8389	8412	101 Hercules	6	18. 1. 46'14	32'56	5	+ 2'585	+ 20. 1. 30'71	32'66	2	+ 0'154	2283	...	2
8390	8413	Piazzi XVIII. 3	8.9	18. 1. 56'68	37'22	3	+ 2'789	+ 11. 56. 44'47	36'99	4	+ 0'171	3
8391	8414	Piazzi XVIII. 11	8	18. 2. 13'82	35'65	2	— 0'955	+ 71. 37. 47'21	34'68	3	+ 0'196	11
8392	8415	Piazzi XVIII. 4	7.8	18. 2. 40'23	35'59	3	+ 2'894	+ 7. 36. 31'21	35'59	3	+ 0'233	4
8393	8416	Piazzi XVIII. 6	7	18. 2. 51'85	36'99	4	+ 2'286	+ 30. 26. 20'64	37'17	5	+ 0'251	6
8394	8417	Lacaille 7608	6	18. 3. 13'63	38'65	3	+ 5'059	— 56. 3. 50'38	38'65	3	+ 0'281	...	7608	...
8395	8418	Lacaille 7621	6	18. 3. 51'13	35'44	3	+ 4'374	— 44. 14. 49'75	34'58	3	+ 0'337	...	7621	5
8396	8419	13 Sagittarii	3.4	18. 3. 53'97	32'05	5	+ 3'588	— 21. 5. 39'38	31'55	5	+ 0'341	2284	...	7
8397	8420	Lacaille 7618	7	18. 4. 1'17	40'58	6	+ 4'729	— 51. 6. 35'22	40'58	6	+ 0'351	...	7618	...
8398	8421	Piazzi XVIII. 10	7.8	18. 4. 15'35	35'32	4	+ 2'879	+ 8. 11. 45'41	35'45	2	+ 0'372	10
8399	8422	14 Sagittarii	6	18. 4. 21'34	32'57	6	+ 3'605	— 21. 44. 58'74	33'59	3	+ 0'381	2286	...	8
8400	8423	Piazzi XVIII. 13	8	18. 4. 28'36	36'91	4	+ 2'152	+ 34. 31. 39'60	37'36	3	+ 0'390	13

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccxiii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Mean Dec., 1835°.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.	Bradley.	Lacaille.	Piazzi.	
8401	8424	Lacaille 7630	7.8	^{h m s} 18. 4. 40.64	38.55	3	^s + 4.065	^{° ' "} — 36. 36. 53.97	38.55	3	["] + 0.413	...	7630	...	
8402	8425	Lacaille 7632	7.8	18. 4. 49.54	36.88	3	+ 3.945	— 33. 7. 55.09	36.97	4	+ 0.424	...	7632	9	
8403	8426	Piazzi XVIII. 12	8.9	18. 5. 1.29	36.93	4	+ 3.668	— 24. 2. 17.83	37.44	4	+ 0.439	12	
8404	8427	Piazzi XVIII. 23	7	18. 5. 21.08	35.36	3	— 0.065	+ 66. 55. 23.90	35.44	3	+ 0.469	23	
8405	8428	15 Sagittarii.....	6	18. 5. 22.44	33.62	5	+ 3.579	— 20. 46. 11.29	32.37	6	+ 0.470	2288	...	14	
8406	8429	16 Sagittarii.....	6	18. 5. 24.15	33.61	4	+ 3.570	— 20. 25. 44.64	37.07	7	+ 0.473	2289	...	15	
8407	8430	104 Hercules	A	5	18. 5. 41.58	31.64	5	+ 2.257	+ 31. 22. 8.67	31.85	6	+ 0.499	2291	...	18
8408	8431	Lacaille 7640	Var.	18. 5. 57.30	35.32	3	+ 4.125	— 38. 13. 26.31	35.58	3	+ 0.521	...	7640	16	
8409	8432	Piazzi XVIII. 19	7.8	18. 6. 10.70	36.96	4	+ 2.851	+ 9. 24. 3.16	37.00	4	+ 0.541	19	
8410	8433	Sagittarii	7	4	18. 6. 27.94	33.19	6	+ 4.072	— 36. 48. 8.52	31.64	5	+ 0.565	...	7643	17
8411	8434	17 Sagittarii	7	18. 6. 45.67	32.94	4	+ 3.574	— 20. 35. 26.25	33.59	5	+ 0.591	2290	...	20	
8412	8435	Lacaille 7654	7	18. 6. 56.54	35.34	3	+ 3.793	— 28. 19. 51.97	34.81	4	+ 0.608	...	7654	21	
8413	8436	Piazzi XVIII. 22	8	18. 7. 25.10	37.39	3	+ 4.090	— 37. 16. 33.92	37.09	5	+ 0.648	22	
8414	8437	Lacaille 7659	5.6	18. 7. 43.68	33.65	5	+ 3.756	— 27. 5. 39.79	32.89	4	+ 0.677	...	7659	24	
8415	8438	Piazzi XVIII. 25	7	18. 7. 48.05	33.42	5	+ 3.519	— 18. 30. 50.85	33.60	7	+ 0.683	25	
8416	8439	Piazzi XVIII. 26	8	18. 7. 53.99	35.34	3	+ 3.551	— 19. 43. 25.12	34.87	4	+ 0.691	26	
8417	8440	Lacaille 7638	6.7	18. 8. 1.27	38.65	3	+ 5.539	— 61. 33. 25.08	38.65	3	+ 0.701	...	7638	...	
8418	8441	Lacaille 7641.....	8	18. 8. 4.86	38.91	3	+ 5.464	— 60. 48. 41.09	38.91	3	+ 0.708	...	7641	...	
8419	8442	Piazzi XVIII. 31	8	18. 8. 19.48	35.49	3	+ 0.576	+ 61. 50. 33.20	34.67	3	+ 0.730	31	
8420	8443	Piazzi XVIII. 27	7.8	18. 8. 51.10	35.24	3	+ 3.363	— 12. 17. 49.51	35.49	3	+ 0.774	27	
8421	8444	Piazzi XVIII. 30	7.8	18. 9. 19.45	36.91	4	+ 2.788	+ 12. 0. 56.41	37.09	4	+ 0.814	30	
8422	8445	Brisbane 6372	8	18. 9. 28.87	39.04	2	+ 4.073	— 36. 50. 9.78	39.04	2	+ 0.829	
8423	8446	Piazzi XVIII. 29	8.9	18. 9. 30.85	36.90	4	+ 3.473	— 16. 42. 51.69	36.79	3	+ 0.832	29	
8424	8447	Lacaille 7665	7.8	18. 9. 49.18	37.07	3	+ 4.157	— 39. 4. 57.91	37.12	4	+ 0.859	...	7665	...	
8425	8448	Piazzi XVIII. 35	7.8	18. 10. 11.67	36.94	2	+ 2.793	+ 11. 49. 17.60	37.38	2	+ 0.892	35	
8426	8449	19 Sagittarii.....	δ	3.4	18. 10. 25.81	32.78	13	+ 3.840	— 29. 53. 23.13	31.68	7	+ 0.913	2294	7670	32
8427	8450	18 Sagittarii	7.8	18. 10. 37.62	35.40	3	+ 3.875	— 31. 0. 15.32	35.41	3	+ 0.930	...	7672	33	
8428	8451	Bradley 2296	6	18. 10. 39.02	36.58	7	+ 3.452	— 15. 53. 29.83	36.07	8	+ 0.932	2296	
8429	8452	Lacaille 7671	6	18. 10. 55.83	35.32	3	+ 4.143	— 38. 43. 20.56	34.72	3	+ 0.957	...	7671	34	
8430	8453	Brisbane 6378	9	18. 10. 58.28	40.68	6	+ 4.981	— 55. 1. 41.80	40.68	6	+ 0.959	
8431	8459	Lacaille 7663	8.9	18. 11. 9.40	42.62	3	+ 5.141	— 57. 10. 1.90	42.42	3	+ 0.976	...	7663	...	
8432	8454	Lacaille 7677	7	18. 11. 42.04	36.50	3	+ 4.069	— 36. 44. 17.23	35.92	4	+ 1.024	...	7677	37	
8433	8455	Piazzi XVIII. 36	7	18. 11. 42.89	35.40	3	+ 4.291	— 42. 23. 26.29	35.65	3	+ 1.025	36	
8434	8456	Piazzi XVIII. 38	8.9	18. 11. 43.26	36.81	3	+ 3.466	— 16. 26. 30.80	36.69	2	+ 1.027	38	
8435	8457	Piazzi XVIII. 40	8	18. 11. 47.97	36.97	2	+ 3.466	— 16. 26. 24.39	37.41	4	+ 1.033	40	
8436	8458	Piazzi XVIII. 41	8.9	18. 12. 4.89	37.08	3	+ 3.737	— 26. 29. 7.03	37.25	4	+ 1.057	41	
8437	8460	Piazzi XVIII. 43	7	18. 12. 17.40	36.28	3	+ 3.465	— 16. 23. 35.48	35.50	2	+ 1.075	43	
8438	8461	Lacaille 7680	6	18. 12. 17.53	35.51	2	+ 4.370	— 44. 10. 57.80	35.55	3	+ 1.076	...	7680	39	
8439	8462	Lacaille 7684	6	18. 12. 20.19	35.34	3	+ 4.053	— 36. 18. 35.88	34.87	4	+ 1.080	...	7684	42	
8440	8463	40 Draconis	6.7	18. 12. 21.28	39.88	5	— 4.478	+ 79. 58. 11.00	42.69	2	+ 1.082	2318	...	62	

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8441	8464	105 Hercules.....	5	h m s 18. 12. 23'19	31'71	6	+ 2'467	+ 24. 22. 57'61	31'58	5	+ 1'084	2300	...	47
8442	8465	Lacaille 7675	7	18. 12. 23'60	42'41	3	+ 4'891	- 53. 43. 8'98	42'41	3	+ 1'084	...	7675	...
8443	8466	41 Draconis	7	18. 12. 28'00	39'19	6	- 4'480	+ 79. 58. 21'74	42'69	2	+ 1'090	2321	...	63
8444	8467	74 Ophiuchi.....	6	18. 12. 38'14	33'39	4	+ 2'995	+ 3. 18. 35'61	32'67	3	+ 1'105	2299	...	45
8445	8468	58 Serpentis.....	4	18. 12. 46'30	40'36	5	+ 3'140	- 2. 56. 8'73	38'17	13	+ 1'119	2298	...	48
8446	8469	36 Draconis	5	18. 12. 56'91	33'25	5	+ 0'293	+ 64. 20. 32'26	32'68	5	+ 1'133	2309	...	54
8447	8470	Piazzi XVIII. 44	7'8	18. 13. 6'75	39'51	5	+ 3'986	- 34. 24. 29'32	38'28	5	+ 1'147	44
8448	8471	20 Sagittarii	3	18. 13. 13'28	35'27	8	+ 3'988	- 34. 27. 15'02	33'52	6	+ 1'155	2297	7689	46
8449	8472	106 Hercules.....	5'6	18. 13. 19'30	32'66	5	+ 2'535	+ 21. 53. 48'61	33'58	6	+ 1'164	2301	...	49
8450	8473	Bradley 2302	7	18. 13. 29'93	35'62	3	+ 2'314	+ 29. 35. 57'44	34'84	4	+ 1'181	2302	...	51
8451	8474	Bradley 2304	6'7	18. 14. 0'03	35'54	2	+ 2'335	+ 28. 54. 52'29	35'34	3	+ 1'224	2304	...	53
8452	8475	1 Lyrae	4'5	18. 14. 4'89	33'13	5	+ 2'102	+ 35. 59. 40'08	32'40	6	+ 1'232	2305	...	55
8453	8476	Lacaille 7698	6	18. 14. 25'33	33'59	3	+ 3'868	- 30. 49. 55'68	33'67	5	+ 1'260	...	7698	52
8454	8477	Piazzi XVIII. 61	8'9	18. 14. 30'12	36'64	1	- 0'330	+ 68. 35. 0'27	37'43	3	+ 1'268	61
8455	8478	107 Hercules.....	6	18. 14. 34'95	33'69	4	+ 2'338	+ 28. 47. 46'92	34'24	9	+ 1'275	2306	...	56
8456	8479	108 Hercules	6	18. 14. 35'37	39'56	7	+ 2'308	+ 29. 47. 5'90	40'16	6	+ 1'275	2307	...	57
8457	8480	Telescopii	4'5	18. 14. 44'39	34'93	9	+ 4'456	- 46. 3. 2'33	35'13	8	+ 1'288	...	7694	50
8458	8481	Bradley 2308	5'6	18. 15. 16'05	33'70	3	+ 2'500	+ 23. 12. 23'45	33'71	2	+ 1'334	2308
8459	8482	Piazzi XVIII. 59	7'8	18. 15. 18'38	36'90	4	+ 3'100	- 1. 13. 26'69	37'03	4	+ 1'337	59
8460	8483	21 Sagittarii	6	18. 15. 31'45	35'92	7	+ 3'574	- 20. 37. 20'66	39'65	5	+ 1'356	2303	...	58
8461	8484	Lacaille 7696	7	18. 15. 43'65	38'57	2	+ 5'176	- 57. 36. 51'07	38'57	2	+ 1'376	...	7696	...
8462	8485	Pavonis	5	18. 15. 57'69	40'07	4	+ 5'620	- 62. 22. 13'99	36'80	5	+ 1'396	...	7691	...
8463	8486	Telescopii	5	18. 16. 6'86	38'71	3	+ 4'615	- 49. 9. 0'08	36'05	7	+ 1'409	...	7702	...
8464	8487	37 Draconis	6'7	18. 16. 14'04	38'54	6	- 0'349	+ 68. 41. 44'84	38'24	5	+ 1'420	2316	...	67
8465	8488	Lacaille 7710	7	18. 16. 39'53	35'32	3	+ 3'955	- 33. 29. 57'21	35'56	3	+ 1'456	...	7710	60
8466	8489	109 Hercules	5'6	18. 16. 40'37	33'62	2	+ 2'541	+ 21. 42. 2'40	32'34	4	+ 1'457	2311	...	64
8467	8490	Piazzi XVIII. 65	7	18. 17. 1'19	36'84	3	+ 2'955	+ 5. 0. 1'26	36'95	4	+ 1'487	65
8468	8491	Lacaille 7712	6'7	18. 17. 2'49	38'57	2	+ 4'155	- 39. 5. 7'82	38'57	2	+ 1'489	...	7712	...
8469	8492	Lacaille 7697	8	18. 17. 27'50	38'61	2	+ 6'121	- 66. 22. 55'87	38'61	2	+ 1'525	...	7697	...
8470	8493	Telescopii	5'6	18. 17. 31'64	39'11	2	+ 4'518	- 47. 18. 56'05	39'11	2	+ 1'531	...	7713	...
8471	8494	22 Sagittarii	4	18. 17. 47'42	32'24	9	+ 3'708	- 25. 30. 15'76	31'54	5	+ 1'555	2310	7725	66
8472	8495	Piazzi XVIII. 80	6	18. 17. 56'21	36'13	3	- 0'343	+ 68. 40. 33'97	34'95	3	+ 1'568	80
8473	8496	B.D.—17°. 5203	6	18. 18. 18'90	37'71	2	+ 3'499	- 17. 53. 35'79	39'66	2	+ 1'600
8474	8497	59 Serpentis	5'6	18. 18. 46'26	36'41	9	+ 3'070	+ 0. 6. 15'49	39'18	13	+ 1'641	2312	...	74
8475	8498	Piazzi XVIII. 68	8	18. 18. 46'78	37'04	3	+ 3'697	- 25. 8. 13'12	37'18	4	+ 1'642	68
8476	8499	2 Lyrae.....	6'7	18. 18. 47'60	35'45	3	+ 1'977	+ 39. 25. 16'90	34'72	3	+ 1'643	2315	...	78
8477	8500	Lacaille 7726	7'8	18. 18. 56'49	38'89	3	+ 4'522	- 47. 24. 49'70	38'89	3	+ 1'655	...	7726	...
8478	8501	Lacaille 7716	8	18. 19. 1'35	38'69	2	+ 5'273	- 58. 48. 34'55	38'69	2	+ 1'661	...	7716	...
8479	8502	Piazzi XVIII. 69	8	18. 19. 7'81	36'99	2	+ 3'959	- 33. 38. 45'74	37'41	2	+ 1'671	69
8480	8503	Lacaille 7733	8'9	18. 19. 9'89	36'88	3	+ 3'957	- 33. 35. 36'32	37'19	4	+ 1'674	...	7733	71

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8481	8504	Lacaille 7738	7	h m s 18. 19. 11.39	35.45	3	+ 3.703	— 25. 21. 11.40	34.63	3	+ 1.676	...	7738	75
8482	8505	Lacaille 7735	8	18. 19. 11.89	39.06	9	+ 3.942	— 33. 8. 46.19	38.06	7	+ 1.677	...	7735	72
8483	8506	Lacaille 7731	7	18. 19. 19.04	35.24	2	+ 4.272	— 42. 0. 48.56	35.41	3	+ 1.687	...	7731	70
8484	8507	Piazzi XVIII. 77	8.9	18. 19. 23.56	38.25	4	+ 3.070	+ 0. 6. 18.33	37.46	4	+ 1.694	77
8485	8508	Telescopii	6	18. 19. 31.53	35.48	2	+ 4.453	— 46. 0. 57.95	35.68	3	+ 1.708	...	7729	73
8486	8509	Bradley 2313	5	18. 19. 47.64	35.82	12	+ 3.421	— 14. 39. 49.37	34.90	14	+ 1.731	2313
8487	8510	Telescopii	6	18. 19. 49.36	35.48	3	+ 4.445	— 45. 51. 38.03	35.68	3	+ 1.733	...	7734	76
8488	8511	Piazzi XVIII. 83	7.8	18. 19. 51.45	37.06	3	+ 2.412	+ 26. 22. 7.57	37.14	3	+ 1.735	83
8489	8512	Piazzi XVIII. 93	7	18. 20. 1.13	35.60	3	— 0.121	+ 67. 21. 14.00	35.58	2	+ 1.749	93
8490	8513	Piazzi XVIII. 84	7.8	18. 20. 2.92	37.06	3	+ 2.412	+ 26. 21. 20.90	37.13	5	+ 1.752	84
8491	8514	Lacaille 7746	6	18. 20. 15.49	36.76	8	+ 3.940	— 33. 5. 24.53	36.50	9	+ 1.769	...	7746	79
8492	8515	Piazzi XVIII. 81	8	18. 20. 19.07	36.89	3	+ 3.670	— 24. 9. 51.44	37.46	4	+ 1.775	81
8493	8516	Bradley 2314	6.7	18. 20. 22.43	40.04	6	+ 3.421	— 14. 40. 58.48	39.19	6	+ 1.780	2314
8494	8517	Piazzi XVIII. 82	6	18. 20. 29.98	33.57	3	+ 3.526	— 18. 49. 32.39	33.66	4	+ 1.792	82
8495	8518	Lacaille 7739	8	18. 20. 56.54	39.59	2	+ 4.919	— 54. 11. 51.70	39.59	2	+ 1.831	...	7739	...
8496	8519	60 Serpentis	6	18. 21. 6.08	33.38	4	+ 3.120	— 2. 5. 8.07	32.57	4	+ 1.844	2317	...	86
8497	8520	Lacaille 7743	7.8	18. 21. 14.86	41.66	3	+ 4.839	— 53. 0. 7.38	41.66	3	+ 1.857	...	7743	...
8498	8521	39 Draconis	5	18. 21. 29.88	31.70	2	+ 0.882	+ 58. 42. 25.46	31.53	6	+ 1.879	2328	...	98
8499	8522	Piazzi XVIII. 87	7.8	18. 21. 34.52	36.90	3	+ 3.938	— 33. 2. 47.75	37.15	5	+ 1.886	87
8500	8523	Piazzi XVIII. 88	7	18. 21. 38.43	33.62	3	+ 3.530	— 19. 0. 21.30	33.71	2	+ 1.891	88
8501	8524	Lacaille 7747	7.8	18. 21. 42.05	38.59	2	+ 4.807	— 52. 29. 51.97	38.59	2	+ 1.896	...	7747	...
8502	8525	Corone Australis.....	7	18. 21. 43.21	35.50	3	+ 4.288	— 42. 25. 19.24	34.71	3	+ 1.897	...	7756	85
8503	8526	Piazzi XVIII. 91	6.7	18. 21. 44.08	35.56	2	+ 3.514	— 18. 22. 6.53	34.81	4	+ 1.899	91
8504	8527	Piazzi XVIII. 92	6	18. 21. 46.34	38.48	10	+ 3.517	— 18. 30. 29.79	40.22	7	+ 1.901	92
8505	8528	Corone Australis.....	6	18. 21. 59.97	35.87	4	+ 4.144	— 38. 50. 7.40	36.20	6	+ 1.921	...	7758	89
8506	8529	Piazzi XVIII. 90	8	18. 22. 0.37	36.83	4	+ 4.144	— 38. 49. 46.79	36.98	2	+ 1.922	90
8507	8530	Piazzi XVIII. 94	7	18. 22. 10.31	33.68	3	+ 3.536	— 19. 14. 2.71	33.63	1	+ 1.936	94
8508	8531	Brisbane 6431	9.10	18. 22. 29.43	38.68	1	+ 5.261	— 58. 42. 20.35	38.68	1	+ 1.965
8509	8532	Piazzi XVIII. 100	6	18. 22. 45.22	33.70	2	+ 2.486	+ 23. 45. 41.65	33.43	5	+ 1.988	100
8510	8533	Piazzi XVIII. 95	7	18. 22. 46.74	35.68	3	+ 3.532	— 19. 4. 57.58	34.87	4	+ 1.992	95
8511	8534	Lacaille 7755	7	18. 22. 48.03	39.53	1	+ 5.070	— 56. 20. 27.86	39.53	1	+ 1.994	...	7755	...
8512	8535	Piazzi XVIII. 150	7.8	18. 22. 53.90	39.21	2	— 14.482	+ 85. 39. 56.30	35.73	1	+ 2.002	150
8513	8536	Lacaille 7744	9	18. 22. 57.54	39.98	3	+ 5.923	— 64. 59. 14.49	38.59	1	+ 2.007	...	7744	...
8514	8537	43 Draconis	7	18. 23. 6.65	35.68	3	— 0.847	+ 71. 14. 57.19	34.90	4	+ 2.020	2334	...	113
8515	8538	Lacaille 7761	6.7	18. 23. 8.21	34.60	4	+ 3.940	— 33. 7. 49.71	37.67	2	+ 2.022	...	7761	96
8516	8539	Bradley 2319	7	18. 23. 9.41	38.66	8	+ 3.670	— 24. 13. 19.52	37.10	12	+ 2.023	2319	...	99
8517	8540	Lacaille 7762	7.8	18. 23. 16.05	36.50	7	+ 3.939	— 33. 4. 33.11	36.22	3	+ 2.033	...	7762	97
8518	8541	Bradley 2323	6.7	18. 23. 18.19	39.95	6	+ 3.428	— 14. 58. 40.04	38.81	5	+ 2.036	2323	...	101
8519	8542	61 Serpentis	6	18. 23. 25.98	35.95	6	+ 3.098	— 1. 6. 48.08	39.62	5	+ 2.048	2325	...	104
8520	8543	Piazzi XVIII. 102	7	18. 23. 30.27	40.19	4	+ 3.517	— 18. 28. 53.07	40.16	4	+ 2.054	102

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8521	8545	Piazzi XVIII. 103.....	8	h m s 18. 23. 42'53	41'32	4	+ 3'671	— 24. 14. 18'28	42'59	1	+ 2'072	103
8522	8544	Pavonis	4	18. 23. 43'38	37'72	2	+ 7'060	— 71. 33. 15'36	33'51	2	+ 2'073	...	7736	...
8523	8546	24 Sagittarii	6'7	18. 23. 48'77	35'21	2	+ 3'668	— 24. 8. 51'47	33'39	3	+ 2'081	2324	7769	105
8524	8547	44 Draconis	4'5	18. 24. 1'30	32'58	4	— 1'187	+ 72. 39. 35'56	32'11	9	+ 2'100	2337	...	119
8525	8548	Bradley 2327	6'7	18. 24. 13'69	39'27	6	+ 3'427	— 14. 58. 8'92	36'54	3	+ 2'118	2327	...	107
8526	8549	25 Sagittarii.....	7	18. 24. 27'17	37'28	5	+ 3'673	— 24. 20. 24'86	34'62	3	+ 2'136	2326	7774	108
8527	8550	Lacaille 7772	6'7	18. 24. 37'56	36'35	2	+ 3'936	— 33. 0. 38'95	35'65	2	+ 2'152	...	7772	109
8528	8551	Lacaille 7760	7'8	18. 24. 44'94	39'96	3	+ 5'307	— 59. 14. 42'07	39'96	3	+ 2'162	...	7760	...
8529	8552	42 Draconis	7'8	18. 25. 29'98	35'48	2	+ 0'161	+ 65. 27. 42'50	34'59	3	+ 2'227	2336	...	124
8530	8553	Piazzi XVIII. 110.....	7'8	18. 25. 30'87	36'78	3	+ 3'581	— 20. 57. 42'71	36'96	4	+ 2'229	110
8531	8554	23 Ursae Minoris	3	18. 25. 31'62	32'26	101	— 19'219	+ 86. 35. 17'41	31'40	37	+ 2'230	2395	...	178
8532	8555	Piazzi XVIII. 111.....	7'8	18. 25. 34'02	36'86	3	+ 3'481	— 17. 6. 24'08	37'16	4	+ 2'232	111
8533	8556	Piazzi XVIII. 112.....	7	18. 25. 39'69	34'29	5	+ 3'539	— 19. 23. 25'01	33'44	5	+ 2'240	112
8534	8557	Bradley 2329	6	18. 25. 52'23	33'60	3	+ 3'333	— 11. 5. 55'50	33'46	4	+ 2'258	2329	...	114
8535	8558	Piazzi XVIII. 116.....	6	18. 25. 54'57	33'59	3	+ 2'494	+ 23. 29. 56'99	34'63	4	+ 2'261	116
8536	8559	1 Aquilae.....	5'6	18. 26. 13'86	33'64	5	+ 3'267	— 8. 21. 8'34	33'68	5	+ 2'291	2330	...	115
8537	8560	Piazzi XVIII. 117.....	8'9	18. 26. 41'06	36'81	3	+ 3'819	— 29. 21. 53'55	36'91	5	+ 2'330	117
8538	8561	Lacaille 7780	7'8	18. 26. 44'99	38'91	3	+ 4'549	— 48. 2. 34'01	38'90	3	+ 2'335	...	7780	...
8539	8562	Lacaille 7788	8'9	18. 26. 46'98	36'68	2	+ 3'826	— 29. 36. 4'12	37'35	3	+ 2'339	...	7788	118
8540	8563	Piazzi XVIII. 120.....	7	18. 27. 7'21	38'19	5	+ 3'486	— 17. 20. 2'88	37'08	4	+ 2'367	120
8541	8564	Piazzi XVIII. 126.....	8	18. 27. 12'10	36'97	2	+ 2'006	+ 38. 44. 40'87	37'18	3	+ 2'374	126
8542	8565	Piazzi XVIII. 123.....	6'7	18. 27. 14'69	35'32	3	+ 3'232	— 6. 52. 4'77	35'55	3	+ 2'379	123
8543	8566	Piazzi XVIII. 127.....	7'8	18. 27. 19'99	36'32	2	+ 2'008	+ 38. 42. 59'94	35'63	3	+ 2'387	127
8544	8567	Piazzi XVIII. 121.....	7	18. 27. 23'96	34'06	5	+ 3'538	— 19. 20. 17'17	34'19	5	+ 2'392	121
8545	8568	Piazzi XVIII. 122.....	7'8	18. 27. 39'29	36'88	3	+ 3'955	— 33. 36. 39'16	37'20	4	+ 2'413	122
8546	8569	Bradley 2332	6'7	18. 28. 1'68	37'22	5	+ 3'596	— 21. 31. 34'80	40'04	4	+ 2'447	2332	...	125
8547	8570	Piazzi XVIII. 128.....	7	18. 28. 16'73	39'17	3	+ 3'487	— 17. 21. 49'21	37'66	4	+ 2'468	128
8548	8571	Bradley 2333	6	18. 28. 28'78	40'19	5	+ 3'653	— 23. 38. 15'77	39'27	5	+ 2'486	2333	7806	129
8549	8572	Piazzi XVIII. 132.....	6	18. 28. 38'24	40'64	5	+ 2'496	+ 23. 28. 38'60	39'46	6	+ 2'499	132
8550	8573	Piazzi XVIII. 130.....	8	18. 28. 46'30	36'89	3	+ 3'246	— 7. 27. 56'55	36'98	4	+ 2'510	130
8551	8574	Lacaille 7800	7	18. 29. 0'89	38'60	4	+ 4'558	— 48. 13. 51'54	38'60	4	+ 2'532	...	7800	...
8552	8575	Bradley 2335	6'7	18. 29. 3'13	40'13	6	+ 3'586	— 21. 10. 49'45	35'97	4	+ 2'535	2335	...	131
8553	8576	Piazzi XVIII. 135.....	7	18. 29. 7'96	35'30	3	+ 1'693	+ 46. 5. 34'31	34'93	3	+ 2'543	135
8554	8577	Lacaille 7785	5	18. 29. 14'30	35'60	3	+ 5'919	— 65. 0. 47'89	34'81	7	+ 2'552	...	7785	...
8555	8578	Piazzi XVIII. 133.....	7'8	18. 29. 29'78	39'82	4	+ 2'807	+ 11. 17. 18'71	42'62	1	+ 2'574	133
8556	8579	Piazzi XVIII. 134.....	7'8	18. 29. 37'13	37'82	6	+ 2'809	+ 11. 13. 19'66	37'34	5	+ 2'583	134
8557	8580	45 Draconis	6	18. 29. 43'45	35'57	3	+ 1'037	+ 56. 55. 17'81	34'87	4	+ 2'592	2340	...	139
8558	8581	Bradley 2339	7	18. 29. 50'06	35'91	6	+ 2'005	+ 38. 45. 53'15	35'50	3	+ 2'603	2339	...	137
8559	8582	Piazzi XVIII. 136.....	8	18. 30. 24'86	36'96	4	+ 3'858	— 30. 40. 11'18	37'11	3	+ 2'653	136
8560	8583	Piazzi XVIII. 138.....	8	18. 30. 39'64	36'62	2	+ 3'120	— 2. 5. 23'71	37'05	2	+ 2'674	138

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8561	8584	3 Lyrae	1	h m s 18. 31. 21.15	33.84	141	+ 2.014	+ 38. 38. 1.79	33.38	217	+ 2.735	2341	...	143
8562	8585	Piazzi XVIII. 145	7	18. 31. 28.11	35.70	3	+ 1.807	+ 43. 39. 39.39	35.56	3	+ 2.744	145
8563	8586	Piazzi XVIII. 140	8	18. 31. 31.03	36.87	3	+ 3.418	- 14. 39. 0.74	37.00	2	+ 2.748	140
8564	8587	24 Ursae Minoris	6.7	18. 31. 44.22	35.73	3	- 21.916	+ 86. 57. 59.71	35.69	3	+ 2.768	2417	...	227
8565	8588	26 Sagittarii	6	18. 31. 47.78	36.19	9	+ 3.661	- 23. 58. 45.35	38.02	9	+ 2.774	2338	7825	141
8566	8589	Piazzi XVIII. 144	7	18. 32. 18.68	33.67	4	+ 3.420	- 14. 42. 45.37	33.73	1	+ 2.818	144
8567	8590	Pavonis	5	18. 32. 23.60	32.97	3	+ 5.942	- 65. 14. 5.69	38.15	2	+ 2.824	...	7813	...
8568	8591	Coronae Australis	6	18. 32. 27.80	35.59	3	+ 4.124	- 38. 28. 22.13	34.95	4	+ 2.831	...	7827	142
8569	8592	Piazzi XVIII. 151	8	18. 32. 36.42	35.50	3	+ 2.113	+ 35. 54. 46.09	35.23	2	+ 2.843	151
8570	8593	Piazzi XVIII. 153	7	18. 32. 39.36	35.36	3	+ 1.980	+ 39. 31. 34.81	34.61	2	+ 2.847	153
8571	8594	Lacaille 7824	7	18. 33. 1.35	38.93	3	+ 4.708	- 51. 1. 47.44	38.93	3	+ 2.879	...	7824	...
8572	8595	Lacaille 7826	7.8	18. 33. 6.08	40.36	5	+ 4.563	- 48. 25. 17.41	40.36	5	+ 2.886	...	7826	...
8573	8596	2 Aquilae	5	18. 33. 14.45	31.57	6	+ 3.286	- 9. 12. 11.73	31.70	6	+ 2.898	2342	...	149
8574	8597	Lacaille 7830	6.7	18. 33. 15.97	35.61	4	+ 4.026	- 35. 47. 43.97	34.73	3	+ 2.900	...	7830	146
8575	8598	Piazzi XVIII. 152	8	18. 33. 22.48	36.89	3	+ 3.246	- 7. 29. 16.52	37.30	4	+ 2.912	152
8576	8599	Lacaille 7829	6.7	18. 33. 29.31	36.07	4	+ 4.176	- 39. 50. 33.19	35.66	4	+ 2.920	...	7829	147
8577	8600	Piazzi XVIII. 148	7	18. 33. 31.41	39.89	4	+ 4.178	- 39. 53. 57.10	39.01	6	+ 2.923	148
8578	8601	Piazzi XVIII. 154	7.8	18. 33. 48.35	37.27	3	+ 2.789	+ 12. 5. 10.46	37.02	3	+ 2.947	154
8579	8602	Piazzi XVIII. 156	7.8	18. 34. 9.58	36.85	5	+ 2.789	+ 12. 6. 14.22	36.78	3	+ 2.978	156
8580	8603	Lacaille 7833	6.7	18. 34. 11.78	38.67	3	+ 4.662	- 50. 15. 17.49	38.67	3	+ 2.980	...	7833	...
8581	8604	3 Aquilae	5.6	18. 34. 32.00	32.65	4	+ 3.268	- 8. 25. 51.83	33.68	5	+ 3.011	2343	...	157
8582	8605	Piazzi XVIII. 158	7	18. 34. 34.72	35.34	3	+ 3.270	- 8. 31. 24.16	35.53	4	+ 3.015	158
8583	8606	Piazzi XVIII. 160	7	18. 34. 36.30	35.38	2	+ 2.031	+ 38. 13. 3.87	34.59	3	+ 3.017	160
8584	8607	Lacaille 7842	6	18. 34. 40.87	33.68	5	+ 3.693	- 25. 10. 8.88	33.72	4	+ 3.024	...	7842	155
8585	8608	Lacaille 7835	7.8	18. 34. 41.80	40.60	6	+ 4.636	- 49. 47. 29.55	42.56	3	+ 3.025	...	7835	...
8586	8609	Piazzi XVIII. 165	7	18. 35. 5.40	35.72	2	+ 1.368	+ 52. 11. 46.70	35.69	3	+ 3.059	165
8587	8610	27 Sagittarii	4.5	18. 35. 20.84	32.18	8	+ 3.750	- 27. 9. 8.45	31.65	5	+ 3.081	2344	7844	159
8588	8611	Piazzi XVIII. 173	7	18. 35. 41.38	36.90	3	+ 0.194	+ 65. 20. 29.72	37.52	4	+ 3.111	173
8589	8612	Piazzi XVIII. 163	7.8	18. 35. 56.82	36.85	3	+ 2.877	+ 8. 28. 0.83	37.16	3	+ 3.134	163
8590	8613	Piazzi XVIII. 174	7	18. 36. 3.38	38.67	3	+ 0.548	+ 62. 22. 38.29	37.33	2	+ 3.142	174
8591	8614	Piazzi XVIII. 170	7	18. 36. 5.36	35.72	2	+ 1.379	+ 52. 2. 35.77	34.97	4	+ 3.143	170
8592	8615	Lacaille 7846	6	18. 36. 12.18	35.59	2	+ 4.203	- 40. 34. 23.06	35.36	3	+ 3.155	...	7846	161
8593	8616	Piazzi XVIII. 162	7	18. 36. 16.62	35.69	2	+ 3.546	- 19. 46. 14.52	34.93	4	+ 3.160	162
8594	8617	28 Sagittarii	6	18. 36. 23.53	33.33	8	+ 3.621	- 22. 33. 25.45	33.46	5	+ 3.173	2345	...	164
8595	8618	4 Aquilae	5.6	18. 36. 30.57	33.64	4	+ 3.028	+ 1. 53. 55.33	33.67	5	+ 3.181	2346	...	167
8596	8619	Piazzi XVIII. 172	7	18. 36. 33.59	39.65	5	+ 2.099	+ 36. 23. 38.90	37.76	6	+ 3.186	172
8597	8620	Piazzi XVIII. 168	8.9	18. 36. 47.24	37.48	1	+ 3.150	- 3. 23. 41.32	37.05	4	+ 3.206	168
8598	8621	Pavonis	5	18. 36. 54.55	35.53	9	+ 5.593	- 62. 21. 50.68	35.18	7	+ 3.216	...	7841	...
8599	8622	Coronae Australis	6	18. 36. 55.67	35.30	2	+ 4.340	- 43. 51. 1.52	34.96	4	+ 3.219	...	7852	166
8600	8623	Piazzi XVIII. 171	7.8	18. 37. 11.03	36.89	3	+ 3.220	- 6. 25. 4.62	37.11	3	+ 3.240	171

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8601	8624	Piazzi XVIII. 186.....	7	h m s 18. 37. 13'69	37'98	3	- 1'055	+ 72. 16. 8'60	36'52	6	+ 3'242	186
8602	8625	Coronæ Australis7 ²	6	18. 37. 42'36	35'32	3	+ 4'329	- 43. 36. 24'66	35'59	3	+ 3'286	...	7859	169
8603	8626	Piazzi XVIII. 179.....	7	18. 37. 49'22	36'64	8	+ 2'100	+ 36. 23. 27'86	36'70	6	+ 3'295	179
8604	8627	5 Aquilæ	6'7	18. 37. 57'42	35'61	3	+ 3'098	- 1. 7. 44'58	35'49	3	+ 3'307	2349	...	176
8605	8628	Bradley 2347	8	18. 38. 5'04	35'40	3	+ 3'564	- 20. 26. 43'72	34'86	4	+ 3'319	2347	...	175
8606	8629	Piazzi XVIII. 190.....	8	18. 38. 11'91	37'19	3	+ 0'411	+ 63. 38. 19'24	37'35	4	+ 3'328	190
8607	8630	6 Aquilæ	5'6	18. 38. 25'11	32'70	4	+ 3'185	- 4. 55. 3'78	33'59	5	+ 3'347	2350	...	177
8608	8631	Piazzi XVIII. 182.....	7	18. 38. 30'56	37'07	3	+ 2'028	+ 38. 22. 3'74	36'98	4	+ 3'355	182
8609	8632	110 Herculis	5	18. 38. 33'51	31'74	6	+ 2'582	+ 20. 23. 38'21	31'81	5	+ 3'359	2351	...	181
8610	8633	Piazzi XVIII. 199.....	7	18. 38. 48'64	36'82	6	- 1'041	+ 72. 13. 50'53	37'19	4	+ 3'381	199
8611	8634	4 Lyrae	5	18. 38. 52'52	31'61	2	+ 1'985	+ 39. 30. 5'75	32'07	8	+ 3'387	2355	...	183
8612	8635	5 Lyrae	5	18. 38. 55'01	32'33	5	+ 1'988	+ 39. 26. 37'69	31'63	6	+ 3'390	2356	...	184
8613	8636	Piazzi XVIII. 180.....	8'9	18. 39. 4'10	37'05	3	+ 3'560	- 20. 19. 41'20	35'34	4	+ 3'402	180
8614	8637	6 Lyrae	5	18. 39. 5'53	33'51	4	+ 2'063	+ 37. 26. 14'00	33'22	8	+ 3'405	2357	...	187
8615	8638	7 Lyrae	6	18. 39. 7'25	35'57	3	+ 2'063	+ 37. 25. 37'19	35'73	1	+ 3'407	2358	...	189
8616	8639	Piazzi XVIII. 188.....	8	18. 39. 8'29	37'20	3	+ 2'155	+ 34. 50. 25'43	37'17	3	+ 3'409	188
8617	8640	46 Draconis	5	18. 39. 26'07	33'66	5	+ 1'164	+ 55. 22. 26'54	33'66	6	+ 3'435	2360	...	195
8618	8641	Telescopii	6	18. 39. 33'64	38'61	3	+ 4'776	- 52. 17. 16'54	38'57	2	+ 3'445	...	7867	...
8619	8642	Piazzi XVIII. 193.....	6'7	18. 39. 34'66	36'02	4	+ 2'101	+ 36. 23. 50'99	35'18	3	+ 3'447	193
8620	8643	111 Herculis	5'6	18. 39. 44'17	33'70	5	+ 2'644	+ 18. 0. 12'34	33'60	4	+ 3'461	2354	...	192
8621	8644	29 Sagittarii	6	18. 39. 53'17	33'71	5	+ 3'564	- 20. 30. 17'24	33'72	5	+ 3'473	2352	...	185
8622	8645	Piazzi XVIII. 198.....	9'10	18. 39. 53'75	40'54	5	+ 1'128	+ 55. 53. 8'19	42'69	3	+ 3'474	198
8623	8646	Lacaille 7870	7	18. 40. 8'42	38'61	3	+ 4'764	- 52. 7. 2'92	38'57	2	+ 3'496	...	7870	...
8624	8647	Lacaille 7874	8	18. 40. 9'31	38'57	2	+ 4'376	- 44. 43. 11'50	38'56	2	+ 3'498	...	7874	...
8625	8648	Lacaille 7886	7'8	18. 40. 21'41	36'79	3	+ 3'741	- 26. 57. 3'32	37'30	3	+ 3'513	...	7886	191
8626	8649	Lacaille 7876	6'7	18. 40. 32'05	39'09	2	+ 4'562	- 48. 32. 44'98	39'09	2	+ 3'529	...	7876	...
8627	8650	Lacaille 7881	6'7	18. 40. 32'35	38'99	3	+ 4'253	- 41. 53. 34'84	38'99	3	+ 3'529	...	7881	...
8628	8651	Piazzi XVIII. 194.....	8	18. 40. 44'48	37'11	3	+ 3'616	- 22. 26. 53'25	37'28	3	+ 3'547	194
8629	8652	Piazzi XVIII. 197	7	18. 40. 51'23	37'11	2	+ 3'213	- 6. 5. 33'01	36'99	2	+ 3'556	197
8630	8653	30 Sagittarii	6	18. 40. 55'43	33'63	3	+ 3'613	- 22. 20. 36'77	33'70	5	+ 3'561	2353	...	196
8631	8654	Piazzi XVIII. 200.....	8	18. 41. 15'35	37'58	3	+ 2'359	+ 28. 27. 59'41	37'19	2	+ 3'590	200
8632	8655	Piazzi XVIII. 203.....	6'7	18. 41. 41'83	35'43	3	+ 2'615	+ 19. 8. 55'22	35'42	2	+ 3'629	203
8633	8656	Lacaille 7888	7	18. 41. 49'14	40'05	5	+ 4'643	- 50. 4. 11'92	40'05	5	+ 3'639	...	7888	...
8634	8657	Piazzi XVIII. 201.....	8	18. 41. 53'92	37'27	3	+ 3'303	- 9. 57. 32'24	37'31	3	+ 3'646	201
8635	8658	31 Sagittarii	6	18. 42. 13'52	32'70	6	+ 3'606	- 22. 6. 26'16	32'89	4	+ 3'673	2359	...	202
8636	8659	Piazzi XVIII. 204.....	8	18. 42. 17'04	37'17	3	+ 3'221	- 6. 27. 52'88	37'11	3	+ 3'680	204
8637	8660	Piazzi XVIII. 207.....	7'8	18. 42. 19'40	37'01	3	+ 2'231	+ 32. 35. 51'65	37'31	2	+ 3'683	207
8638	8661	Piazzi XVIII. 221.....	8	18. 42. 22'28	37'59	2	- 1'174	+ 72. 47. 47'02	37'70	2	+ 3'686	221
8639	8662	7 Aquilæ	7	18. 42. 26'05	35'34	3	+ 3'151	- 3. 26. 40'07	34'95	4	+ 3'693	2361	...	205
8640	8663	Piazzi XVIII. 212.....	7	18. 42. 38'32	37'35	2	+ 0'625	+ 61. 45. 53'72	37'35	2	+ 3'710	212

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A. 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8641	8664	Piazzi XVIII. 209	8.9	^{h m s} 18. 42. 40.99	37.18	3	+ 2.495	+ 23. 42. 45.44	37.11	2	+ 3.714	209
8642	8665	8 Aquilæ	6.7	18. 42. 42.18	35.33	5	+ 3.152	- 3. 30. 13.19	35.42	3	+ 3.715	2362	...	206
8643	8666	Piazzi XVIII. 208	9	18. 43. 15.45	37.05	3	+ 3.532	- 19. 18. 37.52	37.27	3	+ 3.762	208
8644	8667	Piazzi XVIII. 220	7	18. 43. 32.25	35.59	3	+ 0.853	+ 59. 22. 48.58	34.89	4	+ 3.787	220
8645	8668	8 Lyrae	7	18. 43. 37.25	35.83	4	+ 2.231	+ 32. 37. 38.31	35.41	5	+ 3.793	2367	...	213
8646	8669	9 Lyrae	6	18. 43. 43.19	35.57	3	+ 2.240	+ 32. 21. 53.11	35.56	3	+ 3.802	2368	...	214
8647	8670	Pavonis	6	18. 43. 55.32	39.05	3	+ 5.383	- 60. 24. 19.98	39.05	3	+ 3.819	...	7895	...
8648	8671	Lacaille 7904	7.8	18. 43. 57.19	39.05	3	+ 4.592	- 49. 11. 26.71	39.05	3	+ 3.823	...	7904	...
8649	8672	10 Lyrae	3	18. 43. 59.43	32.75	45	+ 2.214	+ 33. 10. 30.90	32.82	72	+ 3.826	2369	...	215
8650	8673	Piazzi XVIII. 216	8.9	18. 44. 1.39	37.08	3	+ 2.214	+ 33. 9. 50.12	36.92	4	+ 3.828	216
8651	8674	33 Sagittarii	6	18. 44. 8.41	32.69	6	+ 3.590	- 21. 33. 14.47	33.68	6	+ 3.839	2363	...	210
8652	8675	Lacaille 7908	7	18. 44. 11.60	40.68	6	+ 4.082	- 37. 35. 5.19	40.68	6	+ 3.844	...	7908	...
8653	8676	32 Sagittarii	5	18. 44. 12.47	31.91	8	+ 3.627	- 22. 56. 24.92	31.57	5	+ 3.844	2364	7912	211
8654	8677	Piazzi XVIII. 226	7	18. 44. 32.24	38.03	3	+ 0.876	+ 59. 8. 47.20	35.14	2	+ 3.873	226
8655	8678	Lacaille 7915	8	18. 44. 58.15	36.79	3	+ 3.811	- 29. 24. 46.28	36.98	5	+ 3.910	...	7915	217
8656	8679	34 Sagittarii	3	18. 45. 2.06	31.61	3	+ 3.726	- 26. 29. 36.07	31.67	5	+ 3.916	2365	7918	218
8657	8680	35 Sagittarii	5	18. 45. 8.64	32.19	4	+ 3.625	- 22. 52. 11.77	32.12	5	+ 3.925	2366	7920	219
8658	8681	Piazzi XVIII. 229	7	18. 45. 10.55	35.63	3	+ 1.026	+ 57. 20. 24.68	35.36	3	+ 3.927	229
8659	8682	112 Herouliæ	5.6	18. 45. 13.89	33.59	3	+ 2.563	+ 21. 13. 54.46	33.69	5	+ 3.933	2371	...	224
8660	8683	Telescopii	6.7	18. 45. 14.97	39.00	3	+ 4.822	- 53. 8. 46.55	39.00	3	+ 3.935	...	7910	...
8661	8684	Lacaille 7914	6.7	18. 45. 19.84	38.72	2	+ 4.343	- 44. 7. 10.59	38.72	2	+ 3.941	...	7914	...
8662	8685	Lacaille 7916	6	18. 45. 28.74	36.97	7	+ 4.080	- 37. 32. 43.82	37.18	6	+ 3.955	...	7916	222
8663	8686	Lacaille 7927	6	18. 46. 1.26	37.19	13	+ 3.639	- 23. 22. 34.62	36.42	12	+ 4.000	...	7927	225
8664	8687	Brisbane 6535	7.8	18. 46. 23.20	39.59	1	+ 4.564	- 48. 42. 55.32	39.59	1	+ 4.034
8665	8688	Piazzi XVIII. 228	7	18. 46. 34.89	39.71	2	+ 3.637	- 23. 20. 58.03	34.73	1	+ 4.049	228
8666	8689	Lacaille 7917	7.8	18. 46. 43.15	41.16	4	+ 4.958	- 55. 13. 48.08	41.16	4	+ 4.060	...	7917	...
8667	8690	Piazzi XVIII. 235	8	18. 47. 15.18	37.00	2	+ 1.829	+ 43. 30. 42.57	37.19	5	+ 4.106	235
8668	8691	Piazzi XVIII. 234	7.8	18. 47. 20.55	36.99	4	+ 2.592	+ 20. 9. 24.51	37.01	4	+ 4.115	234
8669	8692	Brisbane 6539	8	18. 47. 20.88	39.66	2	+ 4.604	- 49. 29. 8.15	39.66	2	+ 4.115
8670	8693	62 Serpentis	6	18. 47. 25.02	33.62	3	+ 2.925	+ 6. 24. 53.68	33.68	5	+ 4.122	2374	...	232
8671	8694	36 Sagittarii	6	18. 47. 32.19	33.00	6	+ 3.571	- 20. 51. 52.37	33.72	4	+ 4.130	2372	...	231
8672	8695	Coronæ Australis	6	18. 47. 35.39	39.09	6	+ 4.069	- 37. 18. 50.99	36.54	6	+ 4.134	...	7931	230
8673	8697	113 Herouliæ	5	18. 47. 47.19	31.65	5	+ 2.532	+ 22. 26. 28.47	31.69	5	+ 4.152	2378	...	239
8674	8698	37 Sagittarii	5	18. 47. 52.83	32.75	1	+ 3.582	- 21. 18. 58.10	33.75	5	+ 4.160	2373	...	233
8675	8699	11 Lyrae	6	18. 47. 57.85	35.34	2	+ 2.095	+ 36. 46. 8.94	35.41	3	+ 4.167	2380	...	243
8676	8700	Piazzi XVIII. 244	8	18. 47. 58.13	37.10	3	+ 1.830	+ 43. 30. 50.15	37.32	6	+ 4.167	244
8677	8701	63 Serpentis	4.5	18. 48. 1.08	35.37	3	+ 2.981	+ 3. 59. 41.82	32.77	5	+ 4.171	2376	...	236
8678	8702	Bradley 2377	5	18. 48. 2.51	33.70	3	+ 2.981	+ 3. 59. 37.34	32.72	1	+ 4.174	2377	...	237
8679	8703	Piazzi XVIII. 241	6.7	18. 48. 7.41	34.69	3	+ 3.020	+ 2. 15. 50.68	37.20	4	+ 4.182	241
8680	8704	Lacaille 7930	7.8	18. 48. 10.62	39.02	3	+ 4.550	- 48. 29. 59.75	39.02	3	+ 4.186	...	7930	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8681	8705	9 Aquilæ	5.6	^{h m s} 18. 48. 13.62	32.71	6	+ 3.211	— 6. 3. 12.94	33.62	1	+ 4.190	2375	...	240
8682	8706	Piazzi XVIII. 238	7	18. 48. 23.22	35.36	3	+ 3.564	— 20. 38. 6.65	35.47	4	+ 4.204	238
8683	8707	Piazzi XVIII. 242	7	18. 48. 25.77	37.15	4	+ 2.979	+ 4. 3. 37.60	36.43	5	+ 4.208	242
8684	8708	12 Lyræ..... ^δ ₂	5	18. 48. 44.56	32.83	6	+ 2.098	+ 36. 41. 35.92	31.57	5	+ 4.234	2383	...	247
8685	8709	Piazzi XVIII. 248	8.9	18. 48. 44.63	37.40	3	+ 0.880	+ 59. 11. 48.56	37.44	3	+ 4.235	248
8686	8710	47 Draconis..... ^o	5	18. 48. 45.52	33.76	1	+ 0.880	+ 59. 11. 21.04	33.43	7	+ 4.237	2386	...	249
8687	8711	64 Serpentiæ	6	18. 48. 58.83	36.12	3	+ 3.019	+ 2. 19. 30.22	33.70	5	+ 4.255	2379	...	245
8688	8712	Lacaille 7933	8	18. 49. 12.16	39.92	4	+ 5.175	— 58. 8. 44.03	39.00	3	+ 4.283	...	7933	...
8689	8713	Lacaille 7948	8.9	18. 49. 38.52	36.54	2	+ 3.774	— 28. 16. 4.18	37.20	4	+ 4.311	...	7948	246
8690	8714	Lacaille 7942 ..	7.8	18. 49. 51.06	39.65	5	+ 5.176	— 58. 11. 10.64	39.65	5	+ 4.328	...	7942	...
8691	8715	Lacaille 7947	7	18. 49. 54.30	40.51	4	+ 4.066	— 37. 16. 48.84	39.91	3	+ 4.332	...	7947	...
8692	8716	13 Lyræ	5.6	18. 50. 18.76	35.70	3	+ 1.823	+ 43. 43. 55.58	35.61	3	+ 4.368	2389	...	252
8693	8717	Piazzi XVIII. 254	7	18. 50. 25.99	35.64	3	+ 1.589	+ 48. 39. 21.89	34.91	4	+ 4.379	254
8694	8718	Brisbane 6559.....	7	18. 50. 41.78	38.67	2	+ 4.657	— 50. 32. 32.25	38.67	2	+ 4.399
8695	8719	Lacaille 7951	7	18. 50. 53.22	39.56	2	+ 4.485	— 47. 16. 21.39	39.55	2	+ 4.416	...	7951	...
8696	8720	Piazzi XVIII. 251.....	8	18. 50. 59.67	37.21	4	+ 3.141	— 3. 3. 17.41	36.74	4	+ 4.426	251
8697	8721	10 Aquilæ.....	6	18. 51. 12.52	36.34	6	+ 2.755	+ 13. 41. 26.14	35.97	7	+ 4.443	2385	...	256
8698	8722	Piazzi XVIII. 253	8	18. 51. 24.70	37.10	4	+ 3.637	— 23. 27. 7.83	37.09	2	+ 4.462	253
8699	8723	Coronæ Australis	5.6	18. 51. 25.50	39.11	6	+ 4.259	— 42. 19. 14.20	38.23	7	+ 4.464	...	7958	250
8700	8724	Piazzi XVIII. 273	7	18. 51. 29.39	38.05	3	+ 1.637	+ 74. 31. 33.77	36.98	4	+ 4.469	273
8701	8725	11 Aquilæ.....	5.6	18. 51. 29.96	35.40	3	+ 2.761	+ 13. 24. 33.27	34.93	4	+ 4.469	2387	...	258
8702	8726	50 Draconis	6.7	18. 51. 38.89	35.74	3	— 1.874	+ 75. 14. 8.76	35.69	3	+ 4.483	2404	...	279
8703	8727	Lacaille 7965	6.7	18. 51. 40.94	33.30	8	+ 3.623	— 22. 55. 13.15	34.46	7	+ 4.485	...	7965	255
8704	8728	Piazzi XVIII. 259.....	7.8	18. 51. 42.78	36.96	3	+ 2.725	+ 14. 54. 35.91	37.10	4	+ 4.487	259
8705	8729	Piazzi XVIII. 264	7	18. 51. 52.12	35.62	2	+ 1.696	+ 46. 33. 8.99	35.35	3	+ 4.500	264
8706	8730	38 Sagittarii..... ^ε	3.4	18. 52. 6.65	31.58	6	+ 3.827	— 30. 6. 27.89	32.03	8	+ 4.522	2384	7966	257
8707	8731	Piazzi XVIII. 260	7	18. 52. 7.75	33.15	5	+ 3.433	— 15. 30. 29.68	33.66	5	+ 4.524	260
8708	8732	13 Aquilæ	3.4	18. 52. 8.16	33.72	6	+ 2.726	+ 14. 50. 59.10	32.40	6	+ 4.524	2390	...	262
8709	8733	Lacaille 7968	6.7	18. 52. 21.68	33.67	3	+ 3.681	— 25. 3. 59.89	33.69	5	+ 4.543	...	7968	261
8710	8734	Piazzi XVIII. 263	8.9	18. 52. 26.10	37.06	3	+ 2.731	+ 14. 41. 21.86	37.20	4	+ 4.550	263
8711	8735	14 Lyræ	3	18. 52. 46.43	32.72	39	+ 2.244	+ 32. 28. 3.35	32.70	49	+ 4.577	2392	...	266
8712	8736	Piazzi XVIII. 268.....	7.8	18. 52. 49.41	35.50	3	+ 2.002	+ 39. 25. 19.56	35.41	3	+ 4.583	268
8713	8737	12 Aquilæ.....	5.6	18. 52. 52.21	33.70	3	+ 3.208	— 5. 57. 52.25	33.72	3	+ 4.586	2391	...	265
8714	8738	Piazzi XVIII. 270	7	18. 52. 57.47	35.68	2	+ 1.997	+ 39. 33. 25.19	34.98	4	+ 4.593	270
8715	8739	Piazzi XVIII. 269	7.8	18. 52. 59.39	35.30	2	+ 2.276	+ 31. 27. 29.18	34.98	4	+ 4.596	269
8716	8740	Telescopii	6.7	18. 53. 15.41	38.97	3	+ 4.772	— 52. 34. 23.75	39.10	2	+ 4.619	...	7963	...
8717	8741	15 Lyræ	5.6	18. 53. 47.21	35.35	2	+ 2.262	+ 31. 55. 7.75	35.42	3	+ 4.664	2396	...	276
8718	8742	Lacaille 7976	6	18. 53. 49.22	37.20	4	+ 3.862	— 31. 16. 50.25	38.82	5	+ 4.667	...	7976	267
8719	8743	Piazzi XVIII. 271	6.7	18. 53. 52.71	35.32	3	+ 2.622	+ 19. 4. 54.12	35.56	3	+ 4.672	271
8720	8744	48 Draconis	6	18. 53. 57.11	32.35	3	+ 1.023	+ 57. 35. 53.77	32.56	6	+ 4.678	2400	...	281

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8721	8745	Lacaille 7970	7	18. 54. 10.57	39.02	3	+ 4.653	- 50. 33. 42.51	39.02	3	+ 4.698	...	7970	...
8722	8746	14 Aquilæg	7	18. 54. 13.20	33.71	3	+ 3.161	- 3. 55. 54.58	33.72	5	+ 4.701	2394	...	272
8723	8747	Piazzi XVIII. 274	8	18. 54. 14.94	36.84	6	+ 3.093	- 0. 56. 14.81	37.10	5	+ 4.703	274
8724	8748	Piazzi XVIII. 275	8	18. 54. 15.95	37.29	2	+ 3.093	- 0. 56. 35.07	37.38	3	+ 4.704	275
8725	8749	Lacaille 7973	7	18. 54. 28.88	38.75	2	+ 4.543	- 48. 32. 20.80	38.73	3	+ 4.724	...	7973	...
8726	8750	Piazzi XVIII. 283	7	18. 54. 40.95	35.70	3	+ 2.065	+ 37. 46. 2.97	35.69	3	+ 4.740	283
8727	8751	Piazzi XVIII. 277	8.9	18. 54. 42.72	37.13	3	+ 3.679	- 25. 3. 9.15	37.23	4	+ 4.743	277
8728	8752	Piazzi XVIII. 287	6	18. 54. 44.96	35.71	2	+ 0.993	+ 57. 59. 58.89	35.58	3	+ 4.746	287
8729	8753	Piazzi XVIII. 285	8.9	18. 54. 46.04	37.43	3	+ 1.692	+ 46. 43. 38.00	37.46	4	+ 4.747	285
8730	8754	39 Sagittariio	4.5	18. 54. 47.64	33.74	10	+ 3.596	- 21. 58. 32.23	34.05	7	+ 4.749	2393	...	278
8731	8755	Brisbane 6572.....	8.9	18. 55. 7.84	39.67	3	+ 5.511	- 61. 57. 56.34	39.67	3	+ 4.779
8732	8756	Lacaille 7974	6.7	18. 55. 11.34	39.95	4	+ 4.994	- 55. 57. 39.69	39.95	4	+ 4.784	...	7974	...
8733	8757	Coronæ Australisγ	5	18. 55. 15.78	36.32	5	+ 4.061	- 37. 17. 29.44	34.64	7	+ 4.789	...	7988	280
8734	8758	Piazzi XVIII. 284	8.9	18. 55. 29.12	37.21	3	+ 3.095	- 1. 1. 50.86	37.11	4	+ 4.809	284
8735	8759	Piazzi XVIII. 282	7	18. 55. 32.19	35.36	3	+ 3.675	- 24. 54. 53.63	35.36	3	+ 4.812	282
8736	8760	Piazzi XVIII. 290	6.7	18. 55. 42.58	35.69	2	+ 2.217	+ 33. 23. 19.60	34.58	3	+ 4.827	290
8737	8761	Piazzi XVIII. 288	8	18. 55. 53.48	37.45	3	+ 2.863	+ 9. 7. 58.53	37.08	4	+ 4.843	288
8738	8762	Lacaille 7991	8	18. 56. 2.12	37.40	3	+ 3.748	- 27. 31. 45.49	36.89	3	+ 4.855	...	7991	286
8739	8763	15 Aquilæh	6	18. 56. 15.12	33.61	3	+ 3.169	- 4. 16. 13.95	33.65	6	+ 4.873	2399	...	289
8740	8764	52 Draconisv	5	18. 56. 22.81	33.62	1	- 0.711	+ 71. 4. 30.42	32.73	5	+ 4.883	2411	...	308
8741	8765	Piazzi XVIII. 296	8.9	18. 56. 28.00	37.55	3	+ 2.074	+ 37. 34. 34.72	37.05	3	+ 4.892	296
8742	8766	40 Sagittariiτ	4	18. 56. 38.21	33.10	4	+ 3.758	- 27. 54. 13.37	32.07	5	+ 4.906	2397	7994	292
8743	8767	Piazzi XVIII. 295	7	18. 56. 44.47	35.57	3	+ 3.099	- 1. 10. 37.64	35.41	4	+ 4.916	295
8744	8768	16 Lyreδ	5.6	18. 56. 46.22	36.50	6	+ 1.696	+ 46. 42. 13.87	34.93	3	+ 4.917	299
8745	8769	Coronæ Australisδ	5	18. 56. 51.12	31.64	2	+ 4.189	- 40. 44. 38.38	33.73	5	+ 4.924	...	7992	291
8746	8770	Piazzi XVIII. 294	6.7	18. 57. 2.73	32.71	6	+ 3.616	- 22. 44. 36.30	33.76	1	+ 4.941	294
8747	8771	Lacaille 7996	7	18. 57. 7.40	36.69	8	+ 3.787	- 28. 52. 59.69	39.69	6	+ 4.947	...	7996	293
8748	8772	Piazzi XVIII. 297	7	18. 57. 17.47	36.89	3	+ 2.858	+ 9. 23. 57.95	37.52	4	+ 4.963	297
8749	8773	49 Draconisδ	6.7	18. 57. 27.39	35.52	3	+ 1.193	+ 55. 25. 24.07	35.41	3	+ 4.976	2408	...	307
8750	8774	16 Aquilæλ	3	18. 57. 29.66	33.55	10	+ 3.188	- 5. 7. 24.63	34.74	9	+ 4.980	2401	...	298
8751	8775	Piazzi XVIII. 302	6.7	18. 57. 44.82	35.45	3	+ 2.929	+ 6. 18. 18.60	35.34	3	+ 5.000	302
8752	8776	17 Aquilæζ	3	18. 57. 49.75	32.60	43	+ 2.758	+ 13. 37. 26.06	32.58	68	+ 5.008	2405	...	303
8753	8777	Piazzi XVIII. 304	8	18. 57. 54.29	37.08	4	+ 2.855	+ 9. 31. 36.44	37.58	3	+ 5.014	304
8754	8778	Lacaille 8009	7	18. 58. 9.48	37.32	5	+ 3.673	- 24. 54. 26.15	38.94	4	+ 5.036	...	8009	301
8755	8779	Coronæ Australisα	5	18. 58. 14.41	34.97	7	+ 4.089	- 38. 9. 9.80	34.55	8	+ 5.043	...	8002	300
8756	8780	Piazzi XVIII. 306	7	18. 58. 28.67	35.46	3	+ 3.189	- 5. 8. 51.46	35.14	2	+ 5.063	306
8757	8781	Bradley 2402	6.7	18. 58. 35.04	35.49	4	+ 3.531	- 19. 32. 29.68	39.62	5	+ 5.072	2402
8758	8782	Piazzi XVIII. 309	7	18. 58. 36.63	37.13	4	+ 2.310	+ 30. 29. 22.98	37.03	3	+ 5.074	309
8759	8783	Coronæ Australisβ	5	18. 58. 39.94	31.91	2	+ 4.142	- 39. 35. 39.80	32.65	6	+ 5.079	...	8007	305
8760	8784	Piazzi XVIII. 311	7.8	18. 58. 43.18	40.91	3	+ 2.066	+ 37. 51. 46.05	39.63	5	+ 5.083	311

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8761	8785	Piazzi XVIII. 317	8	^{h m s} 18. 59. 11.77	37.65	2	+ 2.044	+ 38. 29. 45.81	37.42	2	+ 5.124	317
8762	8786	18 Aquilæ	5.6	18. 59. 12.79	33.74	3	+ 2.825	+ 10. 49. 21.76	33.54	5	+ 5.125	2407	...	312
8763	8787	Piazzi XVIII. 314	7.8	18. 59. 22.04	37.17	3	+ 2.938	+ 5. 54. 39.83	36.74	2	+ 5.137	314
8764	8788	Piazzi XVIII. 313	8.9	18. 59. 27.35	37.08	3	+ 3.198	- 5. 35. 5.90	36.70	2	+ 5.145	313
8765	8789	Lacaille 8017	8	18. 59. 28.15	36.79	3	+ 3.741	- 27. 22. 7.51	37.41	2	+ 5.146	...	8017	310
8766	8790	Piazzi XVIII. 319 ...	8.9	18. 59. 39.75	37.70	1	+ 1.606	+ 48. 37. 13.23	37.10	3	+ 5.163	319
8767	8791	41 Sagittarii	4.5	18. 59. 56.99	32.69	5	+ 3.575	- 21. 16. 41.84	31.67	5	+ 5.187	2406	...	315
8768	8792	Lacaille 8012	7	19. 0. 1.13	39.08	5	+ 4.653	- 50. 44. 51.28	39.19	4	+ 5.192	...	8012	...
8769	8793	Piazzi XVIII. 316	7	19. 0. 4.24	38.71	5	+ 3.544	- 20. 3. 24.64	36.67	8	+ 5.196	316
8770	8794	Piazzi XVIII. 318	6	19. 0. 4.89	35.34	3	+ 2.375	+ 28. 22. 25.55	34.83	4	+ 5.197	318
8771	8795	Piazzi XVIII. 320	7.8	19. 0. 15.67	40.16	4	+ 2.597	+ 20. 10. 49.74	38.84	6	+ 5.213	320
8772	8796	Piazzi XVIII. 325	7	19. 0. 23.27	35.66	2	+ 1.285	+ 54. 8. 37.97	35.06	3	+ 5.224	325
8773	8797	Lacaille 8011	7.8	19. 0. 40.36	38.74	2	+ 5.159	- 58. 15. 50.34	38.73	3	+ 5.248	...	8011	...
8774	8798	Piazzi XVIII. 322	8	19. 0. 53.69	37.45	3	+ 2.865	+ 9. 6. 37.87	37.34	2	+ 5.268	322
8775	8799	Piazzi XVIII. 328	6.7	19. 0. 53.85	35.73	3	+ 1.552	+ 49. 40. 24.07	35.42	3	+ 5.268	328
8776	8800	Piazzi XIX. 6	7.8	19. 0. 54.00	37.70	2	+ 0.598	+ 62. 27. 37.23	37.52	2	+ 5.268	6
8777	8801	19 Aquilæ	6	19. 0. 55.22	33.66	3	+ 2.941	+ 5. 49. 11.98	33.69	6	+ 5.270	2410	...	321
8778	8802	Piazzi XVIII. 326	7.8	19. 0. 55.99	42.71	2	+ 2.139	+ 35. 52. 32.44	37.18	4	+ 5.272	326
8779	8803	Piazzi XVIII. 323	7	19. 1. 8.59	35.49	3	+ 3.243	- 7. 32. 2.69	35.41	3	+ 5.289	323
8780	8804	17 Lyreæ	7	19. 1. 11.28	35.68	2	+ 2.258	+ 32. 14. 46.51	34.98	4	+ 5.292	2413	...	327
8781	8805	51 Draconis	6.7	19. 1. 12.42	35.74	3	+ 1.351	+ 53. 8. 43.18	35.06	5	+ 5.293	2416	...	3
8782	8806	18 Lyreæ	6	19. 1. 24.88	37.39	4	+ 2.140	+ 35. 50. 44.46	39.03	6	+ 5.311	2414	...	2
8783	8807	Piazzi XVIII. 324	7.8	19. 1. 33.43	37.52	2	+ 3.557	- 20. 36. 33.32	37.17	4	+ 5.324	324
8784	8808	Piazzi XIX. 8	7.8	19. 2. 10.57	35.45	3	+ 2.041	+ 38. 40. 15.09	35.62	3	+ 5.377	8
8785	8809	Piazzi XIX. 5	7	19. 2. 32.02	32.72	6	+ 3.413	- 14. 51. 2.64	33.13	5	+ 5.406	5
8786	8810	Piazzi XIX. 4	6	19. 2. 36.36	33.68	5	+ 3.590	- 21. 55. 28.10	33.67	5	+ 5.412	4
8787	8811	Piazzi XIX. 11	8	19. 2. 37.43	37.25	3	+ 2.033	+ 38. 53. 43.51	37.12	5	+ 5.414	11
8788	8812	Lacaille 8029	7	19. 2. 38.54	35.38	2	+ 4.381	- 45. 27. 47.15	34.97	4	+ 5.416	...	8029	1
8789	8813	Piazzi XIX. 13	7	19. 2. 50.58	37.15	2	+ 2.079	+ 37. 39. 4.42	37.54	3	+ 5.432	13
8790	8814	Piazzi XIX. 14	7.8	19. 3. 0.21	37.37	3	+ 2.320	+ 30. 18. 15.16	37.03	3	+ 5.445	14
8791	8815	Piazzi XIX. 9	8.9	19. 3. 0.22	39.39	5	+ 2.896	+ 7. 47. 51.29	36.53	4	+ 5.446	9
8792	8816	Lacaille 8033	6.7	19. 3. 3.64	33.69	4	+ 3.705	- 26. 10. 31.32	33.13	6	+ 5.450	...	8033	7
8793	8817	Piazzi XIX. 17	7	19. 3. 15.98	35.57	3	+ 1.476	+ 51. 7. 18.83	35.66	2	+ 5.467	17
8794	8818	Piazzi XIX. 10	8.9	19. 3. 22.82	36.95	2	+ 3.561	- 20. 41. 27.81	37.25	4	+ 5.478	10
8795	8819	20 Aquilæ	5	19. 3. 43.86	31.71	6	+ 3.257	- 8. 12. 30.64	31.79	6	+ 5.507	2415	...	16
8796	8820	Piazzi XIX. 12	8	19. 3. 44.24	37.12	3	+ 3.613	- 22. 50. 14.66	37.52	4	+ 5.507	12
8797	8822	Piazzi XIX. 19	7	19. 4. 2.29	35.40	3	+ 2.084	+ 37. 31. 52.59	34.85	4	+ 5.532	19
8798	8823	Lacaille 8037	6	19. 4. 20.21	37.36	7	+ 4.391	- 45. 44. 39.30	36.90	8	+ 5.558	...	8037	15
8799	8824	Piazzi XIX. 18	8.9	19. 4. 46.91	37.08	3	+ 3.494	- 18. 10. 29.98	37.23	4	+ 5.595	18
8800	8825	Bradley 2440	7	19. 4. 48.18	35.71	2	- 2.408	+ 76. 48. 42.24	34.97	4	+ 5.596	2440	...	38

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxxiii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8801	8826	Piazzi XIX. 23	8	h m s 19. 4. 48.99	37.51	2	+ 2.433	+ 26. 28. 5.02	37.26	4	+ 5.597	23
8802	8821	Lacaille 8035	6	19. 5. 1.09	40.96	7	+ 5.006	- 56. 25. 38.24	40.96	7	+ 5.614	...	8035	...
8803	8827	Piazzi XIX. 26	7.8	19. 5. 4.77	41.72	3	+ 2.342	+ 29. 37. 13.01	39.24	7	+ 5.620	26
8804	8828	Piazzi XIX. 27	7.8	19. 5. 14.41	35.59	2	+ 2.036	+ 38. 54. 2.37	34.61	2	+ 5.634	27
8805	8829	Piazzi XIX. 20	7.8	19. 5. 17.29	35.36	3	+ 3.479	- 17. 37. 23.66	35.42	3	+ 5.638	20
8806	8830	21 Aquilæ.....	6	19. 5. 23.55	32.72	5	+ 3.027	+ 2. 1. 9.51	32.73	5	+ 5.647	2419	...	24
8807	8831	42 Sagittarii.....	6	19. 5. 25.20	32.86	8	+ 3.685	- 25. 31. 58.74	32.72	7	+ 5.648	2418	8052	21
8808	8832	Lacaille 8054	6.7	19. 5. 29.90	33.52	6	+ 3.655	- 24. 27. 12.39	33.62	4	+ 5.655	...	8054	22
8809	8833	Piazzi XIX. 25	8	19. 5. 43.12	37.31	2	+ 3.540	- 20. 3. 52.04	37.03	4	+ 5.673	25
8810	8834	Piazzi XIX. 29	7	19. 6. 11.27	37.26	3	+ 2.904	+ 7. 29. 13.63	37.59	3	+ 5.713	29
8811	8835	Piazzi XIX. 28	7.8	19. 6. 19.28	37.51	2	+ 3.418	- 15. 7. 4.00	37.03	3	+ 5.723	28
8812	8836	Piazzi XIX. 30	7.8	19. 6. 25.27	35.47	3	+ 2.029	+ 39. 8. 47.78	35.34	3	+ 5.732	30
8813	8837	Lacaille 8050	8	19. 6. 45.30	38.60	2	+ 4.703	- 51. 51. 34.38	38.63	3	+ 5.760	...	8050	...
8814	8838	Piazzi XIX. 37	7.8	19. 6. 55.07	35.59	3	+ 1.486	+ 51. 5. 24.72	35.42	3	+ 5.775	37
8815	8839	Piazzi XIX. 31	8	19. 6. 55.82	37.31	3	+ 2.869	+ 9. 2. 22.23	36.91	3	+ 5.776	31
8816	8840	Piazzi XIX. 32	8.9	19. 7. 26.76	36.91	3	+ 3.572	- 21. 21. 25.66	37.69	3	+ 5.819	32
8817	8841	Piazzi XIX. 34	9	19. 7. 38.82	37.09	2	+ 3.138	- 2. 56. 58.33	37.45	3	+ 5.835	34
8818	8842	Piazzi XIX. 33	7	19. 7. 42.44	37.11	4	+ 3.326	- 11. 15. 26.08	37.04	3	+ 5.840	33
8819	8843	43 Sagittarii	5	19. 7. 58.85	31.59	8	+ 3.518	- 19. 14. 21.80	31.67	5	+ 5.863	2423	...	35
8820	8844	20 Lyra.....	5	19. 8. 8.00	31.67	4	+ 2.042	+ 38. 51. 58.94	31.81	6	+ 5.876	2427	...	45
8821	8845	Bradley 2425	6	19. 8. 10.91	33.65	5	+ 2.583	+ 20. 56. 55.14	33.42	5	+ 5.880	2425	...	42
8822	8846	Piazzi XIX. 40	9.10	19. 8. 13.70	39.32	5	+ 2.868	+ 9. 2. 33.30	37.50	4	+ 5.884	40
8823	8847	Lacaille 8061	7	19. 8. 18.59	35.44	3	+ 4.042	- 37. 11. 3.40	35.00	3	+ 5.890	...	8061	36
8824	8848	22 Aquilæ	6	19. 8. 21.12	34.41	6	+ 2.970	+ 4. 32. 59.55	33.66	5	+ 5.893	2424	...	41
8825	8849	Piazzi XIX. 44	7.8	19. 8. 31.45	37.31	3	+ 2.931	+ 6. 18. 39.44	37.65	2	+ 5.909	44
8826	8850	Piazzi XIX. 39	7	19. 8. 32.08	35.43	3	+ 3.516	- 19. 9. 9.18	35.41	3	+ 5.909	39
8827	8851	53 Draconis	5	19. 8. 32.40	31.71	5	+ 1.135	+ 56. 34. 51.13	32.11	5	+ 5.910	2433	...	52
8828	8852	Piazzi XIX. 46	8	19. 8. 45.63	39.24	3	+ 3.067	+ 0. 12. 37.88	37.68	2	+ 5.928	46
8829	8853	Piazzi XIX. 43	7.8	19. 8. 51.61	37.33	3	+ 3.511	- 18. 59. 14.56	37.44	3	+ 5.935	43
8830	8854	Piazzi XIX. 47	8	19. 9. 1.77	37.34	2	+ 3.337	- 11. 44. 12.85	37.66	2	+ 5.951	47
8831	8856	55 Draconis	7	19. 9. 7.59	35.57	3	+ 0.244	+ 65. 42. 11.52	35.41	3	+ 5.960	2443	...	63
8832	8855	1 Vulpeculæ	5	19. 9. 7.61	31.63	6	+ 2.579	+ 21. 6. 14.17	32.50	6	+ 5.960	2428	...	51
8833	8857	Piazzi XIX. 49	10	19. 9. 10.14	39.36	3	+ 2.869	+ 9. 3. 3.84	42.68	1	+ 5.962	49
8834	8858	Piazzi XIX. 81	7.8	19. 9. 20.41	37.45	4	- 2.647	+ 77. 25. 0.04	34.95	4	+ 5.976	81
8835	8859	Lacaille 8062	6	19. 9. 30.99	39.45	5	+ 4.875	- 54. 43. 14.77	39.45	5	+ 5.991	...	8062	...
8836	8860	Lacaille 8070	7.8	19. 9. 31.73	37.49	2	+ 4.107	- 39. 2. 30.62	37.60	2	+ 5.993	...	8070	48
8837	8861	Piazzi XIX. 50	6	19. 9. 35.46	37.37	8	+ 3.433	- 15. 49. 0.43	36.88	8	+ 5.998	50
8838	8862	Lacaille 8068	7	19. 9. 48.84	38.62	3	+ 4.678	- 51. 31. 53.35	38.62	3	+ 6.016	...	8068	...
8839	8863	Piazzi XIX. 53	8	19. 9. 51.34	37.25	3	+ 3.325	- 11. 13. 20.32	37.44	3	+ 6.019	53
8840	8864	25 Aquilæ	5	19. 10. 4.43	32.35	6	+ 2.817	+ 11. 18. 12.49	31.70	5	+ 6.039	2432	...	57

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8841	8865	Bradley 2429	6.7	h m s 19. 10. 4.96	38.15	6	+ 3.069	+ 0. 7. 44.03	34.83	4	+ 0.039	2429	...	55
8842	8866	23 Aquilæ	6	19. 10. 8.85	33.64	3	+ 3.055	+ 0. 47. 27.63	33.69	5	+ 0.043	2430	...	56
8843	8867	Piazzi XIX. 58	7	19. 10. 14.07	37.08	3	+ 2.965	+ 4. 50. 16.34	37.06	3	+ 0.052	58
8844	8868	Lacaille 8069	7.8	19. 10. 22.20	38.64	3	+ 4.842	- 54. 14. 56.96	38.64	3	+ 0.063	...	8069	...
8845	8869	24 Aquilæ	6	19. 10. 24.39	36.51	7	+ 3.071	+ 0. 2. 39.11	36.16	7	+ 0.060	2431	...	60
8846	8870	21 Lyrae	5	19. 10. 38.32	33.77	3	+ 2.082	+ 37. 50. 37.60	32.70	7	+ 0.085	2438	...	65
8847	8871	Lacaille 8080	7.8	19. 10. 39.79	38.27	4	+ 3.653	- 24. 30. 10.22	38.50	4	+ 0.087	...	8080	50
8848	8872	Piazzi XIX. 61	6	19. 10. 44.94	36.85	6	+ 3.605	- 22. 42. 8.47	37.13	7	+ 0.094	61
8849	8873	Sagittarii	4	19. 10. 45.51	33.78	3	+ 4.335	- 44. 45. 35.63	31.61	5	+ 0.095	...	8075	54
8850	8875	Lacaille 8071	7.8	19. 10. 50.75	38.64	2	+ 4.974	- 56. 11. 36.43	38.61	2	+ 0.101	...	8071	...
8851	8876	54 Draconis	5	19. 10. 58.22	32.76	2	+ 1.079	+ 57. 25. 21.44	33.02	4	+ 0.112	2444	...	74
8852	8877	Piazzi XIX. 64	6.7	19. 11. 0.86	35.41	3	+ 2.863	+ 9. 19. 29.90	34.91	4	+ 0.116	64
8853	8878	Sagittarii	4	19. 11. 17.02	41.06	3	+ 4.350	- 45. 6. 3.83	35.34	3	+ 0.139	...	8079	62
8854	8879	26 Aquilæ	6	19. 11. 44.45	33.79	3	+ 3.199	- 5. 43. 3.35	33.60	3	+ 0.170	2435	...	66
8855	8880	Piazzi XIX. 67	7	19. 11. 56.66	41.03	3	+ 3.523	- 19. 32. 10.90	36.24	7	+ 0.194	67
8856	8881	28 Aquilæ	6	19. 11. 57.36	37.73	1	+ 2.800	+ 12. 4. 31.78	33.75	5	+ 0.195	2441	...	73
8857	8882	Piazzi XIX. 78	7.8	19. 11. 59.71	37.35	3	+ 2.348	+ 29. 39. 37.96	37.02	2	+ 0.198	78
8858	8883	27 Aquilæ	6	19. 12. 4.72	40.21	2	+ 3.098	- 1. 11. 34.88	42.68	1	+ 0.205	2439	...	74
8859	8884	44 Sagittarii	5	19. 12. 6.04	34.85	12	+ 3.489	- 18. 9. 2.15	40.69	4	+ 0.206	2434	...	69
8860	8885	Piazzi XIX. 75	7.8	19. 12. 9.85	37.08	3	+ 2.973	+ 4. 28. 55.65	36.80	3	+ 0.212	75
8861	8886	45 Sagittarii	5.6	19. 12. 13.54	42.75	1	+ 3.500	- 18. 36. 26.94	40.21	2	+ 0.218	2436	...	70
8862	8887	46 Sagittarii	5.6	19. 12. 16.47	36.71	3	+ 3.442	- 16. 15. 28.65	37.65	1	+ 0.221	2437	...	71
8863	8888	Piazzi XIX. 76	8	19. 12. 22.03	37.17	3	+ 3.014	+ 2. 38. 12.21	36.91	3	+ 0.228	76
8864	8889	Lacaille 8083	7	19. 12. 24.52	38.71	3	+ 4.665	- 51. 24. 38.14	38.70	2	+ 0.233	...	8083	...
8865	8890	Sagittarii	4.5	19. 12. 26.84	32.43	3	+ 4.174	- 40. 55. 4.29	32.49	4	+ 0.236	...	8087	68
8866	8891	57 Draconis	3	19. 12. 29.67	33.07	25	+ 0.025	+ 67. 22. 16.83	32.69	45	+ 0.240	2449	...	72
8867	8892	Piazzi XIX. 80	8.9	19. 12. 33.35	37.37	3	+ 2.931	+ 6. 20. 45.94	37.21	3	+ 0.244	80
8868	8893	Piazzi XIX. 79	7.8	19. 12. 34.94	37.52	2	+ 3.105	- 1. 28. 42.68	36.94	3	+ 0.246	79
8869	8894	Piazzi XIX. 82	8	19. 12. 56.82	37.32	2	+ 3.518	- 19. 19. 43.34	37.58	3	+ 0.277	82
8870	8895	Lacaille 8090	7.8	19. 12. 56.83	35.36	3	+ 3.970	- 35. 16. 30.86	35.36	2	+ 0.277	...	8090	77
8871	8896	1 Oygui	4	19. 13. 17.12	31.81	6	+ 1.383	+ 53. 4. 0.16	31.71	5	+ 0.305	2447	...	91
8872	8897	Piazzi XIX. 83	9.10	19. 13. 22.16	37.69	2	+ 3.213	- 6. 21. 12.57	37.52	2	+ 0.311	83
8873	8898	Piazzi XIX. 98	7.8	19. 13. 47.26	37.22	2	+ 0.355	+ 64. 58. 47.94	37.63	2	+ 0.346	98
8874	8899	Piazzi XIX. 99	7	19. 13. 48.26	35.62	3	+ 0.109	+ 66. 49. 25.25	35.52	4	+ 0.348	99
8875	8900	Piazzi XIX. 88	8	19. 13. 51.59	39.40	5	+ 2.562	+ 21. 53. 41.85	42.75	2	+ 0.352	88
8876	8901	Piazzi XIX. 85	7	19. 13. 52.93	35.78	4	+ 3.161	- 4. 1. 30.59	35.42	3	+ 0.355	85
8877	8902	Piazzi XIX. 87	8	19. 13. 54.48	37.30	2	+ 3.071	+ 0. 4. 24.97	37.11	2	+ 0.357	87
8878	8903	Piazzi XIX. 86	7	19. 14. 3.27	37.08	3	+ 3.319	- 11. 0. 44.71	37.36	3	+ 0.368	86
8879	8904	Piazzi XIX. 89	7	19. 14. 5.60	35.44	3	+ 2.834	+ 10. 36. 40.17	34.88	4	+ 0.372	89
8880	8905	Lacaille 8097	6	19. 14. 12.93	33.16	4	+ 3.751	- 28. 10. 39.17	33.62	3	+ 0.382	...	8097	84

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8881	8906	Piazzi XIX. 101	9	h m s 19. 14. 31.55	37.70	1	+ 0.575	+ 63. 5. 45.90	37.70	3	+ 6.408	101
8882	8907	Lacaille 8091	7	19. 14. 31.74	38.63	3	+ 4.858	- 54. 38. 41.42	38.63	3	+ 6.408	...	8091	...
8883	8908	Piazzi XIX. 92	8	19. 14. 51.20	36.54	2	+ 3.514	- 19. 14. 26.90	37.47	3	+ 6.434	92
8884	8909	Piazzi XIX. 95	8	19. 14. 56.75	37.09	2	+ 2.887	+ 8. 17. 49.83	37.30	2	+ 6.443	95
8885	8910	59 Draconis	6.7	19. 15. 8.57	35.72	3	- 2.114	+ 76. 16. 51.05	35.42	3	+ 6.459	2466	...	119
8886	8911	47 Sagittarii χ^1	6	19. 15. 13.74	33.60	4	+ 3.657	- 24. 49. 17.15	33.29	5	+ 6.465	2445	8100	93
8887	8912	Piazzi XIX. 108	7	19. 15. 15.41	35.87	4	+ 0.596	+ 62. 54. 30.95	35.41	3	+ 6.468	108
8888	8913	48 Sagittarii χ^2	6.7	19. 15. 20.74	33.64	2	+ 3.655	- 24. 43. 40.45	33.67	5	+ 6.476	94
8889	8914	Piazzi XIX. 97	8	19. 15. 21.74	37.36	3	+ 3.287	- 9. 39. 1.21	36.64	1	+ 6.477	97
8890	8915	49 Sagittarii χ^3	6	19. 15. 30.06	33.68	3	+ 3.643	- 24. 16. 42.53	33.70	5	+ 6.489	2446	8103	96
8891	8916	Piazzi XIX. 100	7.8	19. 16. 2.10	38.54	4	+ 3.407	- 14. 50. 33.58	37.44	3	+ 6.533	100
8892	8917	3 Vulpeculae	6	19. 16. 5.72	33.70	3	+ 2.457	+ 25. 57. 0.90	33.54	5	+ 6.537	2450	...	105
8893	8918	50 Sagittarii	6.7	19. 16. 28.52	32.67	6	+ 3.585	- 22. 5. 47.09	33.77	4	+ 6.571	2448	...	103
8894	8919	Lacaille 8107	6	19. 16. 30.73	38.52	7	+ 3.803	- 30. 3. 42.13	40.90	4	+ 6.573	...	8107	102
8895	8920	Piazzi XIX. 106	8	19. 16. 32.65	37.17	2	+ 3.039	+ 1. 31. 6.99	37.01	2	+ 6.575	106
8896	8921	Piazzi XIX. 104	6.7	19. 16. 39.90	35.16	3	+ 3.571	- 21. 33. 53.52	35.25	2	+ 6.585	104
8897	8922	Piazzi XIX. 109	8.9	19. 16. 46.06	37.27	3	+ 3.162	- 4. 3. 3.72	37.27	4	+ 6.594	109
8898	8923	Piazzi XIX. 107	6	19. 16. 47.67	34.56	7	+ 3.419	- 15. 22. 22.63	39.95	2	+ 6.596	107
8899	8924	2 Sagittae	6	19. 16. 57.64	37.32	5	+ 2.695	+ 16. 37. 19.24	38.68	5	+ 6.610	2453	...	112
8900	8925	Piazzi XIX. 110	7	19. 17. 2.67	38.76	5	+ 3.407	- 14. 52. 17.53	40.16	4	+ 6.617	110
8901	8926	Piazzi XIX. 111	8	19. 17. 3.00	37.21	3	+ 3.124	- 2. 22. 51.80	37.28	5	+ 6.617	111
8902	8927	31 Aquila	5	19. 17. 6.02	31.72	6	+ 2.813	+ 11. 35. 47.72	32.10	9	+ 6.621	2452	...	114
8903	8928	Telescopii	7	19. 17. 10.01	38.64	3	+ 4.904	- 55. 26. 18.14	38.64	3	+ 6.628	...	8101	...
8904	8929	30 Aquila	3.4	19. 17. 10.72	32.83	40	+ 3.010	+ 2. 47. 30.95	32.43	55	+ 6.629	2451	...	113
8905	8930	3 Sagittae	6.7	19. 17. 20.36	38.32	5	+ 2.695	+ 16. 38. 22.62	35.68	3	+ 6.641	2454	...	115
8906	8931	Piazzi XIX. 116	7	19. 17. 31.33	37.28	3	+ 2.622	+ 19. 37. 13.41	37.21	3	+ 6.655	116
8907	8932	2 Cygni	5.6	19. 17. 37.25	39.73	3	+ 2.364	+ 29. 18. 10.23	41.06	3	+ 6.663	2456	...	117
8908	8933	Lacaille 8102	8	19. 17. 42.83	38.70	3	+ 5.310	- 60. 36. 2.52	38.67	3	+ 6.672	...	8102	...
8909	8934	32 Aquila	5.6	19. 18. 5.04	33.77	3	+ 3.072	+ 0. 0. 57.61	32.71	5	+ 6.703	2455	...	118
8910	8935	Bradley 2460	7	19. 18. 10.51	37.55	2	+ 2.152	+ 36. 7. 46.22	37.14	4	+ 6.710	2460	...	121
8911	8936	4 Vulpeculae	6	19. 18. 14.34	39.72	4	+ 2.626	+ 19. 28. 50.02	35.97	7	+ 6.716	2458	...	120
8912	8937	B.A.C. 6658	6	19. 18. 29.24	33.61	2	+ 3.498	- 18. 41. 8.81	33.67	5	+ 6.736
8913	8938	Bradley 2459	6	19. 18. 36.20	40.13	5	+ 2.495	+ 24. 37. 11.16	36.74	8	+ 6.745	2459	...	123
8914	8939	Piazzi XIX. 129	7	19. 18. 39.76	35.68	2	+ 1.417	+ 52. 43. 48.57	35.36	3	+ 6.750	129
8915	8940	60 Draconis	4.5	19. 18. 40.52	38.55	5	- 1.059	+ 73. 2. 48.70	34.88	7	+ 6.752	2472	...	141
8916	8941	Lacaille 8110	7.8	19. 18. 44.50	38.63	3	+ 4.837	- 54. 29. 59.25	38.63	3	+ 6.756	...	8110	...
8917	8942	Piazzi XIX. 122	8.9	19. 18. 48.11	37.10	3	+ 3.124	- 2. 20. 46.32	37.45	3	+ 6.761	122
8918	8943	5 Vulpeculae	6.7	19. 19. 1.09	35.51	4	+ 2.620	+ 19. 46. 30.99	35.36	3	+ 6.779	2461	...	125
8919	8944	Piazzi XIX. 131	7.8	19. 19. 4.13	36.38	5	+ 1.575	+ 49. 57. 3.52	35.42	3	+ 6.783	131
8920	8945	Piazzi XIX. 127	7.8	19. 19. 6.97	37.33	2	+ 2.492	+ 24. 43. 46.24	37.58	3	+ 6.787	127

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
8921	8946	Piazzi XIX. 124.....	6	h m s 19. 19. 12.12	35.32	3	+ 3.419	— 15. 25. 53.05	35.17	2	+ 6.795	124
8922	8947	Bradley 2462	7	19. 19. 15.66	37.58	4	+ 2.625	+ 19. 34. 6.72	37.50	1	+ 6.800	2462	...	128
8923	8948	Lacaille 8123	7	19. 19. 39.45	33.21	4	+ 3.721	— 27. 18. 56.92	33.42	5	+ 6.831	...	8123	126
8924	8949	58 Draconis	4	19. 19. 48.19	31.66	4	+ 0.326	+ 65. 23. 50.66	31.66	5	+ 6.843	2471	...	142
8925	8950	Lacaille 8115	6.7	19. 19. 50.75	40.72	6	+ 4.772	— 53. 31. 25.87	41.11	5	+ 6.847	...	8115	...
8926	8951	Piazzi XIX. 130	8	19. 19. 55.43	37.65	1	+ 3.571	— 21. 40. 12.28	36.41	4	+ 6.855	130
8927	8952	Piazzi XIX. 134	7.8	19. 20. 1.25	37.01	3	+ 2.164	+ 35. 51. 36.73	37.24	3	+ 6.861	134
8928	8953	Piazzi XIX. 133	6.7	19. 20. 3.75	36.27	6	+ 3.015	+ 2. 36. 3.69	37.63	2	+ 6.865	133
8929	8954	Piazzi XIX. 132	7.8	19. 20. 9.41	35.36	3	+ 3.425	— 15. 41. 29.82	35.66	3	+ 6.874	132
8930	8955	4 Cygni	6	19. 20. 12.55	35.66	2	+ 2.160	+ 35. 59. 28.62	34.98	4	+ 6.878	2464	...	137
8931	8956	Piazzi XIX. 140	7.8	19. 20. 12.87	37.37	3	+ 1.579	+ 49. 55. 7.03	37.39	3	+ 6.878	140
8932	8957	35 Aquilæ	6	19. 20. 40.50	33.53	7	+ 3.037	+ 1. 37. 10.75	33.76	5	+ 6.914	2463	...	135
8933	8958	Piazzi XIX. 139	7	19. 20. 41.99	35.56	2	+ 2.617	+ 19. 55. 0.41	35.32	4	+ 6.917	139
8934	8959	Piazzi XIX. 138	6	19. 21. 6.23	33.78	8	+ 3.570	— 21. 38. 53.86	33.62	6	+ 6.950	138
8935	8960	Lacaille 8129	6	19. 21. 27.13	35.70	3	+ 4.353	— 45. 36. 44.62	35.67	3	+ 6.979	...	8129	136
8936	8961	Piazzi XIX. 143	7.8	19. 21. 38.32	35.74	3	+ 3.149	— 3. 31. 11.55	35.71	3	+ 6.994	143
8937	8962	Bradley 2468	7	19. 21. 42.06	35.74	3	+ 2.374	+ 29. 7. 6.63	35.71	3	+ 6.999	2468	...	146
8938	8963	Piazzi XIX. 149	8	19. 21. 44.87	37.38	4	+ 2.155	+ 36. 11. 48.39	37.26	4	+ 7.004	149
8939	8964	6 Vulpeculæ	4	19. 21. 50.46	32.85	13	+ 2.506	+ 24. 20. 9.01	32.35	11	+ 7.011	2467	...	148
8940	8965	Piazzi XIX. 144	6.7	19. 21. 53.39	36.63	2	+ 3.016	+ 2. 34. 3.96	35.58	3	+ 7.015	144
8941	8966	36 Aquilæ	6	19. 22. 2.17	32.77	3	+ 3.140	— 3. 7. 34.71	32.82	5	+ 7.027	2465	...	145
8942	8967	8 Vulpeculæ	5.6	19. 22. 4.10	33.63	5	+ 2.503	+ 24. 25. 59.80	33.66	5	+ 7.030	2470	...	150
8943	8968	7 Vulpeculæ	7	19. 22. 8.95	35.48	3	+ 2.617	+ 19. 56. 42.63	35.17	4	+ 7.036	2469	...	151
8944	8969	Lacaille 8139	7	19. 22. 22.89	33.61	3	+ 3.746	— 28. 19. 41.11	33.70	4	+ 7.056	...	8139	...
8945	8970	Piazzi XIX. 154	8	19. 22. 24.83	40.05	5	+ 1.590	+ 49. 48. 36.53	40.08	5	+ 7.058	154
8946	8971	Piazzi XIX. 153	8	19. 22. 27.04	37.13	3	+ 2.418	+ 27. 35. 33.67	37.68	3	+ 7.061	153
8947	8972	Piazzi XIX. 147	7	19. 22. 27.47	35.70	2	+ 3.575	— 21. 51. 32.78	35.37	3	+ 7.061	147
8948	8973	Piazzi XIX. 152	7	19. 22. 44.88	35.77	1	+ 3.036	+ 1. 40. 18.76	35.42	3	+ 7.086	152
8949	8974	Piazzi XIX. 156	7	19. 22. 47.34	37.33	3	+ 1.094	+ 57. 41. 49.10	37.13	3	+ 7.093	156
8950	8975	Lacaille 8137	6	19. 22. 57.51	38.61	3	+ 4.483	— 48. 26. 46.09	38.88	4	+ 7.102	...	8137	...
8951	8976	7 Cygni	6	19. 23. 23.25	35.62	3	+ 1.473	+ 51. 59. 14.30	34.99	4	+ 7.138	2476	...	160
8952	8977	Piazzi XIX. 157	7	19. 23. 32.30	35.72	2	+ 2.166	+ 35. 56. 40.55	35.24	4	+ 7.150	157
8953	8978	Piazzi XIX. 155	8	19. 23. 58.49	37.43	2	+ 3.501	— 18. 57. 38.30	37.22	4	+ 7.185	155
8954	8979	Piazzi XIX. 158	6.7	19. 23. 59.94	35.40	3	+ 2.915	+ 7. 8. 41.28	35.35	3	+ 7.188	158
8955	8980	6 Cygni	3	19. 24. 4.19	32.07	13	+ 2.419	+ 27. 37. 4.43	31.93	9	+ 7.193	2473	...	161
8956	8981	Bradley 2474	7	19. 24. 6.31	37.18	5	+ 2.419	+ 27. 37. 24.61	37.13	4	+ 7.196	2474	...	162
8957	8982	Lacaille 8142	7.8	19. 24. 31.35	40.01	6	+ 5.094	— 58. 20. 17.58	40.28	5	+ 7.230	...	8142	...
8958	8983	Piazzi XIX. 167	7.8	19. 24. 35.26	37.34	3	+ 1.379	+ 53. 37. 52.60	37.19	4	+ 7.235	167
8959	8984	Lacaille 8154	7	19. 24. 35.95	33.64	3	+ 3.633	— 24. 12. 31.32	33.25	5	+ 7.236	...	8154	159
8960	8985	Piazzi XIX. 164	8	19. 24. 48.49	36.77	4	+ 2.181	+ 35. 53. 8.47	37.36	4	+ 7.254	164

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
8961	8986	Piazzi XIX. 163.....	6	h m s 19. 24. 52'29	33'68	4	s + 2'604	° ' " + 20. 35. 0'99	33'27	5	" + 7'259	163
8962	8987	Piazzi XIX. 169.....	7.8	19. 25. 27'83	37'20	2	+ 2'412	+ 27. 55. 9'98	37'33	3	+ 7'308	169
8963	8988	10 Cygni..... ²	5	19. 25. 32'62	32'73	3	+ 1'515	+ 51. 22. 51'72	31'66	5	+ 7'315	2481	...	175
8964	8989	8 Cygni.....	6	19. 25. 38'42	35'44	3	+ 2'229	+ 34. 6. 24'52	35'42	3	+ 7'322	2480	...	173
8965	8990	Piazzi XIX. 165.....	6.7	19. 25. 43'33	34'53	6	+ 3'618	- 23. 39. 48'86	34'35	8	+ 7'328	165
8966	8991	Piazzi XIX. 166.....	7	19. 25. 49'83	33'44	6	+ 3'553	- 21. 7. 44'64	33'76	3	+ 7'338	166
8967	8992	Piazzi XIX. 172.....	8	19. 25. 51'28	37'12	2	+ 2'603	+ 20. 39. 14'99	37'25	3	+ 7'340	172
8968	8993	51 Sagittarii..... ¹	6	19. 26. 0'13	33'78	1	+ 3'654	- 25. 4. 23'52	33'67	5	+ 7'352	2475	8162	168
8969	8995	37 Aquilæ..... ¹⁰	5	19. 26. 1'85	31'81	8	+ 3'312	- 10. 54. 49'97	32'05	3	+ 7'355	2477	...	170
8970	8994	38 Aquilæ..... ¹⁴	4.5	19. 26. 1'86	36'83	12	+ 2'919	+ 7. 2. 4'67	32'73	13	+ 7'355	2479	...	171
8971	8996	52 Sagittarii..... ¹²	4.5	19. 26. 39'65	32'77	4	+ 3'658	- 25. 14. 23'32	32'68	5	+ 7'405	2478	8166	174
8972	8997	Piazzi XIX. 177.....	7.8	19. 26. 44'40	37'43	4	+ 3'307	- 10. 43. 15'88	37'30	3	+ 7'412	177
8973	8998	Piazzi XIX. 176.....	7	19. 26. 48'85	33'61	3	+ 3'505	- 19. 12. 36'51	33'11	5	+ 7'418	176
8974	8999	Piazzi XIX. 178.....	8	19. 26. 49'84	37'22	2	+ 2'986	+ 3. 57. 26'37	37'69	3	+ 7'420	178
8975	9000	Lacaille 8157.....	7.8	19. 27. 6'13	40'65	4	+ 4'831	- 54. 46. 59'28	40'65	4	+ 7'441	...	8157	...
8976	9001	Piazzi XIX. 189.....	7.8	19. 27. 9'60	37'71	1	+ 1'246	+ 55. 47. 16'94	37'20	2	+ 7'445	189
8977	9002	Piazzi XIX. 179.....	7	19. 27. 15'15	35'36	3	+ 3'133	- 2. 48. 38'80	35'41	3	+ 7'453	179
8978	9003	Piazzi XIX. 190.....	9	19. 27. 19'35	42'78	2	+ 1'283	+ 55. 14. 22'83	41'07	3	+ 7'460	190
8979	9004	9 Vulpeculæ.....	5.6	19. 27. 20'13	33'59	3	+ 2'634	+ 19. 25. 5'62	33'47	5	+ 7'460	2483	...	184
8980	9005	Piazzi XIX. 180.....	7	19. 27. 28'78	32'71	4	+ 3'489	- 18. 35. 24'12	33'49	4	+ 7'473	180
8981	9006	Lacaille 8160.....	7.8	19. 27. 32'94	40'28	5	+ 4'816	- 54. 34. 36'63	39'66	4	+ 7'478	...	8160	...
8982	9007	Piazzi XIX. 182.....	7.8	19. 27. 33'56	38'59	4	+ 3'077	- 0. 14. 58'68	39'31	3	+ 7'479	182
8983	9008	Piazzi XIX. 183.....	7.8	19. 27. 34'36	37'22	2	+ 3'074	- 0. 6. 30'05	37'21	2	+ 7'480	183
8984	9009	Piazzi XIX. 181.....	8	19. 27. 35'04	37'02	3	+ 3'141	- 3. 9. 54'98	37'62	3	+ 7'481	181
8985	9010	Piazzi XIX. 191.....	7.8	19. 27. 39'92	35'69	2	+ 1'603	+ 49. 49. 2'12	35'54	2	+ 7'487	191
8986	9011	Piazzi XIX. 185.....	8	19. 27. 43'73	36'98	4	+ 3'308	- 10. 47. 27'17	37'71	2	+ 7'493	185
8987	9012	Piazzi XIX. 193.....	6.7	19. 27. 43'88	36'52	6	+ 1'275	+ 55. 22. 56'06	34'93	3	+ 7'493	193
8988	9013	Piazzi XIX. 186.....	6.7	19. 27. 46'92	40'23	4	+ 3'302	- 10. 30. 59'28	37'55	6	+ 7'497	186
8989	9014	39 Aquilæ..... ¹¹	4	19. 28. 0'74	33'35	4	+ 3'233	- 7. 23. 16'10	31'62	5	+ 7'514	2482	...	187
8990	9015	41 Aquilæ..... ¹	5	19. 28. 11'16	31'67	6	+ 3'108	- 1. 38. 45'89	31'71	5	+ 7'529	2484	...	188
8991	9016	9 Cygni.....	5.6	19. 28. 17'66	33'70	4	+ 2'382	+ 29. 6. 16'22	33'79	2	+ 7'538	2487	...	192
8992	9017	Piazzi XIX. 195.....	8	19. 28. 43'73	37'26	3	+ 2'916	+ 7. 11. 23'31	37'32	2	+ 7'574	195
8993	9018	Piazzi XIX. 194.....	8	19. 28. 48'14	37'32	1	+ 3'090	- 0. 51. 26'79	37'34	2	+ 7'579	194
8994	9019	Piazzi XIX. 197.....	7	19. 28. 52'44	35'40	3	+ 2'728	+ 15. 31. 41'69	35'37	3	+ 7'584	197
8995	9020	42 Aquilæ.....	6	19. 29. 2'11	32'92	5	+ 3'181	- 5. 0. 33'58	32'96	5	+ 7'598	2485	...	196
8996	9021	Piazzi XIX. 198.....	7.8	19. 29. 5'36	37'37	3	+ 3'083	- 0. 29. 39'03	37'14	3	+ 7'602	198
8997	9022	Piazzi XIX. 200.....	8	19. 29. 43'87	37'08	3	+ 3'090	- 0. 51. 17'48	37'16	5	+ 7'655	200
8998	9023	4 Sagittæ..... ⁶	6	19. 29. 49'38	33'68	4	+ 2'715	+ 16. 5. 50'55	33'38	4	+ 7'661	2489	...	203
8999	9024	11 Cygni.....	6.7	19. 29. 52'51	35'31	3	+ 2'155	+ 36. 34. 54'84	34'90	4	+ 7'667	2491	...	206
9000	9025	53 Sagittarii.....	7	19. 29. 54'24	33'76	4	+ 3'617	- 23. 47. 45'32	33'53	4	+ 7'668	2486	8182	199

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9001	9026	Piazzi XIX. 202	8	^{h m s} 19. 29. 55'18	36'92	3	^s + 3'072	^{° ' "} — 0. 1. 20'54	37'25	3	["] + 7'669	202
9002	9027	Piazzi XIX. 207	7	19. 30. 2'42	37'69	2	+ 2'212	+ 34. 51. 1'61	37'06	2	+ 7'679	207
9003	9028	Piazzi XIX. 211	6	19. 30. 3'30	37'70	1	+ 1'553	+ 50. 53. 7'08	37'75	2	+ 7'680	211
9004	9029	Bradley 2488	6'7	19. 30. 11'59	33'77	4	+ 3'617	— 23. 47. 59'40	33'77	4	+ 7'692	2488	8183	201
9005	9030	Piazzi XIX. 205	7'8	19. 30. 26'65	37'62	2	+ 3'544	— 20. 55. 5'61	37'60	2	+ 7'712	205
9006	9031	Piazzi XIX. 204	9	19. 30. 27'36	37'04	2	+ 3'614	— 23. 42. 8'59	37'63	2	+ 7'712	204
9007	9032	Piazzi XIX. 208	8	19. 30. 35'97	40'45	4	+ 2'941	+ 6. 3. 39'98	41'71	2	+ 7'725	208
9008	9033	Piazzi XIX. 209	8	19. 30. 36'46	37'70	1	+ 2'915	+ 7. 14. 46'34	37'65	1	+ 7'725	209
9009	9034	Piazzi XIX. 212	7'8	19. 30. 48'82	37'71	2	+ 2'810	+ 11. 59. 25'61	37'78	2	+ 7'742	212
9010	9035	Piazzi XIX. 210	9	19. 30. 50'60	37'66	1	+ 3'111	— 1. 50. 17'93	37'65	1	+ 7'745	210
9011	9036	44 Aquilæσ	5	19. 31. 3'10	31'62	6	+ 2'963	+ 5. 1. 39'36	32'48	8	+ 7'761	2492	...	215
9012	9037	Piazzi XIX. 213	8	19. 31. 8'77	37'71	2	+ 3'253	— 8. 20. 35'25	37'71	2	+ 7'769	213
9013	9038	54 Sagittariiδ ¹	5'6	19. 31. 16'15	33'20	4	+ 3'441	— 16. 39. 52'36	33'66	6	+ 7'778	2490	...	214
9014	9039	Bradley 2496	7	19. 31. 29'99	35'34	2	+ 1'610	+ 49. 52. 15'79	35'40	4	+ 7'797	2496	...	220
9015	9040	Piazzi XIX. 227	7'8	19. 31. 37'46	37'73	1	— 0'166	+ 69. 10. 12'02	37'23	2	+ 7'806	227
9016	9041	Piazzi XIX. 216	7'8	19. 31. 39'44	37'13	2	+ 2'907	+ 7. 28. 14'44	37'62	2	+ 7'809	216
9017	9042	Piazzi XIX. 221	7	19. 31. 56'16	36'05	4	+ 2'214	+ 34. 53. 27'25	34'60	3	+ 7'832	221
9018	9043	Piazzi XIX. 217	8	19. 31. 58'29	37'07	4	+ 2'917	+ 7. 11. 36'21	37'38	3	+ 7'834	217
9019	9044	13 Cygniθ	4	19. 32. 0'85	33'59	7	+ 1'613	+ 49. 50. 29'41	32'26	7	+ 7'838	2498	...	223
9020	9045	45 Aquilæδ	6	19. 32. 13'50	33'66	5	+ 3'093	— 0. 59. 50'14	33'68	5	+ 7'854	2493	...	219
9021	9046	61 Draconisσ	5	19. 32. 39'35	32'74	5	— 0'196	+ 69. 22. 55'44	32'73	6	+ 7'891	2505	...	236
9022	9047	Piazzi XIX. 218	7'8	19. 32. 40'47	37'24	2	+ 3'902	— 34. 1. 39'10	37'41	3	+ 7'891	218
9023	9048	5 Sagittæα	4	19. 32. 43'41	32'37	9	+ 2'681	+ 17. 38. 22'79	31'94	6	+ 7'895	2495	...	224
9024	9049	Piazzi XIX. 225	8	19. 32. 48'22	37'23	3	+ 2'684	+ 17. 31. 18'98	37'35	2	+ 7'902	225
9025	9050	12 Cygniφ	4	19. 32. 51'64	33'70	6	+ 2'369	+ 29. 46. 38'93	32'58	8	+ 7'906	2497	...	226
9026	9051	55 Sagittariiδ ²	5	19. 33. 4'76	34'98	7	+ 3'436	— 16. 30. 14'72	35'76	7	+ 7'925	2494	...	222
9027	9052	Piazzi XIX. 233	7	19. 33. 21'83	35'59	3	+ 1'664	+ 48. 54. 18'62	35'38	3	+ 7'947	233
9028	9053	Piazzi XIX. 228	9	19. 33. 36'02	37'35	1	+ 2'682	+ 17. 36. 55'42	37'27	3	+ 7'966	228
9029	9054	6 Sagittæβ	5	19. 33. 38'38	32'02	5	+ 2'695	+ 17. 5. 57'37	31'81	6	+ 7'969	2499	...	229
9030	9055	Piazzi XIX. 234	8	19. 34. 2'89	37'25	3	+ 2'678	+ 17. 48. 48'68	37'31	3	+ 8'002	234
9031	9056	14 Cygniδ	6	19. 34. 4'21	35'58	3	+ 1'951	+ 42. 26. 26'01	35'40	3	+ 8'004	2503	...	240
9032	9057	Piazzi XIX. 231	8'9	19. 34. 5'72	36'96	2	+ 3'311	— 11. 3. 23'07	37'37	4	+ 8'006	231
9033	9058	Piazzi XIX. 230	6	19. 34. 8'65	33'71	5	+ 3'420	— 15. 50. 44'64	33'18	4	+ 8'009	230
9034	9059	Piazzi XIX. 239	7'8	19. 34. 15'61	37'03	3	+ 2'335	+ 31. 1. 38'81	37'51	2	+ 8'019	239
9035	9060	Piazzi XIX. 235	8	19. 34. 24'46	37'15	3	+ 2'974	+ 4. 34. 16'90	37'11	2	+ 8'030	235
9036	9061	46 Aquilæδ	7	19. 34. 28'61	35'43	3	+ 2'816	+ 11. 48. 41'66	34'71	3	+ 8'037	2500	...	238
9037	9062	Telescopiiν	6	19. 34. 30'93	38'59	3	+ 4'941	— 56. 44. 58'67	38'59	3	+ 8'039	...	8200	...
9038	9063	Piazzi XIX. 232	7'8	19. 34. 33'84	35'35	4	+ 3'843	— 32. 10. 31'01	34'98	4	+ 8'043	232
9039	9064	Piazzi XIX. 251	8	19. 34. 46'41	38'08	3	— 0'191	+ 69. 26.	+ 8'059	251
9040	9065	Piazzi XIX. 241	7'8	19. 34. 47'55	37'18	2	+ 2'900	+ 7. 59. 45'83	37'45	4	+ 8'061	241

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	n / "			"			
9041	9066	47 AquilæX	6	19. 34. 48'35	32'76	4	+ 2'824	+ 11. 26. 36'42	33'66	5	+ 8'062	2501	...	242
9042	9067	Lacaille 8208	6'7	19. 34. 56'71	33'65	5	+ 3'816	- 31. 17. 29'11	33'71	5	+ 8'074	...	8208	237
9043	9068	Bradley 2502	7	19. 34. 58'42	35'74	4	+ 2'672	+ 18. 4. 55'59	35'51	3	+ 8'075	2502	...	244
9044	9069	Piazzi XIX. 246	8'9	19. 35. 16'10	37'20	2	+ 2'675	+ 18. 0. 8'00	37'37	3	+ 8'099	246
9045	9070	Piazzi XIX. 247	8'9	19. 35. 25'49	37'33	4	+ 2'684	+ 17. 35. 0'97	37'33	2	+ 8'111	247
9046	9071	Lacaille 8211	6'7	19. 35. 28'99	35'46	3	+ 3'845	- 32. 17. 55'38	35'18	2	+ 8'117	...	8211	243
9047	9072	Piazzi XIX. 245	8	19. 35. 37'85	42'03	3	+ 3'324	- 11. 34. 53'20	39'69	6	+ 8'129	245
9048	9073	Piazzi XIX. 259	7	19. 35. 59'39	35'71	4	- 0'184	+ 69. 25. 57'59	36'32	11	+ 8'157	259
9049	9074	Lacaille 8204	8	19. 35. 59'76	38'64	3	+ 5'159	- 59. 39. 47'45	38'64	3	+ 8'158	...	8204	...
9050	9075	Piazzi XIX. 248	8'9	19. 36. 14'75	36'80	4	+ 2'918	+ 7. 11. 57'13	37'06	2	+ 8'178	248
9051	9076	Piazzi XIX. 250	8	19. 36. 22'25	37'50	2	+ 2'813	+ 11. 59. 2'46	37'37	3	+ 8'187	250
9052	9077	Lacaille 8207	6'7	19. 36. 42'27	38'63	3	+ 5'151	- 59. 35. 44'02	38'63	3	+ 8'214	...	8207	...
9053	9078	Piazzi XIX. 252	7'8	19. 36. 43'80	37'66	2	+ 2'893	+ 8. 20. 11'66	37'39	3	+ 8'217	252
9054	9079	56 Sagittariif	6	19. 36. 43'99	33'12	8	+ 3'520	- 20. 9. 3'42	32'75	5	+ 8'217	2504	...	249
9055	9080	10 Vulpeculæ	6	19. 36. 51'45	38'18	6	+ 2'493	+ 25. 22. 53'13	37'10	8	+ 8'226	2508	...	256
9056	9081	Piazzi XIX. 253	7	19. 36. 52'03	37'61	2	+ 2'846	+ 10. 31. 15'12	37'71	3	+ 8'227	253
9057	9082	48 Aquilæψ	6'7	19. 36. 53'58	36'82	4	+ 2'792	+ 12. 54. 43'79	37'18	4	+ 8'229	2506	...	254
9058	9083	Bradley 2507	7	19. 36. 54'93	38'89	6	+ 2'794	+ 12. 50. 23'43	37'93	5	+ 8'231	2507	...	255
9059	9084	Piazzi XIX. 257	7	19. 37. 7'02	35'73	3	+ 2'849	+ 10. 22. 57'66	35'42	3	+ 8'247	257
9060	9085	Bradley 2510	6	19. 37. 10'63	33'69	5	+ 2'458	+ 26. 44. 42'39	33'68	5	+ 8'253	2510
9061	9086	16 Cygnic	6	19. 37. 25'72	39'16	7	+ 1'613	+ 50. 8. 41'08	38'00	8	+ 8'273	2512	...	261
9062	9087	Bradley 2513	7	19. 37. 28'35	41'48	4	+ 1'613	+ 50. 8. 13'91	42'76	1	+ 8'276	2513	...	262
9063	9088	49 Aquilæv	6'7	19. 37. 38'42	35'55	2	+ 2'918	+ 7. 13. 7'73	36'30	3	+ 8'289	2509	...	258
9064	9089	Piazzi XIX. 263	7	19. 37. 56'65	37'35	3	+ 2'123	+ 37. 55. 49'37	37'35	4	+ 8'314	263
9065	9090	Piazzi XIX. 267	7	19. 38. 8'33	35'74	3	+ 2'135	+ 37. 36. 52'83	34'98	4	+ 8'329	267
9066	9091	Lacaille 8221	6'7	19. 38. 8'95	38'68	3	+ 4'421	- 47. 57. 38'17	38'68	3	+ 8'330	...	8221	...
9067	9092	Piazzi XIX. 260	7	19. 38. 16'31	35'65	2	+ 3'547	- 21. 21. 26'54	34'98	4	+ 8'339	260
9068	9093	15 Cygni	5	19. 38. 19'62	31'61	3	+ 2'157	+ 36. 57. 34'99	31'74	5	+ 8'343	2514	...	269
9069	9094	50 Aquilæγ	3	19. 38. 24'99	33'52	81	+ 2'853	+ 10. 12. 59'00	32'21	108	+ 8'351	2511	...	264
9070	9095	Piazzi XIX. 268	7'8	19. 38. 43'53	37'34	3	+ 2'856	+ 10. 3. 43'91	37'38	3	+ 8'375	268
9071	9096	Piazzi XIX. 270	9	19. 38. 44'88	37'66	2	+ 2'686	+ 17. 37. 38'94	37'63	2	+ 8'377	270
9072	9097	Piazzi XIX. 265	6'7	19. 38. 46'76	33'66	3	+ 3'377	- 14. 6. 11'74	33'53	5	+ 8'379	265
9073	9098	Lacaille 8233	7'8	19. 39. 14'42	37'42	3	+ 4'175	- 42. 15. 55'70	37'13	3	+ 8'417	...	8233	266
9074	9099	Lacaille 8227	6'7	19. 39. 27'00	38'69	3	+ 4'830	- 55. 22. 54'17	38'61	2	+ 8'434	...	8227	...
9075	9100	Piazzi XIX. 276	7	19. 39. 36'39	36'61	5	+ 2'200	+ 35. 41. 34'00	35'70	3	+ 8'445	276
9076	9101	Piazzi XIX. 277	7'8	19. 39. 37'44	37'70	2	+ 2'201	+ 35. 41. 24'14	36'98	3	+ 8'447	277
9077	9102	Piazzi XIX. 272	7	19. 39. 38'42	37'36	4	+ 2'958	+ 5. 22. 48'99	37'37	3	+ 8'448	272
9078	9103	Piazzi XIX. 271	7	19. 39. 39'10	33'78	5	+ 3'346	- 12. 43. 20'15	33'67	5	+ 8'449	271
9079	9104	Piazzi XIX. 274	7'8	19. 39. 41'03	40'04	5	+ 2'660	+ 18. 46. 49'80	39'54	6	+ 8'452	274
9080	9105	Piazzi XIX. 278	6'7	19. 39. 42'33	35'33	3	+ 2'235	+ 34. 36. 52'70	35'41	3	+ 8'453	278

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9081	9106	18 Cygni.....δ	3.4	h m s 19. 39. 48.90	31.66	5	+ 1.871	+ 44. 43. 53.37	32.73	5	+ 8.462	2520	...	280
9082	9107	Bradley 2515	6	19. 39. 56.17	33.69	4	+ 3.313	- 11. 16. 27.82	34.67	6	+ 8.472	2515	...	273
9083	9108	7 Sagittæ.....δ	4	19. 40. 1.86	31.74	2	+ 2.675	+ 18. 7. 55.22	31.66	5	+ 8.480	2516	...	279
9084	9109	17 Cygni.....χ	5	19. 40. 9.84	32.00	4	+ 2.275	+ 33. 20. 53.64	31.69	5	+ 8.490	2517	...	282
9085	9110	Lacaille 8226	7	19. 40. 13.56	38.71	3	+ 5.311	- 61. 35. 12.54	38.71	3	+ 8.495	...	8226	...
9086	9111	Piazzi XIX. 284	7.8	19. 40. 17.13	37.20	2	+ 1.232	+ 56. 38. 45.67	37.13	3	+ 8.510	284
9087	9112	Lacaille 8239	6	19. 40. 37.24	35.40	3	+ 4.098	- 40. 17. 3.20	35.63	3	+ 8.525	...	8239	275
9088	9113	Piazzi XIX. 281	7	19. 40. 46.15	39.03	2	+ 3.310	- 11. 7. 56.89	37.46	4	+ 8.537	281
9089	9114	52 Aquilæ.....π	6	19. 40. 55.90	33.76	3	+ 2.828	+ 11. 24. 37.92	33.75	5	+ 8.551	2518	...	283
9090	9115	Piazzi XIX. 287	7.8	19. 41. 19.93	37.43	2	+ 2.637	+ 19. 48. 29.81	36.81	4	+ 8.583	287
9091	9116	Pavonis.....ε	4	19. 41. 22.22	33.78	3	+ 7.109	- 73. 19. 58.91	33.78	5	+ 8.586	...	8219	...
9092	9117	Piazzi XIX. 292	7.8	19. 41. 23.69	37.42	3	+ 1.317	+ 55. 26. 49.73	37.71	2	+ 8.588	292
9093	9118	Piazzi XIX. 285	7.8	19. 41. 25.43	36.99	3	+ 3.018	+ 2. 32. 42.86	37.13	3	+ 8.589	285
9094	9119	Piazzi XIX. 290	7	19. 41. 32.71	35.38	2	+ 2.343	+ 31. 6. 0.71	35.40	3	+ 8.599	290
9095	9120	8 Sagittæ.....ζ	5	19. 41. 39.32	32.77	4	+ 2.662	+ 18. 44. 0.74	31.74	4	+ 8.607	2523	...	289
9096	9121	51 Aquilæ.....	5.6	19. 41. 41.77	35.67	6	+ 3.311	- 11. 10. 32.32	38.93	4	+ 8.611	2519	...	286
9097	9122	Piazzi XIX. 293	7	19. 41. 47.63	35.74	3	+ 1.567	+ 51. 16. 7.97	35.39	3	+ 8.618	293
9098	9123	Piazzi XIX. 288	7.8	19. 41. 59.27	37.60	2	+ 3.502	- 19. 37. 28.45	37.39	4	+ 8.634	288
9099	9124	Brisbane 6757.....	8	19. 42. 30.94	38.63	3	+ 4.754	- 54. 22. 5.77	38.63	3	+ 8.675
9100	9125	Piazzi XIX. 295	Var.	19. 42. 32.81	40.92	4	+ 2.288	+ 33. 1. 43.03	37.45	4	+ 8.678	295
9101	9126	57 Sagittarii.....	5.6	19. 42. 36.39	32.57	5	+ 3.498	- 19. 27. 27.03	33.12	3	+ 8.682	2522	...	291
9102	9127	53 Aquilæ.....α	1.2	19. 42. 44.00	34.37	185	+ 2.893	+ 8. 26. 17.04	32.86	250	+ 8.693	2524	...	294
9103	9128	Piazzi XIX. 296	7	19. 42. 50.06	35.73	3	+ 2.697	+ 17. 17. 55.96	35.70	3	+ 8.701	296
9104	9129	54 Aquilæ.....θ	5.6	19. 43. 7.48	33.68	3	+ 2.860	+ 10. 0. 30.04	33.80	5	+ 8.723	2525	...	298
9105	9130	Lacaille 8245	7	19. 43. 12.22	38.68	3	+ 5.102	- 59. 19. 32.29	38.68	3	+ 8.730	...	8245	...
9106	9131	Lacaille 8247	7	19. 43. 16.57	38.67	3	+ 5.025	- 58. 20. 56.74	38.63	2	+ 8.737	...	8247	...
9107	9132	Piazzi XIX. 300	7.8	19. 43. 23.53	39.52	5	+ 2.294	+ 32. 51. 52.85	39.87	4	+ 8.746	300
9108	9133	Piazzi XIX. 299	7.8	19. 43. 29.88	35.55	3	+ 2.639	+ 19. 47. 48.86	35.70	3	+ 8.754	299
9109	9134	Piazzi XIX. 301	7	19. 43. 36.80	37.17	2	+ 2.643	+ 19. 37. 27.77	37.24	3	+ 8.762	301
9110	9135	Bradley 2529	6.7	19. 43. 37.07	35.74	3	+ 2.122	+ 38. 17. 54.27	35.41	3	+ 8.762	2529	...	304
9111	9136	Sagittarii.....λ	4.5	19. 43. 52.33	31.62	6	+ 4.166	- 42. 17. 37.78	33.37	5	+ 8.783	...	8255	297
9112	9137	12 Vulpeculæ.....	5.6	19. 43. 57.94	33.69	3	+ 2.582	+ 22. 11. 44.23	32.77	4	+ 8.790	2527	...	305
9113	9138	55 Aquilæ.....η	4	19. 44. 4.09	32.75	3	+ 3.060	+ 0. 35. 16.15	31.67	5	+ 8.798	2526	...	303
9114	9139	Piazzi XIX. 306	6.7	19. 44. 20.01	38.30	6	+ 2.834	+ 11. 13. 31.04	38.87	7	+ 8.819	306
9115	9140	Piazzi XIX. 307	8	19. 44. 23.67	37.28	3	+ 2.862	+ 9. 56. 1.29	37.41	4	+ 8.824	307
9116	9141	Lacaille 8260	6.7	19. 44. 30.16	35.74	3	+ 3.866	- 33. 28. 11.28	35.73	3	+ 8.832	...	8260	302
9117	9142	Piazzi XIX. 308	8	19. 44. 34.13	37.63	2	+ 2.695	+ 17. 25. 24.12	37.71	1	+ 8.838	308
9118	9143	Piazzi XIX. 316	7.8	19. 44. 54.31	35.75	3	+ 1.339	+ 55. 18. 39.03	35.34	3	+ 8.864	316
9119	9144	9 Sagittæ.....	6.7	19. 45. 0.28	35.91	4	+ 2.676	+ 18. 15. 11.36	35.39	3	+ 8.872	2532	...	310
9120	9145	56 Aquilæ.....	6	19. 45. 11.08	33.72	4	+ 3.262	- 8. 59. 47.41	33.70	4	+ 8.886	2530	...	309

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9121	9146	Piazzi XIX. 312	7.8	h m s 19. 45. 17.82	37.24	2	+ 2.675	+ 18. 19. 13.29	37.45	3	+ 8.895	312
9122	9147	Piazzi XIX. 315	7.8	19. 45. 32.28	37.42	5	+ 2.697	+ 17. 23. 39.16	37.23	7	+ 8.914	315
9123	9148	57 Aquilæ	6.7	19. 45. 41.33	36.30	5	+ 3.254	- 8. 39. 2.53	35.92	4	+ 8.926	2531	...	313
9124	9149	Piazzi XIX. 314	7	19. 45. 41.95	37.35	3	+ 3.255	- 8. 39. 38.42	36.92	3	+ 8.926	314
9125	9150	58 Sagittarii	6	19. 45. 43.47	33.62	4	+ 3.675	- 26. 43. 49.42	33.78	5	+ 8.928	2528	8268	311
9126	9151	Piazzi XIX. 317	8	19. 45. 54.54	37.61	1	+ 2.835	+ 11. 11. 6.55	37.68	3	+ 8.943	317
9127	9152	Piazzi XIX. 320	7	19. 46. 7.04	37.52	2	+ 2.639	+ 19. 54. 47.44	36.29	5	+ 8.959	320
9128	9153	Piazzi XIX. 321	7	19. 46. 8.68	36.09	4	+ 2.639	+ 19. 54. 11.02	36.91	3	+ 8.960	321
9129	9154	59 Aquilæ	5	19. 46. 15.25	31.69	8	+ 2.903	+ 8. 2. 23.75	32.35	8	+ 8.969	2536	...	319
9130	9155	58 Aquilæ	6	19. 46. 17.66	33.80	4	+ 3.075	- 0. 9. 7.02	33.44	5	+ 8.973	2535	...	318
9131	9156	13 Vulpeculæ	5	19. 46. 26.98	31.94	5	+ 2.548	+ 23. 39. 14.05	32.51	5	+ 8.985	2537	...	323
9132	9157	20 Cygni	6	19. 46. 29.25	35.67	3	+ 1.510	+ 52. 34. 20.30	35.35	3	+ 8.988	2542	...	325
9133	9158	59 Sagittarii	5	19. 46. 48.90	32.78	3	+ 3.696	- 27. 36. 1.16	31.70	5	+ 9.014	2533	8277	322
9134	9159	60 Aquilæ	3	19. 47. 12.56	33.18	49	+ 2.947	+ 6. 0. 1.64	32.60	69	+ 9.043	2538	...	324
9135	9160	Piazzi XIX. 326	7.8	19. 47. 25.07	36.99	3	+ 2.829	+ 11. 31. 50.38	37.39	4	+ 9.060	326
9136	9161	Bradley 2541	7	19. 47. 31.03	37.49	2	+ 2.544	+ 23. 53. 30.07	37.42	4	+ 9.068	2541	...	327
9137	9162	Lacaille 8269	7.6	19. 47. 47.97	40.52	7	+ 5.121	- 59. 48. 59.64	40.15	6	+ 9.091	...	8269	...
9138	9163	61 Aquilæ	6	19. 48. 25.65	33.72	3	+ 2.841	+ 10. 59. 27.84	32.75	5	+ 9.138	2543	...	332
9139	9164	10 Sagittæ	6	19. 48. 31.83	33.77	3	+ 2.726	+ 16. 12. 9.78	33.17	5	+ 9.147	2544	...	334
9140	9165	61 Sagittarii	6	19. 48. 35.29	37.59	6	+ 3.411	- 15. 55. 21.84	37.02	7	+ 9.152	2540	...	329
9141	9166	Piazzi XIX. 335	8.9	19. 48. 37.02	37.35	3	+ 2.698	+ 17. 27. 15.93	37.37	4	+ 9.154	335
9142	9167	Piazzi XIX. 347	7	19. 48. 41.22	38.53	5	- 0.600	+ 72. 2. 49.31	38.52	5	+ 9.160	347
9143	9168	63 Draconis	5.6	19. 48. 41.73	38.01	3	- 0.169	+ 69. 50. 50.91	38.27	5	+ 9.161	2554	...	343
9144	9169	60 Sagittarii	5.6	19. 48. 53.42	33.67	3	+ 3.668	- 26. 38. 7.08	33.77	5	+ 9.176	2539	8294	331
9145	9170	Lacaille 8291	6	19. 48. 59.39	35.55	1	+ 3.927	- 35. 42. 54.60	35.37	3	+ 9.183	...	8291	330
9146	9171	Lacaille 8285	6.7	19. 49. 5.74	35.51	3	+ 4.284	- 45. 33. 17.53	34.89	4	+ 9.192	...	8285	328
9147	9172	Lacaille 8292	6	19. 49. 7.97	39.42	7	+ 3.908	- 35. 8. 5.05	38.71	8	+ 9.195	...	8292	333
9148	9173	Gould 27360	7	19. 49. 47.27	33.66	4	+ 3.567	- 22. 39. 7.77	33.68	5	+ 9.246
9149	9174	23 Cygni	6	19. 49. 53.80	35.70	3	+ 1.239	+ 57. 5. 36.05	35.68	3	+ 9.254	2552	...	349
9150	9175	22 Cygni	5	19. 49. 57.98	32.31	10	+ 2.144	+ 38. 3. 6.00	32.93	5	+ 9.259	2547	...	342
9151	9176	Piazzi XIX. 338	8	19. 50. 2.63	37.35	3	+ 2.655	+ 19. 21. 38.40	38.32	3	+ 9.266	338
9152	9178	21 Cygni	5	19. 50. 6.91	35.58	3	+ 2.252	+ 34. 38. 57.70	35.40	3	+ 9.271	2548	...	344
9153	9177	Piazzi XIX. 336	8	19. 50. 7.24	37.23	2	+ 2.842	+ 10. 58. 34.25	37.30	4	+ 9.271	336
9154	9179	Piazzi XIX. 337	8.9	19. 50. 7.61	37.18	4	+ 2.838	+ 11. 9. 8.33	37.42	5	+ 9.272	337
9155	9180	Piazzi XIX. 341	8	19. 50. 16.10	37.41	3	+ 2.716	+ 16. 42. 29.27	37.38	3	+ 9.282	341
9156	9181	11 Sagittæ	6	19. 50. 16.14	33.81	2	+ 2.724	+ 16. 21. 0.75	33.36	10	+ 9.282	2545	...	340
9157	9182	Piazzi XIX. 345	7.8	19. 50. 31.73	37.30	3	+ 2.916	+ 7. 28. 45.04	37.41	3	+ 9.303	345
9158	9183	Piazzi XIX. 339	9	19. 50. 41.58	37.40	3	+ 3.534	- 21. 18. 1.89	37.23	3	+ 9.316	339
9159	9184	Piazzi XIX. 348	8	19. 50. 48.58	37.43	3	+ 2.944	+ 6. 8. 59.09	37.70	3	+ 9.326	348
9160	9185	Piazzi XIX. 346	8	19. 51. 0.00	37.43	3	+ 3.576	- 23. 4. 54.96	37.40	3	+ 9.340	346

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9161	9186	Piazzi XIX. 350.....	9	h m s 19. 51. 2'98	37'68	3	+ 2'839	+ 11. 7. 18'80	36'74	1	+ 9'344	350
9162	9187	24 Cygni.....	5'6	19. 51. 21'73	35'68	3	+ 1'558	+ 52. 0. 11'93	35'63	4	+ 9'368	2556	...	356
9163	9188	12 Sagittæ.....	4'5	19. 51. 25'16	33'80	12	+ 2'664	+ 19. 2. 55'77	35'30	14	+ 9'372	2550	...	352
9164	9189	Piazzi XIX. 354.....	7	19. 51. 34'42	35'32	3	+ 2'148	+ 38. 1. 4'18	35'68	4	+ 9'384	354
9165	9190	Lacaille 8308.....	6	19. 51. 35'20	32'88	7	+ 3'578	- 23. 11. 4'13	33'71	5	+ 9'385	...	8308	351
9166	9191	14 Vulpeculæ.....	5	19. 52. 5'96	31'70	8	+ 2'579	+ 22. 39. 18'04	31'94	5	+ 9'425	2553	...	358
9167	9192	Piazzi XIX. 357.....	8	19. 52. 10'36	37'12	2	+ 2'930	+ 6. 50. 30'68	37'09	4	+ 9'429	357
9168	9193	Pavonis.....	4	19. 52. 28'35	37'48	7	+ 5'796	- 66. 35. 26'21	32'77	5	+ 9'454	...	8295	...
9169	9194	62 Sagittarii.....	4'5	19. 52. 30'24	33'21	6	+ 3'703	- 28. 9. 43'31	31'80	6	+ 9'456	2549	8315	355
9170	9195	Lacaille 8310.....	6	19. 52. 34'72	35'40	3	+ 4'006	- 38. 23. 21'96	35'93	5	+ 9'462	...	8310	353
9171	9196	13 Sagittæ.....	6	19. 52. 36'30	33'60	3	+ 2'710	+ 17. 4. 14'45	33'09	5	+ 9'463	2555	...	361
9172	9197	Piazzi XIX. 362.....	7'8	19. 52. 41'55	35'68	3	+ 2'708	+ 17. 9. 49'56	35'00	4	+ 9'471	362
9173	9198	Piazzi XIX. 370.....	7	19. 52. 43'32	35'72	3	+ 1'308	+ 56. 14. 46'40	35'03	4	+ 9'473	370
9174	9199	63 Sagittarii.....	6	19. 52. 43'78	33'72	5	+ 3'368	- 14. 5. 16'94	33'72	5	+ 9'474	2551	...	360
9175	9200	Piazzi XIX. 371.....	6	19. 52. 45'80	35'72	3	+ 1'156	+ 58. 24. 23'77	35'34	3	+ 9'476	371
9176	9201	Piazzi XIX. 363.....	8	19. 52. 49'99	37'11	4	+ 2'916	+ 7. 31. 59'39	37'29	4	+ 9'482	363
9177	9202	Piazzi XIX. 364.....	8'9	19. 52. 52'75	37'25	3	+ 2'928	+ 6. 57. 45'54	37'36	3	+ 9'485	364
9178	9203	Lacaille 8318.....	7'8	19. 53. 4'37	37'40	3	+ 4'003	- 38. 18. 48'64	37'57	2	+ 9'499	...	8318	359
9179	9204	Piazzi XIX. 365.....	7	19. 53. 10'68	35'72	3	+ 3'085	- 0. 38. 57'63	35'36	3	+ 9'508	365
9180	9205	Piazzi XIX. 368.....	8	19. 53. 12'47	37'73	12	+ 2'596	+ 21. 59. 31'13	37'19	4	+ 9'510	368
9181	9206	Lacaille 8316.....	7'8	19. 53. 21'05	38'68	3	+ 4'315	- 46. 33. 12'89	38'68	3	+ 9'521	...	8316	...
9182	9207	Piazzi XIX. 367.....	8	19. 53. 42'38	37'40	3	+ 3'470	- 18. 41. 47'21	37'44	4	+ 9'548	367
9183	9208	Lacaille 8322.....	5	19. 53. 51'17	32'25	8	+ 3'821	- 32. 30. 46'01	31'67	5	+ 9'560	...	8322	366
9184	9209	25 Cygni.....	6	19. 53. 52'22	38'67	6	+ 2'199	+ 36. 35. 38'02	38'54	6	+ 9'561	2557	...	373
9185	9210	Lacaille 8325.....	6'7	19. 53. 57'30	32'76	4	+ 3'572	- 23. 3. 8'66	33'13	5	+ 9'567	...	8325	369
9186	9211	Piazzi XIX. 372.....	7	19. 54. 12'59	36'08	4	+ 3'406	- 15. 52. 7'26	35'35	3	+ 9'587	372
9187	9212	15 Vulpeculæ.....	5	19. 54. 18'46	31'76	4	+ 2'466	+ 27. 18. 7'57	32'11	5	+ 9'590	2558	...	375
9188	9213	Lacaille 8320.....	6'7	19. 54. 33'55	38'73	3	+ 4'779	- 55. 28. 50'47	38'73	3	+ 9'613	...	8320	...
9189	9214	Lacaille 8321.....	6	19. 54. 42'77	40'55	8	+ 4'648	- 53. 20. 41'39	40'65	5	+ 9'625	...	8321	...
9190	9215	Bradley 2559.....	5	19. 54. 45'31	33'16	4	+ 2'541	+ 24. 20. 51'00	32'43	7	+ 9'629	2559
9191	9216	Piazzi XIX. 380.....	6'7	19. 54. 52'77	35'65	2	+ 1'592	+ 51. 36. 22'31	35'59	3	+ 9'639	380
9192	9217	Piazzi XIX. 376.....	8	19. 54. 59'07	37'33	3	+ 3'080	- 0. 21. 58'34	37'15	4	+ 9'647	376
9193	9218	Lacaille 8330.....	7	19. 55. 0'11	35'47	3	+ 3'847	- 33. 27. 34'85	34'92	4	+ 9'648	...	8330	374
9194	9219	16 Vulpeculæ.....	6	19. 55. 1'58	33'69	3	+ 2'538	+ 24. 28. 51'54	32'75	5	+ 9'650	2561	...	378
9195	9220	Piazzi XIX. 379.....	7	19. 55. 11'35	35'58	3	+ 2'200	+ 36. 38. 34'10	34'98	4	+ 9'662	379
9196	9221	Piazzi XIX. 377.....	7	19. 55. 15'10	35'36	3	+ 3'540	- 21. 46. 24'57	35'40	3	+ 9'667	377
9197	9222	Lacaille 8327.....	7'8	19. 55. 32'52	38'68	3	+ 4'628	- 53. 2. 36'50	38'68	3	+ 9'689	...	8327	...
9198	9223	Piazzi XIX. 391.....	7	19. 55. 37'43	36'50	5	+ 1'244	+ 57. 21. 33'50	34'87	4	+ 9'697	391
9199	9224	62 Aquilæ.....	6	19. 55. 53'14	37'25	6	+ 3'096	- 1. 9. 49'31	35'86	8	+ 9'715	2562	...	383
9200	9225	14 Sagittæ.....	6	19. 55. 57'22	33'79	3	+ 2'746	+ 15. 34. 23'54	33'75	5	+ 9'720	2565	...	385

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxxxi}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Data. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9201	9226	Piazzi XIX. 381	8	h m s 19. 55. 58.29	37.10	3	+ 3.426	— 16. 50. 5.21	37.15	4	+ 9.722	381
9202	9227	64 Sagittarii	6	19. 55. 58.57	33.77	2	+ 3.322	— 12. 3. 37.01	33.65	6	+ 9.722	2560	...	382
9203	9228	63 Aquilæ	5.6	19. 56. 4.75	39.59	6	+ 2.932	+ 6. 49. 3.04	36.63	8	+ 9.731	2564	...	386
9204	9229	65 Sagittarii	6	19. 56. 15.58	33.81	2	+ 3.345	— 13. 7. 32.35	33.78	5	+ 9.744	2563	...	384
9205	9230	Piazzi XIX. 387	8	19. 56. 23.13	37.00	3	+ 3.404	— 15. 53. 10.09	37.43	5	+ 9.754	387
9206	9231	Bradley 2567	6.7	19. 56. 30.12	37.39	3	+ 2.722	+ 16. 39. 37.17	37.66	2	+ 9.762	2567	...	392
9207	9232	Piazzi XIX. 389	9	19. 56. 30.65	37.12	2	+ 3.216	— 7. 2. 51.03	37.29	3	+ 9.763	389
9208	9233	Piazzi XIX. 388	7.8	19. 56. 38.64	37.23	3	+ 3.496	— 19. 57. 14.21	37.11	4	+ 9.774	388
9209	9234	26 Cygni	7	19. 56. 41.31	35.32	3	+ 1.698	+ 49. 38. 53.39	34.49	4	+ 9.778	2570	...	397
9210	9235	15 Sagittæ	6	19. 56. 41.67	34.17	7	+ 2.723	+ 16. 37. 41.81	33.80	5	+ 9.778	2568	...	393
9211	9236	Piazzi XIX. 395	7	19. 56. 46.67	35.71	2	+ 2.181	+ 37. 21. 10.06	35.39	4	+ 9.785	395
9212	9237	Piazzi XIX. 394	7	19. 56. 47.35	37.08	2	+ 2.709	+ 17. 16. 25.80	37.34	3	+ 9.786	394
9213	9238	Piazzi XIX. 390	8	19. 56. 51.82	37.16	3	+ 3.547	— 22. 8. 19.38	37.33	3	+ 9.791	390
9214	9239	Piazzi XIX. 396	8	19. 57. 34.52	37.07	2	+ 3.350	— 13. 23. 37.24	37.33	3	+ 9.844	396
9215	9240	Piazzi XIX. 398	7.8	19. 57. 40.80	37.22	2	+ 3.339	— 12. 54. 25.34	37.53	3	+ 9.854	398
9216	9241	Lacaille 8337	7.8	19. 57. 40.98	39.31	5	+ 4.936	— 57. 59. 52.22	39.23	4	+ 9.854	...	8337	...
9217	9242	16 Sagittæ	6	19. 57. 50.48	32.73	6	+ 2.659	+ 19. 31. 22.82	32.74	5	+ 9.866	2569	...	400
9218	9243	Piazzi XIX. 399	8	19. 57. 58.35	37.17	2	+ 3.264	— 9. 22. 52.88	37.57	3	+ 9.875	399
9219	9244	Piazzi XIX. 401	7.8	19. 58. 3.81	37.18	2	+ 2.573	+ 23. 12. 6.70	37.60	3	+ 9.882	401
9220	9245	Piazzi XIX. 403	8	19. 58. 37.40	37.74	2	+ 3.099	— 1. 20. 25.19	37.25	3	+ 9.923	403
9221	9246	Piazzi XIX. 402	7	19. 58. 40.52	35.38	2	+ 3.478	— 19. 16. 32.30	35.36	3	+ 9.929	402
9222	9247	Piazzi XIX. 404	7	19. 59. 10.33	33.88	9	+ 3.394	— 15. 29. 55.56	34.03	9	+ 9.965	404
9223	9248	Piazzi XIX. 409	7.8	19. 59. 19.65	37.72	2	+ 2.731	+ 16. 23. 57.40	37.66	2	+ 9.979	409
9224	9249	Piazzi XIX. 407	8	19. 59. 24.02	37.22	3	+ 3.032	+ 1. 58. 16.16	37.23	3	+ 9.983	407
9225	9250	Piazzi XIX. 406	7	19. 59. 29.90	33.62	5	+ 3.288	— 10. 32. 3.23	33.67	9	+ 9.992	406
9226	9251	64 Aquilæ	6	19. 59. 30.69	33.68	5	+ 3.095	— 1. 8. 51.27	32.76	4	+ 9.993	2571	...	408
9227	9252	64 Draconis	6	19. 59. 42.48	39.39	3	+ 0.658	+ 64. 21. 43.13	39.85	7	+ 10.007	2578	...	421
9228	9253	Lacaille 8357	7	19. 59. 47.64	39.08	6	+ 4.196	— 44. 8. 29.60	39.03	6	+ 10.014	...	8357	405
9229	9254	17 Vulpeculæ	5.6	19. 59. 47.98	34.38	6	+ 2.577	+ 23. 8. 34.87	32.76	5	+ 10.014	2572	...	412
9230	9255	Piazzi XIX. 410	7.8	19. 59. 54.83	35.59	3	+ 3.518	— 21. 3. 57.07	34.95	4	+ 10.022	410
9231	9256	Piazzi XIX. 415	8	19. 59. 58.80	40.24	4	+ 2.636	+ 20. 37. 53.23	36.78	1	+ 10.028	415
9232	9257	Piazzi XIX. 413	8	19. 59. 58.97	37.41	3	+ 2.732	+ 16. 32. 56.07	37.40	3	+ 10.028	413
9233	9258	Piazzi XIX. 414	7	20. 0. 0.22	35.70	2	+ 2.736	+ 16. 10. 28.86	35.03	4	+ 10.029	414
9234	9259	27 Cygni	6	20. 0. 13.68	39.14	6	+ 2.246	+ 35. 31. 15.03	38.60	7	+ 10.047	2573	...	418
9235	9260	Lacaille 8362	6.7	20. 0. 20.86	38.24	6	+ 3.928	— 36. 30. 37.07	38.07	6	+ 10.056	...	8362	411
9236	9261	Piazzi XX. 1	7	20. 0. 24.13	35.75	2	+ 0.679	+ 64. 11. 39.80	35.21	4	+ 10.060	1
9237	9262	65 Draconis	7	20. 0. 29.01	35.75	3	+ 0.683	+ 64. 10. 10.64	35.43	4	+ 10.066	2580	...	3
9238	9263	Piazzi XIX. 420	7	20. 0. 35.01	35.46	4	+ 2.736	+ 16. 11. 22.63	35.19	4	+ 10.074	420
9239	9264	Piazzi XIX. 417	7	20. 0. 51.19	35.77	2	+ 3.489	— 19. 51. 25.37	35.28	4	+ 10.094	417
9240	9265	Lacaille 8366	7	20. 1. 2.01	35.75	3	+ 4.159	— 43. 15. 29.87	35.41	3	+ 10.108	...	8366	416

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9241	9266	Piazzi XIX. 422	7.8	h m s 20. 1. 2'26	37'40	3	+ 2'657	+ 19. 44. 39'33	37'19	3	+10'108	422
9242	9267	Piazzi XIX. 424	8.9	20. 1. 25'82	37'20	3	+ 2'626	+ 21. 8. 41'38	37'13	2	+10'137	424
9243	9268	Piazzi XX. 2	7	20. 1. 37'31	37'23	2	+ 2'732	+ 16. 25. 54'33	37'17	4	+10'153	2
9244	9269	Piazzi XIX. 423	8.9	20. 1. 42'13	37'17	3	+ 3'206	- 6. 38. 37'83	37'06	4	+10'159	423
9245	9270	Lacaille 8367	6.7	20. 1. 46'45	38'62	3	+ 4'598	- 52. 55. 50'81	38'62	3	+10'165	...	8367	...
9246	9271	Piazzi XX. 5	7	20. 1. 48'16	37'26	2	+ 2'515	+ 25. 47. 49'91	37'25	2	+10'166	5
9247	9272	67 Draconis	5	20. 2. 2'69	32'13	11	+ 0'304	+ 67. 24. 11'29	33'06	10	+10'185	2587	...	21
9248	9273	Piazzi XX. 4	7	20. 2. 13'05	37'21	2	+ 3'261	- 9. 19. 30'15	37'27	3	+10'197	4
9249	9274	Piazzi XX. 9	8	20. 2. 13'29	35'69	3	+ 2'189	+ 37. 29. 24'62	35'00	4	+10'197	9
9250	9275	Piazzi XX. 6	7	20. 2. 18'23	37'27	2	+ 3'205	- 6. 34. 13'40	37'24	2	+10'204	6
9251	9276	Taylor 9276	9	20. 2. 24'14	41'48	4	+ 2'644	+ 20. 25.	+10'211
9252	9277	Piazzi XX. 13	7	20. 2. 36'30	35'70	2	+ 2'644	+ 20. 24. 55'45	40'39	3	+10'226	13
9253	9278	Piazzi XX. 15	7	20. 2. 39'90	42'25	2	+ 2'642	+ 20. 31. 18'14	38'75	3	+10'230	15
9254	9279	17 Sagittæ	6.7	20. 2. 39'97	35'70	2	+ 2'643	+ 20. 25. 46'55	35'10	6	+10'230	2579	...	14
9255	9280	65 Aquilæ	3.4	20. 2. 47'40	32'81	13	+ 3'098	- 1. 18. 18'98	32'66	18	+10'240	2576	...	10
9256	9281	Piazzi XX. 8	8	20. 2. 48'06	36'92	3	+ 3'206	- 6. 38. 0'92	37'73	1	+10'241	8
9257	9283	Piazzi XX. 11	7	20. 2. 49'15	37'70	1	+ 3'084	- 0. 37. 24'27	35'58	1	+10'242	11
9258	9282	1 Capricorni	6.7	20. 2. 49'16	32'79	4	+ 3'335	- 12. 52. 35'02	32'79	5	+10'242	2575	...	7
9259	9284	Piazzi XX. 12	7	20. 2. 50'53	38'32	7	+ 3'084	- 0. 36. 34'39	38'23	7	+10'245	12
9260	9285	66 Draconis	6	20. 2. 54'00	31'72	5	+ 0'954	+ 61. 31. 4'63	31'72	4	+10'249	2586	...	25
9261	9286	Piazzi XX. 17	7.8	20. 3. 2'85	37'69	2	+ 2'954	+ 5. 51. 51'07	37'68	3	+10'260	17
9262	9287	2 Capricorni	5	20. 3. 14'00	33'76	5	+ 3'339	- 13. 5. 42'10	33'66	5	+10'274	2577	...	16
9263	9288	28 Oygni	5	20. 3. 17'99	31'78	4	+ 2'227	+ 36. 21. 28'00	31'76	4	+10'279	2582	...	22
9264	9289	Piazzi XX. 19	8	20. 3. 19'18	37'15	3	+ 2'960	+ 5. 35. 17'42	37'25	2	+10'280	19
9265	9290	Piazzi XX. 18	8	20. 3. 21'99	37'39	3	+ 3'078	- 0. 18. 20'64	37'41	3	+10'284	18
9266	9291	Piazzi XX. 30	7	20. 3. 22'16	42'78	2	+ 0'797	+ 63. 13. 23'56	42'77	2	+10'285	30
9267	9292	Piazzi XX. 23	7	20. 3. 37'21	37'17	2	+ 2'750	+ 15. 41. 6'48	37'72	1	+10'302	23
9268	9293	18 Vulpeculæ	6	20. 3. 40'50	35'49	5	+ 2'502	+ 26. 25. 10'58	33'20	4	+10'306	2583	...	24
9269	9294	Piazzi XX. 20	7.8	20. 3. 41'32	37'30	3	+ 3'302	- 11. 19. 39'50	37'22	2	+10'307	20
9270	9295	Piazzi XX. 28	7	20. 3. 54'46	35'40	2	+ 2'155	+ 38. 39. 11'73	35'41	3	+10'323	28
9271	9296	Piazzi XX. 27	8	20. 4. 2'63	37'68	2	+ 2'635	+ 20. 51. 56'64	37'70	1	+10'335	27
9272	9297	69 Draconis	6.7	20. 4. 7'31	39'26	4	- 1'530	+ 76. 1. 4'48	38'15	5	+10'341	2604	...	47
9273	9298	Piazzi XX. 26	7.8	20. 4. 10'09	35'35	2	+ 3'064	+ 0. 22. 45'27	34'99	4	+10'343	26
9274	9299	Piazzi XX. 42	7.8	20. 4. 36'10	39'89	5	+ 0'804	+ 63. 13. 41'93	39'11	9	+10'376	42
9275	9300	66 Aquilæ	6	20. 4. 42'75	35'59	3	+ 3'102	- 1. 29. 53'04	34'92	4	+10'384	2584	...	31
9276	9301	Piazzi XX. 32	8	20. 4. 44'89	37'23	3	+ 2'750	+ 15. 43. 42'90	37'17	2	+10'387	32
9277	9302	19 Vulpeculæ	6	20. 4. 54'33	37'41	7	+ 2'506	+ 26. 19. 16'97	33'67	6	+10'399	2585	...	34
9278	9303	Lacaille 8381	6	20. 4. 59'25	36'78	5	+ 3'668	- 27. 31. 8'90	35'60	7	+10'405	...	8381	29
9279	9304	Piazzi XX. 36	7.8	20. 5. 3'35	42'71	3	+ 2'508	+ 26. 15. 18'87	40'53	5	+10'410	36
9280	9305	20 Vulpeculæ	6	20. 5. 5'78	33'73	5	+ 2'515	+ 25. 59. 24'75	32'74	5	+10'414	2588	...	37

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9281	9306	Piazzi XX. 33	7.8	h m s 20. 5. 10.05	35.50	3	+ 3.481	— 19. 42. 5.84	35.35	3	+10.418	33
9282	9307	Piazzi XX. 35	8	20. 5. 12.41	37.16	2	+ 2.976	+ 4. 49. 8.59	37.25	3	+10.422	35
9283	9308	Piazzi XX. 38	8	20. 5. 17.32	39.89	5	+ 2.753	+ 15. 36. 18.74	39.92	5	+10.428	38
9284	9309	Lacaille 8378	7.8	20. 5. 18.63	38.62	3	+ 4.556	— 52. 24. 51.71	38.62	3	+10.430	...	8378	...
9285	9310	Piazzi XX. 40	7	20. 5. 44.60	35.36	3	+ 3.302	— 11. 23. 5.28	34.89	4	+10.462	40
9286	9311	Piazzi XX. 39	7.8	20. 5. 45.32	37.23	2	+ 3.317	— 12. 7. 55.58	37.33	3	+10.463	39
9287	9312	Piazzi XX. 41	8	20. 5. 52.62	37.31	3	+ 3.079	— 0. 20. 59.77	37.27	3	+10.471	41
9288	9313	Piazzi XX. 43	7.8	20. 6. 4.31	37.24	2	+ 2.951	+ 6. 5. 9.54	37.13	4	+10.487	43
9289	9314	Piazzi XX. 44	7.8	20. 6. 4.97	37.26	2	+ 2.950	+ 6. 5. 56.15	37.18	3	+10.488	44
9290	9315	Piazzi XX. 46	7	20. 6. 36.66	37.39	3	+ 3.014	+ 2. 54. 37.94	37.23	3	+10.527	46
9291	9316	67 Aquilæ	5	20. 6. 38.66	36.73	8	+ 2.773	+ 14. 41. 59.92	35.34	10	+10.531	2590	...	48
9292	9317	Piazzi XX. 45	7	20. 6. 40.52	37.72	1	+ 3.415	— 16. 47. 31.16	37.34	2	+10.533	45
9293	9318	Lacaille 8388	7	20. 7. 4.35	39.73	6	+ 4.344	— 48. 12. 52.30	39.73	3	+10.561	...	8388	...
9294	9319	Lacaille 8384	7.8	20. 7. 5.05	39.77	9	+ 4.982	— 59. 14. 9.80	39.77	9	+10.562	...	8384	...
9295	9320	Piazzi XX. 50	8.9	20. 7. 7.03	37.25	2	+ 3.133	— 3. 3. 48.83	37.33	3	+10.564	50
9296	9321	Piazzi XX. 51	7.8	20. 7. 13.64	37.24	2	+ 3.025	+ 2. 20. 54.94	37.28	3	+10.573	51
9297	9322	3 Capricorni	6.7	20. 7. 14.67	33.75	6	+ 3.331	— 12. 50. 9.83	33.09	5	+10.574	2589	...	49
9298	9323	Piazzi XX. 56	7.8	20. 7. 26.41	35.72	3	+ 1.033	+ 60. 51. 16.59	35.35	3	+10.588	56
9299	9324	21 Vulpeculæ	5.6	20. 7. 27.97	32.78	6	+ 2.463	+ 28. 11. 55.94	33.49	5	+10.590	2594	...	52
9300	9325	Lacaille 8389	7	20. 7. 39.88	40.16	10	+ 4.727	— 55. 33. 24.89	39.96	10	+10.606	...	8389	...
9301	9326	Piazzi XX. 55	8	20. 7. 54.12	37.34	2	+ 2.245	+ 36. 6. 26.75	37.78	1	+10.623	55
9302	9327	30 Cygni	5	20. 8. 6.73	35.32	2	+ 1.885	+ 46. 19. 12.05	34.95	4	+10.638	2601	...	59
9303	9328	4 Capricorni	6	20. 8. 19.39	33.66	4	+ 3.537	— 22. 18. 47.79	32.78	5	+10.653	2591	...	53
9304	9329	29 Cygni	5.6	20. 8. 21.45	36.41	2	+ 2.240	+ 36. 18. 12.10	35.41	3	+10.655	2598	...	60
9305	9330	22 Vulpeculæ	5.6	20. 8. 22.83	33.70	4	+ 2.591	+ 23. 0. 32.04	33.71	5	+10.657	2596	...	57
9306	9331	31 Cygni	4	20. 8. 26.21	32.96	7	+ 1.889	+ 46. 14. 37.92	32.74	10	+10.662	2603	...	62
9307	9332	Piazzi XX. 63	7	20. 8. 27.29	37.39	3	+ 1.890	+ 46. 12. 50.84	37.48	4	+10.663	63
9308	9333	Bradley 2599	7.8	20. 8. 29.48	35.87	4	+ 2.241	+ 36. 15. 10.25	37.45	4	+10.666	2599	...	61
9309	9334	5 Capricorni	4	20. 8. 29.93	32.12	6	+ 3.334	— 13. 0. 44.88	31.71	5	+10.667	2593	...	54
9310	9335	68 Draconis	6.7	20. 8. 52.32	37.38	4	+ 0.981	+ 61. 34. 52.64	37.42	4	+10.694	2610	...	71
9311	9336	6 Capricorni	3	20. 8. 53.71	32.36	11	+ 3.334	— 13. 3. 0.83	31.54	31	+10.696	2595	...	58
9312	9337	Lacaille 8397	7	20. 8. 54.49	39.95	4	+ 4.446	— 50. 31. 35.96	40.50	5	+10.697	...	8397	...
9313	9338	23 Vulpeculæ	4.5	20. 8. 56.06	31.95	8	+ 2.488	+ 27. 18. 44.31	33.77	5	+10.699	2602	...	64
9314	9339	18 Sagittæ	6	20. 9. 4.94	34.48	7	+ 2.636	+ 21. 5. 47.91	33.68	5	+10.710	2600	...	65
9315	9340	33 Cygni	4.5	20. 9. 33.56	31.79	3	+ 1.393	+ 56. 3. 53.75	32.72	5	+10.745	2611	...	74
9316	9341	Piazzi XX. 68	7.8	20. 9. 34.35	37.26	3	+ 2.762	+ 15. 22. 6.47	37.36	3	+10.747	68
9317	9342	Bradley 2605	6	20. 9. 36.18	35.50	3	+ 2.490	+ 27. 16. 19.74	34.85	4	+10.749	2605	...	69
9318	9343	Lacaille 8400	6.7	20. 9. 39.92	39.06	3	+ 4.441	— 50. 30. 4.61	39.06	3	+10.754	...	8400	...
9319	9344	24 Vulpeculæ	5	20. 9. 43.62	33.66	2	+ 2.566	+ 24. 10. 4.27	31.77	5	+10.757	2606	...	70
9320	9345	Piazzi XX. 66	7.8	20. 9. 47.66	37.14	3	+ 3.370	— 14. 48. 0.26	37.23	2	+10.763	66

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
9321	9346	7 Capricorni.....σ	5.6	20. 9. 52.28	34.39	5	+ 3.474	- 19. 37. 38.42	32.78	5	+10.768	2597	...	67
9322	9347	Piazzi XX. 72	7.8	20. 9. 53.79	37.36	3	+ 2.637	+ 21. 3. 40.22	37.29	3	+10.770	72
9323	9348	Piazzi XX. 77	7	20. 10. 18.95	35.68	5	+ 2.237	+ 36. 33. 3.89	34.98	4	+10.801	77
9324	9349	32 Cygni.....	4.5	20. 10. 22.06	33.75	5	+ 1.854	+ 47. 12. 38.87	33.18	7	+10.804	2612	...	78
9325	9350	Bradley 2615	6.7	20. 10. 25.30	37.25	2	+ 1.110	+ 60. 8. 16.66	37.40	3	+10.808	2615	...	82
9326	9351	Piazzi XX. 73	8.9	20. 10. 38.85	37.14	3	+ 3.369	- 14. 47. 7.87	37.10	2	+10.825	73
9327	9352	Lacaille 8410	7.8	20. 10. 42.69	38.59	2	+ 4.059	- 41. 16. 17.24	38.59	2	+10.830	...	8410	...
9328	9353	Piazzi XX. 76	7	20. 10. 55.02	35.40	3	+ 3.485	- 20. 9. 23.07	35.46	3	+10.845	76
9329	9354	Lacaille 8415	6	20. 11. 13.84	38.32	5	+ 4.104	- 42. 33. 44.43	40.25	6	+10.868	...	8415	75
9330	9355	Piazzi XX. 85	7	20. 11. 19.82	35.56	3	+ 2.641	+ 21. 0. 34.68	35.40	3	+10.875	85
9331	9356	Bradley 2607	7	20. 11. 30.02	33.56	5	+ 3.379	- 15. 18.	+10.887	2607	...	79
9332	9357	8 Capricorni.....ν	5	20. 11. 30.52	32.76	5	+ 3.337	- 13. 16. 20.48	33.09	6	+10.888	2608	...	81
9333	9358	Piazzi XX. 80	8	20. 11. 32.80	37.52	2	+ 3.455	- 18. 50. 17.40	37.11	2	+10.891	80
9334	9359	Piazzi XX. 86	7.8	20. 11. 37.74	37.13	2	+ 2.609	+ 22. 25. 42.10	37.06	2	+10.898	86
9335	9360	Piazzi XX. 84	7.8	20. 11. 38.72	37.24	4	+ 3.207	- 6. 52. 17.37	36.95	3	+10.899	84
9336	9361	34 Cygni.....	5.6	20. 11. 42.35	35.77	2	+ 2.209	+ 37. 31. 25.10	35.63	3	+10.902	2614	...	89
9337	9362	9 Capricorni.....β	3.4	20. 11. 44.08	33.43	6	+ 3.379	- 15. 17. 48.09	32.24	10	+10.905	2609	...	83
9338	9363	Bradley 2620	7	20. 12. 10.71	35.78	3	+ 0.746	+ 64. 15. 31.86	35.04	4	+10.936	2620	...	99
9339	9364	Piazzi XX. 91	7.8	20. 12. 17.25	37.68	2	+ 2.608	+ 22. 29. 0.65	37.32	3	+10.945	91
9340	9365	36 Cygni.	6	20. 12. 17.44	35.73	1	+ 2.243	+ 36. 29. 10.62	35.35	3	+10.946	2617	...	93
9341	9366	35 Cygni.....	5.6	20. 12. 18.86	35.77	3	+ 2.303	+ 34. 28. 15.21	34.97	4	+10.947	2616	...	92
9342	9367	Piazzi XX. 90	7.8	20. 12. 20.63	37.38	3	+ 3.207	- 6. 52. 3.10	37.49	3	+10.948	90
9343	9368	Piazzi XX. 88	7.8	20. 12. 25.44	37.43	3	+ 3.535	- 22. 28. 27.29	37.28	3	+10.954	88
9344	9369	Pavonis.....α	2	20. 12. 32.72	33.75	4	+ 4.813	- 57. 15. 18.36	31.66	5	+10.964	...	8416	...
9345	9370	Lacaille 8417	6	20. 12. 39.09	35.72	3	+ 4.114	- 42. 56. 42.77	34.98	4	+10.973	...	8417	87
9346	9371	Piazzi XX. 94	8	20. 13. 2.34	37.24	2	+ 3.400	- 16. 20. 48.62	37.25	2	+11.001	94
9347	9372	Piazzi XX. 95	8.9	20. 13. 5.33	37.24	2	+ 3.211	- 7. 5. 3.91	37.25	2	+11.003	95
9348	9373	Piazzi XX. 104.....	8	20. 13. 12.77	39.49	4	+ 1.390	+ 56. 23. 45.12	38.75	4	+11.012	104
9349	9374	Gould 27922.....	6	20. 13. 15.37	40.76	3	+ 4.085	- 42. 11. 31.73	39.74	6	+11.015
9350	9375	Piazzi XX. 96	8	20. 13. 28.15	37.32	3	+ 3.328	- 12. 54. 9.09	37.18	3	+11.031	96
9351	9376	Piazzi XX. 119.....	7.8	20. 13. 33.62	37.78	2	- 1.894	+ 77. 19. 44.33	35.40	3	+11.038	119
9352	9377	Piazzi XX. 98	8	20. 13. 38.85	37.25	2	+ 3.256	- 9. 20. 45.21	37.65	1	+11.045	98
9353	9378	Piazzi XX. 97	8	20. 13. 39.91	37.18	2	+ 3.453	- 18. 51. 45.65	37.35	3	+11.046	97
9354	9379	Piazzi XX. 101	8	20. 13. 45.25	37.27	2	+ 2.644	+ 21. 0. 0.10	37.25	2	+11.052	101
9355	9380	Piazzi XX. 100.....	8	20. 13. 52.85	37.71	1	+ 3.398	- 16. 18. 40.32	37.25	2	+11.062	100
9356	9381	Piazzi XX. 102.....	7	20. 14. 12.49	35.64	3	+ 3.366	- 14. 46. 46.39	35.40	1	+11.084	102
9357	9382	Piazzi XX. 103.....	9	20. 14. 13.71	37.41	3	+ 3.193	- 6. 11. 53.96	36.80	1	+11.086	103
9358	9383	1 Cephei.....κ	.5	20. 14. 17.94	34.29	11	- 1.837	+ 77. 12. 40.00	33.84	10	+11.092	2632	...	126
9359	9384	Piazzi XX. 105.....	8	20. 14. 33.31	37.61	1	+ 3.568	- 24. 0. 3.62	37.61	2	+11.110	105
9360	9385	Piazzi XX. 106.....	9	20. 14. 33.82	37.03	2	+ 2.647	+ 20. 52. 52.24	37.12	2	+11.111	106

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0

{ccxxxvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9361	9386	Piazzi XX. 112	7.8	h m s 20. 14. 35.97	35.65	1	+ 1.011	+ 61. 37. 27.17	35.46	4	+11.114	112
9362	9387	Lacaille 8426	6.7	20. 14. 45.41	38.71	3	+ 4.050	- 41. 19. 14.57	38.71	3	+11.125	...	8426	...
9363	9388	25 Vulpecula	6	20. 14. 57.94	32.73	6	+ 2.578	+ 23. 55. 26.98	32.69	5	+11.140	2622	...	108
9364	9389	Piazzi XX. 107 ...	8	20. 15. 1.26	35.59	3	+ 3.362	- 14. 38. 20.05	34.98	4	+11.145	107
9365	9390	Piazzi XX. 110	8	20. 15. 31.32	37.14	3	+ 2.880	+ 9. 50. 15.19	37.12	3	+11.181	110
9366	9391	Piazzi XX. 109	7	20. 15. 32.48	35.40	3	+ 3.475	- 19. 57. 45.68	35.36	3	+11.182	109
9367	9392	Piazzi XX. 113	8	20. 15. 33.57	37.28	3	+ 2.588	+ 23. 33. 16.35	37.78	1	+11.183	113
9368	9393	Piazzi XX. 114	7	20. 16. 3.00	35.57	3	+ 3.312	- 12. 14. 0.77	34.86	4	+11.220	114
9369	9394	Piazzi XX. 118	7.8	20. 16. 4.63	37.02	2	+ 2.590	+ 23. 30. 41.39	37.25	2	+11.222	118
9370	9395	Piazzi XX. 115	8	20. 16. 8.89	37.26	3	+ 3.112	- 2. 4. 13.54	37.25	2	+11.227	115
9371	9396	Lacaille 8438	7	20. 16. 10.63	35.34	3	+ 3.936	- 37. 55. 49.01	34.92	4	+11.229	...	8438	111
9372	9397	Piazzi XX. 116	7	20. 16. 12.97	37.36	3	+ 3.062	+ 0. 32. 22.80	37.13	2	+11.232	116
9373	9398	Piazzi XX. 122	7	20. 16. 16.38	37.30	2	+ 2.599	+ 23. 8. 34.89	37.77	1	+11.235	122
9374	9399	Piazzi XX. 117	7.8	20. 16. 18.15	37.25	2	+ 3.056	+ 0. 50. 26.69	37.00	2	+11.238	117
9375	9400	37 Cygni	3	20. 16. 18.48	32.88	48	+ 2.151	+ 39. 43. 55.22	33.13	55	+11.238	2624	...	124
9376	9402	Piazzi XX. 120	9	20. 16. 20.92	37.78	1	+ 2.863	+ 10. 41. 43.34	37.28	2	+11.241	120
9377	9401	Lacaille 8428	8.9	20. 16. 20.94	38.74	3	+ 4.938	- 59. 18. 33.66	38.74	3	+11.241	...	8428	...
9378	9403	Piazzi XX. 121	9	20. 16. 32.58	37.73	1	+ 3.148	- 3. 57. 11.65	37.29	2	+11.256	121
9379	9404	71 Draconis	6.7	20. 16. 50.48	39.21	6	+ 1.015	+ 61. 44. 5.51	42.68	3	+11.278	2628	...	135
9380	9405	Piazzi XX. 123	7.8	20. 16. 51.66	37.70	1	+ 3.468	- 19. 41. 4.44	37.78	2	+11.279	123
9381	9406	Piazzi XX. 125	7.8	20. 17. 4.54	37.79	1	+ 3.356	- 14. 23. 43.15	37.72	1	+11.295	125
9382	9407	39 Cygni	5	20. 17. 16.29	31.86	7	+ 2.391	+ 31. 39. 41.24	31.98	5	+11.308	2625	...	132
9383	9408	Piazzi XX. 130	7.8	20. 17. 19.24	37.10	3	+ 2.586	+ 23. 44. 51.14	37.24	2	+11.312	130
9384	9409	Piazzi XX. 128	7.8	20. 17. 21.92	37.07	3	+ 3.157	- 4. 23. 51.43	37.37	1	+11.315	128
9385	9410	Piazzi XX. 129	8.9	20. 17. 23.82	37.23	4	+ 3.149	- 3. 58. 39.38	37.24	2	+11.318	129
9386	9411	Piazzi XX. 127	7.8	20. 17. 31.56	37.41	1	+ 3.475	- 20. 4. 49.34	37.75	2	+11.327	127
9387	9412	10 Capricorni	5	20. 17. 52.17	32.23	6	+ 3.446	- 18. 44. 48.46	31.69	5	+11.351	2623	...	131
9388	9413	Piazzi XX. 134	7	20. 17. 56.51	37.66	1	+ 3.026	+ 2. 25. 25.15	37.26	2	+11.356	134
9389	9414	Piazzi XX. 137	8	20. 18. 4.79	37.30	2	+ 2.606	+ 22. 54. 43.92	37.21	2	+11.367	137
9390	9415	Lacaille 8453	6	20. 18. 10.52	35.36	3	+ 3.876	- 36. 8. 0.98	34.94	4	+11.374	...	8453	133
9391	9416	Piazzi XX. 136	7	20. 18. 18.91	37.25	2	+ 3.045	+ 1. 22. 54.69	37.40	3	+11.384	136
9392	9417	Piazzi XX. 141	8	20. 18. 49.05	37.71	1	+ 2.604	+ 23. 4. 0.25	37.24	2	+11.420	141
9393	9418	Piazzi XX. 150	7	20. 18. 50.43	41.50	4	+ 0.924	+ 62. 54. 12.27	42.77	2	+11.421	150
9394	9419	Piazzi XX. 138	8	20. 18. 51.75	37.20	2	+ 3.148	- 3. 55. 59.35	37.42	3	+11.423	138
9395	9420	Piazzi XX. 139	8	20. 18. 53.21	37.72	2	+ 3.123	- 2. 39. 14.77	37.28	2	+11.425	139
9396	9421	Piazzi XX. 140	7.8	20. 18. 53.83	37.71	3	+ 3.122	- 2. 38. 14.61	37.25	2	+11.426	140
9397	9422	Piazzi XX. 143	8.9	20. 19. 13.22	36.97	2	+ 2.862	+ 10. 49. 1.78	37.31	3	+11.448	143
9398	9423	11 Capricorni	5	20. 19. 26.57	33.56	5	+ 3.436	- 18. 21. 11.05	32.24	8	+11.466	2626	...	142
9399	9424	Bradley 2627	7	20. 19. 34.86	35.50	3	+ 3.437	- 18. 24. 40.90	35.00	4	+11.475	2627	...	144
9400	9425	Piazzi XX. 145	6.7	20. 19. 35.03	32.73	6	+ 3.428	- 17. 58. 28.19	32.78	5	+11.475	145

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9401	9426	68 Aquilæ	6	h m s 20. 19. 46.45	35.64	3	+ 3.147	— 3. 53. 51.27	35.36	4	+11.488	2629	...	147
9402	9427	Lacaille 8463	6	20. 19. 50.05	32.76	5	+ 3.536	— 22. 55. 58.82	33.70	5	+11.493	...	8463	146
9403	9428	Piazzi XX. 148	8	20. 19. 55.68	38.46	4	+ 3.167	— 4. 58. 13.96	37.18	2	+11.500	148
9404	9429	Piazzi XX. 149	7.8	20. 19. 57.67	37.64	2	+ 3.026	+ 2. 23. 49.76	37.12	2	+11.502	149
9405	9430	Piazzi XX. 151	7.8	20. 20. 5.84	37.26	2	+ 2.920	+ 7. 53. 45.52	37.21	3	+11.512	151
9406	9431	Piazzi XX. 152	7.8	20. 20. 11.09	39.56	5	+ 3.066	+ 0. 20. 33.70	38.98	6	+11.518	152
9407	9432	Piazzi XX. 155	7.8	20. 20. 11.73	41.53	5	+ 2.602	+ 23. 14. 59.89	42.48	4	+11.519	155
9408	9433	Bradley 2630	7	20. 20. 24.71	32.82	3	+ 3.451	— 19. 7.	+11.535	2630	...	153
9409	9434	12 Capricorni	6	20. 20. 26.01	33.09	9	+ 3.451	— 19. 7. 24.27	33.05	10	+11.537	2631	...	154
9410	9435	Piazzi XX. 156	7.8	20. 20. 32.77	37.08	2	+ 2.924	+ 7. 43. 1.90	37.26	2	+11.544	156
9411	9436	72 Draconis	7	20. 20. 41.26	35.73	2	+ 1.039	+ 61. 43. 55.33	35.21	6	+11.554	162
9412	9437	69 Aquilæ	5	20. 21. 1.55	31.70	6	+ 3.137	— 3. 25. 43.26	31.70	7	+11.579	2633	...	157
9413	9438	Piazzi XX. 182	7	20. 21. 13.25	39.27	4	— 1.850	+ 77. 30. 7.69	38.53	5	+11.594	182
9414	9439	Piazzi XX. 158	8	20. 21. 19.76	39.56	6	+ 3.167	— 4. 58. 45.34	41.71	3	+11.599	158
9415	9440	40 Cygni	6.7	20. 21. 27.47	35.72	3	+ 2.223	+ 37. 54. 5.09	34.95	4	+11.610	2634	...	164
9416	9441	Piazzi XX. 159	8.9	20. 21. 49.89	37.25	2	+ 3.185	— 5. 56. 10.68	37.32	3	+11.636	159
9417	9442	Pavonis	6 ¹	20. 21. 51.79	39.71	6	+ 5.048	— 61. 7. 44.05	39.71	6	+11.638	...	8461	...
9418	9443	Piazzi XX. 160	8.9	20. 21. 53.20	37.20	2	+ 3.193	— 6. 22. 23.37	37.05	2	+11.639	160
9419	9444	Piazzi XX. 161	7.8	20. 21. 56.39	37.26	3	+ 3.275	— 10. 34. 51.79	37.70	2	+11.643	161
9420	9445	43 Cygni	7	20. 21. 59.73	35.54	2	+ 1.827	+ 48. 50. 19.89	35.02	4	+11.648	2639	...	169
9421	9446	1 Delphini	6	20. 22. 24.08	33.68	6	+ 2.873	+ 10. 20. 52.98	32.79	5	+11.677	2635	...	168
9422	9447	Piazzi XX. 165	7.8	20. 22. 28.94	35.40	2	+ 3.588	— 25. 25. 17.83	35.50	3	+11.683	165
9423	9448	Indi	6	20. 22. 33.03	35.50	3	+ 4.161	— 45. 4. 6.41	35.35	3	+11.687	...	8472	163
9424	9449	Lacaille 8470	8	20. 22. 33.55	37.17	4	+ 3.526	— 22. 42. 23.00	37.15	2	+11.687	...	8479	166
9425	9450	Piazzi XX. 167	8	20. 22. 35.81	37.32	3	+ 3.527	— 22. 42. 49.34	37.38	3	+11.690	167
9426	9451	41 Cygni	4.5	20. 22. 39.21	32.62	13	+ 2.450	+ 29. 49. 18.23	32.70	17	+11.694	2637	...	173
9427	9452	Piazzi XX. 171	8	20. 22. 39.97	37.28	2	+ 2.696	+ 19. 7. 12.34	36.94	3	+11.695	171
9428	9454	Lacaille 8480	6	20. 23. 2.36	33.70	5	+ 3.589	— 25. 29. 40.71	33.34	5	+11.722	...	8480	170
9429	9453	42 Cygni	6	20. 23. 2.99	35.71	1	+ 2.287	+ 35. 54. 27.54	35.05	4	+11.723	2640	...	179
9430	9455	Piazzi XX. 172	7	20. 23. 10.16	35.72	2	+ 3.407	— 17. 9. 43.80	35.68	3	+11.731	172
9431	9456	Piazzi XX. 175	8	20. 23. 17.21	37.28	2	+ 3.148	— 3. 59. 35.06	37.24	4	+11.739	175
9432	9457	Piazzi XX. 177	7	20. 23. 19.28	38.09	3	+ 2.867	+ 10. 42. 33.52	35.73	4	+11.741	177
9433	9458	Bradley 2638	7.8	20. 23. 20.45	37.24	7	+ 2.867	+ 10. 42. 36.06	37.34	3	+11.743	2638	...	178
9434	9459	Piazzi XX. 176	7	20. 23. 21.17	35.74	2	+ 3.182	— 5. 47. 43.72	35.04	4	+11.744	176
9435	9460	Piazzi XX. 174	6	20. 23. 21.91	32.81	5	+ 3.271	— 10. 24. 38.12	33.68	5	+11.745	174
9436	9461	Bradley 2641	7	20. 23. 25.08	37.24	2	+ 1.852	+ 48. 22. 19.62	36.75	1	+11.748	2641	...	183
9437	9462	Piazzi XX. 184	8	20. 23. 43.84	37.77	1	+ 1.856	+ 48. 19. 11.47	37.68	3	+11.771	184
9438	9463	Piazzi XX. 186	7.8	20. 23. 48.72	39.50	8	+ 1.839	+ 48. 43. 3.95	39.10	6	+11.777	186
9439	9464	Lacaille 8489	7.8	20. 23. 52.11	35.77	1	+ 3.527	— 22. 47. 3.83	35.40	3	+11.780	...	8489	180
9440	9465	Piazzi XX. 181	7	20. 24. 9.85	35.64	2	+ 3.937	— 38. 38. 56.63	35.07	4	+11.802	181

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9441	9466	Piazzi XX. 185	7	h m s 20. 24. 18.11	35.59	3	+ 2.753	+ 16. 26. 21.59	35.12	3	+11.811	185
9442	9467	44 Cygni	7.8	20. 24. 43.30	35.78	3	+ 2.277	+ 36. 23. 0.73	34.73	2	+11.841	2643	...	188
9443	9468	Piazzi XX. 190	7	20. 24. 56.64	37.00	2	+ 2.384	+ 32. 32. 43.35	37.04	3	+11.855	190
9444	9469	45 Cygni	5	20. 24. 56.97	31.67	6	+ 1.857	+ 48. 23. 58.67	31.70	5	+11.856	2645	...	192
9445	9470	Piazzi XX. 187	7	20. 25. 0.38	32.78	6	+ 3.346	- 14. 16. 56.27	32.75	4	+11.860	187
9446	9471	Piazzi XX. 189	7	20. 25. 8.50	35.40	3	+ 2.759	+ 16. 12. 40.62	35.36	4	+11.870	189
9447	9472	2 Delphini	4	20. 25. 19.88	32.18	5	+ 2.868	+ 10. 44. 50.30	33.07	12	+11.884	2642	...	191
9448	9473	Ursæ Minoris	5.6	20. 25. 44.53	42.76	2	- 48.828	+ 88. 48. 46.11	41.11	3	+11.913	2795	...	424
9449	9474	Piazzi XX. 199	7	20. 25. 47.56	37.75	2	+ 1.849	+ 48. 39. 35.13	37.73	1	+11.917	199
9450	9475	Piazzi XX. 193	8	20. 25. 51.74	36.62	1	+ 3.254	- 9. 38. 12.57	37.42	3	+11.921	193
9451	9476	Indi	3	20. 25. 55.98	32.71	7	+ 4.261	- 47. 51. 36.53	32.72	5	+11.926	...	8494	...
9452	9477	3 Delphini	6	20. 26. 8.92	33.71	5	+ 2.835	+ 12. 27. 59.76	33.49	5	+11.942	2644	...	196
9453	9478	Piazzi XX. 194	7	20. 26. 11.75	32.80	4	+ 3.402	- 17. 5. 14.20	32.81	5	+11.945	194
9454	9479	46 Cygni	5	20. 26. 13.35	36.77	5	+ 1.851	+ 48. 39. 59.64	33.45	3	+11.947	2647	...	203
9455	9480	Piazzi XX. 198	7.8	20. 26. 16.34	37.20	2	+ 2.801	+ 14. 9. 16.84	37.28	2	+11.950	198
9456	9481	Piazzi XX. 195	8	20. 26. 18.33	37.42	2	+ 3.253	- 9. 33. 54.64	36.77	1	+11.952	195
9457	9482	Pavonia	6	20. 26. 19.13	40.73	6	+ 5.016	- 61. 5. 35.36	40.73	6	+11.953	...	8490	...
9458	9483	Bradley 2655	7	20. 26. 21.17	37.27	2	+ 0.385	+ 68. 13. 7.76	37.29	2	+11.956	2655	...	208
9459	9484	Piazzi XX. 197	8.9	20. 26. 23.71	37.08	2	+ 3.036	+ 1. 56. 48.45	37.17	2	+11.959	197
9460	9485	Piazzi XX. 201	8	20. 26. 33.21	37.70	1	+ 2.868	+ 10. 44. 59.48	37.25	2	+11.970	201
9461	9486	Pavonia	5	20. 26. 43.31	33.74	6	+ 5.640	- 67. 19. 59.04	35.07	6	+11.981	...	8488	...
9462	9487	Piazzi XX. 204	8.9	20. 26. 44.86	37.26	2	+ 2.363	+ 33. 27. 50.46	37.78	2	+11.982	204
9463	9488	2 Cephei	5	20. 26. 48.05	31.75	1	+ 1.018	+ 62. 26. 28.35	31.67	5	+11.987	2651	...	211
9464	9489	Piazzi XX. 202	8	20. 26. 52.70	37.20	2	+ 3.121	- 2. 36. 54.39	37.28	2	+11.994	202
9465	9490	Piazzi XX. 200	7.8	20. 26. 52.96	35.49	3	+ 3.487	- 21. 8. 59.19	34.88	4	+11.994	200
9466	9491	Piazzi XX. 205	8	20. 27. 26.43	37.22	3	+ 3.021	+ 2. 44. 27.74	37.20	3	+12.032	205
9467	9492	47 Cygni	6	20. 27. 29.39	35.70	3	+ 2.332	+ 34. 41. 22.13	35.00	3	+12.035	2650	...	210
9468	9493	Piazzi XX. 206	8.9	20. 27. 32.47	37.31	3	+ 2.868	+ 10. 46. 30.96	37.22	3	+12.039	206
9469	9494	4 Delphini	5	20. 27. 35.81	34.29	14	+ 2.803	+ 14. 6. 34.43	31.64	5	+12.043	2648	...	207
9470	9495	Piazzi XX. 217	6.7	20. 27. 44.41	37.27	2	+ 1.474	+ 56. 13. 18.14	37.20	2	+12.053	217
9471	9496	13 Capricorni	6	20. 28. 5.67	33.69	3	+ 3.372	- 15. 42. 48.90	33.32	5	+12.075	2646	...	209
9472	9497	70 Aquilæ	5.6	20. 28. 8.04	33.79	7	+ 3.130	- 3. 6. 57.59	32.72	5	+12.080	2649	...	212
9473	9498	Piazzi XX. 214	7.8	20. 28. 22.13	37.44	2	+ 3.036	+ 1. 55. 41.44	37.71	4	+12.096	214
9474	9499	Piazzi XX. 213	7.8	20. 28. 27.77	36.13	4	+ 3.412	- 17. 41. 28.30	34.92	4	+12.103	213
9475	9500	Piazzi XX. 216	8	20. 28. 39.07	37.35	3	+ 3.106	- 1. 52. 51.74	37.19	3	+12.117	216
9476	9501	Piazzi XX. 222	7	20. 28. 41.80	36.80	1	+ 1.236	+ 59. 51. 54.97	37.67	2	+12.120	222
9477	9502	Lacaille 8503	7.8	20. 28. 50.19	38.74	3	+ 4.230	- 47. 23. 53.30	38.74	3	+12.130	...	8503	...
9478	9503	Piazzi XX. 215	7	20. 28. 50.50	35.58	3	+ 3.493	- 21. 33. 47.11	35.35	3	+12.130	215
9479	9504	26 Vulpeculæ	7	20. 29. 4.40	35.68	3	+ 2.569	+ 25. 18. 50.64	35.38	3	+12.146	2653	...	220
9480	9505	Piazzi XX. 226	7	20. 29. 12.89	37.25	2	+ 1.839	+ 49. 12. 28.06	37.44	2	+12.156	226

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9481	9506	Piazzi XX. 218.....	7.8	h m s 20. 29. 21.66	37.25	2	+ 3.410	- 17. 38. 10.16	37.27	4	+12.166	218
9482	9507	Piazzi XX. 221.....	7.8	20. 29. 27.41	37.72	1	+ 3.164	- 4. 57. 9.59	37.32	3	+12.172	221
9483	9508	Piazzi XX. 230.....	7.8	20. 29. 33.31	36.81	1	+ 1.866	+ 48. 36. 42.43	37.41	3	+12.180	230
9484	9510	6 Delphini..... ^β	4	20. 29. 48.79	37.44	7	+ 2.807	+ 14. 1. 33.32	36.75	8	+12.198	2656	...	227
9485	9509	71 Aquilæ.....	5	20. 29. 49.03	32.04	6	+ 3.103	- 1. 40. 35.36	32.73	5	+12.198	2654	...	224
9486	9511	Lacaille 8512.....	7	20. 29. 50.13	35.36	3	+ 4.061	- 42. 58. 25.55	35.00	4	+12.200	...	8512	219
9487	9512	5 Delphini..... ^γ	5.6	20. 29. 55.59	32.82	5	+ 2.870	+ 10. 48. 23.20	32.77	5	+12.205	2658	...	228
9488	9513	Pavonis..... ^β	3	20. 29. 59.78	32.32	5	+ 5.545	- 66. 47. 11.64	31.72	5	+12.211	...	8500	...
9489	9514	Piazzi XX. 236.....	7.8	20. 30. 2.05	37.30	2	+ 1.749	+ 51. 17. 14.53	37.25	2	+12.213	236
9490	9516	27 Vulpeculæ.....	5.6	20. 30. 2.28	39.39	3	+ 2.557	+ 25. 53. 28.60	35.18	6	+12.214	2660	...	232
9491	9515	14 Capricorni..... ^γ	6	20. 30. 2.54	37.35	7	+ 3.367	- 15. 31. 41.45	36.39	8	+12.214	2652	...	225
9492	9517	Piazzi XX. 231.....	8	20. 30. 10.60	37.41	1	+ 2.837	+ 12. 31. 12.78	37.25	2	+12.222	231
9493	9518	Piazzi XX. 229.....	8.9	20. 30. 18.99	37.05	3	+ 3.367	- 15. 32. 58.37	37.43	2	+12.233	229
9494	9519	Lacaille 8516.....	7	20. 30. 20.27	35.40	3	+ 4.050	- 42. 42. 39.15	35.01	4	+12.234	...	8516	223
9495	9520	Piazzi XX. 235.....	8	20. 30. 32.70	37.33	3	+ 2.832	+ 12. 45. 13.95	37.31	5	+12.248	235
9496	9521	Piazzi XX. 244.....	7	20. 30. 33.34	35.77	2	+ 1.816	+ 49. 51. 14.69	35.04	4	+12.249	244
9497	9522	Bradley 2659.....	7	20. 30. 38.10	35.73	3	+ 3.127	- 2. 59. 19.73	35.48	3	+12.255	2659	...	234
9498	9523	15 Capricorni..... ^γ	5	20. 30. 39.13	32.66	11	+ 3.431	- 18. 42. 50.65	33.68	9	+12.256	2657	...	233
9499	9524	Bradley 2673.....	6.7	20. 30. 39.52	35.79	2	- 0.181	+ 71. 58. 21.27	35.04	4	+12.257	2673	...	257
9500	9525	Piazzi XX. 252.....	7.8	20. 30. 48.04	37.71	2	+ 1.149	+ 61. 10. 33.26	37.78	1	+12.266	252
9501	9526	48 Oyni.....	7	20. 30. 49.16	35.72	2	+ 2.436	+ 30. 59. 58.32	34.99	4	+12.268	2665	...	241
9502	9527	Bradley 2666.....	7	20. 30. 50.47	35.75	4	+ 2.438	+ 30. 57. 3.71	35.40	3	+12.270	2666	...	243
9503	9528	Piazzi XX. 238.....	7.8	20. 30. 54.32	36.99	2	+ 2.924	+ 7. 56. 50.13	37.25	2	+12.274	238
9504	9529	8 Delphini..... ^θ	4.5	20. 30. 56.91	32.53	7	+ 2.830	+ 12. 44. 28.05	32.21	7	+12.277	2662	...	239
9505	9530	1 Aquarii.....	5.6	20. 30. 57.44	39.95	5	+ 3.073	- 0. 5. 19.07	36.22	8	+12.278	2661	...	237
9506	9531	7 Delphini..... ^κ	5.6	20. 31. 7.10	33.82	3	+ 2.895	+ 9. 30. 35.38	33.80	5	+12.288	2663	...	242
9507	9532	29 Vulpeculæ.....	5.6	20. 31. 9.45	33.80	3	+ 2.674	+ 20. 37. 33.29	33.80	4	+12.290	2664	...	245
9508	9533	Piazzi XX. 240.....	6.7	20. 31. 15.94	33.77	4	+ 3.389	- 16. 42. 21.21	33.83	3	+12.298	240
9509	9534	28 Vulpeculæ.....	5.6	20. 31. 20.86	38.23	6	+ 2.612	+ 23. 32. 29.19	40.77	5	+12.304	2668	...	248
9510	9535	Piazzi XX. 249.....	8	20. 31. 21.69	37.73	1	+ 2.462	+ 30. 0. 11.06	36.77	1	+12.305	249
9511	9536	Bradley 2667.....	7	20. 31. 25.23	41.07	3	+ 2.784	+ 15. 15. 47.07	37.35	3	+12.309	2667	...	247
9512	9537	Piazzi XX. 246.....	7	20. 31. 36.87	37.17	2	+ 3.132	- 3. 13. 45.79	37.09	2	+12.322	246
9513	9538	Piazzi XX. 251.....	7.8	20. 31. 42.75	37.30	3	+ 2.833	+ 12. 45.	+12.329	251
9514	9539	Indi..... ^γ	5.6	20. 31. 53.26	40.32	5	+ 4.446	- 52. 30. 11.16	40.32	5	+12.341	...	8524	...
9515	9540	Piazzi XX. 253.....	7	20. 31. 57.08	37.26	2	+ 2.926	+ 7. 52. 12.39	37.28	2	+12.346	253
9516	9541	Piazzi XX. 250.....	7	20. 31. 57.50	35.52	3	+ 3.413	- 17. 57. 28.98	35.70	3	+12.347	250
9517	9542	9 Delphini..... ^α	3.4	20. 31. 58.38	35.51	10	+ 2.783	+ 15. 20. 4.28	35.70	19	+12.348	2670	...	254
9518	9543	Piazzi XX. 265.....	7	20. 32. 1.39	42.77	2	+ 0.182	+ 69. 57. 57.65	36.78	1	+12.351	265
9519	9544	Lacaille 8531.....	6.7	20. 32. 3.59	40.35	5	+ 3.960	- 40. 8. 29.51	40.77	6	+12.353	...	8531	...
9520	9545	Piazzi XX. 255.....	7.8	20. 32. 5.38	39.09	3	+ 2.832	+ 12. 50. 32.45	37.26	2	+12.355	255

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9521	9546	Piazzi XX. 256	8	h m s 20. 32. 5'54	41'10	3	+ 2'834	+ 12. 43. 39'13	36'81	1	+12'356	256
9522	9547	Piazzi XX. 258	6	20. 32. 12'31	32'76	5	+ 2'470	+ 29. 45. 37'26	32'80	5	+12'363	258
9523	9548	Piazzi XX. 259	8'9	20. 32. 44'62	37'43	2	+ 3'287	- 11. 31. 37'29	36'92	3	+12'400	259
9524	9549	Piazzi XX. 263	7	20. 32. 58'38	39'01	6	+ 1'927	+ 47. 29. 30'34	38'43	5	+12'416	263
9525	9550	B.D. — 18° 5754	7	20. 33. 16'29	33'43	3	+ 3'427	- 18. 41. 40'25	33'74	4	+12'436
9526	9551	Piazzi XX. 260	8	20. 33. 17'16	37'44	1	+ 3'120	- 2. 36. 11'45	37'19	2	+12'437	260
9527	9552	Piazzi XX. 261	7	20. 33. 20'06	36'61	3	+ 2'752	+ 16. 59. 18'63	37'73	3	+12'441	261
9528	9553	10 Delphini	6	20. 33. 32'83	33'68	5	+ 2'811	+ 14. 0. 1'00	35'28	3	+12'456	2672	...	264
9529	9554	73 Draconis	6'7	20. 33. 35'44	35'74	1	- 0'678	+ 74. 23. 16'28	35'02	4	+12'459	2682	...	279
9530	9555	Piazzi XX. 268	8	20. 33. 37'70	37'66	1	+ 2'572	+ 25. 29. 52'01	37'43	2	+12'462	268
9531	9556	Piazzi XX. 262.	8	20. 33. 39'39	37'10	2	+ 3'286	- 11. 33. 16'15	37'40	1	+12'464	262
9532	9557	Piazzi XX. 269	7'8	20. 33. 48'31	37'78	1	+ 2'869	+ 10. 58. 58'93	37'24	2	+12'474	269
9533	9558	Piazzi XX. 270	7	20. 33. 51'27	35'36	3	+ 2'826	+ 13. 13. 29'92	35'75	4	+12'477	270
9534	9559	Piazzi XX. 266	8	20. 34. 0'85	37'11	2	+ 3'592	- 26. 24. 47'55	37'25	2	+12'488	266
9535	9560	Piazzi XX. 271	8	20. 34. 8'81	36'78	1	+ 2'827	+ 13. 12. 20'56	37'70	1	+12'497	271
9536	9561	Lacaille 8540	7'8	20. 34. 10'46	35'70	3	+ 3'843	- 36. 25. 1'13	34'95	4	+12'500	...	8540	267
9537	9562	49 Cygni	6	20. 34. 21'92	35'73	2	+ 2'426	+ 31. 43. 27'20	35'71	3	+12'513	2675	...	273
9538	9563	Piazzi XX. 272	7	20. 34. 23'77	36'57	4	+ 2'754	+ 16. 56. 4'62	35'00	4	+12'515	272
9539	9564	Piazzi XX. 280	7'8	20. 34. 33'56	35'78	1	+ 0'951	+ 63. 46. 58'24	35'73	3	+12'524	280
9540	9565	Piazzi XX. 275	9	20. 34. 59'47	42'77	1	+ 2'782	+ 15. 32. 30'08	37'76	2	+12'554	275
9541	9566	Piazzi XX. 278	7'8	20. 35. 13'18	37'74	1	+ 2'344	+ 34. 57. 27'22	37'07	2	+12'570	278
9542	9567	Piazzi XX. 277	7'8	20. 35. 26'49	37'01	2	+ 3'009	+ 3. 29. 22'33	37'21	3	+12'585	277
9543	9568	Lacaille 8545	6	20. 35. 33'74	35'74	2	+ 3'939	- 39. 47. 32'87	34'99	4	+12'593	...	8545	274
9544	9569	11 Delphini	5	20. 35. 45'59	33'17	5	+ 2'803	+ 14. 29. 14'90	31'87	7	+12'607	2678	...	281
9545	9570	Lacaille 8549	7	20. 35. 46'89	35'52	3	+ 3'847	- 36. 42. 41'23	34'81	2	+12'608	...	8549	276
9546	9571	50 Cygni	1	20. 35. 48'56	33'94	135	+ 2'043	+ 44. 41. 38'11	32'50	193	+12'610	2679	...	285
9547	9572	Piazzi XX. 283	7'8	20. 35. 54'73	37'74	1	+ 2'347	+ 34. 52. 4'62	37'32	3	+12'617	283
9548	9573	Lacaille 8547	7	20. 36. 2'03	38'72	4	+ 4'165	- 46. 27. 1'52	38'72	4	+12'625	...	8547	...
9549	9574	Piazzi XX. 287	8'9	20. 36. 13'75	40'19	4	+ 2'583	+ 25. 14. 5'87	42'66	2	+12'639	287
9550	9575	16 Capricorni	4'5	20. 36. 19'18	33'57	8	+ 3'575	- 25. 51. 28'04	33'71	5	+12'645	2676	8553	282
9551	9576	Piazzi XX. 288	7'8	20. 36. 25'04	37'30	2	+ 2'755	+ 16. 58. 50'48	37'73	2	+12'652	288
9552	9577	17 Capricorni	6	20. 36. 35'60	32'72	6	+ 3'493	- 22. 6. 29'51	32'76	5	+12'663	2677	...	284
9553	9578	Bradley 2701	7'8	20. 36. 55'81	40'44	3	- 3'372	+ 80. 52. 5'14	39'25	4	+12'686	2701	...	316
9554	9579	Piazzi XX. 295	8	20. 37. 1'81	37'60	1	+ 0'895	+ 64. 33. 35'20	37'79	3	+12'694	295
9555	9580	Piazzi XX. 290	8'9	20. 37. 4'74	37'79	1	+ 3'237	- 9. 2. 56'87	37'71	1	+12'697	290
9556	9581	51 Cygni	6	20. 37. 7'31	35'72	2	+ 1'849	+ 49. 45. 1'18	35'05	4	+12'700	2683	...	293
9557	9582	Microscopii	6	20. 37. 16'51	39'86	9	+ 4'092	- 44. 35. 2'01	39'34	9	+12'709	...	8554	289
9558	9583	Piazzi XX. 291	7'8	20. 37. 16'77	39'01	6	+ 2'976	+ 5. 17. 26'52	38'87	6	+12'710	291
9559	9584	Brisbane 6916	8	20. 37. 34'40	41'04	7	+ 4'091	- 44. 35. 2'65	40'74	6	+12'730
9560	9585	Piazzi XX. 292	8	20. 37. 42'09	40'02	6	+ 2'871	+ 11. 2. 51'07	39'63	7	+12'739	292

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9561	9586	30 Vulpecula	6	h m s 20. 37. 44'34	32'77	5	+ 2'597	+ 24. 41. 2'94	32'67	1	+12'741	2680	...	294
9562	9587	Indi	6	20. 38. 5'74	40'32	5	+ 4'172	- 46. 49. 50'27	40'32	5	+12'766	...	8564	...
9563	9588	Piazzi XX. 302	7.8	20. 38. 10'68	35'78	3	+ 1'496	+ 56. 47. 37'18	35'05	4	+12'772	302
9564	9589	75 Draconis	6	20. 38. 15'45	39'29	4	- 3'330	+ 80. 51. 7'72	38'38	5	+12'776	2704	...	331
9565	9590	Piazzi XX. 300	8.9	20. 38. 23'44	37'09	2	+ 2'580	+ 25. 30. 32'44	37'32	3	+12'785	300
9566	9591	Piazzi XX. 297	7.8	20. 38. 31'60	35'70	2	+ 3'175	- 5. 40. 56'01	35'40	2	+12'795	297
9567	9592	Piazzi XX. 296	7	20. 38. 38'53	33'57	8	+ 3'519	- 23. 26. 50'81	33'75	4	+12'802	296
9568	9593	74 Draconis	6.7	20. 38. 40'51	40'29	2	- 3'085	+ 80. 30. 30'91	37'41	4	+12'803	2705	...	333
9569	9594	Lacaille 8572	6	20. 38. 43'47	33'70	2	+ 3'516	- 23. 20. 3'93	33'55	6	+12'807	...	8572	298
9570	9595	2 Aquarii	4.5	20. 38. 44'45	35'05	11	+ 3'255	- 10. 5. 40'95	34'11	8	+12'808	2681	...	299
9571	9596	52 Cygni	6	20. 38. 51'33	35'35	2	+ 2'475	+ 30. 7. 15'72	34'98	4	+12'817	2687	...	306
9572	9597	Bradley 2685	6.7	20. 38. 59'43	39'23	4	+ 2'786	+ 15. 32. 2'72	35'73	4	+12'827	2685	...	303
9573	9598	12 Delphini	4	20. 39. 0'37	35'87	10	+ 2'786	+ 15. 32. 3'57	33'81	8	+12'827	2686	...	304
9574	9599	Piazzi XX. 308	8	20. 39. 0'82	36'80	1	+ 2'477	+ 30. 3. 37'43	37'20	2	+12'828	308
9575	9600	3 Aquarii	4	20. 39. 1'68	33'73	10	+ 3'173	- 5. 37. 36'61	31'76	5	+12'829	2684	...	301
9576	9601	Piazzi XX. 315	7.8	20. 39. 25'50	39'00	3	+ 1'079	+ 62. 45. 25'63	38'71	4	+12'854	315
9577	9602	Lacaille 8581	6	20. 39. 29'30	33'70	3	+ 3'581	- 26. 23. 4'91	33'75	5	+12'859	...	8581	305
9578	9603	53 Cygni	3	20. 39. 32'02	32'26	5	+ 2'397	+ 33. 21. 20'54	31'96	10	+12'862	2689	...	313
9579	9604	Indi	6	20. 39. 32'05	40'36	5	+ 4'396	- 52. 12. 56'23	40'36	5	+12'862	...	8567	...
9580	9605	13 Delphini	5.6	20. 39. 38'16	41'12	4	+ 2'975	+ 5. 24. 24'79	36'88	8	+12'869	2688	...	309
9581	9606	Microscopii	4.5	20. 39. 38'94	32'80	5	+ 3'774	- 34. 23. 3'92	33'40	5	+12'870	...	8579	307
9582	9607	Piazzi XX. 317	7.8	20. 39. 41'46	40'03	4	+ 1'092	+ 62. 37. 13'10	40'28	2	+12'874	317
9583	9608	Piazzi XX. 314	8	20. 39. 57'84	35'58	2	+ 2'785	+ 15. 38. 14'95	35'01	4	+12'891	314
9584	9609	Piazzi XX. 310	6.7	20. 39. 58'85	33'74	3	+ 3'418	- 18. 38. 21'16	32'81	5	+12'892	310
9585	9610	Piazzi XX. 311	8	20. 39. 58'87	37'09	2	+ 3'313	- 13. 12. 52'91	37'34	4	+12'892	311
9586	9611	Lacaille 8575	7.8	20. 40. 11'19	35'36	3	+ 3'616	- 27. 58. 22'25	35'71	3	+12'906	...	8575	312
9587	9612	Piazzi XX. 326	7.8	20. 40. 23'14	39'38	5	+ 1'097	+ 62. 36. 45'59	38'79	4	+12'919	326
9588	9613	Lacaille 8582	6	20. 40. 23'86	38'78	4	+ 3'886	- 38. 31. 15'01	38'78	4	+12'920	...	8582	...
9589	9614	Piazzi XX. 321	7	20. 40. 37'69	35'72	2	+ 1'851	+ 50. 4. 21'00	35'49	3	+12'935	321
9590	9615	Piazzi XX. 319	8	20. 40. 41'24	37'28	3	+ 2'583	+ 25. 34. 27'59	37'40	3	+12'939	319
9591	9616	Piazzi XX. 318	8	20. 40. 54'64	37'21	2	+ 2'974	+ 5. 28. 42'38	37'20	3	+12'954	318
9592	9617	54 Cygni	5	20. 40. 59'01	32'78	9	+ 2'334	+ 35. 53. 14'73	31'68	5	+12'959	2692	...	323
9593	9618	4 Cephei	6	20. 41. 5'81	35'78	1	+ 0'774	+ 66. 3. 31'38	35'40	3	+12'967	2697	...	335
9594	9619	Piazzi XX. 324	8	20. 41. 8'91	37'21	2	+ 2'579	+ 25. 47. 22'99	37'25	2	+12'970	324
9595	9620	Piazzi XX. 332	5	20. 41. 15'22	32'78	5	+ 1'503	+ 56. 59. 22'60	32'73	6	+12'977	332
9596	9621	Taylor 9621	6	20. 41. 31'20	33'82	3	+ 3'598	- 27. 19.	+12'994
9597	9622	Piazzi XX. 325	6.7	20. 41. 35'84	33'73	3	+ 3'310	- 13. 9. 4'10	33'85	3	+13'000	325
9598	9623	Piazzi XX. 327	7.8	20. 41. 37'90	37'45	3	+ 3'040	+ 1. 49. 32'43	37'48	2	+13'002	327
9599	9624	Piazzi XX. 322	6.7	20. 41. 40'97	33'79	1	+ 3'610	- 27. 51. 15'46	33'74	5	+13'005	322
9600	9625	Microscopii	6.7	20. 41. 42'67	35'40	3	+ 3'753	- 33. 47. 22'83	35'04	4	+13'007	...	8593	320

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxliii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9601	9626	14 Delphini	7	h m s 20. 41. 43'35	35'67	3	+ 2'943	+ 7. 15. 20'75	35'06	4	+13'008	2691	...	329
9602	9627	15 Delphini	6.7	20. 41. 45'92	38'75	4	+ 2'857	+ 11. 55. 58'92	38'28	4	+13'011	2693	...	330
9603	9628	Indi..... β	4	20. 41. 51'28	32'73	5	+ 4'770	- 59. 4. 7'60	31'75	4	+13'017	...	8584	...
9604	9629	3 Cephei	3.4	20. 41. 54'79	32'83	3	+ 1'222	+ 61. 11. 56'37	32'99	5	+13'021	2698	...	338
9605	9630	18 Capricorni..... ω	5.6	20. 41. 57'63	33'83	5	+ 3'602	- 27. 31. 50'45	33'23	6	+13'025	2690	8601	328
9606	9631	4 Aquarii.....	6	20. 42. 40'60	33'26	6	+ 3'183	- 6. 14. 19'46	32'75	5	+13'071	2694	...	336
9607	9632	Lacaille 8606	7	20. 42. 54'66	39'04	4	+ 3'935	- 40. 25. 17'30	37'55	6	+13'087	...	8606	334
9608	9633	Piazzi XX. 337.....	7	20. 42. 59'16	32'84	2	+ 3'288	- 12. 3. 8'01	32'76	4	+13'092	337
9609	9634	Piazzi XX. 349.....	8.9	20. 43. 4'11	42'64	2	+ 1'627	+ 54. 57. 43'28	42'64	2	+13'097	349
9610	9635	Piazzi XX. 340.....	8.9	20. 43. 7'38	37'60	1	+ 3'167	- 5. 24. 34'68	37'49	3	+13'101	340
9611	9636	55 Cygni.....	6	20. 43. 19'18	35'73	3	+ 2'042	+ 45. 30. 19'19	35'02	4	+13'114	2699	...	350
9612	9637	Lacaille 8612	6	20. 43. 19'86	33'70	3	+ 3'531	- 24. 23. 46'82	33'68	5	+13'115	...	8612	339
9613	9638	Piazzi XX. 341.....	7	20. 43. 24'48	35'76	3	+ 3'321	- 13. 49. 4'68	34'98	4	+13'120	341
9614	9639	5 Aquarii.....	6	20. 43. 25'00	34'51	5	+ 3'180	- 6. 7. 15'30	34'48	8	+13'121	2695	...	342
9615	9640	Piazzi XX. 359.....	7	20. 43. 31'09	35'77	1	+ 0'418	+ 69. 9. 3'65	34'79	3	+13'127	359
9616	9641	Piazzi XX. 343.....	8.9	20. 43. 34'07	37'09	2	+ 3'377	- 16. 46. 49'01	37'09	2	+13'131	343
9617	9642	Piazzi XX. 344.....	9	20. 43. 37'46	37'43	2	+ 3'166	- 5. 19. 2'87	37'09	3	+13'135	344
9618	9643	Piazzi XX. 346.....	8.9	20. 43. 45'00	37'12	2	+ 3'140	- 3. 50. 1'78	37'25	2	+13'142	346
9619	9644	6 Aquarii..... μ	4.5	20. 43. 45'10	34'59	10	+ 3'242	- 9. 35. 51'24	34'59	10	+13'142	2696	...	345
9620	9645	Piazzi XX. 347.....	8.9	20. 43. 47'27	37'12	2	+ 3'085	- 0. 44. 1'67	37'26	2	+13'145	347
9621	9646	Piazzi XX. 352.....	7	20. 43. 56'74	37'79	1	+ 2'948	+ 6. 58. 6'53	37'44	2	+13'156	352
9622	9647	Piazzi XX. 351.....	6	20. 44. 3'79	32'74	4	+ 3'290	- 12. 11. 32'08	32'80	4	+13'163	351
9623	9648	Piazzi XX. 348.....	8	20. 44. 6'88	37'23	2	+ 3'584	- 26. 56. 0'91	37'21	2	+13'166	348
9624	9649	56 Cygni.....	5.6	20. 44. 13'29	35'75	3	+ 2'117	+ 43. 26. 27'89	35'70	3	+13'174	2702	...	357
9625	9650	Piazzi XX. 354.....	7.8	20. 44. 23'52	37'73	1	+ 2'892	+ 10. 6. 58'09	37'78	1	+13'185	354
9626	9651	Piazzi XX. 358.....	7	20. 44. 28'17	36'68	2	+ 2'545	+ 27. 38. 9'54	37'77	1	+13'190	358
9627	9652	Piazzi XX. 355.....	8.9	20. 44. 35'84	38'90	6	+ 2'953	+ 6. 42. 49'40	39'52	4	+13'198	355
9628	9653	Piazzi XX. 356.....	9	20. 44. 37'08	37'29	2	+ 2'954	+ 6. 42. 15'85	37'30	2	+13'199	356
9629	9654	Piazzi XX. 353.....	7.8	20. 44. 37'95	41'10	3	+ 3'567	- 26. 11. 35'33	39'40	3	+13'200	353
9630	9655	31 Vulpeculæ.....	6	20. 45. 4'20	32'78	5	+ 2'570	+ 26. 28. 59'97	32'74	5	+13'225	2703	...	365
9631	9656	Piazzi XX. 360.....	6.7	20. 45. 10'70	42'51	4	+ 3'204	- 7. 30. 28'19	41'23	4	+13'237	360
9632	9657	Piazzi XX. 364.....	7.8	20. 45. 23'23	36'78	2	+ 3'163	- 5. 9. 46'19	37'29	2	+13'250	364
9633	9658	19 Capricorni.....	6	20. 45. 28'11	32'92	7	+ 3'409	- 18. 32. 35'98	33'50	5	+13'255	2700	...	362
9634	9659	Piazzi XX. 361.....	8.9	20. 45. 33'16	41'12	3	+ 3'577	- 26. 44. 3'57	40'02	4	+13'261	361
9635	9660	Piazzi XX. 374.....	8	20. 45. 35'57	38'40	3	+ 0'413	+ 69. 19. 36'38	42'76	1	+13'264	374
9636	9661	Lacaille 8619	8.9	20. 45. 41'82	37'18	2	+ 3'703	- 32. 10. 30'34	37'25	2	+13'270	...	8619	363
9637	9662	Piazzi XX. 367.....	8	20. 45. 44'01	36'81	1	+ 3'358	- 15. 54. 16'61	37'40	1	+13'272	367
9638	9663	Piazzi XX. 368.....	7	20. 45. 51'00	36'17	4	+ 3'014	+ 3. 20. 4'34	36'11	5	+13'280	368
9639	9664	Piazzi XX. 369.....	8	20. 46. 15'11	41'10	3	+ 3'209	- 7. 47. 34'82	42'75	2	+13'308	369
9640	9665	Piazzi XX. 371.....	9.10	20. 46. 39'58	41'71	2	+ 2'881	+ 10. 49. 8'40	41'71	3	+13'324	371

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9641	9666	Lacaille 8620	7	h m s 20. 46. 43'14	40'32	5	+ 4'061	— 44. 42. 49'78	40'32	5	+13'328	...	8620	...
9642	9667	Piazzi XX. 372	8	20. 46. 45'36	36'75	1	+ 3'051	+ 1. 12.	+13'330	372
9643	9668	Lacaille 8621	7	20. 46. 58'39	32'72	5	+ 3'579	— 26. 55. 11'30	32'81	5	+13'355	...	8621	370
9644	9669	Piazzi XX. 373	7·8	20. 47. 0'43	37'27	2	+ 2'952	+ 6. 54. 22'38	37'76	2	+13'357	373
9645	9670	Piazzi XX. 389	7	20. 47. 17'10	35'75	2	+ 0'469	+ 69. 2. 33'80	35'00	4	+13'376	389
9646	9671	57 Cygni	5	20. 47. 24'66	31'68	5	+ 2'118	+ 43. 45. 54'32	31'64	5	+13'384	2710	...	383
9647	9672	Piazzi XX. 376	6	20. 47. 24'94	33'93	8	+ 3'004	+ 3. 54. 25'20	34'37	8	+13'385	376
9648	9673	32 Vulpeculæ	4·5	20. 47. 31'84	33'16	11	+ 2'555	+ 27. 26. 3'16	34'31	10	+13'392	2709	...	379
9649	9674	Piazzi XX. 375	8·9	20. 47. 32'28	37'43	1	+ 3'367	— 16. 28. 42'61	37'44	2	+13'392	375
9650	9675	Piazzi XX. 378	8	20. 47. 41'44	37'12	2	+ 2'949	+ 7. 2. 34'41	37'44	1	+13'402	378
9651	9676	16 Delphini	6	20. 47. 46'33	33'33	5	+ 2'862	+ 11. 56. 30'36	32'72	5	+13'407	2707	...	381
9652	9677	17 Delphini	6	20. 47. 48'16	33'75	6	+ 2'841	+ 13. 5. 47'06	33'18	5	+13'409	2708	...	382
9653	9678	Piazzi XX. 377	9	20. 47. 57'09	37'41	1	+ 3'372	— 16. 48. 4'76	37'28	2	+13'419	377
9654	9679	7 Aquarii	6	20. 47. 58'67	37'37	8	+ 3'253	— 10. 19. 29'36	36'94	9	+13'420	2706	...	380
9655	9680	Piazzi XX. 387	7	20. 47. 59'29	37'79	1	+ 2'555	+ 27. 28. 2'49	35'37	3	+13'421	387
9656	9681	Piazzi XX. 385	8	20. 48. 16'54	37'60	1	+ 3'196	— 7. 5. 55'45	37'27	2	+13'439	385
9657	9682	Piazzi XX. 384	8	20. 48. 21'96	37'58	2	+ 3'700	— 32. 20. 4'37	37'29	2	+13'446	384
9658	9683	Piazzi XX. 388	7·8	20. 48. 24'65	37'11	2	+ 3'053	+ 1. 5. 46'03	37'09	2	+13'448	388
9659	9684	Piazzi XX. 386	7	20. 48. 26'04	33'76	3	+ 3'369	— 16. 39. 41'02	33'68	4	+13'450	386
9660	9685	Lacaille 8624	6·7	20. 48. 34'91	38'68	3	+ 4'337	— 51. 54. 19'76	38'67	2	+13'460	...	8624	...
9661	9686	Piazzi XX. 391	7	20. 48. 35'59	35'52	3	+ 1'713	+ 53. 53. 13'49	35'02	3	+13'461	391
9662	9687	Brisbane 6950	6·7	20. 48. 36'60	38'73	3	+ 4'455	— 54. 22. 23'19	38'73	3	+13'462
9663	9688	Piazzi XX. 390	7	20. 48. 52'45	37'58	2	+ 3'139	— 3. 52. 0'53	37'19	2	+13'478	390
9664	9689	Lacaille 8628	7	20. 49. 0'10	41'28	4	+ 4'016	— 43. 39. 0'96	40'26	4	+13'487	...	8628	...
9665	9690	Piazzi XX. 393	6	20. 49. 32'76	32'75	5	+ 3'010	+ 3. 33. 49'61	33'78	5	+13'522	393
9666	9691	Piazzi XX. 400	7·8	20. 49. 42'26	37'04	3	+ 1'449	+ 58. 40. 58'96	37'35	4	+13'533	400
9667	9692	Piazzi XX. 392	7·8	20. 49. 55'76	35'52	3	+ 3'759	— 34. 52. 12'99	35'02	4	+13'547	392
9668	9693	Piazzi XX. 396	7	20. 50. 6'79	37'17	2	+ 3'149	— 4. 28. 34'48	37'40	3	+13'559	396
9669	9694	Piazzi XX. 401	7	20. 50. 7'44	35'40	3	+ 2'129	+ 43. 44. 38'37	35'40	1	+13'560	401
9670	9695	Piazzi XX. 394	8	20. 50. 10'89	40'69	6	+ 3'383	— 17. 30. 52'53	40'64	6	+13'563	394
9671	9696	Piazzi XX. 397	8	20. 50. 12'46	37'24	2	+ 3'140	— 3. 57. 3'25	37'38	3	+13'565	397
9672	9697	20 Capricorni	6	20. 50. 13'26	32'97	6	+ 3'424	— 19. 40. 12'74	33'01	5	+13'566	2713	...	395
9673	9698	Piazzi XX. 398	7·8	20. 50. 28'43	37'44	3	+ 3'595	— 27. 58. 37'23	37'36	3	+13'582	398
9674	9699	18 Delphini	6	20. 50. 29'31	33'77	4	+ 2'895	+ 10. 12. 25'40	32'76	5	+13'583	2716	...	399
9675	9700	1 Equulei	5·6	20. 50. 49'88	33'80	2	+ 3'009	+ 3. 39. 54'36	33'75	5	+13'605	2717	...	404
9676	9701	8 Aquarii	6	20. 50. 50'42	33'82	3	+ 3'311	— 13. 41. 16'90	33'80	5	+13'606	2715	...	402
9677	9702	Piazzi XX. 407	8	20. 50. 53'40	37'28	2	+ 2'442	+ 32. 40. 4'96	37'30	3	+13'609	407
9678	9703	33 Vulpeculæ	5·6	20. 50. 54'00	37'03	8	+ 2'681	+ 21. 41. 31'41	36'54	8	+13'610	2719	...	406
9679	9704	58 Cygni	4	20. 51. 1'32	31'95	7	+ 2'232	+ 40. 32. 5'87	33'14	11	+13'617	2724	...	410
9680	9705	Piazzi XX. 412	6·7	20. 51. 1'46	39'25	4	+ 1'883	+ 50. 26. 35'37	37'63	6	+13'617	412

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9681	9706	1 Piscis Australis	5.6	h m s 20. 51. 9.41	35.62	2	+ 3.707	- 32. 53. 50.81	35.04	4	+13.626	2714	8639	403
9682	9707	Lacaille 8641	7	20. 51. 25.27	35.72	4	+ 3.816	- 37. 12. 51.95	35.60	3	+13.645	...	8641	405
9683	9708	21 Capricorni	6	20. 51. 34.04	33.70	7	+ 3.394	- 18. 10. 8.62	34.45	8	+13.652	2718	...	409
9684	9709	Piazzi XX. 417	7.8	20. 51. 40.93	40.73	4	+ 2.682	+ 21. 42. 49.34	35.07	4	+13.659	417
9685	9710	Lacaille 8634	7.8	20. 51. 43.35	40.33	5	+ 4.739	- 59. 34. 35.09	40.36	5	+13.662	...	8634	...
9686	9711	10 Aquarii	7	20. 51. 49.61	35.74	2	+ 3.177	- 6. 6. 57.36	35.70	3	+13.669	2721	...	413
9687	9712	Lacaille 8644	7	20. 51. 51.04	38.76	2	+ 3.869	- 39. 9. 54.95	38.75	3	+13.670	...	8644	...
9688	9713	Bradley 2727	5	20. 51. 52.10	32.34	6	+ 1.607	+ 56. 15. 15.89	31.74	6	+13.671	2727
9689	9714	11 Aquarii	6	20. 51. 52.37	38.37	5	+ 3.164	- 5. 21. 48.02	36.24	8	+13.671	2723	...	414
9690	9715	Lacaille 8652	6	20. 51. 56.94	33.52	4	+ 3.582	- 27. 31. 15.70	33.53	5	+13.677	...	8652	411
9691	9716	Piazzi XX. 416	8	20. 51. 57.88	37.32	3	+ 3.175	- 5. 59. 49.25	37.48	4	+13.678	416
9692	9717	9 Aquarii	6	20. 52. 2.32	32.80	4	+ 3.319	- 14. 10. 13.52	33.84	2	+13.682	2722	...	415
9693	9718	Piazzi XX. 420	8	20. 52. 18.70	37.28	2	+ 2.231	+ 40. 43. 16.33	37.32	3	+13.700	420
9694	9719	Piazzi XX. 421	8	20. 52. 19.45	37.28	2	+ 2.251	+ 40. 3. 43.22	37.43	3	+13.701	421
9695	9720	Microscopii	6.7	20. 52. 24.05	35.79	2	+ 3.870	- 39. 16. 11.39	35.37	3	+13.707	...	8653	418
9696	9721	Piazzi XX. 419	7.8	20. 52. 33.85	37.11	2	+ 2.911	+ 9. 21. 14.40	37.61	2	+13.716	419
9697	9722	Piazzi XX. 422	9	20. 52. 44.81	37.26	4	+ 2.911	+ 9. 21. 20.42	37.73	2	+13.728	422
9698	9723	Piazzi XX. 423	7	20. 52. 59.38	35.77	3	+ 3.285	- 12. 20. 14.68	35.06	4	+13.743	423
9699	9724	Indi	6.7	20. 53. 3.35	38.70	3	+ 4.482	- 55. 22. 22.58	38.70	3	+13.748	...	8648	...
9700	9725	Piazzi XX. 429	6	20. 53. 12.85	35.82	2	+ 1.920	+ 49. 49. 23.87	35.71	3	+13.757	429
9701	9726	Piazzi XX. 427	8	20. 53. 21.61	37.22	2	+ 2.961	+ 6. 31. 24.02	37.45	1	+13.767	427
9702	9727	Piazzi XX. 426	8	20. 53. 32.51	36.62	1	+ 3.276	- 11. 49. 29.47	37.22	3	+13.779	426
9703	9728	Lacaille 8661	7.8	20. 53. 36.13	37.06	2	+ 3.540	- 25. 43. 9.78	37.21	3	+13.783	...	8661	425
9704	9729	Piazzi XX. 428	6	20. 54. 2.74	35.78	1	+ 3.389	- 18. 6. 52.11	35.74	2	+13.811	428
9705	9730	2 Equulei	6	20. 54. 4.63	33.72	6	+ 2.961	+ 6. 32. 8.58	34.57	8	+13.813	2728	...	431
9706	9731	76 Draconis	5	20. 54. 4.65	34.17	21	- 3.754	+ 81. 54. 50.78	34.44	13	+13.813	2754	...	463
9707	9732	59 Cygni	6	20. 54. 12.75	35.85	1	+ 2.037	+ 46. 52. 44.15	35.09	3	+13.822	2732	...	437
9708	9733	Piazzi XX. 434	8	20. 54. 22.37	37.20	2	+ 2.711	+ 20. 27. 34.28	37.23	2	+13.832	434
9709	9734	Lacaille 8656	7	20. 54. 26.66	38.78	3	+ 4.793	- 60. 38. 36.98	38.78	3	+13.836	...	8656	...
9710	9735	Piazzi XX. 432	7.8	20. 54. 29.25	37.09	2	+ 3.098	- 1. 34. 11.67	37.31	3	+13.839	432
9711	9736	Piazzi XX. 440	7.8	20. 54. 36.99	35.82	2	+ 1.996	+ 48. 2. 13.57	35.04	4	+13.846	440
9712	9737	Piazzi XX. 430	6.7	20. 54. 37.37	35.41	2	+ 4.960	- 45. 35. 55.25	35.08	4	+13.847	430
9713	9738	Piazzi XX. 433	7.8	20. 54. 42.63	37.44	3	+ 3.401	- 18. 45. 31.03	37.23	2	+13.852	433
9714	9747	Bradley 2749	5	20. 54. 48.24	33.00	5	- 2.471	+ 79. 55. 44.99	32.95	5	+13.858	2749
9715	9739	Piazzi XX. 438	8.9	20. 54. 55.82	37.44	3	+ 3.189	- 6. 53. 9.43	37.58	2	+13.867	438
9716	9740	22 Capricorni	7	20. 55. 0.43	33.72	9	+ 3.433	- 20. 30. 6.04	32.01	5	+13.871	2729	...	436
9717	9741	Piazzi XX. 435	6.7	20. 55. 4.72	41.08	3	+ 3.699	- 32. 59. 43.94	39.06	6	+13.876	435
9718	9742	12 Aquarii	6	20. 55. 20.95	32.82	5	+ 3.181	- 6. 28. 19.13	32.82	5	+13.893	2730	...	441
9719	9743	60 Cygni	6	20. 55. 25.61	35.77	2	+ 2.091	+ 45. 30. 37.36	34.98	4	+13.898	2735	...	446
9720	9744	Piazzi XX. 443	7	20. 55. 35.50	35.75	3	+ 3.382	- 17. 48. 50.34	35.06	4	+13.909	443

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9721	9745	Microscopii	6	h m s 20. 55. 39.88	37.66	5	+ 3.940	— 42. 2. 18.58	39.15	6	+13.913	...	8675	439
9722	9746	Lacaille 8670	7	20. 55. 46.93	38.80	3	+ 4.440	— 54. 52. 11.90	38.80	3	+13.920	...	8670	...
9723	9748	Piazzi XX. 442	7.8	20. 55. 51.67	36.76	1	+ 3.940	— 42. 2. 9.66	41.47	4	+13.925	442
9724	9749	Piazzi XX. 447	7	20. 55. 54.31	39.87	4	+ 2.553	+ 28. 20. 12.21	41.04	3	+13.928	447
9725	9750	Piazzi XX. 452	7	20. 56. 1.63	37.27	2	+ 2.297	+ 38. 51. 41.46	37.24	2	+13.936	452
9726	9751	Microscopii	7.8	20. 56. 2.77	35.68	2	+ 3.644	— 30. 46. 27.20	34.73	3	+13.937	...	8683	444
9727	9752	Piazzi XX. 450	7	20. 56. 11.24	36.77	4	+ 2.657	+ 23. 20. 50.94	35.38	3	+13.946	450
9728	9753	2 Piscis Australis	6.7	20. 56. 18.50	38.31	13	+ 3.696	— 32. 59. 43.94	39.23	8	+13.954	2731	8685	445
9729	9754	Piazzi XX. 448	7	20. 56. 21.59	37.10	2	+ 3.034	+ 2. 17. 27.58	36.77	1	+13.957	448
9730	9755	3 Equulei	6	20. 56. 21.82	32.80	5	+ 2.991	+ 4. 51. 6.65	33.05	4	+13.957	2734	...	449
9731	9756	Lacaille 8678	7	20. 56. 27.44	38.79	3	+ 4.200	— 49. 35. 40.10	38.79	3	+13.963	...	8678	...
9732	9757	Piazzi XX. 453	8	20. 56. 28.11	39.96	4	+ 2.552	+ 28. 26. 32.50	39.06	3	+13.964	453
9733	9758	Lacaille 8682	6.7	20. 56. 38.94	40.93	6	+ 4.066	— 46. 2. 7.54	40.77	4	+13.976	...	8682	...
9734	9759	23 Capricorni	5.6	20. 56. 39.77	35.50	5	+ 3.382	— 17. 53. 1.10	33.67	5	+13.977	2733	...	451
9735	9760	Bradley 2740	6.7	20. 56. 41.11	37.43	2	+ 2.322	+ 38. 0. 29.10	37.73	1	+13.978	2740	...	455
9736	9761	Piazzi XX. 457	9.10	20. 56.	+ 2.662	+ 23. 10. 16.68	37.74	1.	+13.999	457
9737	9762	4 Equulei	6	20. 57. 16.20	33.17	6	+ 2.983	+ 5. 18. 36.72	33.11	6	+14.014	2739	...	458
9738	9763	Bradley 2736	7	20. 57. 17.32	32.76	5	+ 3.436	— 20. 50. 4.96	32.80	5	+14.015	2736	...	454
9739	9764	24 Capricorni	5.6	20. 57. 28.04	33.70	3	+ 3.532	— 25. 39. 36.06	33.70	5	+14.026	2737	8689	456
9740	9765	Lacaille 8680	7	20. 57. 34.72	39.74	3	+ 4.732	— 60. 4. 6.41	39.74	3	+14.033	...	8680	...
9741	9766	Piazzi XX. 459	7.8	20. 57. 41.13	37.24	2	+ 3.662	— 31. 43. 5.75	37.28	2	+14.039	459
9742	9767	Piazzi XX. 465	7	20. 57. 41.45	35.81	2	+ 2.242	+ 40. 58. 42.89	35.04	4	+14.040	465
9743	9768	Piazzi XX. 464	8	20. 57. 54.07	37.04	7	+ 2.668	+ 22. 56. 47.16	36.24	5	+14.053	464
9744	9769	Piazzi XX. 460	8	20. 57. 57.06	39.38	5	+ 3.357	— 16. 37. 44.72	39.45	5	+14.056	460
9745	9770	Piazzi XX. 461	7.8	20. 58. 1.92	37.08	2	+ 3.353	— 16. 23. 52.56	37.11	2	+14.061	461
9746	9771	Piazzi XX. 462	7	20. 58. 8.48	37.28	2	+ 3.414	— 19. 44. 36.05	37.22	3	+14.068	462
9747	9772	Lacaille 8687	7.8	20. 58. 18.81	38.71	3	+ 4.444	— 55. 14. 6.00	38.71	3	+14.079	...	8687	...
9748	9773	Piazzi XX. 467	7	20. 58. 27.77	37.77	2	+ 2.556	+ 28. 26. 28.68	37.45	1	+14.088	467
9749	9774	Piazzi XX. 466	8	20. 58. 47.17	37.20	3	+ 3.350	— 16. 16. 55.78	37.55	3	+14.107	466
9750	9775	62 Cygni	4	20. 58. 55.77	32.50	5	+ 2.178	+ 43. 16. 20.89	32.75	17	+14.117	2746	...	472
9751	9776	Piazzi XX. 470	7	20. 58. 58.77	37.29	2	+ 3.176	— 6. 14. 6.86	37.24	3	+14.120	470
9752	9777	Piazzi XX. 471	8	20. 59. 2.34	37.22	3	+ 3.014	+ 3. 29. 2.31	37.52	4	+14.123	471
9753	9778	25 Capricorni	5.6	20. 59. 6.06	33.68	3	+ 3.453	— 21. 51. 5.94	32.76	5	+14.127	2741	...	469
9754	9779	Lacaille 8701	7	20. 59. 7.02	38.05	7	+ 3.601	— 29. 7. 58.89	38.08	6	+14.128	...	8701	468
9755	9780	Piazzi XX. 473	8	20. 59. 12.88	37.66	1	+ 2.604	+ 26. 16. 2.76	36.79	1	+14.134	473
9756	9781	Lacaille 8692	7	20. 59. 14.10	38.78	3	+ 4.543	— 57. 10. 54.02	38.78	3	+14.136	...	8692	...
9757	9782	Lacaille 8700	7	20. 59. 17.12	38.74	3	+ 3.989	— 44. 2. 41.62	38.74	3	+14.139	...	8700	...
9758	9783	Piazzi XX. 480	8	20. 59. 30.02	37.27	2	+ 2.314	+ 38. 40. 7.58	37.61	1	+14.152	480
9759	9784	61 Cygni	6	20. 59. 31.93	39.31	5	+ 2.333	+ 37. 56. 42.74	38.50	2	+14.153	2744	...	475
9760	9785	Bradley 2745	5.6	20. 59. 33.32	39.31	5	+ 2.333	+ 37. 56. 38.65	37.56	5	+14.154	2745	...	476

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccxlvii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9761	9786	Piazzi XX. 479.....	7.8	h m s 20. 59. 41.17	38.28	6	+ 2.672	+ 22. 55. 21.68	36.42	3.	+14.163	479
9762	9787	26 Capricorni.....	7.8	20. 59. 51.30	35.62	2	+ 3.432	- 20. 51. 19.19	35.04	4	+14.174	2742	...	474
9763	9788	Piazzi XX. 482.....	8.9	21. 0. 4.45	41.53	5	+ 2.676	+ 22. 45. 35.95	42.70	2	+14.187	482
9764	9789	Piazzi XX. 486.....	7	21. 0. 4.79	35.72	2	+ 2.053	+ 47. 8. 41.46	35.71	3	+14.188	486
9765	9790	27 Capricorni.....	6	21. 0. 6.48	33.78	5	+ 3.439	- 21. 12. 50.04	32.78	5	+14.190	2743	...	478
9766	9791	Lacaille 8707.....	7.8	21. 0. 10.39	37.24	2	+ 3.626	- 30. 23. 6.40	37.42	3	+14.194	...	8707	477
9767	9792	Piazzi XX. 481.....	7.8	21. 0. 11.40	37.31	2	+ 3.366	- 17. 16. 47.20	37.77	1	+14.195	481
9768	9793	Piazzi XX. 484.....	7	21. 0. 19.11	37.44	2	+ 2.967	+ 6. 19. 37.91	37.24	2	+14.203	484
9769	9794	Piazzi XX. 490.....	8	21. 0. 31.60	37.73	1	+ 1.866	+ 51. 57. 38.93	37.81	1	+14.215	490
9770	9795	13 Aquarii.....	5	21. 0. 36.04	32.88	7	+ 3.273	- 12. 2. 6.59	31.66	5	+14.220	2747	...	485
9771	9796	Piazzi XX. 483.....	7.8	21. 0. 38.33	37.29	2	+ 3.598	- 29. 9. 23.14	37.66	2	+14.222	483
9772	9797	Piazzi XX. 489.....	9	21. 0. 47.13	37.73	1	+ 2.314	+ 38. 50. 10.97	37.77	1	+14.231	489
9773	9798	63 Cygni..... ^{f2}	5	21. 0. 55.04	35.32	8	+ 2.063	+ 46. 59. 16.31	35.61	7	+14.239	2750	...	491
9774	9799	Piazzi XX. 487.....	8	21. 0. 58.18	37.41	1	+ 3.349	- 16. 21. 55.74	37.28	2	+14.242	487
9775	9800	Piazzi XX. 488.....	9	21. 1. 7.59	37.44	1	+ 3.014	+ 3. 29. 51.05	37.12	2	+14.252	488
9776	9801	Piazzi XXI. 3.....	8	21. 1. 32.54	35.71	1	+ 2.062	+ 47. 4. 18.05	40.21	2	+14.276	3
9777	9802	Lacaille 8715.....	6.7	21. 1. 36.43	40.53	5	+ 3.886	- 40. 55. 45.93	40.98	4	+14.282	...	8715	...
9778	9803	Piazzi XX. 492.....	6	21. 1. 37.83	37.20	3	+ 3.035	+ 2. 16. 36.68	37.22	3	+14.284	492
9779	9804	Piazzi XXI. 1.....	7	21. 1. 39.25	35.71	3	+ 2.540	+ 29. 32. 31.75	35.13	5	+14.285	1
9780	9805	Piazzi XX. 493.....	7.8	21. 1. 52.81	37.24	2	+ 3.237	- 10. 1. 7.14	37.23	3	+14.299	493
9781	9806	Piazzi XXI. 9.....	8	21. 2. 10.35	40.01	4	+ 2.538	+ 29. 42. 36.72	40.03	4	+14.317	9
9782	9807	Piazzi XXI. 5.....	8	21. 2. 13.47	41.04	4	+ 2.906	+ 10. 4. 16.62	40.78	4	+14.320	5
9783	9808	5 Equulei..... ^γ	5	21. 2. 19.12	32.60	9	+ 2.916	+ 9. 28. 14.97	31.72	5	+14.325	2751	...	6
9784	9809	Lacaille 8719.....	6	21. 2. 28.00	35.48	3	+ 3.859	- 40. 5. 15.00	35.37	3	+14.334	...	8719	2
9785	9810	6 Equulei.....	7	21. 2. 30.29	35.74	2	+ 2.917	+ 9. 22. 46.95	35.39	3	+14.337	2752	...	10
9786	9811	Piazzi XXI. 7.....	7	21. 2. 34.07	35.65	3	+ 3.325	- 15. 8. 31.81	34.98	4	+14.341	7
9787	9812	Lacaille 8714.....	7	21. 2. 37.56	39.08	3	+ 4.665	- 59. 36. 4.30	40.08	3	+14.344	...	8714	...
9788	9813	Piazzi XXI. 8.....	8	21. 2. 39.14	39.77	2	+ 3.431	- 21. 0. 4.24	40.01	4	+14.346	8
9789	9814	Piazzi XXI. 11.....	7.8	21. 2. 58.59	36.81	1	+ 3.326	- 15. 13. 43.68	37.25	2	+14.365	11
9790	9815	Piazzi XXI. 13.....	7.8	21. 3. 6.37	37.55	2	+ 2.604	+ 26. 37. 54.24	37.20	2	+14.373	13
9791	9816	Piazzi XXI. 15.....	7	21. 3. 12.87	35.74	3	+ 2.086	+ 46. 36. 15.90	35.77	1	+14.379	15
9792	9817	Lacaille 8718.....	7	21. 3. 15.09	38.73	3	+ 4.581	- 58. 18. 22.36	38.73	3	+14.382	...	8718	...
9793	9818	3 Piscis Australis.....	6	21. 3. 29.60	32.78	5	+ 3.573	- 28. 17. 10.76	32.74	6	+14.397	2753	8731	12
9794	9819	Lacaille 8727.....	6.7	21. 3. 56.36	39.10	3	+ 4.351	- 53. 56. 53.70	39.10	3	+14.424	...	8727	...
9795	9820	Piazzi XXI. 16.....	9.10	21. 4. 0.77	37.61	2	+ 3.200	- 7. 49.	+14.429	16
9796	9821	Piazzi XXI. 14.....	7.8	21. 4. 5.68	40.01	4	+ 3.615	- 30. 20. 12.20	39.44	5	+14.434	14
9797	9822	Piazzi XXI. 19.....	7.8	21. 4. 15.66	37.02	2	+ 2.890	+ 11. 6. 32.56	37.12	2	+14.444	19
9798	9823	Piazzi XXI. 22.....	7.8	21. 4. 16.79	37.24	2	+ 2.602	+ 26. 52. 56.17	37.19	2	+14.445	22
9799	9824	Piazzi XXI. 23.....	8	21. 4. 21.33	37.26	2	+ 2.680	+ 22. 54. 47.05	37.26	2	+14.449	23
9800	9825	Piazzi XXI. 21.....	7	21. 4. 24.78	35.80	3	+ 3.040	+ 1. 58. 11.05	35.73	3	+14.453	21

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
9801	9826	Bradley 2757	8	21. 4. 31'19	37'27	2	+ 2'690	+ 22. 24. 36'46	37'28	2	+14'460	2757	...	25
9802	9827	Lacaille 8740	7.8	21. 4. 32'44	35'77	3	+ 3'463	- 22. 53. 16'30	35'00	4	+14'461	...	8740	18
9803	9828	Piazzi XXI. 20	7.8	21. 4. 34'69	37'42	3	+ 3'423	- 20. 45. 53'51	37'19	2	+14'463	20
9804	9829	Lacaille 8737	7	21. 4. 36'97	35'52	3	+ 3'883	- 41. 11. 1'64	35'71	3	+14'466	...	8737	17
9805	9830	Piazzi XXI. 26	7	21. 4. 46'06	35'82	2	+ 2'558	+ 29. 2. 19'17	35'04	4	+14'475	26
9806	9831	Piazzi XXI. 24	7.8	21. 4. 46'57	37'73	1	+ 3'179	- 6. 35. 11'10	37'29	2	+14'476	24
9807	9832	Piazzi XXI. 30	7	21. 5. 4'63	35'81	2	+ 2'282	+ 40. 30. 48'09	35'39	3	+14'493	30
9808	9833	Piazzi XXI. 32	6	21. 5. 9'65	37'20	2	+ 1'850	+ 52. 53. 30'24	37'71	2	+14'498	32
9809	9834	Piazzi XXI. 29	8	21. 5. 22'55	38'66	5	+ 2'900	+ 10. 32. 11'66	39'00	4	+14'511	29
9810	9835	Piazzi XXI. 28	8.9	21. 5. 34'27	37'10	2	+ 3'435	- 21. 27. 44'01	37'24	3	+14'524	28
9811	9836	Piazzi XXI. 27	7	21. 5. 35'22	36'77	1	+ 3'454	- 22. 29. 37'14	37'14	2	+14'525	27
9812	9837	Piazzi XXI. 31	6.7	21. 5. 43'29	35'54	2	+ 2'820	+ 15. 18. 25'26	35'19	5	+14'533	31
9813	9838	64 Cygni	5	21. 5. 54'95	32'35	7	+ 2'550	+ 29. 33. 13'20	32'98	14	+14'545	2760	...	35
9814	9839	Piazzi XXI. 34	7	21. 6. 8'34	33'53	7	+ 3'198	- 7. 45. 54'61	33'62	6	+14'558	34
9815	9840	28 Capricorni	6	21. 6. 13'82	33'36	9	+ 3'431	- 21. 19. 54'50	32'82	4	+14'564	2758	...	33
9816	9841	Piazzi XXI. 36	9	21. 6. 14'52	37'45	2	+ 2'901	+ 10. 30. 30'56	37'44	2	+14'565	36
9817	9842	7 Equulei	4.5	21. 6. 26'73	33'86	8	+ 2'921	+ 9. 20. 31'85	33'19	12	+14'577	2761	...	38
9818	9843	Lacaille 8743	7.8	21. 6. 36'17	38'79	2	+ 4'143	- 49. 23. 52'66	38'77	3	+14'587	...	8743	...
9819	9844	29 Capricorni	5	21. 6. 36'65	32'68	5	+ 3'333	- 15. 51. 8'42	32'79	5	+14'587	2759	...	37
9820	9845	Piazzi XXI. 43	6	21. 6. 49'07	35'82	2	+ 2'407	+ 35. 57. 19'65	34'98	4	+14'600	43
9821	9846	Piazzi XXI. 39	8	21. 6. 57'18	36'76	3	+ 3'231	- 9. 48. 7'86	36'03	8	+14'607	39
9822	9847	Piazzi XXI. 40	8	21. 7. 2'62	37'26	2	+ 3'235	- 10. 4. 21'60	37'27	2	+14'613	40
9823	9848	Piazzi XXI. 41	7	21. 7. 17'88	36'77	1	+ 3'421	- 20. 51. 16'49	37'28	2	+14'628	41
9824	9849	14 Aquarii	7	21. 7. 26'12	35'60	3	+ 3'231	- 9. 53. 49'86	35'07	4	+14'636	2763	...	44
9825	9850	Lacaille 8758	7	21. 7. 29'83	37'73	1	+ 3'631	- 31. 25. 45'51	37'77	2	+14'640	...	8758	42
9826	9851	8 Equulei	4.5	21. 7. 34'40	33'59	6	+ 2'999	+ 4. 34. 11'13	31'66	6	+14'644	2764	...	47
9827	9852	Piazzi XXI. 51	6.7	21. 7. 35'77	37'47	1	+ 1'533	+ 59. 18.	+14'646	51
9828	9853	Piazzi XXI. 45	7	21. 7. 38'02	35'70	3	+ 3'230	- 9. 50. 29'58	34'73	3	+14'648	45
9829	9854	4 Piscis Australis	5	21. 7. 55'30	31'71	5	+ 3'661	- 32. 51. 24'19	31'73	5	+14'665	2762	8761	46
9830	9855	Piazzi XXI. 50	7	21. 7. 59'42	35'82	2	+ 2'294	+ 40. 27. 54'51	35'39	3	+14'669	50
9831	9856	Piazzi XXI. 48	7	21. 8. 2'14	37'29	2	+ 2'911	+ 10. 0. 12'02	37'19	3	+14'672	48
9832	9857	Indi	5.6	21. 8. 3'62	38'80	3	+ 4'333	- 54. 8. 5'88	38'79	3	+14'674	...	8753	...
9833	9858	Piazzi XXI. 49	8	21. 8. 8'13	37'27	2	+ 2'907	+ 10. 14. 51'16	37'42	3	+14'678	49
9834	9859	65 Cygni	5	21. 8. 12'38	32'46	4	+ 2'377	+ 37. 20. 37'75	32'41	5	+14'682	2767	...	54
9835	9860	Lacaille 8759	7	21. 8. 14'28	39'22	4	+ 4'074	- 47. 44. 26'45	39'39	3	+14'684	...	8759	...
9836	9861	Piazzi XXI. 53	7.8	21. 8. 31'74	37'29	3	+ 2'999	+ 4. 34. 5'07	37'53	4	+14'702	53
9837	9862	Piazzi XXI. 61	7.8	21. 8. 34'99	37'32	2	+ 1'533	+ 59. 25. 10'73	37'46	1	+14'705	61
9838	9863	77 Draconis	6	21. 8. 38'77	39'31	6	- 1'014	+ 77. 27. 21'09	39'94	5	+14'709	2777	...	72
9839	9864	30 Capricorni	6	21. 8. 41'57	33'36	5	+ 3'379	- 18. 40. 17'52	33'45	6	+14'711	2765	...	52
9840	9865	31 Capricorni	6.7	21. 9. 1'13	33'72	5	+ 3'369	- 18. 8. 59'01	33'68	4	+14'730	2766	...	56

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9841	9866	Piazzi XXI. 58.	7	^{h m s} 21. 9. 1.99	35.85	1	^s + 2.636	^{° ' "} + 25. 39. 53.87	35.71	3	["] +14.731	58
9842	9867	Piazzi XXI. 57.	6.7	21. 9. 4.31	35.72	2	+ 3.421	- 21. 1. 18.50	35.01	4	+14.733	57
9843	9868	Piazzi XXI. 55.	7	21. 9. 8.36	37.70	1	+ 3.584	- 29. 27. 4.64	37.23	2	+14.737	55
9844	9869	Piazzi XXI. 63.	7	21. 9. 10.32	41.22	4	+ 2.274	+ 41. 20. 13.18	40.49	5	+14.739	63
9845	9870	Piazzi XXI. 62.	8.9	21. 9. 26.51	37.73	1	+ 2.773	+ 18. 16. 35.38	37.22	3	+14.755	62
9846	9871	Piazzi XXI. 59.	7.8	21. 9. 30.26	37.79	1	+ 3.280	- 12. 57. 7.84	37.44	1	+14.758	59
9847	9872	15 Aquarii.	7	21. 9. 31.32	35.72	2	+ 3.154	- 5. 12. 30.37	35.00	4	+14.759	2768	...	60
9848	9873	Piazzi XXI. 66.	7	21. 10. 4.69	33.75	6	+ 3.346	- 16. 52. 6.24	32.75	5	+14.793	66
9849	9874	Lacaille 8776.	7.8	21. 10. 8.87	37.42	2	+ 3.550	- 27. 53. 57.87	37.43	2	+14.797	...	8776	65
9850	9875	Microscopii. ⁶¹	7	21. 10. 10.75	35.38	3	+ 3.871	- 41. 30. 6.16	35.40	3	+14.799	...	8773	64
9851	9876	Piazzi XXI. 67.	7.8	21. 10. 15.09	37.55	2	+ 2.797	+ 16. 56. 21.09	37.44	3	+14.803	67
9852	9877	Piazzi XXI. 68.	7	21. 10. 30.76	39.58	5	+ 2.941	+ 8. 16. 18.29	37.26	2	+14.818	68
9853	9878	Piazzi XXI. 69.	7.8	21. 10. 42.89	37.77	1	+ 2.796	+ 17. 1. 53.37	37.42	2	+14.830	69
9854	9879	Piazzi XXI. 73.	8	21. 10. 51.48	36.68	1	+ 2.792	+ 17. 17. 57.78	37.70	2	+14.839	73
9855	9880	Piazzi XXI. 71.	6.7	21. 10. 52.56	35.40	3	+ 2.905	+ 10. 30. 43.91	34.97	4	+14.840	71
9856	9881	67 Cygni. ^σ	4.5	21. 10. 56.14	31.75	9	+ 2.352	+ 38. 42. 22.04	31.95	6	+14.844	2769	...	74
9857	9882	Piazzi XXI. 70.	7.8	21. 10. 58.84	36.80	1	+ 3.169	- 6. 10. 40.55	37.72	2	+14.846	70
9858	9883	66 Cygni. ^υ	4.5	21. 11. 8.15	32.75	3	+ 2.462	+ 34. 12. 27.85	31.80	5	+14.855	2770	...	76
9859	9884	Piazzi XXI. 83.	7	21. 11. 25.48	35.79	3	+ 1.227	+ 64. 3. 54.01	35.03	3	+14.872	83
9860	9885	Piazzi XXI. 77.	7	21. 11. 30.34	37.12	2	+ 2.796	+ 17. 8. 0.56	37.21	2	+14.877	77
9861	9886	Piazzi XXI. 75.	7	21. 11. 40.14	35.57	2	+ 3.425	- 21. 30. 45.32	34.73	3	+14.886	75
9862	9887	Piazzi XXI. 80.	7.8	21. 11. 56.44	37.29	2	+ 2.575	+ 29. 3. 5.13	37.29	2	+14.902	80
9863	9888	Piazzi XXI. 88.	7	21. 11. 56.89	35.80	3	+ 0.698	+ 69. 20. 33.92	34.98	3	+14.903	88
9864	9889	Piazzi XXI. 78.	7.8	21. 12. 0.63	37.21	2	+ 3.586	- 29. 51. 39.02	37.19	3	+14.907	78
9865	9890	Piazzi XXI. 79.	8	21. 12. 7.17	37.27	2	+ 3.105	- 2. 9. 0.83	37.25	2	+14.913	79
9866	9891	Piazzi XXI. 86.	7.8	21. 12. 18.14	36.78	1	+ 1.791	+ 55. 6. 24.09	37.28	2	+14.924	86
9867	9892	16 Aquarii.	6	21. 12. 25.22	36.25	7	+ 3.154	- 5. 15. 22.15	36.26	8	+14.931	2771	...	81
9868	9893	Piazzi XXI. 82.	7.8	21. 12. 32.49	37.22	2	+ 3.251	- 12. 9. 7.39	37.38	3	+14.938	82
9869	9894	Lacaille 8784.	8	21. 12. 33.81	38.74	3	+ 4.497	- 57. 57. 19.65	38.74	3	+14.939	...	8784	...
9870	9895	Pavonis. ^γ	3	21. 12. 42.77	33.77	5	+ 5.084	- 66. 6. 21.07	32.41	5	+14.948	...	8778	...
9871	9896	9 Equulei.	6	21. 12. 54.99	33.82	5	+ 2.968	+ 6. 39. 33.04	33.60	5	+14.959	2774	...	85
9872	9897	32 Capricorni. ^δ	5	21. 13. 3.12	32.24	5	+ 3.353	- 17. 31. 56.42	32.77	5	+14.967	2772	...	84
9873	9898	Bradley 2773.	7	21. 13. 7.12	33.78	4	+ 3.229	- 10. 1. 25.53	33.70	7	+14.971	2773
9874	9899	Lacaille 8788.	7.8	21. 13. 20.44	38.72	3	+ 4.036	- 47. 18. 54.48	38.72	3	+14.984	...	8788	...
9875	9900	Lacaille 8794.	6	21. 13. 32.31	33.66	4	+ 3.456	- 23. 22. 8.54	33.81	3	+14.995	...	8794	87
9876	9901	Piazzi XXI. 90.	7.8	21. 13. 44.55	37.21	3	+ 3.015	+ 3. 38. 50.01	36.74	1	+15.007	90
9877	9902	Microscopii. ^θ	6	21. 13. 52.07	35.64	3	+ 3.862	- 41. 42. 31.84	34.96	4	+15.014	...	8793	89
9878	9903	Piazzi XXI. 94.	7	21. 13. 55.54	37.28	2	+ 2.711	+ 22. 11. 30.95	37.23	3	+15.018	94
9879	9904	Piazzi XXI. 91.	7.8	21. 13. 56.11	36.98	3	+ 3.013	+ 3. 47. 22.65	37.36	4	+15.018	91
9880	9905	17 Aquarii.	6	21. 14. 5.26	32.84	5	+ 3.228	- 10. 1. 5.23	33.68	3	+15.027	2776	...	92

{cel}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9881	9906	Piazzi XXI. 95	8	21. 14. 12.65	38.97	6	+ 3.138	- 4. 14. 44.02	39.18	6	+15.034	95
9882	9907	Lacaille 8800	7	21. 14. 20.20	33.64	6	+ 3.502	- 25. 54. 11.89	32.83	3	+15.041	...	8800	93
9883	9908	Indi	5	21. 14. 26.32	36.10	5	+ 4.352	- 55. 22. 1.47	35.86	8	+15.047	...	8792	...
9884	9909	1 Pegasi	4	21. 14. 27.44	34.96	6	+ 2.766	+ 19. 6. 6.42	32.84	8	+15.048	2780	...	100
9885	9910	Piazzi XXI. 103	8.9	21. 14. 33.06	37.18	2	+ 2.695	+ 23. 7. 32.26	37.61	1	+15.054	103
9886	9911	5 Cephei	3	21. 14. 38.06	32.88	15	+ 1.419	+ 61. 53. 17.21	32.86	21	+15.059	2786	...	105
9887	9912	Lacaille 8801	7.8	21. 14. 38.75	37.11	2	+ 3.508	- 26. 15. 45.31	37.11	2	+15.060	...	8801	96
9888	9913	Lacaille 8802	6.7	21. 14. 40.79	35.71	3	+ 3.455	- 23. 26. 57.48	34.99	4	+15.062	...	8802	97
9889	9914	10 Equulei	5.6	21. 14. 42.15	32.76	5	+ 2.977	+ 6. 6. 34.86	33.79	5	+15.063	2779	...	102
9890	9915	33 Capricorni	6	21. 14. 47.54	33.70	3	+ 3.420	- 21. 32. 54.51	33.28	6	+15.068	2778	...	99
9891	9916	Lacaille 8803	7	21. 14. 47.88	40.28	7	+ 3.486	- 25. 7. 25.59	40.29	7	+15.068	...	8803	98
9892	9917	Piazzi XXI. 101	8.9	21. 14. 53.60	37.26	2	+ 3.465	- 23. 59. 36.14	37.54	3	+15.074	101
9893	9918	18 Aquarii	6	21. 15. 10.33	33.39	5	+ 3.285	- 13. 34. 54.21	32.83	5	+15.090	2781	...	104
9894	9919	Lacaille 8805	7.8	21. 15. 42.04	38.77	3	+ 4.006	- 46. 46. 10.30	38.77	3	+15.121	...	8805	...
9895	9920	Piazzi XXI. 106	9	21. 15. 43.68	36.93	3	+ 3.266	- 12. 28. 58.64	37.20	3	+15.123	106
9896	9921	6 Cephei	5	21. 15. 56.14	31.70	4	+ 1.259	+ 64. 10. 27.07	31.84	5	+15.134	2788	...	117
9897	9922	Lacaille 8808	6.7	21. 16. 3.05	38.73	3	+ 3.770	- 38. 32. 10.98	38.76	3	+15.141	...	8808	...
9898	9923	Lacaille 8812	8	21. 16. 13.40	37.05	2	+ 3.498	- 25. 56. 40.34	37.08	2	+15.151	...	8812	108
9899	9924	20 Aquarii	6.7	21. 16. 15.52	35.52	3	+ 3.135	- 4. 6. 7.03	34.98	4	+15.153	2783	...	109
9900	9925	19 Aquarii	6	21. 16. 20.78	33.75	3	+ 3.233	- 10. 26. 48.35	33.13	6	+15.158	2782	...	110
9901	9926	Piazzi XXI. 116	7.8	21. 16. 23.09	41.04	3	+ 2.331	+ 40. 13. 50.14	39.99	4	+15.160	116
9902	9927	Lacaille 8809	5.6	21. 16. 25.07	35.63	3	+ 3.896	- 43. 15. 25.71	35.04	4	+15.162	...	8809	107
9903	9928	Piazzi XXI. 114	6	21. 16. 33.04	33.83	1	+ 2.691	+ 23. 34. 8.01	32.77	5	+15.169	114
9904	9929	Piazzi XXI. 112	7.8	21. 16. 33.87	37.23	2	+ 3.113	- 2. 41. 40.00	37.44	3	+15.170	112
9905	9930	Lacaille 8814	8	21. 16. 36.03	37.12	2	+ 3.483	- 25. 11. 25.95	37.22	2	+15.172	...	8814	111
9906	9931	Lacaille 8807	7.8	21. 16. 39.84	39.24	2	+ 4.233	- 54. 0. 46.92	39.09	3	+15.176	...	8807	...
9907	9932	21 Aquarii	6	21. 16. 40.63	32.80	5	+ 3.137	- 4. 15. 36.91	33.68	5	+15.177	2784	...	113
9908	9933	Piazzi XXI. 115	7.8	21. 16. 59.78	35.40	3	+ 3.419	- 21. 42. 26.02	35.08	4	+15.195	115
9909	9934	34 Capricorni	4	21. 17. 14.17	31.71	4	+ 3.444	- 23. 7. 17.48	31.73	6	+15.209	2785	8815	118
9910	9935	Piazzi XXI. 120	6	21. 17. 14.69	32.87	4	+ 2.657	+ 25. 28. 4.23	32.75	5	+15.209	120
9911	9936	Piazzi XXI. 124	9	21. 17. 19.19	37.12	2	+ 1.749	+ 56. 37. 49.95	37.30	2	+15.214	124
9912	9937	Lacaille 8811	6.7	21. 17. 19.91	39.04	3	+ 4.290	- 54. 25. 2.39	39.04	3	+15.215	...	8811	...
9913	9938	Piazzi XXI. 137	7	21. 17. 22.99	41.10	3	- 0.507	+ 76. 18. 59.99	40.74	5	+15.217	137
9914	9939	Piazzi XXI. 119	7.8	21. 17. 27.13	35.71	3	+ 3.270	- 12. 47. 39.54	35.81	6	+15.221	119
9915	9940	Piazzi XXI. 121	8	21. 17. 51.10	37.07	2	+ 3.542	- 28. 26. 11.26	37.23	3	+15.243	121
9916	9941	35 Capricorni	6	21. 17. 53.12	32.73	5	+ 3.421	- 21. 54. 19.51	32.82	5	+15.245	2787	...	122
9917	9942	Piazzi XXI. 133	7	21. 18. 7.63	35.78	3	+ 1.318	+ 63. 39. 36.29	35.39	3	+15.259	133
9918	9943	Piazzi XXI. 123	7.8	21. 18. 10.42	37.23	2	+ 3.404	- 20. 55. 11.98	37.10	2	+15.262	123
9919	9944	Piazzi XXI. 125	8	21. 18. 21.63	37.10	2	+ 3.293	- 14. 17. 57.37	37.24	3	+15.273	125
9920	9945	Piazzi XXI. 126	7	21. 18. 41.80	35.72	2	+ 3.262	- 12. 22. 32.56	35.07	4	+15.292	126

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccli}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
9921	9946	Brisbane 7027	8	21. 18. 47.09	39.13	3	+ 4.577	- 60. 7. 24.18	39.13	3	+15.296
9922	9947	Piazzi XXI. 127	8.9	21. 18. 48.11	38.95	3	+ 3.429	- 22. 25. 36.46	39.41	5	+15.297	127
9923	9948	Piazzi XXI. 142	7	21. 18. 54.19	35.76	3	+ 1.337	+ 63. 31. 10.90	35.03	3	+15.303	142
9924	9949	Lacaille 8820	7	21. 18. 58.64	42.78	1	+ 4.433	- 57. 36. 13.17	42.78	1	+15.307	...	8820	...
9925	9950	Piazzi XXI. 128	8.9	21. 18. 59.09	39.31	5	+ 3.294	- 14. 24. 30.50	39.08	6	+15.308	128
9926	9951	69 Cygni	6.7	21. 19. 2.67	35.74	3	+ 2.446	+ 35. 57. 27.64	35.69	3	+15.312	2791	...	136
9927	9952	Piazzi XXI. 141	7	21. 19. 6.06	41.53	4	+ 1.730	+ 57. 14. 1.32	40.28	4	+15.315	141
9928	9953	Piazzi XXI. 130	7	21. 19. 7.81	37.21	2	+ 3.265	- 12. 38. 34.43	37.46	3	+15.316	130
9929	9954	Piazzi XXI. 131	9.10	21. 19. 10.70	36.77	1	+ 3.268	- 12. 48. 1.21	37.43	1	+15.319	131
9930	9955	5 Piscis Australis	7	21. 19. 11.42	35.75	3	+ 3.610	- 31. 57. 10.05	34.99	4	+15.320	2789	8825	129
9931	9956	Bradley 2792	7	21. 19. 16.08	42.77	2	+ 2.179	+ 46. 0. 8.77	42.75	3	+15.324	2792	...	140
9932	9957	Piazzi XXI. 134	7.8	21. 19. 17.44	35.77	4	+ 3.260	- 12. 16. 45.87	35.01	4	+15.326	134
9933	9958	36 Capricorni	5.6	21. 19. 18.41	34.01	10	+ 3.429	- 22. 31. 15.14	32.76	5	+15.327	2790	...	132
9934	9959	Piazzi XXI. 135	8	21. 19. 20.56	40.01	4	+ 3.119	- 3. 8. 25.90	40.74	5	+15.328	135
9935	9960	Piazzi XXI. 146	8	21. 19. 44.50	39.13	3	+ 1.637	+ 59. 3. 2.74	40.27	2	+15.351	146
9936	9961	Piazzi XXI. 138.	7.8	21. 19. 44.93	40.05	4	+ 3.122	- 3. 19. 25.10	39.02	6	+15.351	138
9937	9962	Piazzi XXI. 139	7	21. 19. 46.46	37.27	2	+ 3.126	- 3. 35. 55.40	37.43	3	+15.353	139
9938	9963	35 Vulpecula	6	21. 20. 24.24	36.09	4	+ 2.637	+ 26. 53. 34.71	35.32	5	+15.387	2793	...	149
9939	9964	Piazzi XXI. 143	8.9	21. 20. 31.44	37.40	3	+ 3.267	- 12. 47. 42.93	37.22	2	+15.394	143
9940	9965	Lacaille 8826	8	21. 20. 35.11	39.04	3	+ 4.582	- 60. 25. 13.86	39.04	3	+15.398	...	8826	...
9941	9966	Piazzi XXI. 144	8.9	21. 20. 37.82	36.92	3	+ 3.297	- 14. 44. 27.17	37.12	2	+15.400	144
9942	9967	70 Cygni	6	21. 20. 37.94	35.66	3	+ 2.440	+ 36. 24. 8.36	35.04	4	+15.400	150
9943	9968	Piazzi XXI. 145	7	21. 20. 43.53	33.58	6	+ 3.381	- 19. 51. 48.79	32.74	5	+15.405	145
9944	9969	Piazzi XXI. 147	8	21. 20. 53.16	40.14	7	+ 3.474	- 25. 8. 42.73	40.32	7	+15.414	147
9945	9970	Lacaille 8832	7	21. 20. 53.55	32.81	5	+ 3.488	- 25. 54. 39.10	32.82	5	+15.414	...	8832	148
9946	9971	Piazzi XXI. 151	8	21. 20. 53.68	37.27	2	+ 2.638	+ 26. 51. 46.07	37.72	2	+15.414	151
9947	9972	Piazzi XXI. 153	6.7	21. 21. 5.54	37.27	2	+ 2.548	+ 31. 30. 23.13	37.08	2	+15.426	153
9948	9973	Piazzi XXI. 156	6.7	21. 21. 18.88	40.02	4	+ 1.972	+ 52. 11. 1.75	37.00	3	+15.439	156
9949	9974	Piazzi XXI. 157	7.8	21. 21. 27.44	36.11	3	+ 2.198	+ 45. 42. 2.42	35.73	1	+15.447	157
9950	9975	Lacaille 8833	5	21. 21. 37.34	35.40	3	+ 3.837	- 41. 54. 5.67	35.03	4	+15.456	...	8833	152
9951	9976	Piazzi XXI. 154	7	21. 21. 37.78	33.70	6	+ 3.359	- 15. 0. 34.04	32.84	5	+15.456	154
9952	9977	Piazzi XXI. 159	7	21. 21. 51.45	35.80	4	+ 2.195	+ 45. 50. 41.92	35.26	2	+15.469	159
9953	9978	Piazzi XXI. 158	7.8	21. 22. 9.42	35.77	1	+ 3.380	- 19. 57. 30.25	35.08	4	+15.486	158
9954	9979	6 Piscis Australis	7	21. 22. 14.86	35.64	3	+ 3.659	- 34. 40. 0.47	34.96	4	+15.491	2794	8837	155
9955	9980	2 Pegasi	5.6	21. 22. 28.69	32.65	7	+ 2.713	+ 22. 55. 7.77	32.78	5	+15.504	2798	...	160
9956	9982	Piazzi XXI. 166	6.7	21. 22. 51.86	39.29	4	+ 1.661	+ 59. 2. 2.24	34.99	4	+15.525	166
9957	9981	22 Aquarii	3	21. 22. 52.20	33.37	17	+ 3.165	- 6. 17. 35.06	32.73	13	+15.525	2797	...	162
9958	9983	Piazzi XXI. 163	8.9	21. 22. 54.86	37.23	3	+ 3.000	+ 4. 51. 29.07	36.97	3	+15.528	163
9959	9984	Lacaille 8843	6	21. 23. 2.45	32.73	7	+ 3.472	- 25. 18. 50.67	32.78	5	+15.535	...	8843	161
9960	9985	Piazzi XXI. 173	7.8	21. 23. 11.82	39.25	4	+ 0.779	+ 69. 45. 41.19	40.46	3	+15.544	173

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
9961	9986	71 Cygni	5	21. 23. 21.96	31.73	4	+ 2.203	+ 45. 48. 56.14	32.52	8	+15.553	2799	...	168
9962	9987	Piazzi XXI. 170	8	21. 23. 41.29	37.70	1	+ 1.881	+ 54. 41. 56.68	36.77	1	+15.571	170
9963	9988	Piazzi XXI. 167	8	21. 23. 47.54	39.45	4	+ 3.176	- 7. 1. 56.69	38.35	4	+15.576	167
9964	9989	Piazzi XXI. 164	8.9	21. 23. 49.05	39.45	5	+ 3.532	- 28. 36. 47.14	39.42	5	+15.578	164
9965	9990	Piazzi XXI. 165	8	21. 23. 53.21	40.95	3	+ 3.402	- 21. 24. 6.28	39.41	5	+15.582	165
9966	9991	Piazzi XXI. 174	7	21. 24. 21.95	37.22	2	+ 2.714	+ 23. 7. 13.76	37.29	2	+15.608	174
9967	9992	Piazzi XXI. 183	8	21. 24. 25.69	41.15	3	+ 1.191	+ 65. 56. 20.84	37.41	2	+15.610	183
9968	9993	Piazzi XXI. 169	8.9	21. 24. 29.10	38.25	5	+ 3.530	- 28. 37. 30.73	37.37	4	+15.614	169
9969	9994	Piazzi XXI. 171	6.7	21. 24. 33.00	35.72	2	+ 3.327	- 16. 55. 24.14	34.96	4	+15.619	171
9970	9995	7 Cephei	6	21. 24. 34.20	36.09	3	+ 1.179	+ 66. 5. 25.14	35.03	4	+15.620	2805	...	185
9971	9996	Piazzi XXI. 172	8.9	21. 24. 34.20	36.68	2	+ 3.284	- 14. 10. 36.52	34.96	6	+15.620	172
9972	9998	Piazzi XXI. 178	7.8	21. 24. 56.83	37.28	2	+ 2.722	+ 22. 40. 8.31	37.24	2	+15.640	178
9973	9997	Piazzi XXI. 175	8.9	21. 24. 56.90	38.63	3	+ 3.176	- 7. 5. 57.47	39.70	2	+15.640	175
9974	9999	Piazzi XXI. 176	8.9	21. 25. 5.77	39.34	5	+ 3.162	- 6. 8. 38.07	39.03	4	+15.648	176
9975	10000	Piazzi XXI. 177	6.7	21. 25. 16.35	34.07	7	+ 3.284	- 14. 12. 44.59	32.72	3	+15.658	177
9976	10001	Lacaille 8847	8	21. 25. 21.18	38.71	3	+ 4.125	- 51. 34. 4.13	38.71	3	+15.663	...	8847	...
9977	10002	Brisbane 7046	7.8	21. 25. 23.09	38.77	3	+ 4.146	- 52. 7. 56.12	38.77	3	+15.665
9978	10003	Piazzi XXI. 182	8.9	21. 25. 27.99	37.25	2	+ 3.079	- 0. 30. 14.46	37.10	2	+15.669	182
9979	10004	Piazzi XXI. 179	8	21. 25. 34.45	37.44	1	+ 3.395	- 21. 10. 25.65	37.23	3	+15.675	179
9980	10005	37 Capricorn	7	21. 25. 34.54	32.86	6	+ 3.389	- 20. 48. 53.85	32.75	5	+15.675	2800	...	180
9981	10006	38 Capricorni	7	21. 25. 37.68	33.38	5	+ 3.392	- 20. 58. 45.90	32.83	5	+15.678	2801	...	181
9982	10007	Lacaille 8851	7	21. 25. 49.15	32.82	5	+ 3.446	- 24. 11. 3.17	32.87	5	+15.688	...	8851	184
9983	10008	Piazzi XXI. 186	8	21. 25. 53.90	37.28	2	+ 3.216	- 9. 48. 57.33	37.27	2	+15.693	186
9984	10009	Piazzi XXI. 187	8	21. 26. 4.67	37.81	1	+ 3.374	- 19. 58. 28.92	37.77	2	+15.702	187
9985	10010	Piazzi XXI. 191	7	21. 26. 13.72	37.79	2	+ 2.334	+ 41. 34. 13.18	36.85	1	+15.710	191
9986	10011	Piazzi XXI. 194	7.8	21. 26. 16.49	38.06	3	+ 1.705	+ 58. 41. 28.04	36.74	4	+15.713	194
9987	10012	8 Cephei	3	21. 26. 29.99	32.41	3	+ 0.811	+ 69. 50. 15.29	33.00	16	+15.725	2811	...	198
9988	10013	8 Piscis Australis	5.6	21. 26. 36.26	32.74	5	+ 3.493	- 26. 54. 10.47	32.81	5	+15.731	2802	8853	188
9989	10014	Piazzi XXI. 190	6.7	21. 26. 40.71	35.52	3	+ 3.140	- 4. 42. 54.39	34.99	4	+15.735	190
9990	10015	7 Piscis Australis	7	21. 26. 53.10	35.40	3	+ 3.626	- 33. 46. 53.35	35.07	4	+15.746	2803	8855	189
9991	10016	Piazzi XXI. 196	7.8	21. 26. 53.25	35.82	4	+ 2.429	+ 37. 47. 55.37	42.67	1	+15.746	196
9992	10017	Piazzi XXI. 192	7.8	21. 26. 58.92	37.79	1	+ 3.068	+ 0. 14. 49.80	37.79	1	+15.751	192
9993	10018	Piazzi XXI. 195	7	21. 27. 1.97	35.78	2	+ 2.736	+ 22. 1. 33.55	35.68	3	+15.754	195
9994	10019	Piazzi XXI. 193	7.8	21. 27. 10.58	37.27	4	+ 3.359	- 19. 7. 31.75	37.72	2	+15.761	193
9995	10020	Piazzi XXI. 205	8.9	21. 27. 38.85	42.74	1	+ 1.707	+ 58. 50. 34.38	40.26	2	+15.787	205
9996	10021	73 Cygni	5	21. 27. 46.68	32.09	7	+ 2.252	+ 44. 51. 52.02	32.30	7	+15.794	2810	...	202
9997	10022	39 Capricorni	5	21. 27. 50.10	32.13	9	+ 3.375	- 20. 12. 4.95	31.66	5	+15.797	2806	...	197
9998	10023	Piazzi XXI. 200	7	21. 27. 59.45	37.43	1	+ 2.710	+ 23. 43. 9.71	37.07	2	+15.805	200
9999	10024	72 Cygni	5	21. 28. 2.31	35.81	1	+ 2.434	+ 37. 47. 49.61	34.77	6	+15.808	2809	...	203
10000	10025	Piazzi XXI. 199	7	21. 28. 8.76	37.42	3	+ 3.358	- 19. 10. 20.00	37.20	3	+15.814	199

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10001	10026	Lacaille 8856	6.7	21. 28. 9.80	39.88	9	+ 4.397	- 58. 10. 43.37	40.57	5	+15.815	...	8856	...
10002	10027	Piazzi XXI. 201	7.8	21. 28. 23.72	38.75	4	+ 3.370	- 19. 58. 1.59	37.59	5	+15.827	201
10003	10028	Lacaille 8857	7.8	21. 28. 26.88	39.06	3	+ 4.135	- 52. 18. 39.20	39.06	3	+15.829	...	8857	...
10004	10029	Piazzi XXI. 210	8	21. 28. 37.22	36.79	1	+ 2.593	+ 30. 16. 29.15	37.39	3	+15.840	210
10005	10030	Piazzi XXI. 208	8	21. 28. 39.91	39.13	6	+ 2.999	+ 5. 5. 2.97	40.81	3	+15.842	208
10006	10031	Lacaille 8863	8	21. 28. 40.02	39.47	5	+ 3.475	- 26. 10. 56.46	39.38	5	+15.843	...	8863	204
10007	10032	Lacaille 8859	7	21. 28. 40.65	39.13	3	+ 4.164	- 53. 5. 56.04	39.13	3	+15.843	...	8859	...
10008	10033	Piazzi XXI. 206	7.8	21. 28. 42.10	37.26	2	+ 3.322	- 16. 59. 22.30	37.11	2	+15.845	206
10009	10034	Brisbane 7053	8	21. 28. 43.49	39.03	3	+ 4.093	- 51. 13. 44.15	39.03	3	+15.846
10010	10035	Lacaille 8858	6.7	21. 28. 51.88	39.46	3	+ 4.309	- 56. 28. 43.53	39.46	3	+15.853	...	8858	...
10011	10036	Piazzi XXI. 207	8.9	21. 28. 53.93	37.10	2	+ 3.519	- 28. 37. 52.06	37.13	2	+15.855	207
10012	10037	23 Aquarii	5	21. 28. 57.94	32.36	10	+ 3.196	- 8. 35. 23.67	31.81	5	+15.858	2808	...	209
10013	10038	Piazzi XXI. 211	8	21. 29. 0.05	40.76	1	+ 2.999	+ 5. 6. 57.97	36.31	4	+15.860	211
10014	10039	Piazzi XXI. 215	7	21. 29. 3.06	35.72	2	+ 2.612	+ 29. 19. 1.26	34.75	3	+15.863	215
10015	10040	Piazzi XXI. 212	7	21. 29. 10.95	35.85	2	+ 3.301	- 15. 38. 56.30	35.74	3	+15.869	212
10016	10041	Piazzi XXI. 213	7	21. 29. 12.23	35.85	1	+ 3.016	+ 3. 56. 43.80	35.11	4	+15.870	213
10017	10042	Piazzi XXI. 214	7.8	21. 29. 25.80	35.82	1	+ 3.331	- 17. 36. 1.87	35.76	3	+15.882	214
10018	10043	Piazzi XXI. 216	8	21. 29. 30.09	37.41	3	+ 2.988	+ 5. 53. 30.06	37.22	3	+15.886	216
10019	10044	3 Pegasi	6	21. 29. 30.57	32.85	6	+ 2.988	+ 5. 52. 49.88	32.77	5	+15.887	2812	...	217
10020	10045	Piazzi XXI. 221	8	21. 29. 33.89	42.79	2	+ 1.596	+ 61. 3. 56.62	42.79	2	+15.891	221
10021	10046	5 Pegasi	5.6	21. 30. 2.38	33.13	6	+ 2.797	+ 18. 34. 48.24	32.73	5	+15.915	2814	...	219
10022	10047	Piazzi XXI. 218	8.9	21. 30. 14.85	39.73	4	+ 3.287	- 14. 47. 54.61	37.23	3	+15.926	218
10023	10048	4 Pegasi	5	21. 30. 16.08	33.89	6	+ 3.000	+ 5. 1. 51.13	33.43	8	+15.927	2813	...	220
10024	10049	74 Cygni	6	21. 30. 20.46	37.46	4	+ 2.398	+ 39. 40. 29.88	37.47	4	+15.930	2818	...	222
10025	10050	Brisbane 7056	8.9	21. 30. 25.16	39.77	4	+ 4.390	- 58. 21. 30.01	40.10	3	+15.935
10026	10051	Piazzi XXI. 229	7.8	21. 30. 29.30	37.81	2	+ 1.330	+ 65. 0. 19.68	37.43	3	+15.938	229
10027	10052	40 Capricorni	4	21. 30. 56.61	32.99	8	+ 3.326	- 17. 24. 12.01	31.67	5	+15.963	2815	...	223
10028	10053	24 Aquarii	6.7	21. 31. 1.20	37.32	4	+ 3.083	- 0. 47. 37.96	36.53	5	+15.967	2816	...	224
10029	10054	Piazzi XXI. 228	7.8	21. 31. 7.00	37.24	2	+ 2.427	+ 38. 34. 37.53	37.40	3	+15.972	228
10030	10055	25 Aquarii	5.6	21. 31. 10.99	32.81	5	+ 3.051	+ 1. 30. 20.33	32.76	6	+15.975	2817	...	225
10031	10056	Lacaille 8874	7.8	21. 31. 17.59	39.73	3	+ 4.064	- 50. 50. 21.68	39.73	2	+15.981	...	8874	...
10032	10057	Piazzi XXI. 227	8	21. 31. 22.54	37.07	2	+ 3.052	+ 1. 23. 49.81	37.40	3	+15.986	227
10033	10058	Piazzi XXI. 226	7.8	21. 31. 22.73	35.74	2	+ 3.360	- 19. 38. 19.38	34.83	3	+15.986	226
10034	10059	Piazzi XXI. 236	7.8	21. 31. 31.99	39.00	3	+ 1.353	+ 64. 51. 2.17	40.24	2	+15.995	236
10035	10060	Lacaille 8876	6.7	21. 31. 55.45	39.77	4	+ 4.366	- 58. 6. 53.77	38.77	3	+16.015	...	8876	...
10036	10061	Piazzi XXI. 230	7.8	21. 32. 9.66	37.24	2	+ 3.408	- 22. 40. 25.07	37.20	3	+16.027	230
10037	10062	Lacaille 8877	7	21. 32. 12.08	39.77	4	+ 4.362	- 58. 4. 16.37	39.77	4	+16.029	...	8877	...
10038	10063	Piazzi XXI. 231	8	21. 32. 13.76	40.03	4	+ 3.403	- 22. 24. 27.41	39.06	6	+16.031	231
10039	10064	Lacaille 8878	7	21. 32. 13.77	39.77	4	+ 4.360	- 58. 1. 45.86	38.77	3	+16.031	...	8878	...
10040	10065	Lacaille 8881	7.8	21. 32. 25.86	41.29	6	+ 4.229	- 55. 14. 52.36	41.29	3	+16.042	...	8881	...

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10041	10066	Piazzi XXI. 232	8	h m s 21. 32. 26.05	37.45	3	+ 3.296	- 15. 35. 16.85	37.36	4	+16.042	232
10042	10067	Lacaille 8882	8.9	21. 32. 28.55	39.77	2	+ 4.253	- 55. 48. 11.48	39.74	1	+16.044	...	8882	...
10043	10068	Lacaille 8886	6.7	21. 32. 29.13	38.69	2	+ 3.854	- 44. 14. 23.70	38.69	2	+16.044	...	8886	...
10044	10069	Piazzi XXI. 233	7	21. 32. 31.59	35.40	3	+ 3.373	- 20. 33. 6.97	34.94	4	+16.047	233
10045	10070	42 Capricorni	6	21. 32. 34.22	37.45	7	+ 3.284	- 14. 46. 46.97	39.59	5	+16.050	2820	...	235
10046	10071	41 Capricorni	5	21. 32. 36.41	31.74	6	+ 3.429	- 24. 0. 18.94	31.73	5	+16.051	2819	8893	234
10047	10072	Piazzi XXI. 237	8	21. 32. 42.04	37.20	3	+ 3.071	+ 0. 33. 38.90	37.26	3	+16.056	237
10048	10073	Lacaille 8884	7.8	21. 32. 42.38	40.81	4	+ 4.270	- 56. 13. 19.08	40.81	4	+16.056	...	8884	...
10049	10074	Piazzi XXI. 241	7	21. 32. 47.10	35.76	3	+ 1.593	+ 61. 33. 29.68	35.04	4	+16.061	241
10050	10075	43 Capricorni	5	21. 33. 26.19	32.38	11	+ 3.356	- 19. 36. 50.17	31.80	6	+16.095	2821	...	238
10051	10076	Piazzi XXI. 239	8.9	21. 33. 28.96	37.08	2	+ 3.078	- 0. 24. 3.13	37.32	4	+16.098	239
10052	10077	9 Cephei	5	21. 33. 29.31	33.36	12	+ 1.612	+ 61. 20. 20.52	33.31	7	+16.098	2830	...	247
10053	10078	Piazzi XXI. 240	9	21. 33. 41.90	36.93	3	+ 3.201	- 9. 12. 46.23	37.11	2	+16.109	240
10054	10079	75 Cygni	6.7	21. 33. 42.85	35.77	2	+ 2.341	+ 42. 31. 38.42	35.02	4	+16.110	2826	...	246
10055	10080	26 Aquarii	6	21. 33. 45.25	32.85	5	+ 3.065	+ 0. 32. 15.64	33.75	5	+16.112	2822	...	242
10056	10081	Piazzi XXI. 248	6	21. 33. 50.62	35.78	1	+ 1.858	+ 56. 44. 39.92	35.70	3	+16.116	248
10057	10082	Piazzi XXI. 243	6	21. 33. 59.30	32.83	4	+ 3.367	- 20. 22. 12.21	32.84	5	+16.124	243
10058	10083	7 Pegasi	5.6	21. 34. 0.25	36.39	8	+ 3.003	+ 4. 55. 56.25	35.81	8	+16.125	2824	...	245
10059	10084	44 Capricorni	6	21. 34. 3.88	36.12	8	+ 3.287	- 15. 9. 0.14	36.28	8	+16.129	2823	...	244
10060	10085	Bradley 2827	6.7	21. 34. 29.51	35.72	2	+ 2.931	+ 10. 4. 30.67	35.06	4	+16.151	2827	...	249
10061	10086	76 Cygni	6.7	21. 34. 56.43	35.74	2	+ 2.407	+ 40. 3. 31.82	35.10	4	+16.173	2831	...	252
10062	10087	45 Capricorni	6	21. 35. 0.06	33.03	5	+ 3.291	- 15. 30. 6.54	32.73	5	+16.177	2828	...	251
10063	10088	Piazzi XXI. 253	6.7	21. 35. 3.95	37.10	2	+ 2.523	+ 34. 45. 38.95	37.19	4	+16.180	253
10064	10089	9 Piscis Australis	4.5	21. 35. 6.24	31.72	6	+ 3.600	- 33. 46. 29.86	31.87	5	+16.182	2825	8901	250
10065	10090	Piazzi XXI. 256	7.8	21. 35. 14.46	37.11	2	+ 1.864	+ 56. 50. 4.40	37.11	2	+16.189	256
10066	10091	Brisbane 7076	7	21. 35. 29.13	39.96	6	+ 3.953	- 48. 9. 29.59	39.96	6	+16.202
10067	10092	Piazzi XXI. 255	8	21. 35. 43.64	35.52	3	+ 2.928	+ 10. 20. 58.32	34.99	4	+16.214	255
10068	10093	77 Cygni	5.6	21. 35. 45.09	38.55	5	+ 2.404	+ 40. 19. 34.35	35.48	5	+16.215	2836	...	259
10069	10094	Piazzi XXI. 254	7.8	21. 35. 45.83	37.11	2	+ 3.148	- 5. 29. 0.95	37.18	3	+16.216	254
10070	10095	Piazzi XXI. 261	8	21. 35. 55.09	38.26	8	+ 2.405	+ 40. 17. 47.45	39.49	5	+16.223	261
10071	10096	8 Pegasi	2.3	21. 36. 4.93	32.79	7	+ 2.946	+ 9. 7. 18.70	33.60	17	+16.232	2835	...	260
10072	10097	Bradley 2833	7.8	21. 36. 7.03	39.57	5	+ 3.207	- 9. 47. 28.55	38.23	6	+16.234	2833	...	257
10073	10098	46 Capricorni	6	21. 36. 12.31	36.58	10	+ 3.208	- 9. 50. 10.38	35.04	7	+16.238	2834	...	258
10074	10099	80 Cygni	4.5	21. 36. 14.28	33.11	9	+ 2.122	+ 50. 26. 19.26	32.18	6	+16.240	2845	...	263
10075	10100	Piazzi XXI. 262	7	21. 36. 23.41	36.75	3	+ 2.754	+ 22. 3. 51.37	37.31	3	+16.248	262
10076	10101	Bradley 2841	6.7	21. 36. 28.85	35.82	2	+ 2.405	+ 40. 24. 12.29	35.73	3	+16.252	2841	...	265
10077	10102	9 Pegasi	4.5	21. 36. 42.10	33.41	5	+ 2.839	+ 16. 35. 48.68	32.80	7	+16.263	2837	...	264
10078	10103	78 Cygni	5	21. 36. 46.08	32.70	6	+ 2.656	+ 28. 0. 0.72	32.13	5	+16.267	2839	...	266
10079	10104	Piazzi XXI. 267	8	21. 37. 0.41	37.24	2	+ 2.656	+ 28. 1. 46.37	37.22	3	+16.279	267
10080	10105	10 Pegasi	4	21. 37. 10.56	33.24	5	+ 2.710	+ 24. 53. 23.55	33.73	7	+16.286	2848	...	269

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ cclv }

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Mean Dec., 1835°.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°.0.	Bradley.	Lacaille.	Piazzi.
10081	10106	Piazzi XXI. 277	7.8	21. 37. 14.43	39.97	4	+ 1.872	+ 56. 59. 1.04	39.54	5	+16.292	277
10082	10107	Lacaille 8908	6.7	21. 37. 18.97	39.12	3	+ 4.274	- 57. 2. 2.35	39.12	3	+16.296	...	8908	...
10083	10108	47 Capricorni	6.7	21. 37. 27.98	33.69	4	+ 3.210	- 10. 2. 0.65	32.82	5	+16.303	2838	...	268
10084	10109	Lacaille 8912	6	21. 37. 30.23	39.73	4	+ 3.938	- 48. 3. 1.01	39.73	4	+16.305	...	8912	...
10085	10110	Piazzi XXI. 273	7.8	21. 37. 33.67	41.74	2	+ 2.755	+ 22. 8. 21.20	37.76	6	+16.307	273
10086	10111	Piazzi XXI. 274	8	21. 37. 33.69	39.76	3	+ 2.755	+ 22. 9. 42.09	36.28	2	+16.307	274
10087	10112	48 Capricorni	5.6	21. 37. 38.78	33.72	3	+ 3.239	- 12. 7. 23.87	33.23	8	+16.312	2844	...	270
10088	10113	Piazzi XXI. 272	8	21. 37. 46.08	37.06	3	+ 3.138	- 4. 53. 1.50	37.34	4	+16.318	272
10089	10114	50 Capricorni	6.7	21. 37. 47.53	35.79	3	+ 3.244	- 12. 26. 57.11	35.03	4	+16.319	2846	...	271
10090	10115	Lacaille 8914	8	21. 37. 49.59	38.74	3	+ 3.952	- 48. 32. 8.88	38.74	3	+16.321	...	8914	...
10091	10116	49 Capricorni	3.4	21. 37. 55.61	32.85	13	+ 3.307	- 16. 52. 19.94	31.70	5	+16.325	2847	...	276
10092	10117	10 Piscis Australis ...	5	21. 38. 2.29	31.84	5	+ 3.550	- 31. 39. 28.09	33.35	5	+16.332	2842	8917	275
10093	10118	Piazzi XXI. 281	7	21. 38. 14.10	35.85	2	+ 2.195	+ 48. 30. 49.29	35.16	3	+16.342	281
10094	10119	Piazzi XXI. 285	5.6	21. 38. 27.48	35.85	2	+ 1.832	+ 58. 1. 31.79	35.13	3	+16.353	285
10095	10120	Bradley 2851	7	21. 38. 28.54	36.46	4	+ 2.713	+ 24. 49. 34.33	37.34	5	+16.354	2851	...	279
10096	10121	12 Pegasi	6	21. 38. 29.32	33.79	4	+ 2.756	+ 22. 11. 27.76	33.15	6	+16.355	2850	...	278
10097	10122	Piazzi XXI. 283	7.8	21. 38. 46.04	36.49	4	+ 2.757	+ 22. 11. 18.18	35.49	3	+16.369	283
10098	10123	Piazzi XXI. 280	8	21. 38. 49.34	37.09	2	+ 3.306	- 16. 50. 15.09	37.52	4	+16.372	280
10099	10124	27 Aquarii	5.6	21. 38. 51.86	32.86	5	+ 3.046	+ 1. 55. 35.46	33.70	5	+16.374	2849	...	282
10100	10125	Bradley 2852	7	21. 38. 53.40	37.14	2	+ 2.715	+ 24. 48. 7.88	37.81	1	+16.375	2852	...	284
10101	10126	Lacaille 8921	7.8	21. 39. 6.41	39.05	3	+ 3.909	- 47. 22. 20.65	39.10	3	+16.386	...	8921	...
10102	10127	Lacaille 8922	7	21. 39. 18.05	38.73	3	+ 3.942	- 48. 29. 18.59	38.73	3	+16.397	...	8922	...
10103	10128	11 Cephei	4.5	21. 39. 28.31	35.65	7	+ 0.893	+ 70. 33. 9.36	34.54	8	+16.405	2856	...	292
10104	10129	Piazzi XXI. 288	7.8	21. 39. 29.06	38.53	5	+ 1.866	+ 57. 28. 1.89	38.34	5	+16.406	288
10105	10130	Piazzi XXI. 293	8	21. 39. 43.69	37.47	1	+ 1.141	+ 68. 17. 53.66	37.46	3	+16.417	293
10106	10131	Piazzi XXI. 286	9	21. 39. 47.45	36.92	3	+ 3.407	- 23. 34. 54.21	37.17	3	+16.420	286
10107	10132	Piazzi XXI. 287	8.9	21. 39. 55.39	37.32	3	+ 3.072	- 0. 33. 33.04	37.24	3	+16.427	287
10108	10133	Piazzi XXI. 289	7	21. 40. 10.98	37.15	2	+ 2.931	+ 10. 24. 50.68	37.33	3	+16.440	289
10109	10134	Piazzi XXI. 290	7	21. 40. 23.06	33.76	4	+ 3.155	- 6. 9. 55.19	32.81	4	+16.451	290
10110	10135	Lacaille 8928	7.8	21. 40. 32.71	39.42	3	+ 4.181	- 55. 25. 2.34	39.42	3	+16.458	...	8928	...
10111	10136	10 Cephei	4.5	21. 40. 41.16	32.58	5	+ 1.730	+ 60. 21. 39.89	31.79	5	+16.464	2857	...	297
10112	10137	81 Cygni	5	21. 40. 42.18	31.73	3	+ 2.207	+ 48. 32. 53.42	32.75	10	+16.465	2855	...	295
10113	10138	Piazzi XXI. 291	7	21. 40. 45.70	33.84	6	+ 3.255	- 13. 29. 17.29	32.85	5	+16.469	291
10114	10139	78 Draconis	5	21. 41. 1.02	32.86	4	+ 0.785	+ 71. 33. 52.93	31.85	5	+16.482	2861	...	302
10115	10140	Piazzi XXI. 294	6.7	21. 41. 8.08	35.64	3	+ 3.314	- 17. 36. 38.04	34.97	4	+16.488	294
10116	10141	Piazzi XXI. 298	6.7	21. 41. 11.67	38.35	8	+ 2.523	+ 35. 49. 2.12	37.91	7	+16.491	298
10117	10142	Piazzi XXI. 299	7.8	21. 41. 14.55	37.10	2	+ 2.596	+ 32. 1. 58.07	37.45	2	+16.493	299
10118	10143	Piazzi XXI. 296	7.8	21. 41. 20.94	37.08	3	+ 3.304	- 16. 57. 22.52	37.35	4	+16.499	296
10119	10144	Piazzi XXI. 300	6.7	21. 41. 34.44	35.63	3	+ 3.013	+ 4. 26. 47.58	34.98	4	+16.509	300
10120	10145	Brisbane 7090	8	21. 41. 38.90	39.10	3	+ 3.988	- 50. 21. 19.94	39.10	3	+16.513

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10121	10146	Piazzi XXI. 301	8	h m s 21. 42. 0'66	37'07	2	+ 3'410	— 24. 2. 4'24	37'18	4	+16'532	301
10122	10147	13 Pegasi.....	6	21. 42. 17'80	32'82	6	+ 2'848	+ 16. 31. 15'83	32'74	4	+16'546	2858	...	304
10123	10148	Piazzi XXI. 303	6'7	21. 42. 31'73	35'71	3	+ 3'338	— 19. 23. 17'26	35'05	4	+16'557	303
10124	10149	14 Pegasi	5	21. 42. 32'94	31'69	6	+ 2'647	+ 29. 24. 29'48	33'15	7	+16'558	2859	...	305
10125	10150	12 Cephei	6	21. 42. 33'43	35'75	3	+ 1'768	+ 59. 55. 43'26	35'00	4	+16'558	2862	...	306
10126	10151	Piazzi XXI. 309	8'9	21. 43. 8'88	37'09	2	+ 1'910	+ 57. 5. 18'08	37'39	3	+16'587	309
10127	10152	Piazzi XXI. 310	8	21. 43. 9'39	37'68	2	+ 1'905	+ 57. 11. 42'12	37'47	4	+16'588	310
10128	10153	Piazzi XXI. 307	8	21. 43. 36'91	37'03	3	+ 3'313	— 17. 50. 13'49	37'31	4	+16'610	307
10129	10154	Piazzi XXI. 313	8	21. 43. 39'66	37'25	2	+ 2'370	+ 43. 7. 18'29	37'48	4	+16'612	313
10130	10155	Piazzi XXI. 311	7'8	21. 43. 46'86	35'76	3	+ 2'936	+ 10. 19. 11'76	35'04	4	+16'618	311
10131	10156	Piazzi XXI. 312	7	21. 43. 49'49	37'32	3	+ 2'813	+ 19. 3. 21'82	37'03	3	+16'620	312
10132	10157	Gruis	4	21. 43. 54'72	31'84	5	+ 3'659	— 38. 8. 14'02	31'67	5	+16'625	...	8951	308
10133	10158	Piazzi XXI. 316	8'9	21. 44. 5'55	37'22	3	+ 2'888	+ 13. 49. 57'20	37'18	4	+16'634	316
10134	10159	Piazzi XXI. 314	7	21. 44. 8'77	32'58	6	+ 3'134	— 4. 45. 52'06	32'82	6	+16'636	314
10135	10160	51 Capricorni.....	5	21. 44. 17'56	32'83	15	+ 3'262	— 14. 19. 29'45	31'75	5	+16'643	2860	...	315
10136	10161	Bradley 2865	7'8	21. 44. 28'97	39'90	6	+ 1'754	+ 60. 30. 19'25	39'95	6	+16'653	2865	...	318
10137	10162	Piazzi XXI. 317	8	21. 44. 35'04	37'45	2	+ 3'348	— 20. 47. 10'96	37'10	4	+16'657	317
10138	10163	Indi.....	7	21. 44. 35'84	38'70	3	+ 4'296	— 58. 40. 34'10	38'70	3	+16'658	...	8950	...
10139	10164	Lacaille 8953	7'8	21. 45. 0'83	38'73	3	+ 4'066	— 53. 14. 19'00	38'73	3	+16'679	...	8953	...
10140	10165	15 Pegasi	6	21. 45. 8'24	32'87	5	+ 2'677	+ 28. 1. 26'46	32'85	5	+16'685	2863	...	319
10141	10166	Piazzi XXI. 320	6'7	21. 45. 33'14	32'85	5	+ 3'137	— 5. 2. 48'51	32'70	5	+16'704	320
10142	10167	16 Pegasi	5'6	21. 45. 33'63	32'82	5	+ 2'724	+ 25. 9. 5'44	32'80	5	+16'705	2864	...	321
10143	10168	Piazzi XXI. 322	7	21. 45. 43'54	35'77	3	+ 2'993	+ 6. 5. 16'96	35'00	4	+16'712	322
10144	10169	Piazzi XXI. 323	7	21. 46. 0'33	35'75	3	+ 3'284	— 16. 1. 56'68	35'07	4	+16'726	323
10145	10170	Piazzi XXI. 328	8	21. 46. 8'42	37'02	3	+ 1'750	+ 60. 50. 38'53	37'33	3	+16'734	328
10146	10171	Piazzi XXI. 325	7'8	21. 46. 19'91	37'88	1	+ 2'550	+ 35. 21. 10'85	37'35	4	+16'743	325
10147	10172	Lacaille 8964	6	21. 46. 25'79	35'62	3	+ 3'648	— 38. 1. 53'65	34'97	4	+16'747	...	8964	324
10148	10173	Indi	5	21. 46. 38'24	36'72	7	+ 4'152	— 55. 46. 19'22	35'88	8	+16'755	...	8962	...
10149	10174	Indi	6'7	21. 46. 46'69	38'75	3	+ 4'333	— 59. 47. 38'29	38'75	3	+16'763	...	8959	...
10150	10175	Piazzi XXI. 331	7'8	21. 46. 51'06	35'79	3	+ 2'052	+ 54. 15. 55'64	35'09	4	+16'766	331
10151	10176	Piazzi XXI. 327	7'8	21. 47. 2'96	35'79	3	+ 3'654	— 38. 26. 16'18	36'33	5	+16'777	327
10152	10177	Lacaille 8966	6'7	21. 47. 3'51	40'03	16	+ 3'656	— 38. 31. 35'00	39'00	17	+16'778	...	8966	326
10153	10178	Piazzi XXI. 330	7'8	21. 47. 15'36	37'42	3	+ 3'052	+ 1. 35. 0'38	37'34	3	+16'786	330
10154	10179	Piazzi XXI. 329	8	21. 47. 20'12	39'24	10	+ 3'655	— 38. 32. 16'60	38'92	10	+16'790	329
10155	10180	Piazzi XXI. 334	7	21. 47. 23'21	37'13	2	+ 1'828	+ 59. 33. 3'12	37'43	3	+16'793	334
10156	10181	Bradley 2867	8	21. 47. 33'30	39'76	7	+ 2'095	+ 53. 13. 18'09	40'55	5	+16'800	2867	...	335
10157	10182	Bradley 2868	7'8	21. 47. 33'43	35'80	3	+ 2'012	+ 55. 26. 9'13	35'15	3	+16'800	2868	...	336
10158	10183	Piazzi XXI. 332	7	21. 47. 40'57	35'77	3	+ 3'319	— 18. 40. 36'89	35'04	4	+16'805	332
10159	10184	Piazzi XXI. 333	7'8	21. 47. 56'50	37'11	2	+ 3'337	— 19. 58. 13'32	37'37	4	+16'819	333
10160	10185	Piazzi XXI. 337	7'8	21. 48. 18'64	37'74	2	+ 2'556	+ 35. 22. 4'80	37'34	4	+16'837	337

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Mean Dec., 1835°0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835°0.	Bradley.	Lacaille.	Piazzi.
10161	10186	Piazzi XXI. 339	7.8	^{h m s} 21. 48. 41.27	37.56	2	+ 2.801	+ 20. 27. 31.21	37.73	3	+16.853	339
10162	10187	Piazzi XXI. 338	7	21. 48. 48.44	35.71	3	+ 3.278	- 15. 54. 13.67	35.06	4	+16.859	338
10163	10188	Piazzi XXI. 342	7.8	21. 48. 52.83	37.11	2	+ 2.803	+ 20. 22. 43.43	37.40	3	+16.863	342
10164	10189	17 Pegasi	5	21. 48. 53.89	32.79	7	+ 2.927	+ 11. 17. 45.52	32.74	5	+16.864	2869	...	341
10165	10190	Lacaille 8973	6.7	21. 49. 5.72	38.75	3	+ 4.171	- 56. 40. 4.34	38.75	3	+16.874	...	8973	...
10166	10191	Bradley 2871	7	21. 49. 8.04	39.96	5	+ 2.108	+ 53. 9. 6.18	38.35	7	+16.876	2871	...	346
10167	10192	Lacaille 8976	6	21. 49. 18.12	35.77	3	+ 3.660	- 39. 10. 46.32	35.70	3	+16.885	...	8976	340
10168	10193	Piazzi XXI. 349	7.8	21. 49. 19.64	40.92	6	+ 1.658	+ 62. 57. 27.84	40.07	6	+16.885	349
10169	10194	13 Cephei	7	21. 49. 20.60	37.39	3	+ 2.009	+ 55. 49. 53.48	37.70	2	+16.886	2872	...	347
10170	10195	Piazzi XXI. 344	7	21. 49. 30.43	35.77	3	+ 3.244	- 13. 27. 3.46	35.01	4	+16.893	344
10171	10196	Piazzi XXI. 343	6.7	21. 49. 31.23	32.72	6	+ 3.363	- 21. 58. 0.01	32.83	5	+16.893	343
10172	10197	Bradley 2870	6.7	21. 49. 34.42	32.79	5	+ 3.150	- 6. 12. 12.12	32.80	5	+16.896	2870	...	345
10173	10198	Piazzi XXI. 348	7	21. 50. 17.97	35.79	3	+ 3.476	- 29. 24. 16.33	35.00	4	+16.931	348
10174	10199	Lacaille 8979	7	21. 50. 35.82	38.70	3	+ 4.052	- 53. 51. 33.83	38.70	3	+16.943	...	8979	...
10175	10200	Indi	5.6	21. 50. 43.32	40.61	7	+ 4.193	- 57. 27. 43.12	40.35	5	+16.947	...	8975	...
10176	10201	79 Draconis	6.7	21. 50. 48.06	39.95	5	+ 0.746	+ 72. 55. 17.71	38.04	8	+16.953	2880	...	357
10177	10202	Piazzi XXI. 350	8	21. 50. 58.84	37.35	3	+ 3.160	- 7. 3. 35.80	36.98	3	+16.962	350
10178	10203	Piazzi XXI. 352	8	21. 51. 15.64	39.90	6	+ 3.306	- 18. 10. 23.91	39.97	6	+16.975	352
10179	10204	12 Piscis Australis	9	21. 51. 20.65	32.82	5	+ 3.471	- 29. 14. 33.22	33.11	7	+16.980	2873	...	351
10180	10205	Piazzi XXI. 353	8	21. 51. 33.43	37.13	3	+ 3.070	+ 0. 8. 12.48	37.34	3	+16.989	353
10181	10206	Piazzi XXI. 354	8	21. 51. 52.16	37.06	2	+ 3.415	- 25. 47. 48.99	37.02	3	+17.003	354
10182	10207	18 Pegasi	6	21. 51. 53.37	32.84	5	+ 2.998	+ 5. 55. 47.11	32.86	5	+17.004	2874	...	355
10183	10208	Piazzi XXI. 360	6	21. 52. 0.11	35.77	3	+ 1.691	+ 62. 50. 28.30	35.01	4	+17.010	360
10184	10209	Piazzi XXI. 356	7.8	21. 52. 16.03	37.44	1	+ 3.306	- 18. 18. 15.76	37.44	2	+17.023	356
10185	10210	Lacaille 8992	7	21. 52. 25.33	38.76	3	+ 4.150	- 56. 45. 52.64	38.76	3	+17.030	...	8992	...
10186	10211	Piazzi XXI. 359	8	21. 52. 36.01	37.08	2	+ 2.728	+ 25. 59. 41.86	37.40	4	+17.038	359
10187	10212	28 Aquarii	6	21. 52. 38.33	32.86	5	+ 3.074	- 0. 11. 3.73	32.77	4	+17.040	2875	...	358
10188	10213	19 Pegasi	6	21. 52. 57.95	32.88	5	+ 2.980	+ 7. 28. 2.46	32.87	5	+17.055	2877	...	362
10189	10214	20 Pegasi	5.6	21. 53. 3.35	33.68	6	+ 2.918	+ 12. 19. 57.65	33.43	6	+17.060	2879	...	363
10190	10215	Piazzi XXI. 361	7	21. 53. 6.57	35.64	3	+ 3.310	- 18. 41. 31.00	35.11	3	+17.062	361
10191	10216	Piazzi XXI. 364	8	21. 53. 14.68	39.59	2	+ 3.096	- 1. 55. 6.27	38.31	5	+17.068	364
10192	10217	Piazzi XXI. 368	7.8	21. 53. 23.60	37.66	1	+ 2.284	+ 48. 20. 5.43	37.41	3	+17.075	368
10193	10218	29 Aquarii	6	21. 53. 24.38	33.32	10	+ 3.296	- 17. 45. 22.93	33.70	5	+17.076	2878	...	365
10194	10219	Piazzi XXI. 369	8	21. 53. 40.18	37.08	2	+ 2.730	+ 26. 2. 21.19	37.42	3	+17.088	369
10195	10221	Piazzi XXI. 366	7	21. 53. 43.79	35.64	3	+ 3.487	- 30. 41. 47.82	37.78	3	+17.091	366
10196	10220	Piazzi XXI. 367	8	21. 53. 44.07	37.34	3	+ 3.441	- 27. 50. 36.67	37.37	3	+17.091	367
10197	10222	Bradley 2884	7.8	21. 53. 51.13	40.51	5	+ 2.001	+ 56. 52. 11.87	39.93	6	+17.096	2884	...	373
10198	10223	Piazzi XXI. 370	7	21. 53. 55.07	37.13	2	+ 2.947	+ 10. 10. 54.29	37.43	3	+17.099	370
10199	10224	Piazzi XXI. 372	7	21. 54. 0.95	35.75	3	+ 2.939	+ 10. 46. 28.02	35.30	6	+17.104	372
10200	10225	Piazzi XXI. 371	8	21. 54. 3.43	37.06	3	+ 3.092	- 1. 42. 39.80	37.11	3	+17.105	371

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10201	10226	Indi ^{k2}	6.7	h m s 21. 54. 11.89	38.72	3	+ 4.301	— 60. 25. 47.24	38.72	3	+17.112	...	9001	...
10202	10227	30 Aquarii	5.6	21. 54. 35.71	32.42	6	+ 3.161	— 7. 18. 57.93	32.71	5	+17.131	2882	...	374
10203	10228	31 Aquarii ^o	5	21. 54. 46.70	32.28	9	+ 3.107	— 2. 56. 56.00	31.69	5	+17.139	2883	...	376
10204	10229	13 Piscis Australis	6.7	21. 54. 52.21	39.15	4	+ 3.485	— 30. 42. 42.80	36.54	10	+17.143	2881	9009	375
10205	10230	Piazzi XXI. 377	7.8	21. 54. 58.39	37.02	3	+ 3.360	— 22. 34. 31.40	37.02	3	+17.147	377
10206	10231	Piazzi XXI. 379	8.9	21. 55. 12.86	37.65	2	+ 3.242	— 13. 48. 49.92	37.21	3	+17.158	379
10207	10232	Lacaille 9014	6	21. 55. 13.11	32.73	6	+ 3.434	— 27. 37. 2.67	32.82	5	+17.158	...	9014	378
10208	10233	21 Pegasi	5.6	21. 55. 13.45	32.82	4	+ 2.943	+ 10. 35. 32.02	33.22	5	+17.158	2885	...	380
10209	10234	Brisbane 7121	9	21. 55. 26.94	40.81	6	+ 4.266	— 59. 55. 42.94	40.96	5	+17.169
10210	10235	Piazzi XXI. 383	6.7	21. 55. 48.72	35.79	2	+ 2.187	+ 52. 5. 17.63	35.02	4	+17.186	383
10211	10236	Gruis ^λ	6	21. 56. 8.77	39.08	6	+ 3.656	— 40. 20. 9.97	37.45	6	+17.201	...	9017	381
10212	10237	Lacaille 9011	7.8	21. 56. 10.77	39.74	7	+ 4.268	— 60. 6. 56.00	38.74	3	+17.202	...	9011	...
10213	10238	32 Aquarii	5.6	21. 56. 18.20	33.38	7	+ 3.092	— 1. 42. 5.18	32.77	5	+17.208	2887	...	382
10214	10239	Piazzi XXI. 386	7.8	21. 56. 32.02	35.84	2	+ 2.006	+ 57. 15. 17.47	35.05	4	+17.217	386
10215	10240	14 Cephei	6	21. 56. 32.43	35.76	2	+ 2.008	+ 57. 12. 22.10	35.72	3	+17.217	2892	...	385
10216	10241	Piazzi XXI. 384	8	21. 56. 44.92	37.19	4	+ 3.465	— 29. 52. 9.63	36.97	4	+17.228	384
10217	10242	16 Cephei	5.6	21. 56. 51.86	39.35	4	+ 0.915	+ 72. 23. 42.27	37.65	6	+17.232	2900	...	394
10218	10243	Brisbane 7127	8	21. 57. 13.18	39.60	5	+ 4.259	— 60. 5. 14.65	39.73	3	+17.249
10219	10244	34 Aquarii ^a	3	21. 57. 18.52	33.25	42	+ 3.085	— 1. 7. 5.35	32.19	64	+17.253	2890	...	387
10220	10245	22 Pegasi	5	21. 57. 21.52	31.74	5	+ 3.022	+ 4. 15. 17.34	33.81	5	+17.255	2891	...	388
10221	10246	Piazzi XXI. 390	8	21. 57. 25.12	37.10	2	+ 3.011	+ 5. 10. 1.50	37.20	4	+17.258	390
10222	10247	Piazzi XXI. 392	7	21. 57. 25.35	35.81	2	+ 2.424	+ 43. 32. 52.19	35.10	4	+17.258	392
10223	10248	Bradley 2888	7	21. 57. 25.82	32.85	5	+ 3.145	— 6. 9. 16.20	33.47	5	+17.258	2888
10224	10249	33 Aquarii ^t	4.5	21. 57. 31.24	34.74	9	+ 3.250	— 14. 40. 0.28	36.48	8	+17.262	2889	...	389
10225	10250	Piazzi XXI. 391	7	21. 57. 35.04	36.86	1	+ 3.009	+ 5. 18. 38.46	37.35	4	+17.265	391
10226	10251	Gruis ^a	2	21. 57. 47.75	31.73	6	+ 3.820	— 47. 45. 22.09	31.74	5	+17.274	...	9021	...
10227	10252	Lacaille 9026	7.8	21. 58. 3.02	37.33	3	+ 3.360	— 23. 2. 32.90	37.29	3	+17.285	...	9026	393
10228	10253	23 Pegasi	6	21. 58. 6.62	32.80	4	+ 2.709	+ 28. 9. 53.38	33.21	5	+17.288	2895	...	396
10229	10254	Piazzi XXI. 395	7.8	21. 58. 15.27	37.43	1	+ 3.020	+ 4. 23. 38.53	37.22	3	+17.294	395
10230	10255	15 Cephei	6.7	21. 58. 31.59	35.73	1	+ 1.947	+ 59. 0. 59.04	34.83	3	+17.306	2902	...	399
10231	10256	14 Piscis Australis ^μ	7	21. 58. 44.56	35.57	2	+ 3.523	— 33. 47. 25.78	35.75	3	+17.316	2893	9029	397
10232	10257	Lacaille 9030	6	21. 58. 45.43	40.91	7	+ 3.542	— 34. 50. 40.93	40.92	7	+17.317	...	9030	...
10233	10258	Piazzi XXI. 401	7.8	21. 58. 50.51	35.85	2	+ 1.952	+ 59. 4. 4.61	35.82	3	+17.320	401
10234	10259	17 Cephei ^ε	5	21. 59. 0.00	34.88	8	+ 1.701	+ 63. 49. 32.41	34.90	7	+17.327	2907	...	408
10235	10260	Lacaille 9033	7	21. 59. 4.75	40.04	2	+ 3.525	— 33. 55. 49.14	38.68	4	+17.331	...	9033	398
10236	10261	Piazzi XXI. 404	7	21. 59. 10.48	36.75	3	+ 2.416	+ 44. 18. 42.63	37.41	3	+17.335	404
10237	10262	24 Pegasi ^t	4	21. 59. 19.96	34.17	5	+ 2.766	+ 24. 33. 31.75	33.09	13	+17.342	2899	...	402
10238	10263	Piazzi XXI. 405	5.6	21. 59. 20.43	35.85	1	+ 2.419	+ 44. 12. 50.77	35.09	4	+17.343	405
10239	10264	Lacaille 9034	7	21. 59. 26.03	37.11	2	+ 3.408	— 26. 34. 18.42	37.21	3	+17.346	...	9034	400
10240	10265	Piazzi XXI. 403	8	21. 59. 35.58	37.36	3	+ 3.157	— 7. 11. 11.35	37.38	3	+17.353	403

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10241	10266	Piazzi XXI. 406	6.7	h m s 21. 59. 37.05	35.78	1	+ 2.845	+ 18. 40. 16.91	35.72	3	+17.354	406
10242	10267	Lacaille 9031	8	21. 59. 43.29	38.80	3	+ 4.075	- 56. 15. 27.53	38.80	3	+17.359	...	9031	...
10243	10268	Piazzi XXI. 409	8	21. 59. 47.57	42.80	2	+ 2.625	+ 33. 43. 0.74	40.82	3	+17.362	409
10244	10269	35 Aquarii.....	5.6	21. 59. 55.62	32.74	5	+ 3.306	- 19. 19. 27.12	32.84	5	+17.367	2898	...	407
10245	10270	20 Cephei.....	6.7	22. 0. 0.54	39.48	3	+ 1.815	+ 61. 58. 54.76	37.53	4	+17.371	2911	...	415
10246	10271	Piazzi XXI. 411	7.8	22. 0. 0.95	37.25	2	+ 2.771	+ 24. 12. 49.89	37.10	3	+17.372	411
10247	10272	19 Cephei.....	6	22. 0. 3.87	37.11	3	+ 1.842	+ 61. 28. 44.30	35.12	4	+17.374	2910	...	416
10248	10273	25 Pegasi.....	6	22. 0. 5.60	32.80	5	+ 2.817	+ 20. 54. 7.85	33.41	5	+17.376	2903	...	413
10249	10274	Piazzi XXI. 412	8	22. 0. 13.45	37.17	3	+ 3.077	- 0. 27. 56.36	37.52	4	+17.381	412
10250	10275	15 Piscis Australis	5.6	22. 0. 27.51	38.07	3	+ 3.510	- 33. 21. 18.20	35.10	4	+17.391	2901	9037	410
10251	10276	Lacaille 9040	6.7	22. 0. 35.08	39.07	4	+ 3.442	- 29. 5. 59.67	39.15	3	+17.396	...	9040	...
10252	10277	36 Aquarii	7	22. 0. 43.21	35.33	4	+ 3.177	- 8. 59. 37.45	32.76	5	+17.403	2905	...	414
10253	10278	Piazzi XXI. 417	7	22. 0. 46.27	37.03	3	+ 3.051	+ 1. 55. 45.98	37.24	3	+17.405	417
10254	10279	Piazzi XXII. 4	7	22. 1. 36.56	37.73	1	+ 2.013	+ 58. 2. 13.74	36.68	3	+17.440	4
10255	10280	37 Aquarii..... ⁶¹	6	22. 1. 43.36	33.73	5	+ 3.208	- 11. 37. 47.62	32.70	4	+17.446	2908	...	418
10256	10281	Bradley 2912	7	22. 1. 46.28	32.86	6	+ 3.126	- 4. 41. 58.89	32.82	5	+17.448	2912	...	421
10257	10282	38 Aquarii..... ⁶²	6	22. 1. 48.02	33.77	6	+ 3.217	- 12. 22. 23.45	32.88	5	+17.449	2909	...	420
10258	10283	Lacaille 9044	7.8	22. 1. 52.35	39.13	3	+ 4.078	- 56. 45. 17.73	39.13	3	+17.452	...	9044	...
10259	10284	Piazzi XXI. 419	7	22. 1. 52.41	33.81	6	+ 3.339	- 22. 2. 22.66	33.76	5	+17.452	419
10260	10285	26 Pegasi..... ⁶	4	22. 1. 52.58	31.69	6	+ 3.010	+ 5. 23. 20.01	33.12	12	+17.452	2914	...	1
10261	10286	27 Pegasi..... ⁷¹	5	22. 1. 55.38	35.42	6	+ 2.654	+ 32. 22. 7.60	41.70	2	+17.454	2915	...	3
10262	10287	Bradley 2913	6.7	22. 1. 57.37	33.79	6	+ 3.130	- 5. 4. 30.86	33.79	5	+17.456	2913	...	2
10263	10288	Lacaille 9050	7	22. 2. 5.69	38.70	3	+ 3.421	- 27. 57. 36.73	39.72	4	+17.462	...	9050	...
10264	10289	29 Pegasi..... ⁷²	4	22. 2. 39.97	32.08	9	+ 2.657	+ 32. 22. 15.62	31.80	10	+17.486	2917	...	6
10265	10290	28 Pegasi	6	22. 2. 42.69	33.19	3	+ 2.832	+ 20. 10. 10.26	33.67	4	+17.488	2916	...	5
10266	10291	Piazzi XXII. 8	8	22. 2. 55.77	37.32	3	+ 2.475	+ 42. 22. 43.84	37.39	4	+17.498	8
10267	10292	Piazzi XXII. 11	7	22. 3. 1.55	37.02	3	+ 2.006	+ 58. 29. 11.54	36.46	4	+17.502	11
10268	10293	Piazzi XXII. 12	7.8	22. 3. 3.41	37.02	3	+ 2.007	+ 58. 28. 56.91	35.82	4	+17.504	12
10269	10295	Lacaille 9056	7	22. 3. 16.33	38.70	3	+ 3.417	- 27. 53. 43.51	38.70	3	+17.513	...	9056	...
10270	10294	Piazzi XXII. 7	8	22. 3. 17.99	41.31	4	+ 3.239	- 15. 2. 11.61	38.45	5	+17.515	7
10271	10296	Piazzi XXII. 16	6.7	22. 3. 23.46	37.79	4	+ 2.028	+ 58. 2. 39.81	39.25	4	+17.518	16
10272	10297	Piazzi XXII. 10	7	22. 3. 25.33	35.77	2	+ 2.700	+ 29. 44. 38.81	35.78	4	+17.520	10
10273	10298	Bradley 2918	7	22. 3. 28.90	32.86	5	+ 3.209	- 11. 52. 37.76	34.69	6	+17.522	2918
10274	10299	39 Aquarii	7	22. 3. 31.56	36.67	11	+ 3.246	- 15. 0. 12.49	35.23	6	+17.524	2919	...	9
10275	10300	Piazzi XXII. 13	7	22. 3. 39.70	35.79	2	+ 3.003	+ 6. 5. 8.34	35.80	3	+17.529	13
10276	10301	Piazzi XXII. 15	6	22. 3. 53.45	41.12	3	+ 2.895	+ 15. 13. 49.18	36.13	6	+17.539	15
10277	10302	Piazzi XXII. 14	7.8	22. 4. 1.66	35.76	3	+ 3.155	- 7. 16. 53.55	34.84	4	+17.545	14
10278	10303	Bradley 2920	7	22. 4. 8.23	35.73	2	+ 3.135	- 5. 31. 53.68	35.11	4	+17.551	2920	...	17
10279	10304	Lacaille 9063	5.6	22. 4. 27.56	38.19	5	+ 3.387	- 25. 59. 41.80	35.17	10	+17.564	...	9063	19
10280	10305	Lacaille 9061	7	22. 4. 32.34	39.08	5	+ 3.653	- 42. 9. 38.73	39.01	5	+17.567	...	9061	18

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10281	10306	Lacaille 9059	7.8	^{h m s} 22. 4. 35.51	39.14	3	+ 3.945	- 53. 30. 59.37	39.14	3	+17.568	...	9059	...
10282	10307	40 Aquarii.....	7	22. 4. 36.67	33.88	3	+ 3.217	- 12. 44. 17.88	33.79	5	+17.569	2921	...	20
10283	10308	Piazzi XXII. 24	7	22. 4. 48.42	37.09	2	+ 1.790	+ 63. 18. 44.02	37.36	3	+17.577	24
10284	10309	16 Piscis Australis	6	22. 4. 56.86	37.31	6	+ 3.423	- 28. 34. 52.44	35.82	8	+17.584	2922	9065	21
10285	10310	21 Cephei	4	22. 5. 8.26	32.71	2	+ 2.068	+ 57. 23. 22.98	32.40	8	+17.593	2925	...	26
10286	10311	Piazzi XXII. 27	6.7	22. 5. 9.50	35.63	2	+ 2.078	+ 57. 7. 42.35	35.73	3	+17.594	27
10287	10312	41 Aquarii.....	6	22. 5. 10.76	32.83	5	+ 3.330	- 21. 53. 31.25	33.29	5	+17.595	2923	...	22
10288	10313	Bradley 2924	7	22. 5. 15.93	32.87	4	+ 3.131	- 5. 15. 55.84	33.82	4	+17.598	2924
10289	10314	Piazzi XXII. 29	6.7	22. 5. 30.40	37.36	3	+ 2.643	+ 33. 47. 35.24	37.38	3	+17.607	29
10290	10315	Piazzi XXII. 28	7	22. 5. 33.93	39.84	5	+ 2.772	+ 25. 7. 58.86	38.33	7	+17.609	28
10291	10316	Gruis	5	22. 5. 38.80	32.58	7	+ 3.651	- 42. 9. 52.30	33.79	8	+17.612	...	9069	23
10292	10317	Piazzi XXII. 30	7.8	22. 5. 47.81	37.61	2	+ 2.975	+ 8. 39. 51.12	37.72	3	+17.619	30
10293	10318	Piazzi XXII. 25	8	22. 5. 54.12	37.03	3	+ 3.394	- 26. 47. 0.17	37.27	3	+17.623	25
10294	10319	22 Cephei.....	6	22. 5. 55.09	35.78	3	+ 2.026	+ 58. 36. 8.84	35.72	4	+17.624	2927	...	34
10295	10320	Piazzi XXII. 32	6	22. 6. 5.77	35.74	3	+ 2.736	+ 27. 47. 35.52	35.72	3	+17.633	32
10296	10321	Piazzi XXII. 33	7.8	22. 6. 22.92	35.74	3	+ 2.885	+ 16. 22. 40.17	34.98	4	+17.644	33
10297	10322	Lacaille 9071	7	22. 6. 25.35	38.72	3	+ 3.985	- 55. 8. 20.60	38.72	3	+17.646	...	9071	...
10298	10323	Gruis	5	22. 6. 29.11	31.84	6	+ 3.653	- 42. 26. 40.50	31.76	5	+17.648	...	9075	31
10299	10324	Piazzi XXII. 35	7	22. 6. 34.69	37.22	2	+ 3.143	- 6. 24. 5.84	37.53	4	+17.652	35
10300	10325	24 Cephei	6	22. 6. 37.41	35.84	3	+ 1.171	+ 71. 31. 48.41	34.75	2	+17.654	2932	...	40
10301	10326	Piazzi XXII. 36	5	22. 6. 48.18	32.73	6	+ 2.560	+ 38. 53. 55.94	31.84	5	+17.661	36
10302	10327	Bradley 2934	6.7	22. 7. 0.26	35.85	2	+ 1.202	+ 71. 18. 0.22	35.09	4	+17.669	2934	...	45
10303	10328	Piazzi XXII. 39	7.8	22. 7. 5.05	37.42	3	+ 2.797	+ 23. 29. 50.83	37.32	3	+17.673	39
10304	10329	Toucani	3	22. 7. 7.87	32.80	5	+ 4.216	- 61. 4. 39.69	31.86	5	+17.674	...	9074	...
10305	10330	Piazzi XXII. 42	7.8	22. 7. 14.95	37.25	2	+ 1.860	+ 62. 28. 37.63	37.23	2	+17.679	42
10306	10331	Piazzi XXII. 38	8.9	22. 7. 18.23	37.11	3	+ 3.277	- 18. 1. 24.75	37.21	3	+17.681	38
10307	10332	Lacaille 9080	6	22. 7. 20.76	33.14	4	+ 3.390	- 26. 42. 59.84	32.86	5	+17.683	...	9080	37
10308	10333	Piazzi XXII. 47	7.8	22. 7. 36.92	39.96	5	+ 2.109	+ 56. 49. 25.74	39.02	4	+17.693	47
10309	10334	42 Aquarii	6	22. 7. 57.47	33.68	3	+ 3.225	- 13. 39. 4.04	32.81	5	+17.709	2928	...	41
10310	10335	Piazzi XXII. 43	7	22. 8. 3.72	33.74	6	+ 3.098	- 2. 24. 55.30	32.73	5	+17.713	43
10311	10336	43 Aquarii.....	4.5	22. 8. 7.52	31.69	3	+ 3.167	- 8. 36. 5.39	31.81	5	+17.715	2929	...	44
10312	10337	Bradley 2930	6	22. 8. 9.61	33.72	3	+ 3.181	- 9. 51. 33.76	32.90	5	+17.716	2930	...	46
10313	10338	44 Aquarii	6.7	22. 8. 29.42	33.79	6	+ 3.140	- 6. 12. 31.16	33.69	5	+17.729	2931	...	48
10314	10339	Bradley 2938	6.7	22. 8. 38.52	37.25	2	+ 1.881	+ 62. 20. 42.41	37.36	3	+17.736	2938	...	53
10315	10340	1 Lacertae	5	22. 8. 47.09	32.62	6	+ 2.603	+ 36. 55. 42.97	31.69	6	+17.742	2933	...	49
10316	10341	Piazzi XXII. 50	7	22. 8. 54.41	35.81	3	+ 2.755	+ 26. 59. 1.50	35.16	3	+17.747	50
10317	10342	23 Cephei	4.5	22. 8. 58.01	32.70	6	+ 2.141	+ 56. 13. 21.53	32.82	11	+17.749	2937	...	54
10318	10343	Piazzi XXII. 52	7.8	22. 9. 6.36	37.12	3	+ 2.736	+ 28. 21. 6.46	37.32	3	+17.755	52
10319	10344	Piazzi XXII. 51	7.8	22. 9. 11.16	35.77	3	+ 3.025	+ 4. 19. 26.05	35.07	4	+17.758	51
10320	10345	Piazzi XXII. 55	8	22. 9. 12.25	37.40	3	+ 2.466	+ 44. 16. 10.24	37.59	4	+17.759	55

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A. 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10321	10346	Piazzi XXII. 57	7.8	22. 10. 0.06	37.11	2	+ 2.928	+ 13. 7. 44.90	39.21	3	+17.792	57
10322	10347	45 Aquarii	6	22. 10. 9.16	33.71	10	+ 3.227	- 14. 7. 40.52	33.79	9	+17.798	2936	...	56
10323	10348	Piazzi XXII. 58	7.8	22. 10. 9.81	35.57	2	+ 2.769	+ 26. 6. 50.78	35.24	2	+17.799	58
10324	10349	Piazzi XXII. 61	6.7	22. 10. 29.83	35.67	3	+ 2.146	+ 56. 23. 53.88	35.81	3	+17.812	61
10325	10350	Piazzi XXII. 64	6.7	22. 10. 33.42	35.82	3	+ 1.220	+ 71. 38. 45.89	35.06	4	+17.814	64
10326	10351	Piazzi XXII. 59	8	22. 10. 44.22	37.32	3	+ 3.173	- 9. 19. 44.81	37.38	4	+17.821	59
10327	10352	Piazzi XXII. 60	7	22. 10. 53.92	37.34	3	+ 2.859	+ 19. 8. 27.02	37.24	3	+17.828	60
10328	10353	Piazzi XXII. 62	7	22. 11. 20.34	42.75	2	+ 2.928	+ 13. 14. 44.05	40.25	4	+17.845	62
10329	10354	46 Aquarii	6	22. 11. 30.88	33.01	6	+ 3.165	- 8. 38. 47.87	32.86	5	+17.852	2939	...	63
10330	10355	Piazzi XXII. 65	7	22. 11. 42.71	37.24	2	+ 2.614	+ 36. 56. 31.27	37.31	3	+17.860	65
10331	10356	Lacaille 9104	7.8	22. 11. 44.77	38.72	3	+ 4.008	- 56. 58. 47.08	38.72	3	+17.862	...	9104	...
10332	10357	30 Pegasi	5	22. 12. 9.50	31.73	6	+ 3.019	+ 4. 57. 48.32	31.83	5	+17.878	2941	...	66
10333	10358	47 Aquarii	5	22. 12. 30.12	35.71	9	+ 3.321	- 22. 25. 17.61	35.54	8	+17.892	2940	...	67
10334	10359	Lacaille 9107	6.7	22. 12. 37.03	38.70	3	+ 3.714	- 46. 46. 36.44	38.70	3	+17.896	...	9107	...
10335	10360	Piazzi XXII. 69	7	22. 12. 38.47	37.81	2	+ 2.930	+ 13. 12. 23.44	37.48	4	+17.897	69
10336	10361	Piazzi XXII. 70	6.7	22. 12. 41.69	35.76	3	+ 2.994	+ 7. 21. 30.49	35.07	4	+17.899	70
10337	10362	Piazzi XXII. 68	7	22. 12. 45.40	37.01	3	+ 3.147	- 7. 4. 13.26	37.50	4	+17.901	68
10338	10363	25 Cephei	6	22. 12. 50.03	35.78	3	+ 1.939	+ 61. 58. 44.14	35.09	4	+17.904	2947	...	75
10339	10364	Gruis	6	22. 12. 57.98	38.70	3	+ 3.712	- 46. 45. 20.36	38.70	3	+17.910	...	9108	...
10340	10365	Piazzi XXII. 73	7	22. 13. 7.04	37.29	2	+ 2.990	+ 7. 47. 40.86	37.41	4	+17.916	73
10341	10366	48 Aquarii	4	22. 13. 8.01	32.73	1	+ 3.095	- 2. 12. 58.83	32.06	5	+17.917	2943	...	72
10342	10367	Piazzi XXII. 71	8	22. 13. 8.47	36.46	4	+ 3.146	- 7. 0. 33.87	34.96	4	+17.917	71
10343	10368	Piazzi XXII. 76	7	22. 13. 20.67	35.61	3	+ 2.778	+ 26. 6. 26.18	35.01	4	+17.925	76
10344	10369	31 Pegasi	4.5	22. 13. 23.98	31.79	5	+ 2.951	+ 11. 22. 35.62	33.20	9	+17.927	2944	...	74
10345	10370	32 Pegasi	5.6	22. 13. 42.73	32.88	5	+ 2.761	+ 27. 30. 6.06	32.87	5	+17.938	2946	...	77
10346	10371	Lacaille 9112	6.7	22. 13. 55.53	40.38	5	+ 4.051	- 58. 36. 51.66	40.77	3	+17.947	...	9112	...
10347	10372	Piazzi XXII. 80	7	22. 14. 3.55	35.77	3	+ 2.185	+ 56. 5. 22.97	35.10	4	+17.952	80
10348	10373	2 Lacertae	5	22. 14. 13.12	32.77	12	+ 2.462	+ 45. 42. 28.13	31.76	5	+17.959	2948	...	79
10349	10374	49 Aquarii	6	22. 14. 18.57	32.82	4	+ 3.357	- 25. 35. 37.62	32.77	5	+17.962	2945	9116	78
10350	10375	Piazzi XXII. 81	7	22. 14. 52.86	32.06	5	+ 3.155	- 8. 1. 34.34	32.83	5	+17.984	81
10351	10376	Piazzi XXII. 82	8	22. 15. 14.04	36.77	2	+ 3.013	+ 5. 42. 33.62	37.23	3	+17.999	82
10352	10377	Piazzi XXII. 83	7.8	22. 15. 23.76	36.83	2	+ 3.187	- 11. 1. 44.02	36.98	4	+18.005	83
10353	10378	Toucani	5	22. 15. 30.43	36.60	9	+ 4.382	- 65. 48. 7.56	35.85	9	+18.009	...	9114	...
10354	10379	51 Aquarii	6	22. 15. 31.09	32.86	5	+ 3.130	- 5. 40. 9.37	33.69	5	+18.009	2950	...	85
10355	10381	Piazzi XXII. 87	7.8	22. 15. 32.09	37.34	3	+ 2.647	+ 35. 49. 30.02	37.21	4	+18.010	87
10356	10380	Lacaille 9127	7	22. 15. 32.11	35.56	2	+ 3.381	- 27. 41. 30.13	35.06	4	+18.010	...	9127	84
10357	10382	50 Aquarii	6	22. 15. 36.35	33.42	3	+ 3.223	- 14. 21. 48.37	33.04	5	+18.012	2949	...	86
10358	10383	33 Pegasi	7	22. 15. 43.25	35.77	3	+ 2.858	+ 20. 0. 59.53	35.46	3	+18.017	2951	...	88
10359	10384	Piazzi XXII. 89	7	22. 16. 5.09	33.76	5	+ 3.093	- 2. 1. 19.78	33.77	5	+18.031	89
10360	10385	Piazzi XXII. 96	6.7	22. 16. 18.64	40.84	7	+ 0.785	+ 75. 39. 33.75	39.80	7	+18.040	96

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10361	10386	Lacaille 9125	8	h m s 22. 16. 26.33	38.73	3	+ 4.037	— 58. 50. 13.10	38.73	3	+18.046	...	9125	...
10362	10387	52 Aquarii..... π	5	22. 16. 51.06	32.59	12	+ 3.067	+ 0. 32. 32.63	32.03	7	+18.060	2952	...	90
10363	10388	Piazzi XXII. 92.....	7.8	22. 16. 55.99	35.87	2	+ 2.238	+ 55. 7. 48.69	34.73	3	+18.063	92
10364	10389	Lacaille 9132	6	22. 17. 2.58	33.85	4	+ 3.337	— 24. 31. 5.04	32.88	5	+18.068	...	9132	91
10365	10390	Lacaille 9128	7.8	22. 17. 4.39	40.75	6	+ 3.768	— 50. 11. 16.93	40.35	5	+18.069	...	9128	...
10366	10391	3 Lacertæ..... β	4	22. 17. 4.75	33.17	8	+ 2.345	+ 51. 24. 15.44	32.84	10	+18.069	2956	...	95
10367	10392	Bradley 2953	6.7	22. 17. 36.26	34.60	9	+ 3.255	— 17. 34. 38.35	34.88	8	+18.088	2953	...	93
10368	10393	53 Aquarii.....	6.7	22. 17. 37.07	36.03	5	+ 3.255	— 17. 34. 42.56	35.65	8	+18.088	2954	...	94
10369	10394	Piazzi XXII. 97.....	6.7	22. 17. 43.23	35.74	2	+ 2.889	+ 17. 36. 25.93	34.71	3	+18.093	97
10370	10395	4 Lacertæ.....	5	22. 17. 50.25	32.05	7	+ 2.417	+ 48. 38. 30.75	31.83	5	+18.097	2958	...	99
10371	10396	54 Aquarii.....	7	22. 17. 55.68	35.78	2	+ 3.195	— 12. 3. 51.17	35.72	3	+18.102	2955	...	98
10372	10397	Brisbane 7168.....	8.9	22. 18. 0.37	38.80	3	+ 4.072	— 60. 4. 10.06	38.80	3	+18.104
10373	10398	34 Pegasi.....	5.6	22. 18. 13.38	32.82	5	+ 3.036	+ 3. 33. 16.69	32.86	4	+18.112	2957	...	100
10374	10399	Piazzi XXII. 101.....	7	22. 18. 21.18	35.71	3	+ 2.803	+ 25. 5. 28.98	35.04	4	+18.118	101
10375	10400	Piazzi XXII. 103.....	6.7	22. 18. 27.85	35.80	2	+ 2.379	+ 50. 25. 7.96	35.05	4	+18.121	103
10376	10401	Brisbane 7169.....	6.7	22. 18. 31.51	40.79	3	+ 3.551	— 39. 55. 38.38	39.79	2	+18.123
10377	10402	Piazzi XXII. 105.....	7.8	22. 18. 45.92	35.82	3	+ 2.401	+ 49. 33. 55.44	35.10	4	+18.132	105
10378	10403	Lacaille 9136	6.7	22. 18. 57.53	39.15	10	+ 3.550	— 39. 57. 51.35	39.13	6	+18.140	...	9136	102
10379	10404	Piazzi XXII. 109.....	7.8	22. 19. 14.74	37.08	3	+ 1.968	+ 62. 44. 1.87	37.20	4	+18.150	109
10380	10405	Piazzi XXII. 106.....	7.8	22. 19. 22.67	36.98	3	+ 3.036	+ 3. 41. 4.32	39.25	4	+18.156	106
10381	10406	Gruis..... δ^1	4	22. 19. 22.72	32.18	6	+ 3.627	— 44. 20. 8.25	32.45	6	+18.156	...	9138	104
10382	10407	35 Pegasi.....	5.6	22. 19. 30.44	37.17	9	+ 3.034	+ 3. 52. 16.50	37.08	9	+18.161	2959	...	107
10383	10408	Gruis..... δ^2	5	22. 19. 52.35	33.01	5	+ 3.627	— 44. 35. 25.95	32.11	4	+18.174	...	9140	108
10384	10409	Piazzi XXII. 113.....	8	22. 20. 13.48	37.09	2	+ 2.733	+ 30. 59. 56.22	37.55	2	+18.186	113
10385	10410	Piazzi XXII. 115.....	7	22. 20. 16.14	37.27	2	+ 1.990	+ 62. 29. 23.92	37.36	3	+18.188	115
10386	10411	55 Aquarii..... ζ	4	22. 20. 20.04	32.09	7	+ 3.080	— 0. 51. 41.23	32.79	10	+18.192	2960	...	111
10387	10412	Piazzi XXII. 110.....	8	22. 20. 21.80	37.31	3	+ 3.177	— 10. 34. 38.65	37.20	4	+18.193	110
10388	10413	Lacaille 9151	8	22. 20. 31.59	35.73	2	+ 3.370	— 27. 56. 52.82	35.00	4	+18.199	...	9151	112
10389	10414	Piazzi XXII. 114.....	8.9	22. 20. 35.86	37.24	2	+ 3.176	— 10. 30. 12.52	37.38	4	+18.202	114
10390	10415	36 Pegasi.....	6.7	22. 20. 54.09	35.56	2	+ 2.991	+ 8. 17. 19.65	35.71	4	+18.213	2962	...	116
10391	10416	Bradley 2961	6.7	22. 21. 12.01	32.88	4	+ 3.208	— 13. 45. 26.72	32.89	5	+18.223	2961
10392	10417	56 Aquarii.....	6	22. 21. 26.34	33.74	8	+ 3.226	— 15. 25. 36.22	32.83	5	+18.232	2963	...	117
10393	10418	Piazzi XXII. 120.....	6.7	22. 21. 26.72	35.71	3	+ 2.801	+ 25. 55. 19.24	35.74	3	+18.232	120
10394	10419	37 Pegasi.....	6	22. 21. 37.62	34.22	6	+ 3.037	+ 3. 35. 44.89	32.72	3	+18.239	2965	...	121
10395	10420	Piazzi XXII. 119.....	9	22. 21. 42.29	37.25	2	+ 3.331	— 25. 0. 37.85	37.34	3	+18.242	119
10396	10421	.. Piscis Australis..... ζ	8	22. 21. 42.68	35.74	1	+ 3.354	— 26. 54. 49.17	35.02	4	+18.242	...	9160	118
10397	10422	26 Cephei.....	6.7	22. 21. 47.55	35.84	2	+ 1.918	+ 64. 17. 31.34	35.06	4	+18.245	2969	...	128
10398	10423	57 Aquarii..... σ	5	22. 21. 54.68	33.41	11	+ 3.185	— 11. 31. 10.65	31.74	5	+18.249	2966	...	122
10399	10424	17 Piscis Australis..... β	4	22. 22. 6.51	35.38	12	+ 3.434	— 33. 11. 22.40	35.97	9	+18.256	2964	9162	123
10400	10425	Piazzi XXII. 124.....	8.9	22. 22. 6.85	41.15	3	+ 3.434	— 33. 11. 51.47	37.70	2	+18.256	124

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10401	10426	Piazzi XXII. 125	8.9	h m s 22. 22. 8.27	37.31	4	+ 3.184	— 11. 28. 8.94	37.76	3	+18.257	125
10402	10427	Piazzi XXII. 127	7.8	22. 22. 19.40	37.30	2	+ 3.038	+ 3. 29. 22.78	37.29	4	+18.264	127
10403	10428	Piazzi XXII. 126	8	22. 22. 21.43	37.29	2	+ 3.184	— 11. 26. 56.05	37.09	3	+18.265	126
10404	10429	Lacaille 9161	7	22. 22. 22.24	38.76	4	+ 3.607	— 44. 6. 30.85	38.75	3	+18.266	...	9161	...
10405	10430	38 Pegasi	6	22. 22. 29.54	39.93	5	+ 2.731	+ 31. 43. 48.04	39.23	6	+18.270	2968	...	129
10406	10431	5 Lacerte	5	22. 22. 40.08	41.40	5	+ 2.484	+ 46. 51. 50.04	39.78	7	+18.276	2970	...	132
10407	10432	Brisbane 7178	7.8	22. 22. 49.55	38.80	3	+ 3.990	— 59. 3. 38.95	38.80	3	+18.282
10408	10433	Piazzi XXII. 131	7	22. 22. 56.14	35.85	2	+ 2.990	+ 8. 28. 35.83	35.00	4	+18.286	131
10409	10434	58 Aquarii	6	22. 22. 56.32	32.86	5	+ 3.186	— 11. 44. 54.96	32.84	5	+18.286	2967	...	130
10410	10435	Bradley 2972	7.8	22. 23. 2.37	35.85	2	+ 2.208	+ 57. 33. 40.43	35.06	4	+18.289	2972	...	134
10411	10436	27 Cephei	4.5	22. 23. 3.35	31.70	5	+ 2.208	+ 57. 34. 21.05	32.90	11	+18.290	2973	...	135
10412	10437	Piazzi XXII. 137	7	22. 23. 17.81	40.24	6	+ 2.382	+ 51. 34. 18.83	37.65	6	+18.299	137
10413	10438	Piazzi XXII. 133	8	22. 23. 21.22	37.12	3	+ 3.213	— 14. 26. 23.87	37.26	5	+18.301	133
10414	10439	6 Lacerte	6	22. 23. 22.70	35.77	4	+ 2.575	+ 42. 16. 45.00	35.09	4	+18.302	2971	...	136
10415	10440	Lacaille 9164	8	22. 23. 51.25	38.78	3	+ 3.854	— 55. 8. 42.61	38.78	3	+18.319	...	9164	...
10416	10441	Piazzi XXII. 139	6.7	22. 23. 55.78	35.57	2	+ 2.774	+ 28. 41. 55.73	34.85	3	+18.322	139
10417	10442	Piazzi XXII. 138	8	22. 24. 9.11	37.00	3	+ 3.252	— 18. 20. 47.91	37.03	3	+18.329	138
10418	10443	7 Lacerte	4	22. 24. 30.31	32.68	5	+ 2.440	+ 49. 26. 9.77	32.87	11	+18.342	2975	...	141
10419	10444	39 Pegasi	6	22. 24. 37.53	33.31	6	+ 2.882	+ 19. 22. 55.14	32.56	5	+18.347	2974	...	140
10420	10445	Lacaille 9170	7	22. 25. 8.48	38.82	3	+ 3.958	— 58. 44. 0.75	38.79	2	+18.364	...	9170	...
10421	10446	Lacaille 9173	7	22. 25. 19.23	38.80	3	+ 3.770	— 52. 27. 13.78	38.85	2	+18.370	...	9173	...
10422	10453	Bradley 2993	7	22. 25. 23.51	42.80	2	— 3.416	+ 85. 16. 22.82	38.58	5	+18.373	2993	...	165
10423	10447	28 Cephei	6.7	22. 25. 23.69	40.02	5	+ 0.559	+ 77. 56. 43.12	42.80	2	+18.373	2980	...	150
10424	10448	Piazzi XXII. 142	7	22. 25. 24.93	32.82	5	+ 3.171	— 10. 27. 24.56	32.88	5	+18.374	142
10425	10449	60 Aquarii	6.7	22. 25. 32.62	33.21	6	+ 3.095	— 2. 25. 15.97	32.87	4	+18.379	2977	...	144
10426	10450	59 Aquarii	5	22. 25. 39.55	32.03	7	+ 3.288	— 21. 33. 2.28	31.78	5	+18.381	2976	...	143
10427	10451	Bradley 2997	7	22. 25. 57.02	40.33	4	— 3.543	+ 85. 23. 17.78	37.34	4	+18.392	2997	...	167
10428	10452	Piazzi XXII. 145	7	22. 26. 9.58	33.38	10	+ 3.074	— 0. 15. 3.59	33.75	5	+18.400	145
10429	10454	Piazzi XXII. 146	7	22. 26. 31.35	37.16	4	+ 3.312	— 24. 50. 28.22	36.97	3	+18.412	146
10430	10455	Lacaille 9178	7	22. 26. 37.29	38.72	3	+ 3.685	— 49. 9. 25.02	38.72	3	+18.415	...	9178	...
10431	10456	Gruis	6.7	22. 26. 49.72	35.68	3	+ 3.539	— 41. 25. 52.48	38.38	7	+18.423	...	9181	147
10432	10457	62 Aquarii	4	22. 26. 52.63	33.03	9	+ 3.080	— 0. 57. 56.51	31.73	5	+18.425	2979	...	151
10433	10458	Piazzi XXII. 148	9	22. 26. 54.90	37.08	2	+ 3.283	— 21. 47. 7.30	37.23	4	+18.426	148
10434	10459	61 Aquarii	7	22. 26. 55.53	32.73	5	+ 3.247	— 18. 18. 33.04	34.21	6	+18.426	2978	...	149
10435	10460	Piazzi XXII. 156	7	22. 27. 17.33	35.85	2	+ 2.298	+ 55. 46. 21.31	35.71	3	+18.439	156
10436	10461	Lacaille 9184	6	22. 27. 17.42	36.49	4	+ 3.408	— 32. 30. 49.18	35.06	4	+18.439	...	9184	153
10437	10462	Gruis	6	22. 27. 19.48	39.96	5	+ 3.536	— 41. 26. 23.74	38.74	7	+18.441	...	9183	152
10438	10463	Piazzi XXII. 154	7.8	22. 27. 21.16	37.06	3	+ 3.407	— 32. 29. 35.45	37.70	2	+18.442	154
10439	10464	Piazzi XXII. 157	8.9	22. 27. 32.40	35.71	3	+ 2.562	+ 44. 9. 14.43	35.00	4	+18.447	157
10440	10465	Piazzi XXII. 155	7.8	22. 27. 47.68	36.97	3	+ 3.283	— 21. 56. 34.62	37.11	4	+18.457	155

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
10441	10466	Piazzi XXII. 158	7	22. 27. 52'28	35'81	1	+ 2'888	+ 19. 25. 40'46	35'73	3	+18'459	158
10442	10467	Piazzi XXII. 159	8	22. 28. 7'89	39'02	5	+ 2'653	+ 38. 44. 0'24	40'61	5	+18'469	159
10443	10468	Piazzi XXII. 161	7'8	22. 28. 11'00	35'72	3	+ 2'563	+ 44. 18. 7'17	35'09	4	+18'470	161
10444	10469	29 Cephei	6'7	22. 28. 21'09	39'84	7	+ 0'627	+ 77. 58. 40'20	37'56	10	+18'476	2988	...	168
10445	10470	Piazzi XXII. 160	7	22. 28. 31'42	35'82	1	+ 3'274	- 21. 13. 47'15	35'12	4	+18'482	160
10446	10471	Bradley 2981	7	22. 28. 32'23	41'23	7	+ 2'654	+ 38. 46. 32'28	38'82	2	+18'482	2981	...	163
10447	10472	8 Lacertæ	7	22. 28. 32'30	41'61	6	+ 2'655	+ 38. 46. 54'15	37'19	8	+18'482	2982	...	164
10448	10473	Lacaille 9189	6'7	22. 28. 53'83	39'79	2	+ 3'773	- 53. 32. 47'33	39'79	2	+18'495	...	9189	...
10449	10474	Piazzi XXII. 162	8'9	22. 28. 56'00	38'92	6	+ 3'351	- 28. 17. 54'89	39'11	6	+18'496	162
10450	10475	63 Aquarii	6	22. 29. 12'65	34'93	14	+ 3'118	- 5. 4. 37'15	35'06	10	+18'505	2983	...	166
10451	10476	Lacaille 9200	7'8	22. 30. 3'95	38'80	3	+ 3'691	- 50. 27. 7'47	38'80	3	+18'534	...	9200	...
10452	10477	Lacaille 9198	7'8	22. 30. 14'77	38'79	3	+ 3'898	- 58. 16. 46'69	38'79	3	+18'540	...	9198	...
10453	10478	Piazzi XXII. 169	7	22. 30. 28'49	35'77	3	+ 3'039	+ 3. 40. 30'29	35'17	3	+18'548	169
10454	10479	Lacaille 9204	7	22. 30. 32'43	38'75	3	+ 3'356	- 29. 10. 51'21	38'75	3	+18'550	...	9204	...
10455	10480	Brisbane 7191	7	22. 30. 34'74	38'75	3	+ 3'356	- 29. 12. 10'28	38'75	3	+18'551
10456	10481	64 Aquarii	6'7	22. 30. 35'01	32'74	5	+ 3'170	- 10. 53. 2'57	32'77	5	+18'551	2984	...	170
10457	10482	9 Lacertæ	6	22. 30. 36'61	35'81	2	+ 2'451	+ 50. 41. 39'60	35'12	3	+18'552	2987	...	173
10458	10483	Piazzi XXII. 171	8	22. 30. 42'89	36'99	3	+ 3'112	- 4. 27. 46'47	37'21	3	+18'555	171
10459	10484	40 Pegasi	6	22. 30. 53'93	32'79	5	+ 2'901	+ 18. 40. 13'64	32'73	5	+18'562	2985	...	174
10460	10485	Lacaille 9205	6'7	22. 31. 9'00	35'83	3	+ 3'382	- 31. 30. 24'98	35'71	3	+18'570	...	9205	172
10461	10486	Piazzi XXII. 177	6'7	22. 31. 9'81	35'73	2	+ 2'578	+ 44. 19. 37'80	35'72	3	+18'570	177
10462	10487	Piazzi XXII. 176	7	22. 31. 25'58	32'86	5	+ 3'163	- 10. 13. 7'91	32'84	6	+18'579	176
10463	10488	18 Piscis Australis	4	22. 31. 31'12	32'59	10	+ 3'339	- 27. 54. 4'94	31'76	5	+18'582	2986	9206	175
10464	10489	Piazzi XXII. 178	7	22. 31. 36'10	35'67	3	+ 3'137	- 7. 23. 25'68	35'06	4	+18'585	178
10465	10490	Piazzi XXII. 179	7	22. 31. 37'43	35'78	2	+ 2'700	+ 36. 31. 4'55	35'79	2	+18'587	179
10466	10491	31 Cephei	5	22. 31. 40'90	31'94	5	+ 1'449	+ 72. 47. 16'60	31'83	5	+18'588	2994	...	185
10467	10492	41 Pegasi	6	22. 31. 47'93	32'88	5	+ 2'901	+ 18. 49. 25'85	32'86	4	+18'592	2989	...	180
10468	10493	10 Lacertæ	6	22. 31. 52'41	35'86	2	+ 2'677	+ 38. 11. 35'94	35'83	3	+18'593	2990	...	181
10469	10494	Piazzi XXII. 184	7	22. 32. 4'98	35'78	2	+ 2'702	+ 36. 29. 46'25	35'73	4	+18'601	184
10470	10495	Piazzi XXII. 183	8	22. 32. 15'75	39'00	3	+ 3'111	- 4. 24. 40'58	37'11	5	+18'606	183
10471	10496	Piazzi XXII. 182	8	22. 32. 18'53	37'06	3	+ 3'339	- 28. 6. 57'37	36'98	4	+18'608	182
10472	10497	Piazzi XXII. 186	8	22. 32. 42'25	37'29	2	+ 2'951	+ 13. 41. 2'26	36'28	2	+18'620	186
10473	10498	Lacaille 9210	6	22. 32. 44'90	39'15	5	+ 3'625	- 48. 3. 23'17	40'37	5	+18'621	...	9210	...
10474	10499	Gruis	3	22. 32. 46'16	31'84	6	+ 3'619	- 47. 44. 42'23	31'70	5	+18'622	...	9211	...
10475	10500	30 Cephei	5	22. 32. 48'47	32'12	7	+ 2'109	+ 62. 43. 41'63	31'85	5	+18'624	2996	...	190
10476	10501	Lacaille 9215	7	22. 32. 59'38	38'80	3	+ 3'569	- 45. 6. 36'83	38'80	3	+18'630	...	9215	...
10477	10502	19 Piscis Australis	6'7	22. 33. 10'73	35'57	2	+ 3'360	- 30. 13. 14'12	35'01	4	+18'635	2991	...	187
10478	10503	42 Pegasi	3	22. 33. 14'16	35'08	14	+ 2'985	+ 9. 58. 19'40	35'76	23	+18'637	2992	...	189
10479	10504	11 Lacertæ	7	22. 33. 17'56	35'71	2	+ 2'605	+ 43. 24. 59'90	35'73	1	+18'639	2995	...	192
10480	10505	Piazzi XXII. 188	8	22. 33. 18'68	37'12	3	+ 3'168	- 10. 59. 8'76	37'22	2	+18'640	188

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10481	10506	Piazzi XXII. 194	8	h m s 22. 33. 19.37	40.62	5	+ 2.325	+ 56. 31. 46.54	40.14	6	+18.641	194
10482	10507	Piazzi XXII. 191	9	22. 33. 34.06	38.44	4	+ 3.109	- 4. 20. 0.03	38.52	4	+18.648	191
10483	10508	Piazzi XXII. 195	6	22. 33. 48.61	36.38	2	+ 2.953	+ 13. 39. 25.13	35.77	2	+18.656	195
10484	10509	Gruis	6	22. 33. 54.45	35.72	2	+ 3.518	- 42. 16. 18.71	35.02	4	+18.659	...	9218	193
10485	10510	Piazzi XXII. 197	7.8	22. 33. 58.16	35.83	2	+ 2.596	+ 44. 8. 53.21	35.35	2	+18.661	197
10486	10511	43 Pegasi	5	22. 34. 1.17	36.41	11	+ 2.806	+ 28. 26. 53.40	36.69	9	+18.663	2999	...	196
10487	10512	12 Lacertæ	6	22. 34. 6.17	35.82	2	+ 2.670	+ 39. 21. 53.46	35.71	3	+18.665	3002	...	199
10488	10513	65 Aquarii	7	22. 34. 20.18	32.79	6	+ 3.167	- 10. 57. 48.97	32.77	5	+18.673	2998	...	198
10489	10514	Piazzi XXII. 200	7	22. 34. 24.56	33.86	7	+ 3.151	- 9. 10. 23.39	32.88	6	+18.675	200
10490	10515	Piazzi XXII. 201	7	22. 34. 35.41	35.87	2	+ 3.141	- 8. 4. 35.42	35.06	4	+18.681	201
10491	10516	67 Aquarii	6	22. 34. 37.13	33.74	6	+ 3.139	- 7. 49. 26.72	33.07	5	+18.682	3001	...	202
10492	10517	66 Aquarii	6.7	22. 34. 41.97	33.75	6	+ 3.246	- 19. 41. 28.27	33.70	5	+18.684	3000	...	203
10493	10518	Piazzi XXII. 204	9	22. 34. 48.16	37.03	3	+ 3.151	- 9. 16. 46.15	37.20	4	+18.687	204
10494	10519	44 Pegasi	3	22. 35. 16.62	33.19	3	+ 2.800	+ 29. 21. 36.27	33.02	10	+18.702	3003	...	205
10495	10520	Gruis	5	22. 35. 27.65	35.05	8	+ 3.744	- 54. 21. 57.80	35.11	9	+18.708	...	9223	...
10496	10521	Lacaille 9229	6.7	22. 35. 54.43	38.77	3	+ 3.594	- 47. 24. 41.58	38.77	3	+18.723	...	9229	...
10497	10522	Piazzi XXII. 206	9	22. 35. 58.41	36.97	4	+ 3.144	- 8. 28. 51.14	37.44	4	+18.725	206
10498	10523	Lacaille 9231	7.8	22. 36. 11.08	38.79	3	+ 3.638	- 49. 50. 30.69	38.78	3	+18.732	...	9231	...
10499	10524	Piazzi XXII. 210	8	22. 36. 24.84	35.56	2	+ 2.616	+ 43. 40. 37.57	34.99	4	+18.739	210
10500	10525	Piazzi XXII. 208	9	22. 36. 28.52	37.00	4	+ 3.143	- 8. 25. 49.50	37.26	4	+18.741	208
10501	10526	20 Piscis Australia	6	22. 36. 28.79	32.84	5	+ 3.306	- 26. 6. 8.42	32.84	5	+18.741	3004	9236	207
10502	10527	Lacaille 9233	7	22. 36. 31.31	40.74	6	+ 3.650	- 50. 32. 22.42	40.74	6	+18.742	...	9233	...
10503	10528	Piazzi XXII. 209	7	22. 36. 40.60	35.79	2	+ 3.160	- 10. 30. 32.31	35.62	5	+18.747	209
10504	10529	13 Lacertæ	6	22. 36. 44.78	35.73	2	+ 2.660	+ 40. 57. 16.74	35.07	4	+18.749	3005	...	211
10505	10530	Lacaille 9237	6.7	22. 36. 55.96	40.74	6	+ 3.595	- 47. 48. 20.95	40.74	6	+18.755	...	9237	...
10506	10531	45 Pegasi	6	22. 37. 26.98	32.87	5	+ 2.914	+ 18. 29. 54.82	32.73	5	+18.771	3006	...	212
10507	10532	Piazzi XXII. 213	8.9	22. 37. 39.94	37.03	4	+ 3.160	- 10. 33. 39.67	37.13	3	+18.778	213
10508	10533	Piazzi XXII. 214	8	22. 37. 53.42	37.05	3	+ 2.806	+ 29. 35. 32.32	37.22	4	+18.785	214
10509	10534	Lacaille 9251	7	22. 38. 23.32	38.72	3	+ 3.451	- 39. 5. 12.07	38.72	3	+18.800	...	9251	...
10510	10535	46 Pegasi	5	22. 38. 27.21	31.78	6	+ 2.979	+ 11. 19. 44.42	31.84	5	+18.802	3008	...	215
10511	10536	Gruis	4	22. 38. 32.99	32.24	6	+ 3.672	- 52. 10. 56.38	31.77	5	+18.805	...	9249	...
10512	10537	47 Pegasi	4.5	22. 38. 35.46	32.36	10	+ 2.877	+ 22. 41. 57.52	33.23	13	+18.806	3010	...	217
10513	10538	68 Aquarii	6	22. 38. 40.94	32.77	5	+ 3.245	- 20. 28. 18.76	32.86	6	+18.809	3007	...	216
10514	10539	69 Aquarii	6	22. 38. 56.86	33.04	10	+ 3.195	- 14. 55. 26.54	32.90	5	+18.817	3009	...	218
10515	10540	Piazzi XXII. 222	8	22. 39. 8.97	37.21	2	+ 2.604	+ 45. 20. 55.31	37.17	3	+18.823	222
10516	10541	Bradley 3011	8	22. 39. 19.73	37.04	6	+ 3.113	- 5. 5. 1.01	36.89	8	+18.829	3011	...	219
10517	10542	Piazzi XXII. 220	7.8	22. 39. 21.22	36.76	2	+ 3.113	- 5. 5. 50.94	37.45	2	+18.830	220
10518	10543	Piazzi XXII. 221	9	22. 39. 27.22	37.06	4	+ 3.245	- 20. 33. 49.52	37.27	4	+18.833	221
10519	10544	70 Aquarii	6	22. 39. 49.03	33.07	9	+ 3.165	- 11. 25. 29.32	32.85	5	+18.844	3012	...	223
10520	10545	Piazzi XXII. 226	6.7	22. 40. 38.38	35.77	3	+ 2.736	+ 36. 32. 59.74	35.14	3	+18.868	226

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10521	10546	Lacaille 9271	8	h m s 22. 40. 46.74	37.11	3	+ 3.374	— 33. 40. 30.25	34.99	5	+18.872	...	9271	224
10522	10547	71 Aquarii ^r ₂	5.6	22. 40. 51.11	33.15	6	+ 3.189	— 14. 27. 40.60	32.75	4	+18.875	3013	...	225
10523	10549	Lacaille 9267	7.8	22. 41. 17.29	38.70	3	+ 3.876	— 60. 45. 13.93	38.70	3	+18.887	...	9267	...
10524	10550	Lacaille 9275	7.8	22. 41. 37.33	35.80	3	+ 3.449	— 40. 1. 43.80	35.00	4	+18.898	...	9275	227
10525	10551	Piazzi XXII. 228	8.9	22. 41. 37.72	37.05	3	+ 3.138	— 8. 19. 50.08	37.26	4	+18.898	228
10526	10552	48 Pegasi ^μ	4	22. 42. 2.78	32.45	5	+ 2.876	+ 23. 43. 55.93	33.46	18	+18.909	3016	...	231
10527	10553	72 Aquarii ^μ	6.7	22. 42. 10.10	36.37	2	+ 3.136	— 8. 10. 59.03	35.03	4	+18.913	230
10528	10548	21 Piscis Australis	6	22. 42. 14.11	35.81	3	+ 3.333	— 30. 24. 30.08	35.25	3	+18.914	3015	9281	229
10529	10554	Piazzi XXII. 232	6.7	22. 42. 34.58	35.84	3	+ 2.926	+ 18. 16. 11.05	35.71	3	+18.925	232
10530	10555	14 Lacertae	7	22. 42. 56.13	35.76	3	+ 2.687	+ 41. 4. 50.65	34.99	4	+18.936	3018	...	233
10531	10556	22 Piscis Australis ^γ	5	22. 43. 20.30	31.77	6	+ 3.365	— 33. 44. 53.59	31.76	3	+18.947	3017	9287	234
10532	10557	32 Cephei ^δ	4	22. 43. 49.45	32.47	6	+ 2.122	+ 65. 20. 2.54	31.83	5	+18.961	3022	...	238
10533	10558	Gruis ^τ ₁	6.7	22. 43. 50.15	38.99	4	+ 3.582	— 49. 28. 10.14	38.73	3	+18.961	...	9289	...
10534	10559	73 Aquarii ^λ	4	22. 44. 0.23	33.07	6	+ 3.137	— 8. 27. 19.07	31.80	5	+18.966	3019	...	235
10535	10560	49 Pegasi ^σ	5.6	22. 44. 2.65	32.79	5	+ 3.003	+ 8. 57. 34.35	32.32	6	+18.967	3020	...	236
10536	10561	Piazzi XXII. 237	8	22. 44. 9.63	36.92	4	+ 3.052	+ 2. 40. 42.31	36.92	4	+18.970	237
10537	10562	Piazzi XXII. 248	7.8	22. 44. 10.96	39.87	3	— 0.185	+ 82. 24. 7.81	38.50	6	+18.971	248
10538	10563	15 Lacertae	6	22. 44. 36.54	35.91	1	+ 2.677	+ 42. 26. 12.37	35.07	4	+18.983	3023	...	240
10539	10564	74 Aquarii ^λ	6	22. 44. 47.30	33.13	7	+ 3.167	— 12. 29. 29.69	32.81	5	+18.988	3021	...	239
10540	10565	Piazzi XXII. 241	6	22. 44. 55.35	32.86	5	+ 2.949	+ 15. 58. 2.47	32.77	5	+18.992	241
10541	10566	Bradley 3028	5	22. 44. 57.05	32.57	6	+ 2.302	+ 60. 49. 14.07	32.24	5	+18.993	3028
10542	10567	Piazzi XXII. 242	8	22. 45. 11.59	36.96	5	+ 3.114	— 5. 31. 58.43	36.76	4	+18.999	242
10543	10568	Piazzi XXII. 244	7	22. 45. 15.71	35.82	3	+ 2.862	+ 26. 6. 11.89	35.08	4	+19.001	244
10544	10569	75 Aquarii ^λ	7	22. 45. 24.84	35.79	3	+ 3.171	— 13. 3. 52.13	35.13	3	+19.006	3024	...	243
10545	10570	Brisbane 7221	7	22. 45. 37.19	39.14	5	+ 3.569	— 49. 22. 15.94	39.14	5	+19.012
10546	10571	Gruis ^τ ₂	7	22. 45. 37.50	39.26	4	+ 3.569	— 49. 20. 41.81	39.42	3	+19.012	...	9295	...
10547	10572	76 Aquarii ^δ	3	22. 45. 53.36	33.41	7	+ 3.200	— 16. 41. 47.78	31.73	7	+19.019	3025	...	245
10548	10573	78 Aquarii ^δ	6	22. 45. 58.72	32.89	5	+ 3.132	— 8. 4. 47.14	32.83	5	+19.021	3027	...	246
10549	10574	77 Aquarii ^δ	6	22. 46. 1.43	32.92	5	+ 3.203	— 17. 8. 44.18	32.86	5	+19.023	3026	...	247
10550	10575	Brisbane 7222	7.8	22. 46. 7.14	38.76	3	+ 3.569	— 49. 34. 57.24	38.76	3	+19.025
10551	10576	1 Piscium ^δ	6	22. 46. 33.02	33.61	6	+ 3.071	+ 0. 11. 14.33	32.69	5	+19.037	3030	...	249
10552	10577	Piazzi XXII. 250	7	22. 46. 37.46	33.77	6	+ 3.115	— 5. 51. 53.79	33.45	6	+19.039	250
10553	10578	23 Piscis Australis ^δ	5.6	22. 46. 47.54	35.80	3	+ 3.349	— 33. 25. 9.07	35.05	4	+19.044	3029	9304	251
10554	10579	50 Pegasi ^p	5.6	22. 46. 55.64	33.14	9	+ 3.014	+ 7. 56. 16.10	32.66	6	+19.048	3031	...	252
10555	10580	Bradley 3038	6	22. 47. 55.07	37.50	6	+ 0.021	+ 82. 16. 42.72	37.03	6	+19.075	3038	...	258
10556	10581	24 Piscis Australis ^α	1	22. 48. 31.13	34.51	69	+ 3.314	— 30. 29. 40.38	32.41	101	+19.090	3032	9314	253
10557	10582	Bradley 3033	7.8	22. 48. 44.44	35.83	3	+ 3.113	— 5. 41. 25.19	35.22	4	+19.097	3033	...	254
10558	10583	16 Lacertae ^δ	6	22. 48. 52.43	35.78	3	+ 2.720	+ 40. 43. 27.10	35.07	4	+19.100	3034	...	255
10559	10584	51 Pegasi ^δ	6	22. 49. 21.91	32.83	5	+ 2.925	+ 19. 53. 9.21	33.77	6	+19.113	3035	...	257
10560	10585	Lacaille 9316	7	22. 49. 22.81	37.29	6	+ 3.371	— 36. 23. 58.03	36.62	7	+19.113	...	9316	256

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10561	10586	Piazzi XXII. 259	9	h m s 22. 49. 58.25	37.01	4	+ 3.110	— 5. 23. 0.79	37.00	4	+19.129	259
10562	10587	Piazzi XXII. 260	8	22. 50. 0.13	37.07	3	+ 2.752	+ 38. 30. 28.48	36.98	4	+19.130	260
10563	10588	Piazzi XXII. 261	6.7	22. 50. 4.42	35.64	3	+ 2.753	+ 38. 25. 41.28	35.11	4	+19.132	261
10564	10589	Piazzi XXII. 263	7.8	22. 50. 23.79	37.68	2	+ 3.027	+ 6. 27. 44.37	37.25	2	+19.140	263
10565	10590	Lacaille 9321	6	22. 50. 33.73	37.25	6	+ 3.306	— 30. 20. 42.23	37.25	6	+19.144	...	9321	262
10566	10592	Lacaille 9320	7.8	22. 50. 51.83	40.52	8	+ 3.741	— 59. 19. 14.82	40.77	7	+19.152	...	9320	...
10567	10591	Piazzi XXII. 280	8	22. 50. 53.44	36.78	3	— 0.655	+ 83. 54. 3.62	37.41	3	+19.153	280
10568	10593	Piazzi XXII. 264	6.7	22. 50. 54.28	35.74	3	+ 3.171	— 13. 57. 11.94	35.00	5	+19.153	264
10569	10594	52 Pegasi	6	22. 50. 56.79	32.73	6	+ 2.996	+ 10. 50. 52.65	32.81	5	+19.154	3037	...	265
10570	10595	2 Piscium	6.7	22. 51. 0.19	32.80	6	+ 3.072	+ 0. 5. 0.75	32.87	6	+19.156	3036	...	266
10571	10596	Gruis	5	22. 51. 6.17	31.73	5	+ 3.610	— 53. 38. 13.37	31.83	5	+19.159	...	9322	...
10572	10597	Lacaille 9329	5.6	22. 51. 9.39	35.75	3	+ 3.265	— 26. 2. 35.64	35.72	3	+19.160	...	9329	267
10573	10598	Lacaille 9327	7.8	22. 51. 17.75	38.77	3	+ 3.540	— 49. 49. 32.63	38.74	2	+19.164	...	9327	...
10574	10599	Piazzi XXII. 269	8	22. 51. 19.13	37.26	2	+ 3.095	— 3. 19. 23.36	37.47	3	+19.165	269
10575	10600	Lacaille 9330	8.9	22. 51. 20.60	36.41	5	+ 3.273	— 27. 1. 48.01	35.94	7	+19.165	...	9330	268
10576	10601	Lacaille 9328	6	22. 51. 23.63	38.81	3	+ 3.574	— 51. 50. 2.28	38.81	3	+19.166	...	9328	...
10577	10602	Piazzi XXII. 270	7.8	22. 51. 28.03	37.86	1	+ 3.273	— 27. 0. 57.79	37.73	1	+19.168	270
10578	10603	Piazzi XXII. 271	7.8	22. 51. 28.24	37.12	5	+ 3.027	+ 6. 28. 30.12	37.37	5	+19.168	271
10579	10604	Piazzi XXII. 272	6.7	22. 51. 42.75	35.79	3	+ 3.140	— 9. 45. 46.22	35.09	4	+19.175	272
10580	10605	Piazzi XXII. 273	8	22. 51. 46.75	37.24	6	+ 3.027	+ 6. 30. 0.80	37.13	3	+19.177	273
10581	10606	Piazzi XXII. 276	8	22. 52. 3.69	36.76	1	+ 2.582	+ 51. 25. 12.71	37.16	3	+19.184	276
10582	10607	3 Piscium	6	22. 52. 10.60	31.86	4	+ 3.077	— 0. 41. 54.39	32.24	7	+19.187	3039	...	274
10583	10608	Piazzi XXII. 275	7	22. 52. 18.69	32.87	6	+ 3.058	+ 2. 7. 54.15	32.83	4	+19.190	275
10584	10609	Piazzi XXII. 277	8	22. 52. 29.83	37.24	2	+ 3.242	— 23. 40. 26.53	37.11	3	+19.194	277
10585	10610	81 Aquarii	6	22. 52. 49.14	32.56	8	+ 3.126	— 7. 56. 41.12	33.17	6	+19.202	3040	...	278
10586	10611	Piazzi XXII. 279	7	22. 52. 59.32	35.77	3	+ 3.110	— 5. 35. 48.65	34.98	4	+19.207	279
10587	10612	Bradley 3041	7	22. 53. 19.52	32.85	6	+ 3.054	+ 2. 38. 54.87	33.77	6	+19.215	3041
10588	10613	82 Aquarii	6	22. 53. 58.53	32.79	5	+ 3.122	— 7. 27. 28.58	32.83	5	+19.232	3042	...	281
10589	10614	Lacaille 9345	7.8	22. 54. 5.24	40.03	5	+ 3.647	— 56. 34. 57.29	40.34	6	+19.234	...	9345	...
10590	10615	1 Andromedæ	4	22. 54. 20.58	32.11	6	+ 2.738	+ 41. 26. 26.53	33.44	17	+19.240	3043	...	284
10591	10616	Lacaille 9350	5.6	22. 54. 20.81	39.27	6	+ 3.343	— 35. 38. 23.51	39.24	6	+19.240	...	9350	282
10592	10617	Piazzi XXII. 283	8	22. 54. 24.78	36.99	4	+ 2.968	+ 15. 20. 45.79	37.03	4	+19.242	283
10593	10618	Lacaille 9354	7	22. 54. 41.10	38.77	3	+ 3.415	— 42. 22. 8.63	38.77	3	+19.249	...	9354	...
10594	10619	Piazzi XXII. 285	8	22. 54. 41.47	35.81	3	+ 2.918	+ 22. 14. 40.70	35.00	4	+19.249	285
10595	10620	2 Andromedæ	6	22. 55. 1.45	35.80	2	+ 2.737	+ 41. 52. 17.36	35.72	3	+19.257	3045	...	286
10596	10621	Bradley 3058	6	22. 55. 25.91	40.01	5	— 0.173	+ 83. 27. 46.20	38.42	7	+19.267	3058	...	295
10597	10622	4 Piscium	5	22. 55. 29.02	31.82	6	+ 3.053	+ 2. 56. 0.57	32.75	9	+19.268	3046	...	287
10598	10623	53 Pegasi	2	22. 55. 47.11	32.56	5	+ 2.882	+ 27. 11. 19.50	31.78	5	+19.276	3047	...	288
10599	10624	54 Pegasi	2	22. 56. 32.84	34.15	73	+ 2.979	+ 14. 19. 8.94	32.72	105	+19.293	3050	...	290
10600	10625	83 Aquarii	6	22. 56. 33.46	33.72	10	+ 3.127	— 8. 34. 58.00	33.40	8	+19.293	3048	...	289

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10601	10626	84 Aquarii ^h ₂	7	22. 56. 43.38	34.45	8	+ 3.127	— 8. 38. 36.96	35.13	3	+19.299	3049	...	291
10602	10627	Piazzi XXII. 292	6	22. 56. 46.70	35.77	3	+ 2.762	+ 40. 23. 11.19	35.34	2	+19.300	292
10603	10628	3 Andromedæ	6	22. 56. 47.69	38.56	5	+ 2.651	+ 49. 9. 21.97	37.58	6	+19.300	3052	...	293
10604	10629	Bradley 3054	5	22. 57. 16.98	32.43	6	+ 2.246	+ 66. 19. 15.09	33.80	5	+19.312	3054
10605	10630	85 Aquarii ^h ₃	7	22. 57. 17.38	32.87	5	+ 3.128	— 8. 49. 32.61	33.06	5	+19.312	3051	...	294
10606	10631	Piazzi XXII. 297	7	22. 57. 20.46	35.79	3	+ 2.982	+ 14. 4. 14.47	35.04	4	+19.313	297
10607	10632	Gruis ^θ	5	22. 57. 33.43	31.80	6	+ 3.425	— 44. 24. 34.13	31.81	5	+19.318	...	9366	296
10608	10633	Lacaille 9365	7	22. 57. 36.75	39.79	2	+ 3.508	— 50. 29. 48.46	39.79	2	+19.319	...	9365	...
10609	10634	Lacaille 9367	7.8	22. 57. 40.71	38.78	3	+ 3.525	— 51. 34. 32.49	38.78	3	+19.321	...	9367	...
10610	10635	Lacaille 9369	6	22. 57. 41.03	35.81	3	+ 3.371	— 39. 46. 59.52	35.71	3	+19.321	...	9369	298
10611	10636	86 Aquarii ^c ₁	5.6	22. 57. 48.41	32.85	5	+ 3.236	— 24. 37. 58.36	32.83	5	+19.324	3053	9371	299
10612	10637	Piazzi XXII. 300	8	22. 58. 6.61	36.99	4	+ 2.959	+ 17. 37. 32.16	37.24	4	+19.331	300
10613	10638	Piazzi XXII. 301	8	22. 58. 21.02	36.97	4	+ 2.949	+ 19. 1. 14.43	37.39	5	+19.337	301
10614	10639	87 Aquarii ^h ₄	7.8	22. 58. 37.12	35.81	1	+ 3.125	— 8. 34. 57.05	35.07	4	+19.344	3055	...	302
10615	10640	55 Pegasi	5	22. 58. 41.86	34.98	11	+ 3.019	+ 8. 31. 10.61	32.88	10	+19.345	3056	...	303
10616	10641	56 Pegasi	4.5	22. 59. 4.92	31.77	6	+ 2.911	+ 24. 34. 45.88	33.33	10	+19.354	3057	...	304
10617	10642	Lacaille 9376	6	22. 59. 24.79	36.06	11	+ 3.271	— 29. 42. 48.26	36.86	11	+19.362	...	9376	305
10618	10643	Piazzi XXII. 306	7	22. 59. 34.84	35.84	3	+ 2.855	+ 31. 56. 0.23	35.00	4	+19.366	306
10619	10644	1 Cassiopeiæ	6	22. 59. 39.80	35.85	2	+ 2.503	+ 58. 31. 44.82	35.72	3	+19.368	3061	...	308
10620	10645	Piazzi XXII. 307	8.9	22. 59. 51.32	37.01	4	+ 3.133	— 9. 54. 0.85	37.02	4	+19.372	307
10621	10646	Piazzi XXII. 309	8	22. 59. 55.95	37.05	4	+ 2.882	+ 28. 48. 4.27	37.10	3	+19.374	309
10622	10647	4 Andromedæ	6	23. 0. 7.83	35.83	2	+ 2.721	+ 45. 29. 46.75	34.99	4	+19.378	3063	...	311
10623	10648	5 Piscium ^A	6	23. 0. 13.97	33.20	6	+ 3.065	+ 1. 13. 51.55	34.43	3	+19.381	3059	...	310
10624	10649	5 Andromedæ	6.7	23. 0. 16.92	35.76	2	+ 2.684	+ 48. 23. 51.23	35.10	4	+19.382	3064	...	312
10625	10650	88 Aquarii ^c ₂	4.5	23. 0. 38.56	31.78	5	+ 3.211	— 22. 3. 58.51	31.87	5	+19.389	3062	...	313
10626	10651	Lacaille 9381	6	23. 0. 46.38	37.78	6	+ 3.399	— 43. 45. 11.41	36.65	7	+19.392	...	9381	314
10627	10652	Lacaille 9383	6.7	23. 0. 49.31	38.76	3	+ 3.261	— 28. 58. 54.95	38.76	3	+19.393	...	9383	...
10628	10653	Bradley 3066	7	23. 0. 56.74	35.87	2	+ 3.065	+ 1. 15. 3.04	35.13	3	+19.396	3066	...	316
10629	10654	Lacaille 9384	6	23. 0. 57.12	39.55	8	+ 3.373	— 41. 28. 58.34	39.09	9	+19.396	...	9384	315
10630	10655	Gruis ^t	5	23. 0. 59.52	36.40	13	+ 3.426	— 46. 8. 18.50	36.85	11	+19.397	...	9382	...
10631	10656	Brisbane 7253	8	23. 1. 3.66	38.80	3	+ 3.396	— 43. 38. 49.67	38.80	3	+19.398
10632	10657	89 Aquarii ^c ₃	5	23. 1. 5.79	32.65	5	+ 3.219	— 23. 21. 2.47	32.00	5	+19.399	3065	9386	317
10633	10658	Piazzi XXIII. 1	7	23. 1. 10.95	35.93	2	+ 1.832	+ 74. 41. 25.01	35.74	3	+19.401	1
10634	10659	57 Pegasi	5.6	23. 1. 12.03	32.87	5	+ 3.026	+ 7. 47. 3.18	32.64	6	+19.401	3068	...	318
10635	10660	Piazzi XXII. 319	7.8	23. 1. 34.15	35.79	2	+ 2.887	+ 28. 46. 33.40	35.72	3	+19.409	319
10636	10661	58 Pegasi	6	23. 1. 43.21	36.61	6	+ 3.019	+ 8. 55. 46.64	35.22	3	+19.412	3069	...	320
10637	10662	Piazzi XXIII. 2	7	23. 2. 6.84	35.83	2	+ 3.112	— 6. 51. 13.83	35.78	3	+19.421	2
10638	10663	Piazzi XXIII. 3	8.9	23. 2. 21.69	37.12	3	+ 3.022	+ 8. 53. 15.09	37.10	3	+19.426	3
10639	10664	Piazzi XXIII. 4	7	23. 2. 31.18	35.73	3	+ 2.972	+ 16. 42. 6.43	35.14	4	+19.430	4
10640	10665	33 Cephei ^π	5	23. 2. 40.31	31.74	1	+ 1.879	+ 74. 29. 46.64	31.76	5	+19.434	3074	...	8

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccclxix}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10641	10666	2 Cassiopeia	6	^{h m s} 23. 2. 42'33	35'78	3	+ 2'533	+ 58. 26. 20'87	35'10	4	+19'434	3071	...	6
10642	10667	6 Andromedæ	6'7	23. 2. 50'65	35'72	2	+ 2'768	+ 42. 39. 32'42	35'12	4	+19'438	3070	...	7
10643	10668	Piazzi XXIII. 5	7'8	23. 2. 50'99	37'29	2	+ 3'048	+ 4. 6. 36'65	37'04	4	+19'438	5
10644	10669	Lacaille 9393	7'8	23. 3. 19'40	39'99	5	+ 3'531	- 55. 4. 56'08	40'46	6	+19'448	...	9393	...
10645	10670	59 Pegasi	5'6	23. 3. 24'68	32'82	6	+ 3'027	+ 7. 49. 31'61	31'92	4	+19'449	3072	...	9
10646	10671	60 Pegasi	6	23. 3. 49'19	32'59	6	+ 2'914	+ 25. 57. 26'23	32'77	5	+19'458	3073	...	11
10647	10672	Lacaille 9397	7'8	23. 3. 49'70	38'83	3	+ 3'466	- 50. 30. 51'35	38'83	3	+19'458	...	9397	...
10648	10673	Piazzi XXIII. 10	8'9	23. 3. 52'56	37'39	3	+ 3'066	+ 1. 7. 7'93	36'77	3	+19'459	10
10649	10674	Lacaille 9400	7'8	23. 4. 22'17	38'78	3	+ 3'360	- 41. 49. 57'10	38'78	3	+19'469	...	9400	...
10650	10675	Piazzi XXIII. 12	7'8	23. 4. 22'53	37'26	4	+ 3'131	- 10. 27. 57'18	37'26	4	+19'469	12
10651	10676	7 Andromedæ	5	23. 5. 0'52	31'74	6	+ 2'713	+ 48. 30. 20'11	32'91	11	+19'483	3075	...	14
10652	10677	Piazzi XXIII. 13	8'9	23. 5. 8'13	37'13	3	+ 3'037	+ 6. 17. 3'91	37'30	4	+19'486	13
10653	10678	Piazzi XXIII. 15	7'8	23. 5. 15'33	37'14	3	+ 3'065	+ 1. 18. 18'70	37'10	4	+19'488	15
10654	10679	Piazzi XXIII. 17	7	23. 5. 37'33	35'69	3	+ 3'091	- 3. 31. 52'42	35'00	4	+19'495	17
10655	10680	Piazzi XXIII. 16	8	23. 5. 39'36	36'54	4	+ 3'246	- 29. 21. 19'06	37'27	4	+19'496	16
10656	10681	Lacaille 9406	6'7	23. 5. 42'90	38'77	3	+ 3'560	- 57. 35. 17'41	38'77	3	+19'498	...	9406	...
10657	10682	90 Aquarii	5	23. 5. 46'59	32'48	12	+ 3'110	- 6. 56. 12'96	31'84	5	+19'500	3076	...	19
10658	10683	Lacaille 9407	6'7	23. 5. 48'40	37'23	6	+ 3'351	- 41. 59. 53'17	36'62	7	+19'501	...	9407	18
10659	10684	Piazzi XXIII. 20	7'8	23. 5. 48'78	37'40	3	+ 2'967	+ 18. 44. 14'33	37'32	4	+19'501	20
10660	10685	Lacaille 9410	7	23. 6. 49'25	38'81	3	+ 3'535	- 56. 25. 32'42	38'81	3	+19'520	...	9410	...
10661	10686	Piazzi XXIII. 21	8	23. 7. 11'97	37'26	4	+ 3'070	+ 0. 24. 41'02	37'05	4	+19'528	21
10662	10687	91 Aquarii	5'6	23. 7. 14'72	33'19	12	+ 3'126	- 9. 59. 7'81	32'50	6	+19'529	3078	...	22
10663	10688	Piazzi XXIII. 23	8	23. 7. 18'02	35'72	2	+ 2'931	+ 24. 46. 25'07	35'02	4	+19'530	23
10664	10689	Lacaille 9424	7	23. 7. 43'03	35'76	3	+ 3'345	- 42. 5. 39'90	35'20	3	+19'538	...	9424	24
10665	10690	61 Pegasi	6	23. 7. 43'47	33'91	8	+ 2'916	+ 27. 20. 58'34	33'66	8	+19'538	3080	...	26
10666	10691	Toucani	4	23. 7. 45'06	37'55	13	+ 3'578	- 59. 8. 20'38	37'13	13	+19'539	...	9420	...
10667	10692	Lacaille 9426	8	23. 7. 47'44	37'24	2	+ 3'243	- 29. 34. 58'41	37'33	4	+19'540	...	9426	25
10668	10698	Piazzi XXIII. 27	8	23. 7. 55'50	37'04	3	+ 2'977	+ 17. 21. 38'27	37'33	4	+19'542	27
10669	10693	Piazzi XXIII. 28	6	23. 8. 1'03	35'81	1	+ 2'917	+ 27. 19. 39'49	34'81	1	+19'544	28
10670	10694	Lacaille 9429	7	23. 8. 16'47	38'83	4	+ 3'240	- 29. 19. 59'86	38'18	5	+19'549	...	9429	29
10671	10695	92 Aquarii	5'6	23. 8. 17'70	33'36	10	+ 3'117	- 8. 37. 29'53	32'73	4	+19'550	3081	...	30
10672	10696	6 Piscium	4'5	23. 8. 36'78	33'78	11	+ 3'060	+ 2. 22. 55'57	33'36	22	+19'556	3082	...	31
10673	10697	Brisbane 7270	8	23. 8. 52'96	38'78	3	+ 3'568	- 59. 11. 59'20	38'78	3	+19'562
10674	10699	Grus	6	23. 9. 2'37	37'32	6	+ 3'335	- 41. 43. 9'20	36'67	7	+19'564	...	9432	32
10675	10700	93 Aquarii	5	23. 9. 19'68	32'67	9	+ 3'124	- 10. 4. 55'38	31'89	4	+19'569	3083	...	33
10676	10701	Piazzi XXIII. 34	6'7	23. 9. 25'39	36'21	4	+ 2'980	+ 17. 24. 22'39	35'16	4	+19'571	34
10677	10702	Lacaille 9433	7'8	23. 9. 30'47	40'96	7	+ 3'400	- 48. 20. 9'93	40'95	7	+19'573	...	9433	...
10678	10703	Piazzi XXIII. 35	7'8	23. 9. 38'02	37'60	4	+ 3'236	- 29. 22. 31'38	36'44	5	+19'575	35
10679	10704	Sculptoris	5	23. 9. 54'05	34'08	9	+ 3'263	- 33. 25. 46'53	34'69	8	+19'581	...	9435	36
10680	10705	8 Andromedæ	5	23. 10. 6'81	32'26	6	+ 2'750	+ 48. 6. 51'57	32'29	5	+19'584	3089	...	39

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10681	10706	Piazzi XXIII. 38	8	23. 10. 10'45	37'38	4	+ 2'927	+ 26. 42. 3'78	37'28	4	+19'585	38
10682	10707	Piazzi XXIII. 37	7	23. 10. 12'36	36'33	2	+ 3'234	- 29. 17. 23'67	35'76	4	+19'586	37
10683	10708	95 Aquarii ^ψ ⁸	5	23. 10. 22'45	32'27	11	+ 3'125	- 10. 30. 41'19	32'88	5	+19'589	3087	...	40
10684	10709	Piazzi XXIII. 44	7'8	23. 10. 24'49	37'28	4	+ 2'928	+ 26. 42. 19'47	37'19	5	+19'590	44
10685	10710	Piazzi XXIII. 41	9	23. 10. 25'50	39'95	6	+ 3'145	- 14. 21. 5'21	40'05	4	+19'590	41
10686	10711	94 Aquarii.....	6	23. 10. 25'71	32'77	5	+ 3'145	- 14. 21. 18'49	34'78	7	+19'591	3088	...	42
10687	10712	Piazzi XXIII. 43	8	23. 10. 26'20	40'93	6	+ 3'049	+ 4. 30. 34'61	40'01	4	+19'591	43
10688	10713	9 Andromedæ	6	23. 10. 34'70	35'71	3	+ 2'824	+ 40. 52. 23'95	35'06	4	+19'593	3091	...	45
10689	10714	Lacaille 9442.....	7'8	23. 10. 45'56	38'79	3	+ 3'393	- 48. 26. 31'32	38'79	3	+19'596	...	9442	...
10690	10715	96 Aquarii.....	6	23. 10. 50'64	33'32	10	+ 3'102	- 6. 1. 29'06	32'86	5	+19'598	3090	...	46
10691	10716	Piazzi XXIII. 47	7	23. 11. 27'57	35'68	3	+ 2'876	+ 34. 55. 26'57	35'74	3	+19'610	47
10692	10717	Lacaille 9446.....	6'7	23. 11. 31'73	38'77	3	+ 3'421	- 51. 12. 19'57	38'77	3	+19'611	...	9446	...
10693	10718	Piazzi XXIII. 48	7	23. 11. 32'44	37'32	2	+ 2'953	+ 22. 55. 29'78	37'76	2	+19'611	48
10694	10719	11 Andromedæ.....	6	23. 11. 49'86	35'86	3	+ 2'765	+ 47. 43. 14'80	35'00	4	+19'617	3093	...	50
10695	10720	34 Cephei	6	23. 11. 52'75	35'88	3	+ 2'409	+ 67. 12. 34'20	35'23	3	+19'618	3097	...	53
10696	10721	7 Piscium..... ^δ	6	23. 11. 56'31	33'50	6	+ 3'050	+ 4. 28. 56'07	33'58	7	+19'619	3092	...	49
10697	10722	Bradley 3094	7	23. 11. 57'79	40'51	6	+ 2'769	+ 47. 28. 39'33	39'26	6	+19'619	3094	...	51
10698	10723	10 Andromedæ.....	7	23. 12. 2'18	35'87	3	+ 2'829	+ 41. 10. 32'64	35'01	4	+19'621	3095	...	52
10699	10724	B.D. - 6°.6191.....	7	23. 12. 10'52	32'87	5	+ 3'105	- 6. 48. 27'68	32'86	5	+19'623
10700	10725	Piazzi XXIII. 54.....	7'8	23. 12. 10'86	37'12	3	+ 2'833	+ 40. 51. 9'72	37'43	3	+19'623	54
10701	10726	Lacaille 9448.....	6	23. 12. 27'52	32'90	5	+ 3'218	- 27. 53. 16'24	32'91	5	+19'629	...	9448	55
10702	10727	62 Pegasi..... ^T	5	23. 12. 28'69	35'13	11	+ 2'956	+ 22. 50. 18'48	34'41	7	+19'629	3096	...	56
10703	10728	Piazzi XXIII. 57	7	23. 12. 42'22	35'77	3	+ 2'992	+ 16. 20. 55'93	35'05	4	+19'632	57
10704	10729	63 Pegasi	6	23. 12. 45'26	35'77	3	+ 2'917	+ 29. 30. 54'15	35'16	4	+19'633	3098	...	58
10705	10730	12 Andromedæ	6	23. 12. 56'54	35'80	3	+ 2'864	+ 37. 16. 56'00	35'09	4	+19'637	3099	...	59
10706	10731	Piazzi XXIII. 60	7'8	23. 13. 52'24	36'99	3	+ 2'943	+ 25. 42. 31'18	37'04	4	+19'654	60
10707	10732	64 Pegasi	6	23. 13. 52'51	35'87	3	+ 2'912	+ 30. 54. 33'73	35'15	4	+19'654	3103	...	62
10708	10733	Lacaille 9452.....	7	23. 13. 56'56	41'19	5	+ 3'475	- 56. 27. 26'40	41'19	5	+19'655	...	9452	...
10709	10734	97 Aquarii.....	6	23. 14. 0'06	32'62	5	+ 3'148	- 15. 56. 38'68	33'10	6	+19'656	3102	...	61
10710	10735	Lacaille 9454.....	7	23. 14. 16'54	38'75	3	+ 3'315	- 42. 30. 21'68	38'77	2	+19'661	...	9454	...
10711	10736	98 Aquarii..... ^δ ¹	5	23. 14. 17'93	31'79	6	+ 3'174	- 21. 0. 0'45	31'73	5	+19'661	3105	...	63
10712	10737	Piazzi XXIII. 64	8'9	23. 14. 25'28	37'12	3	+ 3'127	- 11. 40. 47'73	37'04	4	+19'664	64
10713	10738	65 Pegasi ..	6	23. 14. 28'09	32'92	7	+ 2'976	+ 19. 55. 32'19	32'83	5	+19'664	3106	...	65
10714	10739	Brisbane 7280	7'8	23. 14. 30'90	38'83	3	+ 3'444	- 54. 43. 5'75	38'83	3	+19'665
10715	10740	Lacaille 9456.....	6'7	23. 14. 41'19	39'10	9	+ 3'326	- 44. 1. 45'39	38'79	11	+19'668	...	9456	66
10716	10741	66 Pegasi	6	23. 14. 45'67	32'59	6	+ 3'019	+ 11. 24. 38'89	32'89	6	+19'669	3108	...	67
10717	10742	Lacaille 9457.....	6'7	23. 14. 56'31	38'82	3	+ 3'416	- 52. 47. 40'17	38'82	3	+19'672	...	9457	...
10718	10743	Piazzi XXIII. 68	6'7	23. 15. 4'22	32'80	5	+ 3'075	- 0. 36. 48'03	33'09	5	+19'674	68
10719	10744	Piazzi XXIII. 69.....	7	23. 15. 12'18	35'70	3	+ 3'115	- 9. 21. 51'23	35'09	4	+19'676	69
10720	10745	Lacaille 9462.....	6	23. 15. 22'28	32'90	6	+ 3'180	- 22. 40. 32'15	33'78	6	+19'679	...	9462	70

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{cclxxi}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10721	10746	Lacaille 9461.....	7.8	^{h m s} 23. 15. 30.59	38.85	3	^s + 3.274	^{° ' "} - 38. 6. 19.80	38.88	3	["] +19.682	...	9461	...
10722	10747	Bradley 3109.....	9	23. 15. 41.75	35.73	4	+ 2.914	+ 31. 37. 29.04	35.00	4	+19.684	3109	...	71
10723	10748	Lacaille 9463.....	5.6	23. 15. 52.42	40.67	5	+ 3.477	- 57. 45. 12.11	40.60	7	+19.687	...	9463	...
10724	10749	Piazzi XXIII. 72.....	8	23. 15. 58.42	37.00	4	+ 3.048	+ 5. 16. 51.52	36.84	4	+19.689	72
10725	10750	Piazzi XXIII. 73.....	7	23. 16. 3.22	35.80	3	+ 2.732	+ 53. 7. 32.99	35.13	4	+19.691	73
10726	10751	Piazzi XXIII. 74.....	9	23. 16. 35.28	37.09	3	+ 2.967	+ 22. 34. 28.44	37.13	3	+19.700	74
10727	10752	67 Pegasi.....	6	23. 16. 47.08	35.64	3	+ 2.919	+ 31. 28. 45.43	35.01	4	+19.704	3111	...	75
10728	10753	68 Pegasi.....	5	23. 17. 9.21	31.73	5	+ 2.969	+ 22. 29. 47.60	31.72	5	+19.709	3114	...	77
10729	10754	Piazzi XXIII. 76.....	8	23. 17. 12.46	35.72	1	+ 3.170	- 21. 30. 48.85	35.09	4	+19.710	76
10730	10755	Lacaille 9470.....	6	23. 17. 20.55	38.91	3	+ 3.408	- 53. 38. 2.80	38.91	2	+19.713	...	9470	...
10731	10756	99 Aquarii..... ^u	5	23. 17. 22.31	32.39	7	+ 3.170	- 21. 32. 43.62	32.30	6	+19.713	3113	...	78
10732	10757	4 Cassiopeie.....	5	23. 17. 31.86	32.60	3	+ 2.621	+ 61. 22. 40.03	32.98	11	+19.715	3115	...	81
10733	10758	Piazzi XXIII. 79.....	8	23. 17. 44.39	37.17	5	+ 3.132	- 13. 51. 24.93	37.05	4	+19.719	79
10734	10759	Lacaille 9474.....	6.7	23. 17. 47.43	38.82	3	+ 3.486	- 59. 23. 11.67	38.82	3	+19.720	...	9474	...
10735	10760	Piazzi XXIII. 80.....	8.9	23. 17. 49.82	37.25	4	+ 3.171	- 22. 5. 49.73	37.03	4	+19.720	80
10736	10761	Lacaille 9478.....	6	23. 17. 53.26	32.85	6	+ 3.174	- 22. 38. 49.82	32.45	5	+19.721	...	9478	82
10737	10762	Lacaille 9476.....	6.7	23. 17. 58.38	39.25	4	+ 3.374	- 51. 3. 51.94	39.24	4	+19.723	...	9476	...
10738	10763	Lacaille 9477.....	8	23. 17. 59.07	38.77	3	+ 3.375	- 51. 11. 5.17	38.77	3	+19.723	...	9477	...
10739	10764	8 Piscium..... ^k	5.6	23. 18. 28.52	34.68	19	+ 3.071	+ 0. 21. 12.54	33.64	16	+19.729	3116	...	83
10740	10765	Piazzi XXIII. 86.....	7.8	23. 18. 40.84	35.76	3	+ 2.762	+ 52. 15. 36.69	35.00	4	+19.731	86
10741	10774	Lacaille 9480.....	7.8	23. 18. 41.04	38.76	4	+ 3.370	- 51. 15. 3.16	38.78	4	+19.731	...	9480	...
10742	10766	9 Piscium.....	6	23. 18. 47.72	32.74	5	+ 3.071	+ 0. 13. 1.87	32.80	4	+19.734	3117	...	84
10743	10767	Piazzi XXIII. 85.....	8.9	23. 18. 51.13	37.12	6	+ 3.131	- 13. 50. 8.67	37.10	3	+19.736	85
10744	10768	Piazzi XXIII. 88.....	8	23. 19. 5.18	35.80	3	+ 2.720	+ 55. 58. 22.73	35.07	4	+19.739	88
10745	10769	Lacaille 9485.....	6.7	23. 19. 8.55	35.80	3	+ 3.247	- 36. 27. 6.19	35.16	4	+19.740	...	9485	87
10746	10770	13 Andromedæ.....	6.7	23. 19. 11.27	35.80	3	+ 2.859	+ 42. 0. 15.28	35.15	4	+19.741	3118	...	89
10747	10771	69 Pegasi.....	6	23. 19. 29.21	32.81	5	+ 2.966	+ 24. 15. 42.70	33.79	5	+19.746	3119	...	91
10748	10772	Piazzi XXIII. 90.....	6.7	23. 19. 29.85	35.77	3	+ 3.123	- 12. 21. 21.85	35.05	4	+19.746	90
10749	10773	10 Piscium..... ^θ	5	23. 19. 36.07	34.07	8	+ 3.050	+ 5. 28. 25.22	35.28	8	+19.748	3120	...	92
10750	10775	Piazzi XXIII. 93.....	8.9	23. 19. 52.55	37.79	6	+ 3.051	+ 5. 10. 4.52	37.96	6	+19.751	93
10751	10776	Lacaille 9490.....	6.7	23. 19. 59.61	40.76	6	+ 3.307	- 45. 24. 19.31	40.92	7	+19.753	...	9490	...
10752	10777	Lacaille 9488.....	7.8	23. 20. 1.94	38.79	3	+ 3.408	- 55. 24. 35.64	38.79	3	+19.754	...	9488	...
10753	10778	Bradley 3125.....	5	23. 20. 20.36	31.78	5	+ 2.458	+ 69. 27. 9.51	31.80	5	+19.759	3125
10754	10779	70 Pegasi..... ^q	5	23. 20. 49.07	32.46	6	+ 3.024	+ 11. 51. 3.21	31.73	5	+19.766	3122	...	94
10755	10780	11 Piscium.....	6.7	23. 20. 58.97	32.93	6	+ 3.083	- 2. 41. 54.64	32.35	6	+19.769	3123	...	95
10756	10781	Piazzi XXIII. 96.....	7	23. 21. 0.29	35.92	8	+ 3.093	- 5. 25. 51.22	37.01	8	+19.769	96
10757	10782	12 Piscium.....	7	23. 21. 2.78	33.53	7	+ 3.079	- 1. 56. 35.75	33.85	5	+19.770	3124	...	97
10758	10783	Piazzi XXIII. 98.....	8	23. 21. 8.82	39.48	6	+ 3.052	+ 5. 11. 43.01	39.36	6	+19.771	98
10759	10784	Lacaille 9495.....	8	23. 21. 38.55	37.76	7	+ 3.279	- 42. 53. 38.29	37.77	7	+19.778	...	9495	99
10760	10785	Piazzi XXIII. 100.....	7	23. 22. 17.09	35.71	2	+ 2.726	+ 57. 38. 23.99	35.12	4	+19.787	100

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° "			"			
10761	10786	Piazzi XXIII. 101	5	23. 22. 26.54	33.51	7	+ 2.728	+ 57. 38. 23.11	31.76	5	+19.789	101
10762	10787	Lacaille 9502.....	6.7	23. 22. 27.62	38.76	3	+ 3.296	- 45. 45. 9.81	38.76	3	+19.790	...	9502	...
10763	10788	Lacaille 9507.....	7.8	23. 22. 56.52	37.27	6	+ 3.270	- 42. 39. 44.69	36.61	7	+19.796	...	9507	102
10764	10789	Piazzi XXIII. 103.....	6.7	23. 23. 0.09	37.79	5	+ 3.091	- 4. 59. 18.30	38.27	6	+19.797	103
10765	10790	100 Aquarii ^{b8}	6	23. 23. 2.57	35.78	3	+ 3.160	- 22. 16. 44.55	34.97	5	+19.798	3126	...	104
10766	10791	Bradley 3127.....	7	23. 23. 9.53	35.83	3	+ 3.159	- 22. 9. 31.49	35.72	3	+19.799	3127	...	105
10767	10792	14 Andromedæ	6	23. 23. 11.47	35.83	3	+ 2.903	+ 38. 19. 46.75	35.15	4	+19.800	3128	...	107
10768	10793	Piazzi XXIII. 106.....	7	23. 23. 16.94	35.67	3	+ 3.121	- 12. 51. 29.53	35.07	4	+19.801	106
10769	10794	13 Piscium	7	23. 23. 29.99	32.16	4	+ 3.079	- 1. 59. 48.11	33.59	5	+19.804	3129	...	108
10770	10795	Piazzi XXIII. 109.....	7	23. 23. 39.05	33.86	7	+ 3.119	- 12. 27. 12.50	33.40	5	+19.806	109
10771	10796	Piazzi XXIII. 110.....	8	23. 23. 53.10	36.94	5	+ 2.875	+ 43. 9. 42.40	36.83	5	+19.809	110
10772	10797	Sculptoris ^β	5.6	23. 24. 6.25	37.29	6	+ 3.239	- 38. 43. 47.41	36.50	9	+19.813	...	9513	111
10773	10798	Piazzi XXIII. 112.....	7	23. 24. 7.00	35.78	3	+ 2.736	+ 58. 10. 57.30	35.15	4	+19.813	112
10774	10799	Piazzi XXIII. 113.....	8.9	23. 24. 22.88	37.03	4	+ 2.950	+ 30. 32. 2.01	37.03	4	+19.816	113
10775	10800	101 Aquarii ^{b4}	5	23. 24. 38.20	31.75	6	+ 3.154	- 21. 49. 30.89	31.83	5	+19.820	3130	...	114
10776	10801	71 Pegasi	5	23. 25. 12.91	31.82	5	+ 2.992	+ 21. 35. 21.42	31.79	6	+19.828	3132	...	115
10777	10802	14 Piscium	6.7	23. 25. 39.96	32.75	5	+ 3.079	- 2. 9. 28.52	32.40	4	+19.834	3133	...	116
10778	10803	72 Pegasi	5.6	23. 25. 46.60	35.82	3	+ 2.955	+ 30. 24. 53.80	35.11	4	+19.835	3134	...	118
10779	10804	Lacaille 9520.....	7.8	23. 25. 52.44	38.79	3	+ 3.386	- 57. 44. 11.26	38.79	3	+19.836	...	9520	...
10780	{10805 10807}	Lacaille 9522.....	7.8	23. 25. 56.38	37.29	6	+ 3.261	- 43. 35. 43.53	36.66	7	+19.837	...	9522	117
10781	10806	Piazzi XXIII. 119	8.9	23. 25. 57.39	36.98	4	+ 3.068	+ 1. 5. 30.83	37.04	4	+19.837	119
10782	10808	Piazzi XXIII. 121	7.8	23. 25. 58.19	35.84	4	+ 2.888	+ 42. 59. 33.10	35.09	4	+19.838	121
10783	10809	Phœnicis	5	23. 26. 10.69	33.98	14	+ 3.259	- 43. 31. 34.27	33.86	7	+19.840	...	9523	120
10784	10810	Piazzi XXIII. 122	6.7	23. 26. 13.94	35.82	4	+ 3.129	- 16. 9. 11.91	35.14	4	+19.840	122
10785	10811	73 Pegasi	6	23. 26. 29.36	35.77	3	+ 2.947	+ 32. 35. 5.46	35.06	4	+19.844	3136	...	124
10786	10812	Piazzi XXIII. 123.....	8	23. 26. 33.16	37.06	4	+ 3.101	- 8. 35. 20.29	37.05	4	+19.845	123
10787	10813	15 Andromedæ	6	23. 26. 34.18	35.83	3	+ 2.913	+ 39. 19. 36.11	35.12	4	+19.845	3137	...	125
10788	10814	Lacaille 9526.....	8	23. 26. 58.54	39.78	6	+ 3.232	- 39. 51. 54.24	39.78	6	+19.850	...	9526	...
10789	10815	Piazzi XXIII. 126	6.7	23. 27. 1.46	33.52	6	+ 3.100	- 8. 22. 36.56	33.77	3	+19.850	126
10790	10816	15 Piscium	7	23. 27. 2.66	32.90	5	+ 3.071	+ 0. 24. 8.59	33.21	5	+19.850	3138	...	127
10791	10817	Piazzi XXIII. 128	8	23. 27. 7.53	35.82	2	+ 3.128	- 16. 12. 33.03	35.00	4	+19.851	128
10792	10818	Piazzi XXIII. 129	8.9	23. 27. 17.07	37.12	3	+ 3.094	- 6. 39. 37.02	37.05	4	+19.853	129
10793	10819	Lacaille 9529.....	6	23. 27. 29.13	33.36	6	+ 3.172	- 27. 47. 18.79	33.83	5	+19.856	...	9529	130
10794	10820	Piazzi XXIII. 135	6	23. 27. 45.71	39.33	3	+ 0.091	+ 86. 23. 49.38	39.14	9	+19.859	135
10795	10821	16 Piscium	6	23. 27. 58.27	33.77	6	+ 3.068	+ 1. 11. 15.09	32.90	5	+19.862	3139	...	132
10796	10822	Lacaille 9532.....	8	23. 28. 1.10	37.12	3	+ 3.163	- 26. 9. 5.52	37.06	4	+19.862	...	9532	131
10797	10823	Lacaille 9535.....	6	23. 28. 56.53	40.78	7	+ 3.262	- 46. 24. 15.69	40.55	7	+19.873	...	9535	...
10798	10824	Lacaille 9541.....	7.8	23. 28. 57.14	40.33	6	+ 3.262	- 46. 28. 52.13	40.76	7	+19.873	...	9541	...
10799	10825	Piazzi XXIII. 133	6	23. 29. 6.27	32.81	4	+ 3.117	- 13. 58. 26.95	33.79	5	+19.875	133
10800	10826	Lacaille 9540.....	7.8	23. 29. 13.26	38.79	2	+ 3.236	- 42. 28. 42.05	38.78	3	+19.877	...	9540	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{celxxiii}

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10801	10827	74 Pegasi	7	h m s 23. 29. 18.61	35.67	3	+ 3.021	+ 15. 54. 45.23	35.13	4	+19.878	3141	...	134
10802	10828	Piazzi XXIII. 136.....	8	23. 29. 23.11	37.04	4	+ 3.064	+ 2. 27. 32.33	37.01	4	+19.879	136
10803	10829	Piazzi XXIII. 137.....	7	23. 29. 28.10	37.06	4	+ 3.123	- 16. 0. 11.09	37.04	4	+19.880	137
10804	10830	16 Andromedæλ	4.5	23. 29. 30.49	32.71	9	+ 2.891	+ 45. 33. 53.50	32.95	14	+19.880	3143	...	138
10805	10831	75 Pegasi	6	23. 29. 37.52	32.76	5	+ 3.016	+ 17. 29. 13.94	32.87	5	+19.881	3142	...	139
10806	10832	Piazzi XXIII. 141.....	8	23. 30. 0.22	37.06	4	+ 2.914	+ 42. 9. 53.71	37.27	4	+19.886	141
10807	10833	Brisbane 7313	6.7	23. 30. 2.56	38.76	3	+ 3.256	- 46. 31. 27.78	38.76	2	+19.886
10808	10834	17 Andromedæλ	5	23. 30. 3.83	35.75	3	+ 2.913	+ 42. 21. 17.35	35.07	4	+19.887	3144	...	142
10809	10835	Piazzi XXIII. 140.....	8	23. 30. 5.36	35.75	3	+ 3.142	- 21. 46. 51.74	35.15	4	+19.887	140
10810	10836	Phœnicis	5	23. 30. 34.87	36.50	15	+ 3.259	- 47. 33. 10.62	37.23	13	+19.892	...	9543	...
10811	10837	18 Andromedæλ	6	23. 31. 10.04	35.78	4	+ 2.875	+ 49. 33. 29.95	35.78	4	+19.899	3146	...	144
10812	10838	102 Aquariiω ¹	5	23. 31. 13.43	34.07	8	+ 3.117	- 15. 8. 1.74	35.18	8	+19.900	3145	...	143
10813	10839	17 Piscium	4.5	23. 31. 28.01	34.82	14	+ 3.058	+ 4. 43. 59.13	32.88	11	+19.902	3148	...	145
10814	10840	Piazzi XXIII. 146.....	6.7	23. 31. 31.00	35.73	2	+ 3.046	+ 8. 45. 51.47	35.73	4	+19.903	146
10815	10841	Piazzi XXIII. 147.....	8	23. 31. 52.96	36.98	5	+ 3.061	+ 3. 53. 30.43	37.26	4	+19.907	147
10816	10842	Sculptorisμ	6	23. 31. 58.02	37.12	7	+ 3.178	- 32. 59. 4.99	38.77	3	+19.908	...	9552	148
10817	10843	Piazzi XXIII. 149.....	8	23. 31. 59.38	39.30	6	+ 3.131	- 19. 54. 2.28	42.78	3	+19.908	149
10818	10844	Piazzi XXIII. 152.....	6.7	23. 32. 11.87	39.32	6	+ 2.540	+ 73. 5. 20.22	42.45	5	+19.910	152
10819	10845	19 Andromedæκ	5	23. 32. 17.84	31.93	1	+ 2.919	+ 43. 25. 16.14	31.92	5	+19.912	3149	...	151
10820	10846 (10847)	Piazzi XXIII. 150.....	7.8	23. 32. 26.08	37.59	5	+ 3.176	- 32. 59. 13.53	38.77	3	+19.913	150
10821	10848	Piazzi XXIII. 153.....	6	23. 32. 36.55	32.86	5	+ 3.108	- 12. 35. 42.02	32.82	5	+19.915	153
10822	10849	35 Cepheiγ	3	23. 32. 38.09	32.86	3	+ 2.397	+ 76. 42. 41.98	32.07	5	+19.915	3152	...	155
10823	10850	103 Aquarii.....A ¹	5	23. 33. 0.91	32.85	4	+ 3.126	- 18. 56. 18.05	32.13	6	+19.919	3150	...	154
10824	10851	Lacaille 9561.....	7.8	23. 33. 9.96	38.79	3	+ 3.219	- 43. 10. 54.16	38.79	3	+19.921	...	9561	...
10825	10852	104 AquariiA ²	5	23. 33. 11.72	34.83	8	+ 3.124	- 18. 43. 51.92	35.06	7	+19.921	3151	...	156
10826	10853	Piazzi XXIII. 157.....	8	23. 33. 23.81	37.25	2	+ 3.091	- 6. 53. 42.34	37.45	3	+19.923	157
10827	10854	18 Pisciumλ	5	23. 33. 37.83	33.31	11	+ 3.070	+ 0. 52. 21.43	32.49	5	+19.925	3153	...	158
10828	10855	Piazzi XXIII. 160.....	7	23. 34. 6.94	35.74	2	+ 2.927	+ 43. 50. 29.59	35.74	4	+19.930	160
10829	10856	105 Aquariiω ²	5.6	23. 34. 9.82	32.91	3	+ 3.114	- 15. 27. 24.92	32.85	6	+19.931	3154	...	159
10830	10857	Piazzi XXIII. 161.....	8	23. 34. 17.14	36.83	4	+ 3.105	- 12. 14. 31.58	37.27	4	+19.932	161
10831	10858	76 Pegasi	6	23. 34. 21.87	33.49	6	+ 3.031	+ 15. 25. 13.26	32.88	5	+19.933	3156	...	162
10832	10859	77 Pegasi	5.6	23. 34. 58.80	32.94	6	+ 3.048	+ 9. 24. 56.40	32.78	4	+19.939	3157	...	163
10833	10860	Lacaille 9573.....	7.8	23. 35. 6.26	38.81	3	+ 3.224	- 46. 22. 30.77	38.81	3	+19.940	...	9573	...
10834	10861	Piazzi XXIII. 164.....	7.8	23. 35. 23.21	38.54	5	+ 2.850	+ 57. 8. 37.73	42.75	3	+19.942	164
10835	10862	106 Aquariiλ ¹	5	23. 35. 38.38	31.75	6	+ 3.121	- 19. 11. 32.78	31.78	5	+19.945	3159	...	165
10836	10863	78 Pegasi	5	23. 35. 42.27	31.80	6	+ 2.995	+ 28. 26. 53.70	31.82	5	+19.945	3160	...	166
10837	10864	Piazzi XXIII. 168.....	8	23. 35. 51.58	40.04	5	+ 3.072	- 0. 12. 5.25	39.83	9	+19.946	168
10838	10865	Lacaille 9579.....	7.8	23. 35. 53.46	37.07	4	+ 3.144	- 27. 9. 40.93	37.03	4	+19.947	...	9579	167
10839	10866	Piazzi XXIII. 169.....	8.9	23. 36. 12.32	37.28	2	+ 3.095	- 9. 22. 38.87	37.05	4	+19.950	169
10840	10867	Piazzi XXIII. 170.....	7	23. 36. 24.21	32.27	7	+ 3.057	+ 6. 16. 37.71	31.91	5	+19.952	170

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
10841	10868	Piazzi XXIII. 171.....	8	h m s 23. 36. 24.48	36.05	4	+ 2.932	+ 45. 27. 51.54	35.77	1	+19.952	171
10842	10869	Piazzi XXIII. 172.....	8	23. 36. 32.80	37.16	3	+ 2.934	+ 45. 20. 58.22	37.09	4	+19.953	172
10843	10870	Piazzi XXIII. 173.....	7	23. 36. 34.97	35.66	3	+ 2.946	+ 42. 49. 48.32	35.66	4	+19.953	173
10844	10871	Piazzi XXIII. 175.....	6.7	23. 36. 47.63	35.81	3	+ 2.880	+ 54. 53. 3.28	35.81	4	+19.955	175
10845	10872	Piazzi XXIII. 174.....	8.9	23. 36. 50.19	36.83	3	+ 3.107	- 14. 35. 54.59	37.21	3	+19.955	174
10846	10873	Lacaille 9582	6.7	23. 37. 18.00	37.27	6	+ 3.187	- 41. 5. 49.30	38.78	3	+19.960	...	9582	176
10847	10874	107 Aquarii	6	23. 37. 26.55	32.87	5	+ 3.119	- 19. 35. 45.69	32.81	5	+19.961	3161	...	177
10848	10875	Piazzi XXIII. 178.....	8	23. 37. 28.62	37.02	5	+ 3.106	- 14. 22. 11.17	37.17	3	+19.961	178
10849	10876	Piazzi XXIII. 179.....	8.9	23. 37. 33.36	37.13	3	+ 3.073	- 0. 39. 5.47	37.19	3	+19.962	179
10850	10877	Piazzi XXIII. 180.....	8	23. 37. 47.36	37.11	3	+ 3.105	- 14. 16. 50.94	37.33	2	+19.964	180
10851	10878	20 Andromeda	5	23. 37. 52.78	31.76	6	+ 2.941	+ 45. 30. 14.51	31.87	6	+19.965	3163	...	181
10852	10879	19 Piscium	6	23. 37. 57.78	33.44	13	+ 3.067	+ 2. 34. 20.12	32.82	4	+19.966	3162	...	182
10853	10880	Piazzi XXIII. 183.....	7.8	23. 38. 7.87	37.07	4	+ 3.072	- 0. 23. 4.69	37.08	4	+19.967	183
10854	10881	Piazzi XXIII. 184.....	7	23. 38. 8.08	35.80	2	+ 3.005	+ 27. 47. 17.13	35.80	4	+19.967	184
10855	10882	Phoeniceis	7	23. 38. 29.19	38.77	3	+ 3.228	- 51. 8. 31.07	38.77	3	+19.970	...	9591	...
10856	10883	Piazzi XXIII. 185.....	6	23. 38. 46.08	33.07	7	+ 3.100	- 12. 49. 22.87	32.90	5	+19.972	185
10857	10884	Piazzi XXIII. 186.....	8.9	23. 38. 52.47	37.33	2	+ 3.125	- 23. 11. 16.02	37.14	3	+19.973	186
10858	10885	5 Cassiopeia	5	23. 39. 1.39	32.05	6	+ 2.878	+ 57. 43. 58.38	31.81	5	+19.974	3164	...	187
10859	10886	20 Piscium	5.6	23. 39. 27.75	32.62	6	+ 3.080	- 3. 40. 42.87	32.85	5	+19.978	3165	...	188
10860	10887	Piazzi XXIII. 189.....	7	23. 39. 58.48	35.78	3	+ 3.114	- 19. 48. 1.23	35.78	4	+19.982	189
10861	10888	Piazzi XXIII. 190.....	6.7	23. 40. 3.78	33.06	6	+ 3.087	- 7. 17. 44.30	32.50	6	+19.983	190
10862	10889	Bradley 3166.....	5	23. 40. 4.03	32.19	5	+ 2.800	+ 66. 53. 22.67	31.77	5	+19.983	3166	...	191
10863	10890	Sculptoris	5	23. 40. 19.42	34.10	9	+ 3.136	- 29. 2. 31.83	33.44	9	+19.984	...	9603	192
10864	10891	Piazzi XXIII. 193.....	6.7	23. 40. 22.74	35.68	2	+ 3.069	+ 1. 17. 57.27	35.80	2	+19.984	193
10865	10892	6 Cassiopeia	6	23. 40. 50.55	36.28	4	+ 2.868	+ 61. 17. 52.44	35.80	4	+19.988	3169	...	195
10866	10893	Lacaille 9606.....	8	23. 40. 53.42	37.16	5	+ 3.118	- 22. 31. 52.04	37.03	4	+19.988	...	9606	194
10867	10894	Piazzi XXIII. 196.....	7	23. 41. 0.08	35.75	3	+ 3.105	- 16. 46. 36.95	35.75	4	+19.989	196
10868	10895	21 Piscium	6	23. 41. 1.00	31.89	6	+ 3.072	+ 0. 9. 36.94	31.91	5	+19.989	3167	...	197
10869	10896	79 Pegasi	6	23. 41. 19.03	33.36	6	+ 3.014	+ 27. 55. 25.74	33.03	5	+19.991	3171	...	198
10870	10897	Piazzi XXIII. 199.....	8.9	23. 41. 26.37	37.05	5	+ 3.101	- 15. 15. 9.17	37.07	4	+19.992	199
10871	10898	Piazzi XXIII. 200.....	6	23. 41. 43.97	32.87	3	+ 3.092	- 10. 53. 42.74	33.77	5	+19.995	200
10872	10899	Lacaille 9612.....	7.8	23. 41. 49.47	38.79	3	+ 3.211	- 52. 37. 6.96	38.79	3	+19.995	...	9612	...
10873	10900	Piazzi XXIII. 202.....	8	23. 41. 51.53	37.11	3	+ 2.879	+ 61. 17. 48.22	37.06	4	+19.995	202
10874	10901	Lacaille 9613.....	7.8	23. 41. 54.32	38.77	3	+ 3.190	- 48. 17. 44.71	38.77	3	+19.996	...	9613	...
10875	10902	Piazzi XXIII. 201.....	8	23. 41. 56.53	37.24	2	+ 3.101	- 15. 29. 49.34	37.64	4	+19.996	201
10876	10903	Piazzi XXIII. 203.....	6	23. 42. 2.79	33.25	7	+ 3.101	- 15. 19. 3.36	32.79	5	+19.996	203
10877	10904	Piazzi XXIII. 204.....	7	23. 42. 9.55	35.76	2	+ 2.945	+ 50. 42. 15.65	35.76	4	+19.997	204
10878	10905	Piazzi XXIII. 205.....	7	23. 42. 28.47	35.80	3	+ 2.935	+ 53. 16. 54.32	35.80	3	+19.999	205
10879	10906	Piazzi XXIII. 206.....	7	23. 42. 40.18	35.66	4	+ 3.070	+ 1. 19. 14.71	35.75	4	+20.001	206
10880	10907	Lacaille 9618.....	7	23. 42. 48.31	38.80	3	+ 3.164	- 42. 41. 23.77	38.80	3	+20.002	...	9618	...

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cdlxxv}

No.	Taylor's No	Star's Name.	Magnitude.	Mean R.A., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Mean Dec., 1835.0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835.0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
10881	10908	108 Aquarii	6	23. 42. 49.92	32.80	5	+ 3.108	- 19. 49. 37.55	32.83	5	+20.002	3172	...	207
10882	10909	80 Pegasi	7	23. 42. 56.44	32.90	5	+ 3.057	+ 8. 23. 55.60	32.90	5	+20.003	3173	...	208
10883	10910	Lacaille 9620.....	7.8	23. 43. 3.11	39.73	4	+ 3.143	- 35. 36. 28.58	39.73	4	+20.003	...	9620	...
10884	10911	22 Piscium	6	23. 43. 31.30	32.93	5	+ 3.069	+ 2. 0. 48.99	32.33	5	+20.006	3174	...	209
10885	10912	Piazzi XXIII. 210.....	6	23. 44. 1.18	33.79	6	+ 3.097	- 15. 10. 6.80	33.37	6	+20.009	210
10886	10913	Bradley 3175	6	23. 44. 1.36	34.57	8	+ 3.037	+ 20. 45. 13.40	33.19	6	+20.009	3175	...	211
10887	10914	81 Pegasi	6	23. 44. 6.16	33.90	3	+ 3.041	+ 18. 12. 15.56	33.46	5	+20.010	3176	...	212
10888	10915	82 Pegasi	6	23. 44. 12.64	33.61	6	+ 3.056	+ 10. 1. 46.36	33.89	5	+20.010	3177	...	213
10889	10916	83 Pegasi	7	23. 44. 17.63	35.79	1	+ 3.037	+ 20. 49. 30.34	35.79	4	+20.010	3178	...	214
10890	10917	Lacaille 9631.....	7.8	23. 44. 25.85	39.63	5	+ 3.203	- 55. 17. 5.36	40.02	5	+20.012	...	9631	...
10891	10918	Piazzi XXIII. 218.....	6.7	23. 44. 26.74	38.87	6	+ 2.742	+ 74. 37. 28.88	41.88	4	+20.012	218
10892	10919	24 Piscium	6.7	23. 44. 27.18	33.62	7	+ 3.078	- 4. 4. 17.18	33.92	5	+20.012	3179	...	215
10893	10920	Piazzi XXIII. 216.....	8.9	23. 44. 33.57	37.05	4	+ 3.055	+ 11. 0. 32.43	37.06	4	+20.012	216
10894	10921	Piazzi XXIII. 217.....	8	23. 44. 34.80	37.10	3	+ 3.055	+ 11. 0. 29.22	37.05	4	+20.012	217
10895	10922	25 Piscium	6.7	23. 44. 37.90	33.37	6	+ 3.070	+ 1. 10. 24.16	33.78	5	+20.013	3180	...	219
10896	10923	Piazzi XXIII. 220.....	7.8	23. 44. 38.81	37.17	3	+ 3.007	+ 36. 2. 24.73	37.12	3	+20.013	220
10897	10924	Lacaille 9632.....	7.8	23. 44. 44.13	37.34	6	+ 3.177	- 49. 51. 11.45	38.83	3	+20.014	...	9632	...
10898	10925	Piazzi XXIII. 221.....	8.9	23. 44. 46.32	37.14	3	+ 3.065	+ 4. 14. 24.87	36.86	4	+20.014	221
10899	10926	Lacaille 9633.....	6.7	23. 44. 48.52	35.77	3	+ 3.114	- 25. 8. 52.32	35.73	4	+20.014	...	9633	222
10900	10927	Piazzi XXIII. 223.....	7	23. 45. 18.84	35.82	3	+ 2.968	+ 50. 36. 13.16	35.77	4	+20.017	223
10901	10928	Piazzi XXIII. 224.....	8	23. 45. 30.94	37.01	5	+ 3.056	+ 11. 4. 58.89	37.08	4	+20.018	224
10902	10929	Lacaille 9639.....	7.8	23. 45. 49.58	38.84	3	+ 3.116	- 27. 57. 41.15	38.87	3	+20.019	...	9639	...
10903	10930	Lacaille 9640.....	7	23. 45. 58.69	38.47	8	+ 3.144	- 41. 13. 9.52	40.58	7	+20.020	...	9640	225
10904	10931	7 Cassiopeia	5.6	23. 46. 10.42	35.83	3	+ 2.950	+ 56. 34. 54.02	35.81	4	+20.021	3182	...	226
10905	10932	Piazzi XXIII. 227.....	6.7	23. 46. 20.29	32.45	7	+ 3.073	- 0. 48. 29.14	32.78	5	+20.022	227
10906	10933	26 Piscium	6	23. 46. 41.75	32.30	11	+ 3.064	+ 6. 9. 11.93	32.62	5	+20.023	3183	...	228
10907	10935	Lacaille 9643.....	6.7	23. 46. 44.16	38.81	3	+ 3.122	- 32. 50. 23.35	38.84	2	+20.024	...	9643	...
10908	10934	Lacaille 9644.....	7	23. 46. 44.17	38.81	3	+ 3.122	- 32. 48. 9.45	38.81	3	+20.024	...	9644	...
10909	10936	Lacaille 9642.....	7.8	23. 46. 46.76	38.85	3	+ 3.167	- 51. 1. 56.65	38.85	3	+20.024	...	9642	...
10910	10937	Piazzi XXIII. 229.....	6.7	23. 47. 0.09	35.82	1	+ 3.037	+ 25. 2. 14.12	35.79	4	+20.025	229
10911	10938	Piazzi XXIII. 230.....	8	23. 47. 8.11	39.94	6	+ 3.069	+ 2. 35. 47.60	39.49	7	+20.025	230
10912	10939	Piazzi XXIII. 231.....	6.7	23. 47. 15.26	35.87	3	+ 2.978	+ 51. 48. 57.71	35.82	3	+20.026	231
10913	10940	Bradley 3184.....	7	23. 47. 19.68	35.77	4	+ 2.960	+ 56. 29. 38.97	35.84	4	+20.026	3184	...	232
10914	10941	Piazzi XXIII. 233.....	7	23. 47. 28.98	35.87	3	+ 3.053	+ 14. 18. 40.55	35.80	4	+20.027	233
10915	10942	Piazzi XXIII. 234.....	8.9	23. 48. 0.61	38.67	7	+ 3.113	- 30. 25. 36.55	38.66	7	+20.030	234
10916	10943	Lacaille 9656.....	6	23. 48. 4.70	39.11	3	+ 3.184	- 58. 3. 58.75	38.77	2	+20.030	...	9656	...
10917	10944	Lacaille 9657.....	7.8	23. 48. 6.93	41.13	7	+ 3.137	- 43. 6. 42.46	41.13	7	+20.030	...	9657	...
10918	10945	Piazzi XXIII. 235.....	7.8	23. 48. 17.67	37.16	3	+ 3.045	+ 21. 43. 48.44	37.30	4	+20.031	235
10919	10946	Piazzi XXIII. 236.....	7.8	23. 48. 39.05	37.27	2	+ 2.978	+ 54. 55. 19.93	37.29	4	+20.033	236
10920	10947	Bradley 3185.....	6	23. 48. 51.60	35.83	3	+ 2.980	+ 54. 47. 11.24	35.80	4	+20.034	3185	...	237

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R.A., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date, 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
10921	10948	Toucani	5	h m s 23. 48. 52'28	34'35	7	+ 3'212	— 65. 12. 46'78	37'83	3	+20'034	...	9661	...
10922	10949	Piazzi XXIII. 238	8	23. 49. 20'42	37'12	3	+ 3'060	+ 10. 33. 21'17	37'11	4	+20'036	238
10923	10950	84 Pegasi	5'6	23. 49. 21'92	32'61	5	+ 3'044	+ 24. 13. 28'79	32'54	6	+20'036	3186	...	239
10924	10951	Piazzi XXIII. 240	7'8	23. 49. 40'35	35'81	3	+ 3'046	+ 23. 25. 53'28	35'75	4	+20'038	240
10925	10952	Lacaille 9666	8	23. 49. 40'86	38'83	3	+ 3'147	— 51. 2. 53'76	38'83	3	+20'038	...	9666	...
10926	10953	Piazzi XXIII. 241	9	23. 49. 42'03	37'30	2	+ 3'077	— 4. 53. 55'17	37'07	4	+20'038	241
10927	10954	Piazzi XXIII. 242	6'7	23. 49. 47'22	35'68	3	+ 3'002	+ 49. 30. 59'72	35'79	4	+20'038	242
10928	10955	1 Ceti	6'7	23. 49. 51'71	37'07	4	+ 3'090	— 16. 45. 56'19	35'79	4	+20'039	3188	...	243
10929	10956	Lacaille 9669	7	23. 49. 55'36	39'77	6	+ 3'167	— 58. 11. 56'99	40'77	6	+20'039	...	9669	...
10930	10957	27 Piscium	5	23. 50. 13'65	32'63	18	+ 3'076	— 4. 28. 16'06	31'78	5	+20'040	3189	...	244
10931	10958	Phoenixis	7	23. 50. 21'46	38'79	3	+ 3'149	— 53. 40. 2'30	38'79	3	+20'040	...	9671	...
10932	10959	8 Ophiopsis	6'7	23. 50. 40'66	35'84	3	+ 2'995	+ 54. 50. 7'45	35'82	4	+20'041	3190	...	245
10933	10960	28 Piscium	4'5	23. 50. 50'63	32'58	13	+ 3'067	+ 5. 57. 0'19	33'16	15	+20'042	3191	...	246
10934	10961	Piazzi XXIII. 247	7	23. 50. 53'29	35'77	3	+ 3'009	+ 49. 36. 38'84	35'80	4	+20'042	247
10935	10962	Lacaille 9675	6'7	23. 50. 58'57	37'31	6	+ 3'103	— 30. 24. 14'83	38'82	3	+20'042	...	9675	248
10936	10963	Piazzi XXIII. 249	7	23. 51. 12'88	32'65	5	+ 3'078	— 6. 48. 33'20	32'81	6	+20'043	249
10937	10964	Lacaille 9679	7	23. 51. 13'96	38'82	3	+ 3'138	— 51. 54. 57'91	38'79	3	+20'043	...	9679	...
10938	10965	Toucani	5	23. 51. 16'23	31'93	1	+ 3'189	— 66. 29. 41'46	32'86	5	+20'043	...	9678	...
10939	10966	Piazzi XXIII. 250	7	23. 51. 21'68	35'83	3	+ 3'063	+ 10. 21. 12'58	35'81	4	+20'043	250
10940	10967	Lacaille 9682	8	23. 51. 36'60	40'37	6	+ 3'134	— 51. 47. 14'11	40'57	7	+20'043	...	9682	...
10941	10968	Lacaille 9685	7'8	23. 51. 42'82	38'81	3	+ 3'114	— 41. 6. 36'39	38'78	3	+20'044	...	9685	...
10942	10969	Bradley 3192	7'8	23. 51. 58'27	37'29	2	+ 3'049	+ 26. 0. 4'96	37'01	4	+20'045	3192	...	251
10943	10970	Lacaille 9688	7'8	23. 52. 23'11	38'85	3	+ 3'127	— 51. 22. 0'02	38'81	2	+20'046	...	9688	...
10944	10971	Phoenixis	6	23. 52. 34'51	38'91	3	+ 3'123	— 49. 43. 43'43	38'91	3	+20'047	...	9689	...
10945	10972	Piazzi XXIII. 252	7'8	23. 52. 35'53	35'87	3	+ 3'077	— 6. 45. 9'70	35'82	4	+20'047	252
10946	10973	Piazzi XXIII. 253	8	23. 52. 39'99	35'87	3	+ 3'077	— 6. 47. 32'96	35'82	4	+20'048	253
10947	10974	Lacaille 9694	7	23. 52. 50'37	38'86	3	+ 3'124	— 51. 15. 25'55	38'86	3	+20'048	...	9694	...
10948	10975	Lacaille 9696	6'7	23. 53. 12'26	37'34	6	+ 3'106	— 41. 3. 59'30	38'81	3	+20'049	...	9696	254
10949	10976	Bradley 3195	5	23. 53. 14'43	35'77	10	+ 3'002	+ 60. 18. 14'86	36'64	9	+20'049	3195
10950	10977	29 Piscium	5	23. 53. 22'28	32'80	10	+ 3'075	— 3. 56. 46'58	31'76	5	+20'049	3196	...	255
10951	10978	Lacaille 9697	7'8	23. 53. 27'15	38'86	3	+ 3'102	— 38. 8. 49'34	38'86	3	+20'049	...	9697	...
10952	10979	30 Piscium	4'5	23. 53. 29'94	32'54	10	+ 3'077	— 6. 55. 52'41	31'82	5	+20'049	3197	...	256
10953	10980	85 Pegasi	6	23. 53. 33'92	35'38	10	+ 3'053	+ 26. 12. 30'36	36'47	10	+20'050	3198	...	257
10954	10981	Bradley 3199	7	23. 53. 34'49	38'35	6	+ 3'074	— 3. 41. 2'30	35'91	4	+20'050	3199	...	258
10955	10982	Sculptoris	5'6	23. 53. 51'83	37'37	6	+ 3'093	— 30. 38. 23'01	38'83	3	+20'051	...	9700	259
10956	10983	31 Piscium	6	23. 53. 57'54	32'90	5	+ 3'067	+ 8. 2. 17'30	32'86	6	+20'051	3200	...	260
10957	10984	32 Piscium	6	23. 54. 4'11	32'84	5	+ 3'066	+ 7. 34. 8'41	32'88	5	+20'051	3201	...	261
10958	10985	Brisbane 7371	9	23. 54. 14'86	39'32	4	+ 3'127	— 58. 33. 6'78	39'32	4	+20'051
10959	10986	Piazzi XXIII. 262	6'7	23. 54. 29'02	35'80	3	+ 3'084	— 20. 58. 5'78	35'80	4	+20'052	262
10960	10987	Piazzi XXIII. 263	7	23. 54. 46'07	37'10	4	+ 3'062	+ 16. 38. 10'72	35'80	4	+20'053	263

No.	Taylor's No.	Star's Name.	Magnitude.	Mean R. A., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Mean Dec., 1835'0.	Mean Date. 1800 +	No. of Obs.	Annual Precession, 1835'0.	Bradley.	Lacaille.	Piazzi.
				h m s			s	° ' "			"			
10961	10988	Lacaille 9703.....	7·8	23. 54. 57·74	40·80	6	+ 3·094	- 37. 19. 13·11	41·21	5	+20·053	...	9703	...
10962	10989	2 Ceti	4	23. 55. 17·09	32·36	12	+ 3·081	- 18. 15. 18·24	31·85	5	+20·054	3204	...	264
10963	10990	Brisbane 7372.....	8·9	23. 55. 23·13	40·80	7	+ 3·116	- 58. 44. 47·66	41·04	9	+20·054
10964	10991	9 Cassiopeiæ	6·7	23. 55. 46·69	35·85	3	+ 3·027	+ 61. 22. 10·35	35·85	4	+20·055	3205	...	265
10965	10992	3 Ceti	6	23. 56. 3·32	32·94	6	+ 3·077	- 11. 25. 39·40	32·94	5	+20·055	3206	...	266
10966	10993	Piazzi XXIII. 267.....	7·8	23. 56. 16·34	36·98	5	+ 3·058	+ 33. 44. 11·13	37·04	4	+20·055	267
10967	10994	Lacaille 9711.....	7·8	23. 56. 17·93	38·82	3	+ 3·106	- 57. 45. 43·12	38·77	2	+20·055	...	9711	...
10968	10995	Piazzi XXIII. 268.....	6·7	23. 56. 27·32	35·74	3	+ 3·062	+ 25. 43. 49·58	35·78	4	+20·055	268
10969	10996	Piazzi XXIII. 269.....	9	23. 56. 28·22	37·00	4	+ 3·030	+ 63. 51. 43·76	37·05	4	+20·055	269
10970	10997	Lacaille 9713.....	7·8	23. 56. 33·93	38·77	2	+ 3·087	- 36. 56. 15·44	38·81	3	+20·056	...	9713	...
10971	10998	Piazzi XXIII. 270.....	6·7	23. 56. 36·53	32·92	6	+ 3·072	- 1. 25. 8·84	32·22	3	+20·056	270
10972	10999	Lacaille 9712.....	7·8	23. 56. 44·04	38·82	3	+ 3·097	- 53. 3. 55·62	38·82	3	+20·056	...	9712	...
10973	11000	Piazzi XXIII. 271.....	7	23. 56. 45·24	35·83	3	+ 3·059	+ 34. 39. 10·94	35·80	4	+20·056	271
10974	11001	33 Piscium	5	23. 56. 53·40	32·60	12	+ 3·074	- 6. 37. 49·80	31·81	5	+20·056	3208	...	272
10975	11002	Lacaille 9716.....	7·8	23. 56. 56·23	38·82	3	+ 3·100	- 57. 52. 27·04	38·77	2	+20·056	...	9716	...
10976	11003	Piazzi XXIII. 273.....	8·9	23. 57. 3·58	37·08	3	+ 3·075	- 10. 31. 59·67	37·04	4	+20·056	273
10977	11004	86 Pegasi	6	23. 57. 14·29	32·64	5	+ 3·069	+ 12. 28. 39·96	33·08	4	+20·056	3209	...	274
10978	11005	10 Cassiopeiæ	6·7	23. 57. 55·15	35·84	3	+ 3·048	+ 63. 16. 37·66	35·80	4	+20·056	3211	...	275
10979	11006	Bradley 3212.....	7	23. 58. 3·90	39·33	8	+ 3·067	+ 28. 6. 37·00	41·07	4	+20·057	3212	...	276
10980	11007	Lacaille 9724.....	6·7	23. 58. 23·30	35·74	2	+ 3·076	- 24. 1. 26·61	35·79	4	+20·057	...	9724	277
10981	11008	Lacaille 9725.....	7·8	23. 58. 28·85	38·83	3	+ 3·079	- 39. 47. 48·91	38·86	2	+20·057	...	9725	...
10982	11009	Lacaille 9728.....	7·8	23. 58. 52·53	38·86	3	+ 3·066	- 42. 48. 32·84	38·86	3	+20·058	...	9728	...
10983	11010	Lacaille 9730.....	7·8	23. 58. 59·88	38·82	3	+ 3·081	- 57. 45. 19·15	38·82	3	+20·058	...	9730	...
10984	11011	Lacaille 9731.....	7·8	23. 59. 5·07	38·80	3	+ 3·080	- 56. 55. 53·33	38·82	2	+20·058	...	9731	...
10985	11012	4 Ceti	7	23. 59. 17·14	31·89	2	+ 3·072	- 3. 28. 2·71	32·81	6	+20·058	3213	...	278
10986	11013	Lacaille 9735.....	6	23. 59. 39·71	37·31	6	+ 3·073	- 34. 26. 55·71	38·85	3	+20·058	...	9735	279
10987	11014	5 Ceti	7	23. 59. 45·35	32·36	8	+ 3·072	- 3. 21. 57·67	31·93	5	+20·058	3214	...	280
10988	11015	21 Andromedæ	1	23. 59. 52·37	33·92	85	+ 3·072	+ 28. 10. 44·63	32·69	132	+20·058	3215	...	281

PRINTED BY
NEILL AND COMPANY, LIMITED,
EDINBURGH.

